

Fumi Gomi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7567717/fumi-gomi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

5,445
citations

35
h-index

71
g-index

161
ext. papers

6,097
ext. citations

4.2
avg, IF

5.25
L-index

#	Paper	IF	Citations
150	Activation of caspase-12, an endoplasmic reticulum (ER) resident caspase, through tumor necrosis factor receptor-associated factor 2-dependent mechanism in response to the ER stress. <i>Journal of Biological Chemistry</i> , 2001 , 276, 13935-40	5.4	623
149	Presenilin-1 mutations downregulate the signalling pathway of the unfolded-protein response. <i>Nature Cell Biology</i> , 1999 , 1, 479-85	23.4	463
148	One-year outcomes of photodynamic therapy in age-related macular degeneration and polypoidal choroidal vasculopathy in Japanese patients. <i>Ophthalmology</i> , 2008 , 115, 141-6	7.3	220
147	Polypoidal Choroidal Vasculopathy: Definition, Pathogenesis, Diagnosis, and Management. <i>Ophthalmology</i> , 2018 , 125, 708-724	7.3	187
146	Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy. <i>American Journal of Ophthalmology</i> , 2006 , 142, 155-8	4.9	169
145	Intravitreal bevacizumab to treat iris neovascularization and neovascular glaucoma secondary to ischemic retinal diseases in 41 consecutive cases. <i>Ophthalmology</i> , 2008 , 115, 1571-80, 1580.e1-3	7.3	161
144	Sema3E-PlexinD1 signaling selectively suppresses disoriented angiogenesis in ischemic retinopathy in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1974-85	15.9	153
143	Complications in patients after intravitreal injection of bevacizumab. <i>Acta Ophthalmologica</i> , 2008 , 86, 372-6	3.7	150
142	Potent retinal arteriolar traction as a possible cause of myopic foveoschisis. <i>American Journal of Ophthalmology</i> , 2005 , 139, 462-7	4.9	142
141	Intravitreal bevacizumab for choroidal neovascularization attributable to pathological myopia: one-year results. <i>American Journal of Ophthalmology</i> , 2009 , 147, 94-100.e1	4.9	136
140	Morphologic changes in acute central serous chorioretinopathy evaluated by fourier-domain optical coherence tomography. <i>Ophthalmology</i> , 2008 , 115, 1494-500, 1500.e1-2	7.3	123
139	Optical coherence tomographic findings of macular holes and retinal detachment after vitrectomy in highly myopic eyes. <i>American Journal of Ophthalmology</i> , 2003 , 136, 477-81	4.9	116
138	Choroidal thickness in central serous chorioretinopathy. <i>Retina</i> , 2013 , 33, 302-8	3.6	112
137	Choroidal observations in Vogt-Koyanagi-Harada disease using high-penetration optical coherence tomography. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2012 , 250, 1089-95	3.8	105
136	Retardation of retinal vascular development in apelin-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1717-22	9.4	102
135	Polypoidal choroidal vasculopathy and treatments. <i>Current Opinion in Ophthalmology</i> , 2008 , 19, 208-12	5.1	99
134	Vascular endothelial growth factor reduced and connective tissue growth factor induced by triamcinolone in ARPE19 cells under oxidative stress. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 1062-8		91

133	Association between the efficacy of photodynamic therapy and indocyanine green angiography findings for central serous chorioretinopathy. <i>American Journal of Ophthalmology</i> , 2010 , 149, 441-6.e1-24.9	4.9	85
132	Lacquer crack formation and choroidal neovascularization in pathologic myopia. <i>Retina</i> , 2008 , 28, 1124-31.6	3.6	84
131	Efficacy of intravitreal bevacizumab combined with photodynamic therapy for polypoidal choroidal vasculopathy. <i>American Journal of Ophthalmology</i> , 2010 , 150, 48-54.e1	4.9	81
130	INITIAL VERSUS DELAYED PHOTODYNAMIC THERAPY IN COMBINATION WITH RANIBIZUMAB FOR TREATMENT OF POLYPOIDAL CHOROIDAL VASCULOPATHY: The Fujisan Study. <i>Retina</i> , 2015 , 35, 1569-78.6	3.6	80
129	Retinal vascular microfolds in highly myopic eyes. <i>American Journal of Ophthalmology</i> , 2005 , 139, 658-63.4.9	4.9	79
128	Apelin is a crucial factor for hypoxia-induced retinal angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2182-7	9.4	73
127	Two-year visual results for older Asian women treated with photodynamic therapy or bevacizumab for myopic choroidal neovascularization. <i>American Journal of Ophthalmology</i> , 2010 , 149, 140-6	4.9	63
126	Regulatory mechanisms of TRAF2-mediated signal transduction by Bcl10, a MALT lymphoma-associated protein. <i>Journal of Biological Chemistry</i> , 2000 , 275, 11114-20	5.4	63
125	Three-dimensional optical coherence tomographic findings in central serous chorioretinopathy. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2006 , 244, 1415-20	3.8	61
124	Correlation of fundus autofluorescence with photoreceptor morphology and functional changes in eyes with retinitis pigmentosa. <i>Acta Ophthalmologica</i> , 2010 , 88, e177-83	3.7	60
123	Vitrectomy and internal limiting membrane peeling for myopic foveoschisis. <i>American Journal of Ophthalmology</i> , 2004 , 137, 719-24	4.9	59
122	Nonvitrectomizing vitreous surgery for epiretinal membrane long-term follow-up. <i>Ophthalmology</i> , 2005 , 112, 1402-8	7.3	48
121	Incidence and characteristics of neovascularization in fellow eyes of Japanese patients with unilateral retinal angiomatous proliferation. <i>Retina</i> , 2014 , 34, 761-7	3.6	41
120	En-face high-penetration optical coherence tomography imaging in polypoidal choroidal vasculopathy. <i>British Journal of Ophthalmology</i> , 2015 , 99, 29-35	5.5	39
119	Efficacy and safety of one intravitreal injection of bevacizumab in diabetic macular oedema. <i>Acta Ophthalmologica</i> , 2008 , 86, 800-5	3.7	39
118	Long-term results of intravitreal bevacizumab injection for choroidal neovascularization secondary to angiod streaks. <i>American Journal of Ophthalmology</i> , 2009 , 148, 584-590.e2	4.9	38
117	Age at onset curves of retinitis pigmentosa. <i>JAMA Ophthalmology</i> , 2008 , 126, 337-40		38
116	Efficacy and safety of intravitreal aflibercept injection in wet age-related macular degeneration: outcomes in the Japanese subgroup of the VIEW 2 study. <i>British Journal of Ophthalmology</i> , 2015 , 99, 92-7	5.5	35

115	Three-year visual and anatomic results of administrating intravitreal bevacizumab in inflammatory ocular neovascularization. <i>Canadian Journal of Ophthalmology</i> , 2012 , 47, 269-74	1.4	35
114	Intravitreal bevacizumab for idiopathic choroidal neovascularization after previous injection with posterior subtenon triamcinolone. <i>American Journal of Ophthalmology</i> , 2007 , 143, 507-10	4.9	35
113	Macular autofluorescence in eyes with cystoid macula edema, detected with 488 nm-excitation but not with 580 nm-excitation. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2009 , 247, 729-34	3.8	32
112	Topical bromfenac as an adjunctive treatment with intravitreal ranibizumab for exudative age-related macular degeneration. <i>Retina</i> , 2012 , 32, 1804-10	3.6	32
111	Recurrent retinal angiomatous proliferation after surgical ablation. <i>American Journal of Ophthalmology</i> , 2005 , 139, 917-8	4.9	32
110	Long-term follow-up of polypoidal choroidal vasculopathy after photodynamic therapy with verteporfin. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2007 , 245, 1569-71	3.8	30
109	Characteristics of central serous chorioretinopathy complicated by focal choroidal excavation. <i>Retina</i> , 2014 , 34, 1216-22	3.6	29
108	Different dosing of intravitreal bevacizumab for choroidal neovascularization because of pathologic myopia. <i>Retina</i> , 2011 , 31, 880-6	3.6	29
107	Effect of 1-year lutein supplementation on macular pigment optical density and visual function. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2011 , 249, 1847-54	3.8	29
106	Adaptive optics fundus camera to examine localized changes in the photoreceptor layer of the fovea. <i>Ophthalmology</i> , 2008 , 115, 1771-7	7.3	29
105	Intravitreal bevacizumab for exudative branching vascular networks in polypoidal choroidal vasculopathy. <i>British Journal of Ophthalmology</i> , 2012 , 96, 394-9	5.5	28
104	A microperimeter that provides fixation pattern and retinal sensitivity measurement. <i>Japanese Journal of Ophthalmology</i> , 2006 , 50, 111-5	2.6	28
103	Angiographic lesion of polypoidal choroidal vasculopathy on indocyanine green and fluorescein angiography. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2007 , 245, 1421-7	3.8	27
102	Sutureless contact lens ring system during vitrectomy. <i>American Journal of Ophthalmology</i> , 2002 , 133, 847-8	4.9	27
101	Comparison of pneumatic displacement for submacular hemorrhages with gas alone and gas plus tissue plasminogen activator. <i>Retina</i> , 2013 , 33, 1908-14	3.6	26
100	One-year results of combined photodynamic therapy and intravitreal bevacizumab injection for retinal pigment epithelial detachment secondary to age-related macular degeneration. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2009 , 247, 899-906	3.8	26
99	Optical coherence tomographic evaluation of a surgically treated traumatic macular hole secondary to Nd:YAG laser injury. <i>American Journal of Ophthalmology</i> , 2003 , 135, 537-9	4.9	25
98	A prospective multicenter study on genome wide associations to ranibizumab treatment outcome for age-related macular degeneration. <i>Scientific Reports</i> , 2017 , 7, 9196	4.9	22

97	Effect of cataract in evaluation of macular pigment optical density by autofluorescence spectrometry. <i>Investigative Ophthalmology and Visual Science</i> , 2011 , 52, 927-32		22
96	Induction of amyloid beta accumulation by ER calcium disruption and resultant upregulation of angiogenic factors in ARPE19 cells. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 2376-83		22
95	Characterization of mouse Ire1 alpha: cloning, mRNA localization in the brain and functional analysis in a neural cell line. <i>Molecular Brain Research</i> , 2000 , 85, 68-76		22
94	Polypoidal Choroidal Vasculopathy: Consensus Nomenclature and Non-Indocyanine Green Angiograph Diagnostic Criteria from the Asia-Pacific Ocular Imaging Society PCV Workgroup. <i>Ophthalmology</i> , 2021 , 128, 443-452	7.3	22
93	Relationship between grades of macular perfusion and foveal thickness in branch retinal vein occlusion. <i>Clinical Ophthalmology</i> , 2013 , 7, 39-45	2.5	21
92	Correlation of indocyanine green angiography and optical coherence tomography findings after intravitreal ranibizumab for polypoidal choroidal vasculopathy. <i>Retina</i> , 2012 , 32, 2006-13	3.6	21
91	Sub-retinal hemorrhage during internal limiting membrane peeling for a macular hole. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2003 , 241, 582-584	3.8	21
90	Anti-VEGF Therapy for Neovascular AMD and Polypoidal Choroidal Vasculopathy. <i>Asia-Pacific Journal of Ophthalmology</i> , 2017 , 6, 527-534	3.5	20
89	Analysis of retinal nonperfusion using depth-integrated optical coherence tomography images in eyes with branch retinal vein occlusion. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 640-6		20
88	Additional anti-vascular endothelial growth factor therapy for eyes with a retinal pigment epithelial tear after the initial therapy. <i>Retina</i> , 2014 , 34, 512-8	3.6	20
87	Analysis of choroidal folds in acute Vogt-Koyanagi-Harada disease using high-penetration optical coherence tomography. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2015 , 253, 959-64	3.8	19
86	Expression of IL-33 in ocular surface epithelium induces atopic keratoconjunctivitis with activation of group 2 innate lymphoid cells in mice. <i>Scientific Reports</i> , 2017 , 7, 10053	4.9	19
85	Transcriptional regulation of VEGFA by the endoplasmic reticulum stress transducer OASIS in ARPE-19 cells. <i>PLoS ONE</i> , 2013 , 8, e55155	3.7	19
84	Macular hole secondary to fungal endophthalmitis. <i>JAMA Ophthalmology</i> , 2003 , 121, 732-3		18
83	Central serous chorioretinopathy with and without steroids: A multicenter survey. <i>PLoS ONE</i> , 2019 , 14, e0213110	3.7	17
82	Choroidal observations in posterior scleritis using high-penetration optical coherence tomography. <i>International Ophthalmology</i> , 2014 , 34, 937-43	2.2	17
81	Macular pigment optical density in central serous chorioretinopathy 2010 , 51, 5219-25		16
80	Clinical preferences and trends of anti-vascular endothelial growth factor treatments for diabetic macular edema in Japan. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 475-483	3.9	16

79	Laser-induced choroidal neovascularization in mice attenuated by deficiency in the apelin-APJ system 2013 , 54, 4321-9		15
78	Scleral buckling versus vitrectomy for young Japanese patients with rhegmatogenous retinal detachment in the era of microincision surgery: real-world evidence from a multicentre study in Japan. <i>Acta Ophthalmologica</i> , 2019 , 97, e736-e741	3.7	14
77	Usefulness of indocyanine green angiography to depict the distant retinal vascular anomalies associated with branch retinal vein occlusion causing serous macular detachment. <i>Retina</i> , 2012 , 32, 308-13	3.6	14
76	Comparison of surgical treatments for central retinal vein occlusion; RON vs. cannulation of tissue plasminogen activator into the retinal vein. <i>Retina</i> , 2009 , 29, 1167-74	3.6	14
75	Nonaxoplasmic transfer of indocyanine green into the optic nerve after intravitreal application. <i>Retina</i> , 2004 , 24, 412-5	3.6	13
74	Potential of Adult Endogenous Neural Stem/Progenitor Cells in the Spinal Cord to Contribute to Remyelination in Experimental Autoimmune Encephalomyelitis. <i>Cells</i> , 2019 , 8,	7.9	12
73	Reduced-fluence photodynamic therapy for subfoveal serous pigment epithelial detachment with choroidal vascular hyperpermeability. <i>American Journal of Ophthalmology</i> , 2012 , 154, 865-871.e1	4.9	12
72	Induction of connective tissue growth factor in retinal pigment epithelium cells by oxidative stress. <i>Japanese Journal of Ophthalmology</i> , 2006 , 50, 229-34	2.6	12
71	Changes in mRNA of protein inhibitor of neuronal nitric oxide synthase following facial nerve transection. <i>Journal of Chemical Neuroanatomy</i> , 2000 , 17, 199-206	3.2	12
70	Changes in fundus autofluorescence in polypoidal choroidal vasculopathy during 3 years of follow-up. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2013 , 251, 2331-7	3.8	11
69	Three-dimensional optical coherence tomographic findings of idiopathic multiple serous retinal pigment epithelial detachment. <i>JAMA Ophthalmology</i> , 2005 , 123, 122-3		11
68	Comparison of spectral-domain and high-penetration OCT for observing morphologic changes in age-related macular degeneration and polypoidal choroidal vasculopathy. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2014 , 252, 3-9	3.8	10
67	Foveal sparing in patients with Japanese Stargardt's disease and good visual acuity. <i>Japanese Journal of Ophthalmology</i> , 2012 , 56, 584-8	2.6	10
66	Intravitreal bevacizumab vs sub-tenon triamcinolone acetonide for choroidal neovascularization attributable to pathologic myopia. <i>American Journal of Ophthalmology</i> , 2009 , 148, 591-596.e1	4.9	10
65	Flanged intraocular lens fixation via 27-gauge trocars using a double-needle technique decreases surgical wounds without losing its therapeutic effect. <i>Acta Ophthalmologica</i> , 2020 , 98, e499-e503	3.7	10
64	Comparison of visual prognoses between natural course of simple hemorrhage and choroidal neovascularization treated with intravitreal bevacizumab in highly myopic eyes: a 1-year follow-up. <i>Retina</i> , 2015 , 35, 429-34	3.6	8
63	Effectiveness of 1.25 % povidone-iodine combined with topical levofloxacin against conjunctival flora in intravitreal injection. <i>Japanese Journal of Ophthalmology</i> , 2012 , 56, 497-501	2.6	8
62	A Multicenter Randomized Controlled Study of Antioxidant Supplementation with Lutein for Chronic Central Serous Chorioretinopathy. <i>Ophthalmologica</i> , 2017 , 237, 159-166	3.7	7

61	Choroidal thickness estimation from colour fundus photographs by adaptive binarisation and deep learning, according to central serous chorioretinopathy status. <i>Scientific Reports</i> , 2020 , 10, 5640	4.9	7
60	Effects of a lutein supplement on the plasma lutein concentration and macular pigment in patients with central serous chorioretinopathy 2014 , 55, 5238-44		7
59	Long-term follow-up after vitrectomy to treat idiopathic full-thickness macular holes: visual acuity and macular complications. <i>Clinical Ophthalmology</i> , 2012 , 6, 1281-6	2.5	7
58	Angiographic changes after bevacizumab. <i>Ophthalmology</i> , 2009 , 116, 2263.e1	7.3	7
57	Fundus autofluorescence after full macular translocation surgery for myopic choroidal neovascularization. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2008 , 246, 1087-95	3.8	7
56	Macular translocation surgery and retinal circulation times. <i>Retina</i> , 2004 , 24, 51-6	3.6	7
55	Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan. <i>PLoS ONE</i> , 2019 , 14, e0226118	3.7	7
54	Vision-related quality of life in Japanese patients with wet age-related macular degeneration treated with intravitreal aflibercept in a real-world setting. <i>Japanese Journal of Ophthalmology</i> , 2019 , 63, 437-447	2.6	6
53	Bevacizumab treatment for choroidal neovascularization due to age-related macular degeneration in Japanese patients. <i>Japanese Journal of Ophthalmology</i> , 2010 , 54, 124-8	2.6	6
52	Radial optic neurotomy for the management of hemicentral retinal vein occlusion: long-term follow-up study. <i>Retina</i> , 2006 , 26, 555-61	3.6	5
51	Evaluation of choroidal perfusion of the new central macular area by dilution analysis of indocyanine green angiography after macular translocation. <i>Retina</i> , 2004 , 24, 210-4	3.6	5
50	Tilted Disc Syndrome Associated with Serous Retinal Detachment: Long-term Prognosis. A Retrospective Multicenter Survey. <i>American Journal of Ophthalmology</i> , 2019 , 207, 313-318	4.9	4
49	Quantitative assessment of outer retinal folds on enface optical coherence tomography after vitrectomy for rhegmatogenous retinal detachment. <i>Scientific Reports</i> , 2019 , 9, 2327	4.9	4
48	-induced endophthalmitis after a cat scratch. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 18, 100711	1.3	4
47	Indocyanine Green Dye Filling Time for Polypoidal Lesions in Polypoidal Choroidal Vasculopathy Affects the Visibility of the Lesions on OCT Angiography. <i>Ophthalmology Retina</i> , 2018 , 2, 803-807	3.8	4
46	Consecutive case series with long-term follow-up of full macular translocation for myopic choroidal neovascularisation. <i>British Journal of Ophthalmology</i> , 2014 , 98, 1221-5	5.5	4
45	En Face Optical Coherence Tomography Imaging of the Choroid in a Case with Central Serous Chorioretinopathy during the Course of Vogt-Koyanagi-Harada Disease: A Case Report. <i>Case Reports in Ophthalmology</i> , 2015 , 6, 488-94	0.7	4
44	Choroidal thickness in eyes with tilted disk syndrome. <i>Retina</i> , 2014 , 34, 497-503	3.6	4

43	Comparison of different treatment intervals between bevacizumab injection and photodynamic therapy in combined therapy for age-related macular degeneration. <i>Japanese Journal of Ophthalmology</i> , 2012 , 56, 470-5	2.6	4
42	New micro vertical scissors for the surgical ablation of retinal angiomatous proliferation. <i>American Journal of Ophthalmology</i> , 2005 , 139, 377-80	4.9	4
41	Non-ICGA treatment criteria for Suboptimal Anti-VEGF Response for Polypoidal Choroidal Vasculopathy: APOIS PCV Workgroup Report 2. <i>Ophthalmology Retina</i> , 2021 , 5, 945-953	3.8	4
40	Fundus autofluorescence and retinal sensitivity in fellow eyes of age-related macular degeneration in Japan. <i>PLoS ONE</i> , 2019 , 14, e0213161	3.7	3
39	Comparative analysis of metamorphopsia and aniseikonia after vitrectomy for epiretinal membrane, macular hole, or rhegmatogenous retinal detachment. <i>PLoS ONE</i> , 2020 , 15, e0232758	3.7	3
38	Spectral-domain optical coherence tomographic findings in punctate inner choroidopathy. <i>Retinal Cases and Brief Reports</i> , 2012 , 6, 189-92	1.1	3
37	IPP isomerase, an enzyme of mevalonate pathway, is preferentially expressed in postnatal cortical neurons and induced after nerve transection. <i>Molecular Brain Research</i> , 1999 , 67, 231-8		3
36	Surgical management of pediatric patients with congenital fibrosis of the extraocular muscles. <i>Japanese Journal of Ophthalmology</i> , 2020 , 64, 86-92	2.6	3
35	Clinical Characteristics and Outcomes in 314 Japanese Patients with Bacterial Endophthalmitis: A Multicenter Cohort Study from J-CREST. <i>Pathogens</i> , 2021 , 10,	4.5	3
34	Factors of Anti-Vascular Endothelial Growth Factor Therapy Withdrawal in Patients with Neovascular Age-Related Macular Degeneration: Implications for Improving Patient Adherence. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
33	Effectiveness of polypoidal lesion-selective photodynamic therapy with intravitreal anti-vascular endothelial growth factor for polypoidal choroidal vasculopathy. <i>Japanese Journal of Ophthalmology</i> , 2020 , 64, 265-270	2.6	2
32	A Novel Method for Evaluation of Ocular Torsion Angle by Optical Coherence Tomography. <i>Translational Vision Science and Technology</i> , 2020 , 9, 27	3.3	2
31	Characteristics of tear abnormalities associated with benign essential blepharospasm and amelioration by means of botulinum toxin type A treatment. <i>Japanese Journal of Ophthalmology</i> , 2020 , 64, 45-53	2.6	2
30	Characteristics of Japanese patients with Leber's hereditary optic neuropathy and idebenone trial: a prospective, interventional, non-comparative study. <i>Japanese Journal of Ophthalmology</i> , 2021 , 65, 133-142	2.6	2
29	Central Serous Chorioretinopathy and Blood Serotonin Concentrations. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
28	Five-year follow-up of fundus autofluorescence and retinal sensitivity in the fellow eye in exudative age-related macular degeneration in Japan. <i>PLoS ONE</i> , 2020 , 15, e0229694	3.7	1
27	Comparison of macular pigment in three types of macular telangiectasia. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2013 , 251, 689-96	3.8	1
26	Disposable eyelid speculum designed for intravitreal injection. <i>Retina</i> , 2011 , 31, 1972-3	3.6	1

25	Pigment epithelial changes with abnormal fundus autofluorescence after photodynamic therapy for idiopathic choroidal neovascularization. <i>Japanese Journal of Ophthalmology</i> , 2008 , 52, 138-139	2.6	1
24	Principles and Applications of Modern Optical Coherence Tomography 2009 , 67-83		1
23	Predictive Biomarker for Progression Into the Sunset Glow Fundus of Vogt-Koyanagi-Harada Disease, Using Adaptive Binarization of Fundus Photographs. <i>Translational Vision Science and Technology</i> , 2020 , 9, 10	3.3	1
22	Visualization of microaneurysms in macular telangiectasia type 1 on optical coherence tomography angiography before and after photocoagulation. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2021 , 259, 1513-1520	3.8	1
21	Trends in the Prevalence and Progression of Diabetic Retinopathy Associated with Hyperglycemic Disorders during Pregnancy in Japan.. <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	1
20	Axial length estimation error caused by hidden double-peak on partial coherence interferometry in an eye with epiretinal membrane: a case report. <i>Clinical Ophthalmology</i> , 2014 , 8, 555-9	2.5	0
19	Efficacy and safety of one intravitreal injection of bevacizumab in diabetic macular oedema □ authors[reply]. <i>Acta Ophthalmologica</i> , 2010 , 88, e4-e4	3.7	0
18	Clinical features and treatment status of antiacetylcholine receptor antibody-positive ocular myasthenia gravis. <i>Japanese Journal of Ophthalmology</i> , 2020 , 64, 628-634	2.6	0
17	Characteristics and treatment responses of cystoid retina associated with central serous chorioretinopathy. <i>Japanese Journal of Ophthalmology</i> , 2021 , 65, 372-379	2.6	0
16	Clinical characteristics of central serous chorioretinopathy in patients by age. <i>Japanese Journal of Ophthalmology</i> , 2021 , 65, 761-768	2.6	0
15	Massive subretinal hemorrhage after photodynamic therapy for polypoidal choroidal vasculopathy after macular translocation surgery. <i>Japanese Journal of Ophthalmology</i> , 2007 , 51, 307-9	2.6	
14	Sub-Internal Limiting Membrane Hemorrhage after Stent-Assisted Coil Embolization. <i>Ophthalmology Retina</i> , 2020 , 4, 926	3.8	
13	Outcomes of Extraocular Muscle Surgery for Diplopia or Abnormal Head Posture After Treatment of Brain Disease. <i>Clinical Ophthalmology</i> , 2020 , 14, 2151-2157	2.5	
12	Effects of cataract surgery in Japanese patients with neovascular age-related macular degeneration. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2021 , 259, 1145-1151	3.8	
11	One-year outcomes of microhook trabeculotomy versus suture trabeculotomy ab interno. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2021 , 1	3.8	
10	Synthetic rubber sheet to manage exposure keratopathy. <i>American Journal of Ophthalmology Case Reports</i> , 2021 , 23, 101185	1.3	
9	Progression of age-related macular degeneration in eyes with abnormal fundus autofluorescence in a Japanese population: JFAM study report 3.. <i>PLoS ONE</i> , 2022 , 17, e0264703	3.7	
8	Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan 2019 , 14, e0226118		

- 7 Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan **2019**, 14, e0226118
- 6 Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan **2019**, 14, e0226118
- 5 Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan **2019**, 14, e0226118
- 4 Five-year follow-up of fundus autofluorescence and retinal sensitivity in the fellow eye in exudative age-related macular degeneration in Japan **2020**, 15, e0229694
- 3 Five-year follow-up of fundus autofluorescence and retinal sensitivity in the fellow eye in exudative age-related macular degeneration in Japan **2020**, 15, e0229694
- 2 Five-year follow-up of fundus autofluorescence and retinal sensitivity in the fellow eye in exudative age-related macular degeneration in Japan **2020**, 15, e0229694
- 1 Five-year follow-up of fundus autofluorescence and retinal sensitivity in the fellow eye in exudative age-related macular degeneration in Japan **2020**, 15, e0229694