

Mohini Sain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7567917/mohini-sain-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

4,887
citations

34
h-index

67
g-index

144
ext. papers

5,539
ext. citations

4.1
avg, IF

6.03
L-index

#	Paper	IF	Citations
138	Mechanical performance of modified Polypropylene/Polyamide matrix reinforced with treated recycled carbon fibers for lightweight applications. <i>Journal of Polymer Research</i> , 2022 , 29, 1	2.7	1
137	Molecular design and structural optimization of nanocellulose-based films fabricated via regioselective functionalization for flexible electronics. <i>Chemical Engineering Journal</i> , 2022 , 440, 135950	14.7	0
136	Hydrothermally carbonized xylem sap for use in chemosensors, on and off switches, and memory devices. <i>Energy Reports</i> , 2022 , 8, 3213-3220	4.6	0
135	Thermal Properties of Hemp Fiber-Based Hybrid Composites 2022 , 183-200		
134	Electrochemical Properties of Biobased Carbon Aerogels Decorated with Graphene Dots Synthesized from Biochar. <i>ACS Applied Electronic Materials</i> , 2021 , 3, 4699-4710	4	1
133	Regioselective Protection and Deprotection of Nanocellulose Molecular Design Architecture: Robust Platform for Multifunctional Applications. <i>Biomacromolecules</i> , 2021 ,	6.9	1
132	Hetero-Porous, High-Surface Area Green Carbon Aerogels for the Next-Generation Energy Storage Applications. <i>Nanomaterials</i> , 2021 , 11,	5.4	7
131	A review of thermoplastic polymer foams for functional applications. <i>Journal of Materials Science</i> , 2021 , 56, 11579-11604	4.3	5
130	Highly electro-responsive composite gel based on functionally tuned graphene filled polyvinyl chloride. <i>Polymers for Advanced Technologies</i> , 2021 , 32, 3679-3688	3.2	1
129	Multifunctional nanolayered renewable carbon for electromagnetic interference and energy devices. <i>Materials Today Energy</i> , 2021 , 20, 100778	7	
128	One-pot fabrication of flexible and luminescent nanofilm by in-situ radical polymerization of vinyl carbazole on nanofibrillated cellulose. <i>Carbohydrate Polymers</i> , 2021 , 262, 117934	10.3	5
127	High quantum yield photoluminescent N-doped carbon dots for switch sensing and imaging. <i>Talanta</i> , 2021 , 222, 121663	6.2	28
126	A functionalized renewable carbon-based surface for sensor development. <i>Journal of Solid State Electrochemistry</i> , 2021 , 25, 1093-1099	2.6	2
125	Thermoconformational Behavior of Cellulose Nanofiber Films as a Device Substrate and Their Superior Flexibility and Durability to Glass. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 40853-40862	9.5	1
124	Oriented Carbon Fiber Networks by Design from Renewables for Electrochemical Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 12142-12154	8.3	1
123	Nanocrystalline Cellulose from Microcrystalline Cellulose of Date Palm Fibers as a Promising Candidate for Bio-Nanocomposites: Isolation and Characterization. <i>Materials</i> , 2021 , 14,	3.5	7
122	A Single Crystal Hybrid Ligand Framework of Copper(II) with Stable Intrinsic Blue-Light Luminescence in Aqueous Solution. <i>Nanomaterials</i> , 2021 , 11,	5.4	2

121	Hybrid Photo- and Thermal Catalyst System for Continuous CO Reduction. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33613-33620	9.5	10
120	Enhancing Mixing and Thermal Management of Recycled Carbon Composite Systems by Torsion-Induced Phase-to-Phase Thermal and Molecular Mobility. <i>Polymers</i> , 2020 , 12,	4.5	2
119	Advanced Applications for Lignin Micro- and Nano-based Materials. <i>Current Forestry Reports</i> , 2020 , 6, 159-171	8	6
118	Biopolymer Substrates in Buccal Drug Delivery: Current Status and Future Trend. <i>Current Medicinal Chemistry</i> , 2020 , 27, 1661-1669	4.3	4
117	High Efficiency Solar Membranes Structurally Designed with 3D Core-2D Shell SiO@Amino-Carbon Hybrid Advanced Composite for Facile Steam Generation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35493-35501	9.5	18
116	Carbon Fibers with High Electrical Conductivity: Laser Irradiation of Mesophase Pitch Filaments Obtains High Graphitization Degree. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 17629-17638	8.3	9
115	Functionally tuned nanolayered graphene as reinforcement of polyethylene nanocomposites for lightweight transportation industry. <i>Carbon</i> , 2020 , 169, 99-110	10.4	10
114	Zwitterions for Organic/Perovskite Solar Cells, Light-Emitting Devices, and Lithium Ion Batteries: Recent Progress and Perspectives. <i>Advanced Energy Materials</i> , 2019 , 9, 1803354	21.8	41
113	Flexible electrically conductive films based on nanofibrillated cellulose and polythiophene prepared via oxidative polymerization. <i>Carbohydrate Polymers</i> , 2019 , 220, 79-85	10.3	31
112	A review of electro-stimulated gels and their applications: Present state and future perspectives. <i>Materials Science and Engineering C</i> , 2019 , 103, 109852	8.3	20
111	Future Perspectives and Review on Organic Carbon Dots in Electronic Applications. <i>ACS Nano</i> , 2019 , 13, 6224-6255	16.7	149
110	Variation in Feedstock Wood Chemistry Strongly Influences Biochar Liming Potential. <i>Soil Systems</i> , 2019 , 3, 26	3.5	19
109	Review on modification strategies of polyethylene/polypropylene immiscible thermoplastic polymer blends for enhancing their mechanical behavior. <i>Journal of Elastomers and Plastics</i> , 2019 , 51, 291-336	1.6	58
108	Enhancement of Mechanical Properties of Flax-Epoxy Composite with Carbon Fibre Hybridisation for Lightweight Applications. <i>Materials</i> , 2019 , 13,	3.5	21
107	Porous graphitic biocarbon and reclaimed carbon fiber derived environmentally benign lightweight composites. <i>Science of the Total Environment</i> , 2019 , 664, 363-373	10.2	15
106	Development of high bio-content polypropylene composites with different industrial lignins. <i>Polymers for Advanced Technologies</i> , 2019 , 30, 70-78	3.2	12
105	Thermal and Physiochemical Characterization of Lignin Extracted from Wheat Straw by Organosolv Process. <i>Journal of Polymers and the Environment</i> , 2018 , 26, 3109-3116	4.5	21
104	Properties investigation of recycled polylactic acid reinforced by cellulose nanofibrils isolated from bagasse. <i>Polymer Composites</i> , 2018 , 39, 3740-3749	3	13

103	Thermal and Dimensional Stability of Injection-Molded Sisal-Glass Fiber Hybrid PP Biocomposites. <i>Journal of Polymers and the Environment</i> , 2018 , 26, 1279-1289	4.5	10
102	Water resistant nanopapers prepared by lactic acid modified cellulose nanofibers. <i>Cellulose</i> , 2018 , 25, 259-268	5.5	39
101	Cell interactions and cytotoxic studies of cellulose nanofibers from Curau natural fibers. <i>Carbohydrate Polymers</i> , 2018 , 201, 87-95	10.3	25
100	Graphene oxide modification for enhancing high-density polyethylene properties: a comparison between solvent reaction and melt mixing. <i>Journal of Polymer Engineering</i> , 2018 , 39, 85-93	1.4	11
99	Permeability and mechanical property correlation of bio based epoxy reinforced with unidirectional sisal fiber mat through vacuum infusion molding technique. <i>Polymer Composites</i> , 2017 , 38, 2192-2200	3	5
98	Mechanical, morphological and structural properties of cellulose nanofibers reinforced epoxy composites. <i>International Journal of Biological Macromolecules</i> , 2017 , 97, 190-200	7.9	107
97	Effect of Alkyl Phenol from Cashew Nutshell Liquid and Sisal Fiber Reinforcement on Dry Sliding Wear Behavior of Epoxy Resin. <i>Journal of Natural Fibers</i> , 2017 , 14, 747-758	1.8	11
96	Thermal and dynamic mechanical properties of cellulose nanofibers reinforced epoxy composites. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 822-828	7.9	146
95	Cytotoxicity studies of membranes made with cellulose nanofibers from fique macrofibers. <i>Journal of Materials Science</i> , 2017 , 52, 2581-2590	4.3	10
94	Topochemistry of cellulose nanofibers resulting from molecular and polymer grafting. <i>Cellulose</i> , 2017 , 24, 2139-2152	5.5	11
93	Numerical and Experimental Validation of Natural Fiber Orientation in Viscous Fluid of Injection Cavity. <i>Journal of Natural Fibers</i> , 2017 , 14, 634-644	1.8	2
92	Model development for work of fracture of hybrid composites. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	2
91	Effect of Natural Fiber Network on Permeability and Tensile Strength of Composites through Vacuum Infusion Process. <i>Journal of Natural Fibers</i> , 2017 , 14, 278-286	1.8	1
90	Nanocellulose composites with enhanced interfacial compatibility and mechanical properties using a hybrid-toughened epoxy matrix. <i>Carbohydrate Polymers</i> , 2017 , 177, 249-257	10.3	19
89	Understanding the Stress Relaxation Behavior of Polymers Reinforced with Short Elastic Fibers. <i>Materials</i> , 2017 , 10,	3.5	36
88	Modeling and Predicting the Stress Relaxation of Composites with Short and Randomly Oriented Fibers. <i>Materials</i> , 2017 , 10,	3.5	8
87	Sustainable and lightweight biopolyamide hybrid composites for greener auto parts. <i>Canadian Journal of Chemical Engineering</i> , 2016 , 94, 2052-2060	2.3	9
86	Cure kinetics characterization of soy-based epoxy resins for infusion moulding process. <i>Canadian Journal of Chemical Engineering</i> , 2016 , 94, 1375-1380	2.3	4

85	Effects of Reaction Parameters on the Glycidyl Etherification of Bark Extractives during Bioepoxy Resin Synthesis. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 1016-1024	8.3	21
84	Characterization of Lignins Isolated from Industrial Residues and their Beneficial Uses. <i>BioResources</i> , 2016 , 11,	1.3	22
83	Preliminary Design and Experimental Investigation of a Novel Pneumatic Conveying Method to Disperse Natural Fibers in Thermoset Polymers. <i>Materials</i> , 2016 , 9,	3.5	1
82	Grinding process for the production of nanofibrillated cellulose based on unbleached and bleached bamboo organosolv pulp. <i>Cellulose</i> , 2016 , 23, 2971-2987	5.5	46
81	Biopolyamide hybrid composites for high performance applications. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	23
80	Effect of long fiber thermoplastic extrusion process on fiber dispersion and mechanical properties of viscose fiber/polypropylene composites. <i>Polymers for Advanced Technologies</i> , 2016 , 27, 685-692	3.2	9
79	Impact toughness, viscoelastic behavior, and morphology of polypropylene/jute/viscose hybrid composites. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	7
78	Chemical and Physical Techniques for Surface Modification of Nanocellulose Reinforcements 2016 , 283-310		4
77	Effect of mixing conditions on the morphology and performance of fiber-reinforced polyurethane foam. <i>Journal of Cellular Plastics</i> , 2015 , 51, 103-119	1.5	16
76	Wetting behavior of soy-based resin and unsaturated polyester on surface-modified sisal fiber mat. <i>Journal of Reinforced Plastics and Composites</i> , 2015 , 34, 807-818	2.9	6
75	Rheology, thermal properties, and foaming behavior of high D-content polylactic acid/cellulose nanofiber composites. <i>RSC Advances</i> , 2015 , 5, 91544-91557	3.7	51
74	Alkaline extraction of xylan from wood using microwave and conventional heating. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	14
73	Regenerated cellulose fibers as impact modifier in long jute fiber reinforced polypropylene composites: Effect on mechanical properties, morphology, and fiber breakage. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	28
72	The role of nanoclay formations and wood fiber levels on central composite designed polyethylene composites. <i>Journal of Composite Materials</i> , 2015 , 49, 1127-1139	2.7	1
71	Studies on permeability of sisal fibre mat during thermoset resin filling in vacuum infusion process. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 1364-1370	2.3	4
70	Hybrid biocomposites with enhanced thermal and mechanical properties for structural applications. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	21
69	Cellulose nanofibers from the skin of beavertail cactus, <i>Opuntia basilaris</i> , as reinforcements for polyvinyl alcohol. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	9
68	Recycling of Paper Mill Biosolids: A Review on Current Practices and Emerging Biorefinery Initiatives. <i>Clean - Soil, Air, Water</i> , 2015 , 43, 919-926	1.6	22

67	Evaluation of wood composite additives in the mechanical property changes of PE blends. <i>Polymer Composites</i> , 2015 , 36, 287-293	3	9
66	Investigating the Mechanical Response of Soy-Based Polyurethane Foams with Glass Fibers under Compression at various Rates. <i>Frontiers in Forests and Global Change</i> , 2015 , 34, 281-298	1.6	9
65	Effect of Common Chemical Treatments on the Process Kinetics and Mechanical Properties of Flax/Epoxy Composites Manufactured by Resin Infusion. <i>Journal of Polymers and the Environment</i> , 2015 , 23, 143-155	4.5	2
64	Bark depolymerization during submerged fermentation using monofloral honey, a natural mediator substitute, and integration between laccases vs. bark biopolymers, characterized by Py-GC-MS. <i>RSC Advances</i> , 2015 , 5, 14937-14952	3.7	1
63	Synthesis and characterization of an extractive-based bio-epoxy resin from beetle infested Pinus contorta bark. <i>Green Chemistry</i> , 2014 , 16, 3483-3493	10	81
62	Comparison of Enzymatic, Alkaline, and UV/H ₂ O ₂ Treatments for Extraction of Beetle-Infested Lodgepole Pine (BILP) and Aspen Bark Polyphenolic Extractives. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 165-172	8.3	7
61	Modification and Characterization of Hemp and Sisal Fibers. <i>Journal of Natural Fibers</i> , 2014 , 11, 144-168	1.8	74
60	Improvement in Compressive Behavior of Alkali-treated Wood Fibre-reinforced Bio-based Polyurethane Foams. <i>Frontiers in Forests and Global Change</i> , 2014 , 33, 139-158	1.6	6
59	Mechanical, Thermal, and Morphological Properties of Nanocomposites Based on Polyvinyl Alcohol and Cellulose Nanofiber from Aloe vera Rind. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-7	3.2	47
58	Cellulose in Printed Electronics. <i>Materials and Energy</i> , 2014 , 237-252		1
57	Aloe vera rind cellulose nanofibers-reinforced films. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a		17
56	Microwave Assisted Short-Time Alkaline Extraction of Birch Xylan. <i>Journal of Polymers and the Environment</i> , 2013 , 21, 917-929	4.5	14
55	Covalently grafted carbon nanotube on bacterial cellulose composite for flexible touch screen application. <i>Materials Letters</i> , 2013 , 107, 247-250	3.3	21
54	Investigation of Structural Changes of Alkaline-extracted Wood Using X-ray Microtomography and X-ray Diffraction: A Comparison of Microwave versus Conventional Method of Extraction. <i>Journal of Wood Chemistry and Technology</i> , 2013 , 33, 92-102	2	8
53	Effect of bismaleimide reactive extrusion on the crystallinity and mechanical performance of poly(lactic acid) green composites. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 3013-3023	2.9	14
52	Preparation and Characterization of Sustainable Polyurethane Foams from Soybean Oils. <i>JAACS, Journal of the American Oil Chemists Society</i> , 2012 , 89, 2103-2111	1.8	91
51	Preparation and Characterization of Cellulose Nanofibril Films from Wood Fibre and Their Thermoplastic Polycarbonate Composites. <i>International Journal of Polymer Science</i> , 2012 , 2012, 1-6	2.4	52
50	Bacterial cellulose reinforced polyurethane-based resin nanocomposite: A study of how ethanol and processing pressure affect physical, mechanical and dielectric properties. <i>Carbohydrate Polymers</i> , 2012 , 87, 2464-2469	10.3	57

49	Enzymatic modification of secondary sludge by lipase and laccase to improve the nylon/sludge composite properties. <i>Journal of Reinforced Plastics and Composites</i> , 2012 , 31, 179-188	2.9	4
48	Bio-Treatment of Natural Fibers in Isolation of Cellulose Nanofibres: Impact of Pre-Refining of Fibers on Bio-Treatment Efficiency and Nanofiber Yield. <i>Journal of Polymers and the Environment</i> , 2011 , 19, 615-621	4.5	25
47	The effects of nanoclay on the extrusion foaming of wood fiber/polyethylene nanocomposites. <i>Polymer Engineering and Science</i> , 2011 , 51, 1014-1022	2.3	26
46	Mechanical Properties and Morphology of Polylactide Composites with Acrylic Impact Modifier. <i>Journal of Macromolecular Science - Physics</i> , 2011 , 50, 2070-2083	1.4	18
45	Acoustic, tomographic, and morphological properties of bismaleimide-modified PLA green composites. <i>Journal of Reinforced Plastics and Composites</i> , 2011 , 30, 1329-1340	2.9	8
44	Rapid differentiation of <i>Ophiostoma ulmi</i> and <i>Ophiostoma novo-ulmi</i> isolates by matrix-assisted-laser-desorption/ionization time-of-flight/time-of-flight mass spectrometry. <i>Forest Pathology</i> , 2010 , 40, 1-6	1.2	3
43	Nanocellulose from Curava Fibers and their Nanocomposites. <i>Molecular Crystals and Liquid Crystals</i> , 2010 , 522, 42/[342]-52/[352]	0.5	39
42	Synthesis of Soy-Polyol by Two Step Continuous Route and Development of Soy-Based Polyurethane Foam. <i>Journal of Polymers and the Environment</i> , 2010 , 18, 437-442	4.5	20
41	Thermal properties and spectral characterization of wood pulp reinforced bio-composite fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2010 , 99, 695-701	4.1	58
40	The effects of clay dispersion on the mechanical, physical, and flame-retarding properties of wood fiber/polyethylene/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2010 , 118, 452-461	2.9	40
39	Enhancing cell nucleation of thermoplastic polyolefin foam blown with nitrogen. <i>Journal of Applied Polymer Science</i> , 2010 , 118, n/a-n/a	2.9	4
38	Investigation on correlation between protein content and moisture absorption-desorption rate of protein coating. <i>International Journal of Plastics Technology</i> , 2009 , 13, 1-7	2.7	
37	Surface and interface characterization of untreated and SMA Imide-treated hemp fiber/acrylic composites. <i>Polymer Composites</i> , 2009 , 30, 681-690	3	1
36	Mechanical properties and foaming behavior of cellulose fiber reinforced high-density polyethylene composites. <i>Polymer Engineering and Science</i> , 2009 , 49, 2179-2188	2.3	30
35	Commercialization of Wheat Straw as Reinforcing Filler for Commodity Thermoplastics. <i>Journal of Natural Fibers</i> , 2009 , 6, 83-97	1.8	12
34	Novel bionanocomposites: processing, properties and potential applications. <i>Plastics, Rubber and Composites</i> , 2009 , 38, 396-405	1.5	51
33	Analysis of Ink/Coating Penetration on Paper Surfaces by Time-of-Flight Secondary Ion Mass Spectrometry (ToF-SIMS) in Conjunction with Principal Component Analysis (PCA) 2008 , 84, 277-292		9
32	Determination of Fiber Size Distributions of Injection Moulded Polypropylene/Natural Fibers Using X-ray Microtomography. <i>Advanced Engineering Materials</i> , 2008 , 10, 126-130	3.5	28

31	Effects of clay dispersion on the foam morphology of LDPE/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 2129-2134	2.9	91
30	Injection-molded short hemp fiber/glass fiber-reinforced polypropylene hybrid composites. Mechanical, water absorption and thermal properties. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 2432-2441	2.9	253
29	Effects of clay dispersion and content on the rheological, mechanical properties, and flame retardance of HDPE/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1993-1999	2.9	46
28	Measurement and prediction of thermal conductivity for hemp fiber reinforced composites. <i>Polymer Engineering and Science</i> , 2007 , 47, 977-983	2.3	81
27	Effects of styrene-ethylene-butylene-styrene based additives on the mechanical properties of rice hull/polypropylene composites. <i>Polymer Engineering and Science</i> , 2007 , 47, 1148-1155	2.3	10
26	Flame retarding effects of nanoclay on wood fiber composites. <i>Polymer Engineering and Science</i> , 2007 , 47, 330-336	2.3	56
25	Effects of raw fiber materials, fiber content, and coupling agent content on selected properties of polyethylene/wood fiber composites. <i>Polymer Engineering and Science</i> , 2007 , 47, 1678-1687	2.3	32
24	Dispersion of soybean stock-based nanofiber in a plastic matrix. <i>Polymer International</i> , 2007 , 56, 538-546	3.3	156
23	Starch-like exopolysaccharide produced by the filamentous fungi <i>Ophiostoma ulmi</i> and <i>O. novo-ulmi</i> . <i>Forest Pathology</i> , 2007 , 37, 80-95	1.2	5
22	Selected thermoanalytical methods and their applications from medicine to construction. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007 , 90, 653-662	4.1	115
21	Study of Structural Morphology of Hemp Fiber from the Micro to the Nanoscale. <i>Applied Composite Materials</i> , 2007 , 14, 89-103	2	249
20	Performance of natural-fiber/plastic composites under stress for outdoor applications: Effect of moisture, temperature, and ultraviolet light exposure. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 2570-2577	2.9	50
19	Effect of water absorption, freezing and thawing, and photo-aging on flexural properties of extruded HDPE/rice husk composites. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 3619-3625	2.9	26
18	The effect of morphology and chemical characteristics of cellulose reinforcements on the crystallinity of polylactic acid. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 300-310	2.9	288
17	Evaluation of the Influence of Fibre Length and Concentration on Mechanical Performance of Hemp Fibre Reinforced Polypropylene Composite. <i>Journal of Natural Fibers</i> , 2006 , 2, 67-84	1.8	7
16	Introduction to Cellulose Nanocomposites. <i>ACS Symposium Series</i> , 2006 , 2-8	0.4	20
15	Measurement of the Average Permeability of Natural Fibre Mai in Resin Transfer Moulding Application. <i>Polymers and Polymer Composites</i> , 2006 , 14, 229-238	0.8	6
14	Surface characteristics of untreated and modified hemp fibers. <i>Polymer Engineering and Science</i> , 2006 , 46, 269-273	2.3	27

13	Dispersion of Soybean Stock-Based Nanofiber in Plastic Matrix. <i>ACS Symposium Series</i> , 2006 , 187-208	0.4	6
12	The Structure and Mechanical Properties of Cellulose Nanocomposites Prepared by Twin Screw Extrusion. <i>ACS Symposium Series</i> , 2006 , 114-131	0.4	30
11	Cellulose Microfibers as Reinforcing Agents for Structural Materials. <i>ACS Symposium Series</i> , 2006 , 169-186	0.4	16
10	Injection Molded Wheat Straw and Corn Stem Filled Polypropylene Composites. <i>Journal of Polymers and the Environment</i> , 2006 , 14, 265-272	4.5	60
9	Cellulose microfibrils: A novel method of preparation using high shear refining and cryocrushing. <i>Holzforschung</i> , 2005 , 59, 102-107	2	315
8	Mechanical properties of biodegradable composites from poly lactic acid (PLA) and microcrystalline cellulose (MCC). <i>Journal of Applied Polymer Science</i> , 2005 , 97, 2014-2025	2.9	609
7	Water absorption of hemp fiber/unsaturated polyester composites. <i>Polymer Composites</i> , 2005 , 26, 509-525	3.5	47
6	Effect of coupling agents on rice-husk-filled HDPE extruded profiles. <i>Polymer International</i> , 2005 , 54, 137-142	3.3	65
5	Cure study of an acrylic resin to develop natural fiber composites. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 757-762	2.9	9
4	Resin-transfer molding of natural fiber reinforced plastic. I. Kinetic study of an unsaturated polyester resin containing an inhibitor and various promoters. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2553-2561	2.9	22
3	Olive fiber reinforced epoxy composites: Dimensional Stability, and mechanical properties. <i>Polymer Composites</i> ,	3	8
2	Acoustic Absorption Properties of Polystyrene-Pyrolytic Pinus Resinosa Composite Foams Prepared by Torsion-Induced Extrusion. <i>Macromolecular Materials and Engineering</i> , 2100622	3.9	
1	Olive Cellulosic Fibre Based Epoxy Composites: Thermal and Dynamic Mechanical Properties. <i>Journal of Natural Fibers</i> , 1-13	1.8	1