

Mao Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7567973/publications.pdf>

Version: 2024-02-01

99
papers

4,392
citations

159585

30
h-index

110387

64
g-index

101
all docs

101
docs citations

101
times ranked

4218
citing authors

#	ARTICLE	IF	CITATIONS
1	Synergistic effect of amide and fluorine of polymers assist stable inverted perovskite solar cells with fill factor > 83%. <i>Chemical Engineering Journal</i> , 2022, 442, 136136.	12.7	29
2	Dopant-free hole-transporting materials based on a simple nonfused core with noncovalent conformational locking for efficient perovskite solar cells. <i>Organic Electronics</i> , 2022, 107, 106566.	2.6	3
3	A Multifunctional Fluorinated Polymer Enabling Efficient MAPbI ₃ -Based Inverted Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 31285-31295.	8.0	7
4	Polymeric hole-transporting material with a flexible backbone for constructing thermally stable inverted perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7241-7250.	5.9	6
5	Arm modulation of triaryl amines to fine-tune the properties of linear D-A HTMs for robust higher performance perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2021, 5, 4604-4614.	5.9	10
6	The triple π -bridge strategy for tailoring indeno[2,1-b]carbazole-based HTMs enables perovskite solar cells with efficiency exceeding 21%. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8598-8606.	10.3	24
7	Judicious design of L(D-A) ₂ type di-anchoring organic sensitizers for highly efficient dye-sensitized solar cells: Effect of the donor-linking bridges on functional properties. <i>Dyes and Pigments</i> , 2021, 187, 109134.	3.7	9
8	Organic sensitizers featuring tetrathienosilole core for efficient and robust dye-sensitized solar cells. <i>Solar Energy</i> , 2021, 221, 402-411.	6.1	4
9	Coplanar phenanthro[9,10-d]imidazole based hole-transporting material enabling over 19%/21% efficiency in inverted/regular perovskite solar cells. <i>Chemical Engineering Journal</i> , 2021, 421, 129823.	12.7	25
10	Simple Yet Efficient: Arylamine-Terminated Carbazole Donors for Organic Hole Transporting Materials. <i>Solar Rrl</i> , 2021, 5, 2100694.	5.8	7
11	Correlating hysteresis phenomena with interfacial charge accumulation in perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 245-251.	2.8	16
12	Nanoscale control of grain boundary potential barrier, dopant density and filled trap state density for higher efficiency perovskite solar cells. <i>Informa-Materials</i> , 2020, 2, 409-423.	17.3	25
13	The donor-dependent methoxy effects on the performance of hole-transporting materials for perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2020, 47, 10-17.	12.9	28
14	Synergistic engineering of hole transport materials in perovskite solar cells. <i>Informa-Materials</i> , 2020, 2, 928-941.	17.3	29
15	Impact of Interface Energy Alignment on the Dynamic Current-Voltage Response of Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2020, 124, 12912-12921.	3.1	6
16	Rear-Illuminated Perovskite Photorechargeable Lithium Battery. <i>Advanced Functional Materials</i> , 2020, 30, 2001865.	14.9	31
17	High performance zinc stannate photoanodes in dye sensitized solar cells with cobalt complex mediators. <i>Chemical Communications</i> , 2020, 56, 5042-5045.	4.1	11
18	Phenylhydrazinium Iodide for Surface Passivation and Defects Suppression in Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2000778.	14.9	103

#	ARTICLE	IF	CITATIONS
19	Unveiling the Role of Conjugate Bridge in Triphenylamine Hole-Transporting Materials for Inverted and Direct Perovskite Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1280-1289.	2.5	6
20	Indeno[1,2- <i>b,c</i>]carbazole as Methoxy-Free Donor Group: Constructing Efficient and Stable Hole-Transporting Materials for Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2019, 131, 15868-15872.	2.0	15
21	Indeno[1,2- <i>b,c</i>]carbazole as Methoxy-Free Donor Group: Constructing Efficient and Stable Hole-Transporting Materials for Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15721-15725.	13.8	94
22	Molecularly engineering of truxene-based dopant-free hole-transporting materials for efficient inverted planar perovskite solar cells. <i>Dyes and Pigments</i> , 2019, 165, 81-89.	3.7	33
23	Facile synthesis of triphenylamine-based hole-transporting materials for planar perovskite solar cells. <i>Journal of Power Sources</i> , 2019, 435, 226767.	7.8	12
24	Insight into the positional effect of bulky rigid substituents in organic sensitizers on the performance of dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2019, 168, 1-11.	3.7	13
25	Noncovalent functionalization of hole-transport materials with multi-walled carbon nanotubes for stable inverted perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 14306-14313.	5.5	17
26	Tuning Hole Transport Layer Using Urea for High-Performance Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2019, 29, 1806740.	14.9	101
27	LiTFSI/TBP-free hole transport materials with nonlinear π -conjugation for efficient inverted perovskite solar cells. <i>Electrochimica Acta</i> , 2019, 296, 283-293.	5.2	21
28	Organic sensitizers featuring 9H-thieno[2,3':4,5]thieno[3,2- <i>b</i>]thieno[2,3- <i>d</i>]pyrrole core for high performance dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2019, 162, 126-135.	3.7	19
29	Probing energy losses from dye desorption in cobalt complex-based dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 6698-6707.	2.8	2
30	Dithieno[3,2- <i>b</i> :2',3'- <i>d</i>]pyrrole-based hole transport materials for perovskite solar cells with efficiencies over 18%. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7950-7958.	10.3	122
31	Organic dyes containing indolodithienopyrrole unit for dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2018, 149, 16-24.	3.7	27
32	Thieno[3,2- <i>b</i>]indole-based hole transporting materials for perovskite solar cells with photovoltages exceeding 1.11 V. <i>Chemical Communications</i> , 2018, 54, 14025-14028.	4.1	23
33	Low-Cost Carbazole-Based Hole-Transporting Materials for Perovskite Solar Cells: Influence of S,N-Heterocycle. <i>Journal of Physical Chemistry C</i> , 2018, 122, 24014-24024.	3.1	41
34	Influence of Nonfused Cores on the Photovoltaic Performance of Linear Triphenylamine-Based Hole-Transporting Materials for Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17883-17895.	8.0	83
35	A new binaphthol based hole-transporting materials for perovskite solar cells. <i>Tetrahedron</i> , 2017, 73, 3398-3405.	1.9	9
36	Organic sensitizers featuring thiophene derivative based donors with improved stability and photovoltaic performance. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 1927-1936.	2.8	19

#	ARTICLE	IF	CITATIONS
37	Novel efficient hole-transporting materials based on a 1,1'-bi-2-naphthol core for perovskite solar cells. <i>RSC Advances</i> , 2017, 7, 482-492.	3.6	8
38	New triarylamine organic dyes containing the 9-hexyl-2-(hexyloxy)-9H-carbazole for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2017, 254, 191-200.	5.2	14
39	New "A" dyes incorporating dithieno[3,2-b:3',2'-d]pyrrole (DTP)-based "spacers" for efficient dye-sensitized solar cells. <i>RSC Advances</i> , 2017, 7, 45807-45817.	3.6	15
40	Asymmetric 8H-Thieno[2,3-b:4,5-thieno[3,2-b:3',2'-d]pyrrole-Based Sensitizers: Synthesis and Application in Dye-Sensitized Solar Cells. <i>Organic Letters</i> , 2017, 19, 3711-3714.	4.6	29
41	Understanding the Role of Electron Donor in Truxene Dye Sensitized Solar Cells with Cobalt Electrolytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 97-104.	6.7	29
42	Correlating Photovoltaic Performance of Dye-Sensitized Solar Cell to the Film Thickness of Titania via Numerical Drift-Diffusion Simulations. <i>Chinese Journal of Chemical Physics</i> , 2016, 29, 735-741.	1.3	0
43	Synthesis of new dithieno[3,2-b:3',2'-d]pyrrole (DTP) dyes for dye-sensitized solar cells: effect of substituent on photovoltaic properties. <i>Tetrahedron</i> , 2016, 72, 3204-3212.	1.9	14
44	New benzothiadiazole-based dyes incorporating dithieno[3,2-b:3',2'-d]pyrrole (DTP) "linker" for dye-sensitized solar cells with different electrolytes. <i>Journal of Power Sources</i> , 2016, 332, 345-354.	7.8	24
45	Twisted Fused-Ring Thiophene Organic Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2016, 120, 22822-22830.	3.1	30
46	Selective transformation of carbohydrates to hydroxymethyl furfural with polyaniline-based catalysts. <i>Research on Chemical Intermediates</i> , 2016, 42, 8305-8319.	2.7	4
47	A Strategy for Enhancing the Performance of Borondipyromethene Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2016, 120, 25657-25667.	3.1	19
48	Unraveling the Nonideal Recombination Kinetics in Cobalt Complex Based Dye Sensitized Solar Cells: Impacts of Electron Lifetime and the Distribution of Electron Density. <i>Journal of Physical Chemistry C</i> , 2016, 120, 13891-13900.	3.1	3
49	Synthesis of new dithieno[3,2-b:3',2'-d]pyrrole (DTP) units for photovoltaic cells. <i>Dyes and Pigments</i> , 2016, 128, 8-18.	3.7	14
50	A new thermal-stable truxene-based hole-transporting material for perovskite solar cells. <i>Dyes and Pigments</i> , 2016, 125, 399-406.	3.7	36
51	Kinetics of Iodine-Free Redox Shuttles in Dye-Sensitized Solar Cells: Interfacial Recombination and Dye Regeneration. <i>Accounts of Chemical Research</i> , 2015, 48, 1541-1550.	15.6	98
52	Engineering of the electron donor of triarylamine sensitizers for high-performance dye-sensitized solar cells. <i>Organic Electronics</i> , 2015, 17, 285-294.	2.6	9
53	Organic dyes containing dithieno[2,3-d:3',2'-d']thieno[3,2-b:3',2'-d']dipyrrole core for efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4865-4874.	10.3	55
54	New triarylamine sensitizers for high efficiency dye-sensitized solar cells: Recombination kinetics of cobalt(III) complexes at titania/dye interface. <i>Journal of Power Sources</i> , 2015, 283, 260-269.	7.8	32

#	ARTICLE	IF	CITATIONS
55	Nitrogen-doped graphene as a cathode material for dye-sensitized solar cells: effects of hydrothermal reaction and annealing on electrocatalytic performance. <i>RSC Advances</i> , 2015, 5, 10430-10439.	3.6	74
56	Influence of the Terminal Electron Donor in Dithieno[3,2-b:2',3'-d]pyrrole versus Bis(amine). <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 22436-22447.	8.0	80
57	Influence of Triarylamine and Indoline as Donor on Photovoltaic Performance of Dye-Sensitized Solar Cells Employing Cobalt Redox Shuttle. <i>Chinese Journal of Chemical Physics</i> , 2015, 28, 91-100.	1.3	3
58	Joint Electrical, Photophysical, and Photovoltaic Studies on Truxene Dye-Sensitized Solar Cells: Impact of Arylamine Electron Donors. <i>ChemSusChem</i> , 2014, 7, 795-803.	6.8	29
59	Charge Transport Limitations of Redox Mediators in Dye-Sensitized Solar Cells: Investigation Based on a Quasi-Linear Model. <i>Journal of Physical Chemistry C</i> , 2014, 118, 60-70.	3.1	9
60	Influence of donor and bridge structure in indoline dyes on the photovoltaic properties of dye-sensitized solar cells employing iodine/cobalt electrolyte. <i>Dyes and Pigments</i> , 2014, 101, 270-279.	3.7	28
61	Redox couple related influences of bulky electron donor as well as spacer in organic dye-sensitized mesoscopic solar cells. <i>Tetrahedron</i> , 2014, 70, 6203-6210.	1.9	7
62	Novel Triphenylamine Donors with Carbazole Moieties for Organic Sensitizers toward Cobalt(II/III) Redox Mediators. <i>Organic Letters</i> , 2014, 16, 3978-3981.	4.6	35
63	Judicious Design of Indoline Chromophores for High-Efficiency Iodine-Free Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 5768-5778.	8.0	56
64	Effects of different alkyl chains on the performance of dye-sensitized solar cells with different electrolytes. <i>Journal of Power Sources</i> , 2014, 253, 167-176.	7.8	17
65	3,4-Ethylenedioxythiophene as an electron donor to construct arylamine sensitizers for highly efficient iodine-free dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 15441.	2.8	16
66	Synthesis of new truxene based organic sensitizers for iodine-free dye-sensitized solar cells. <i>Tetrahedron</i> , 2013, 69, 10573-10580.	1.9	12
67	New Ruthenium Sensitizers Featuring Bulky Ancillary Ligands Combined with a Dual Functioned Coadsorbent for High Efficiency Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 144-153.	8.0	39
68	Arylamine organic dyes for dye-sensitized solar cells. <i>Chemical Society Reviews</i> , 2013, 42, 3453.	38.1	1,011
69	Nonideal Charge Recombination and Conduction Band Edge Shifts in Dye-Sensitized Solar Cells Based on Adsorbent Doped Poly(ethylene oxide) Electrolytes. <i>Journal of Physical Chemistry C</i> , 2013, 117, 4364-4373.	3.1	24
70	Significant Enhancement of Open-Circuit Voltage in Indoline-Based Dye-Sensitized Solar Cells via Retarding Charge Recombination. <i>Chemistry of Materials</i> , 2013, 25, 1713-1722.	6.7	87
71	New triphenylamine organic dyes containing dithieno[3,2-b:2',3'-d]pyrrole (DTP) units for iodine-free dye-sensitized solar cells. <i>Chemical Communications</i> , 2013, 49, 5748.	4.1	71
72	Influence of the N-heterocycle substituent of the dithieno[3,2-b:2',3'-d]pyrrole (DTP) spacer as well as sensitizer adsorption time on the photovoltaic properties of arylamine organic dyes. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11809.	10.3	40

#	ARTICLE	IF	CITATIONS
73	Photovoltaic Performance of Triphenylamine Dyes-sensitized Solar Cells Employing Cobalt Redox Shuttle and Influence of π -conjugated Spacers. Chinese Journal of Chemical Physics, 2013, 26, 310-320.	1.3	1
74	Synthesis and photovoltaic properties of organic sensitizers containing electron-deficient and electron-rich fused thiophene for dye-sensitized solar cells. Tetrahedron, 2012, 68, 5375-5385.	1.9	31
75	Efficient iodine-free dye-sensitized solar cells employing truxene-based organic dyes. Chemical Communications, 2012, 48, 6645.	4.1	47
76	Design of Truxene-Based Organic Dyes for High-Efficiency Dye-Sensitized Solar Cells Employing Cobalt Redox Shuttle. Journal of Physical Chemistry C, 2012, 116, 11241-11250.	3.1	79
77	Organic dyes incorporating the cyclopentadithiophene moiety for efficient dye-sensitized solar cells. Dyes and Pigments, 2012, 92, 1292-1299.	3.7	37
78	Synthesis of triaryl amines with secondary electron-donating groups for dye-sensitized solar cells. Solar Energy, 2012, 86, 764-770.	6.1	16
79	Synthesis of triarylamine dyes containing secondary electron-donating groups and application in the dye-sensitized solar cells. Synthetic Metals, 2011, 161, 496-503.	3.9	6
80	PPh ₃ -KOBu ^t -Mediated Cyclization Reaction of β -Ketoesters with Alkynyl Ketones: Synthesis of Functionalized 2-Pyrones. Synthetic Communications, 2011, 41, 3147-3161.	2.1	12
81	Molecular design of triarylamine dyes incorporating phenylene spacer and the influence of alkoxy substituent on the performance of dye-sensitized solar cells. Journal of Photochemistry and Photobiology A: Chemistry, 2011, 225, 8-16.	3.9	10
82	An efficient dye-sensitized solar cell based on a functionalized-triarylamine dye. Materials Letters, 2011, 65, 1331-1333.	2.6	8
83	Organic Dyes Incorporating the Benzo[1,2- <i>b</i> :4,5- <i>b'</i>]-dithiophene Moiety for Efficient Dye-Sensitized Solar Cells. Organic Letters, 2011, 13, 5424-5427.	4.6	48
84	Organic Dyes Incorporating Bis-hexapropyltruxeneamino Moiety for Efficient Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2011, 115, 274-281.	3.1	78
85	Efficient dye-sensitized solar cells with triarylamine organic dyes featuring functionalized-truxene unit. Journal of Power Sources, 2011, 196, 1657-1664.	7.8	49
86	2D-A π A Type Organic Dyes Based on <i>N,N</i> -Dimethylaryl Amine and Rhodamine-acetic Acid for Dye-sensitized Solar Cells. Chinese Journal of Chemistry, 2011, 29, 89-96.	4.9	16
87	New organic photosensitizers incorporating carbazole and dimethylarylamine moieties for dye-sensitized solar cells. Renewable Energy, 2011, 36, 2711-2716.	8.9	20
88	Synthesis of sensitizers containing donor cascade of triarylamine and dimethylarylamine moieties for dye-sensitized solar cells. Tetrahedron, 2010, 66, 3318-3325.	1.9	25
89	New Triphenylamine-Based Dyes for Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2008, 112, 874-880.	3.1	334
90	New Triphenylamine-Based Organic Dyes for Efficient Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2007, 111, 4465-4472.	3.1	366

#	ARTICLE	IF	CITATIONS
91	A novel three-dimensional malonate-bridged complex $\{[\text{Cu}_4(4,4\text{-}\mu^2\text{-})\text{Tj}\text{ETQq}1\text{ }1\text{ }0.784314\text{ rgBT /Overlock }10\text{ Tf }50,742\text{ Td (bpy)}_8(\text{mal})_2]\}$	2.0	20
92	A Novel, three-dimensional, Tetrachlorophthalato-bridged Samarium(III) complex $[\text{Sm}(\text{tcph})_2(\text{H}_2\text{O})_6]\text{Hpip}\cdot 5\text{H}_2\text{O}$. Journal of Coordination Chemistry, 2004, 57, 275-280.	2.2	9
93	Structure and Magnetic Properties of a Novel Two-Dimensional Complex from 1, 3, 5-Benzenetricarboxylate and Neodymium(III) $\{[\text{Nd}(1, 3, 5\text{-benzenetricarboxylate})(\text{H}_2\text{O})_4]\cdot \text{H}_2\text{O}\}_n$. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2004, 630, 613-616.	1.2	10
94	A Novel 3-D Heterobimetallic Cyano-bridged Coordination Polymer Incorporating $\text{Ag}\cdot\cdot\cdot\text{Ag}$ Interaction: $[\text{Cu}(\text{dien})\text{Ag}(\text{CN})_2]_2[\text{Ag}_2(\text{CN})_3][\text{Ag}(\text{CN})_2]$. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2004, 630, 498-500.	1.2	13
95	The First Hexa-coordinated Tetranuclear Nickel Complex $\{[\text{Ni}(\text{en})_2]_4[\text{H}_4\text{L}]\}(\text{ClO}_4)_4\cdot 7\text{H}_2\text{O}$ with Tetrakis-bidentate Oxamate Bridge. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2004, 630, 1655-1658.	1.2	1
96	Hydrothermal Syntheses, Crystal Structures, Magnetism and Fluorescence Quenching of Oxamidato-Bridged Pentanuclear $\text{CuII}4\text{LnIII}$ Complexes Containing Macrocyclic Ligands (Ln = Eu, Tb) and the Crystal Structure of a Hexanuclear $\text{NiII}5\text{SmIII}$ Complex. European Journal of Inorganic Chemistry, 2004, 2004, 1514-1521.	2.0	31
97	Synthesis, crystal structure, spectroscopic and magnetic properties of $[\text{Cu}(\text{dien})_2][\text{Ni}(\text{CN})_4]$. Journal of Coordination Chemistry, 2004, 57, 865-870.	2.2	3
98	Syntheses and Structures of two 1-D Complexes, $[\text{Co}(\text{dmf})_2(\text{NCNCN})_2]$ and $[\text{Cu}(\text{bipy})(\text{NCNCN})]\text{ClO}_4$ with Bridging Dicyanamide Ligands. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2003, 629, 2443-2445.	1.2	18
99	A new mixed-ligand copper(II) complex containing azide and 1,10-phenanthroline: crystal structure and properties. Journal of Coordination Chemistry, 2003, 56, 1473-1480.	2.2	18