

# Domenico Albano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7569043/publications.pdf>

Version: 2024-02-01

154  
papers

2,072  
citations

236612

25  
h-index

329751

37  
g-index

156  
all docs

156  
docs citations

156  
times ranked

2261  
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidental Findings Suggestive of COVID-19 in Asymptomatic Patients Undergoing Nuclear Medicine Procedures in a High-Prevalence Region. <i>Journal of Nuclear Medicine</i> , 2020, 61, 632-636.	2.8	154
2	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4669.	1.8	74
3	State of the art of 18F-FDG PET/CT application in inflammation and infection: a guide for image acquisition and interpretation. <i>Clinical and Translational Imaging</i> , 2021, 9, 299-339.	1.1	70
4	Comparison between N13NH3-PET and 99mTc-Tetrofosmin-CZT SPECT in the evaluation of absolute myocardial blood flow and flow reserve. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1906-1918.	1.4	60
5	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in Burkitt lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 87-96.	3.3	59
6	18F-FDG PET/CT in gastric MALT lymphoma: a bicentric experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 589-597.	3.3	51
7	Pitfalls in whole body MRI with diffusion weighted imaging performed on patients with lymphoma: What radiologists should know. <i>Magnetic Resonance Imaging</i> , 2016, 34, 922-931.	1.0	48
8	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in mantle cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 449-458.	1.2	48
9	Role of 18F-FDG PET/CT in patients affected by Langerhans cell histiocytosis. <i>Japanese Journal of Radiology</i> , 2017, 35, 574-583.	1.0	46
10	Early and late adverse effects of radioiodine for pediatric differentiated thyroid cancer. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26595.	0.8	42
11	Pulmonary mucosa-associated lymphoid tissue lymphoma: <sup>18</sup> F-FDG PET/CT and CT findings in 28 patients. <i>British Journal of Radiology</i> , 2017, 90, 20170311.	1.0	42
12	18F-FDG PET/CT Follow-up of Rosai-Dorfman Disease. <i>Clinical Nuclear Medicine</i> , 2015, 40, e420-e422.	0.7	40
13	Prognostic role of pretreatment 18F-FDG PET/CT in primary brain lymphoma. <i>Annals of Nuclear Medicine</i> , 2018, 32, 532-541.	1.2	40
14	Possible delayed diagnosis and treatment of metastatic differentiated thyroid cancer by adopting the 2015 ATA guidelines. <i>European Journal of Endocrinology</i> , 2018, 179, 143-151.	1.9	39
15	18F-FDG PET/CT and extragastric MALT lymphoma: role of Ki-67 score and plasmacytic differentiation. <i>Leukemia and Lymphoma</i> , 2017, 58, 2328-2334.	0.6	38
16	18F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 77-84.	3.3	37
17	18F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solved—A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 137-146.	0.2	35
18	18F-Facbc in Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019, 11, 1348.	1.7	34



#	ARTICLE	IF	CITATIONS
37	The Role of 18F-FDG PET/CT in Staging and Prognostication of Mantle Cell Lymphoma: An Italian Multicentric Study. <i>Cancers</i> , 2019, 11, 1831.	1.7	18
38	Meta-Analysis of the Diagnostic Performance of 18F-FDG-PET/CT Imaging in Native Valve Endocarditis. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1063-1065.	2.3	18
39	Clinical and prognostic role of sarcopenia in elderly patients with classical Hodgkin lymphoma: a multicentre experience. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1042-1055.	2.9	18
40	18F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 422-430.	0.2	17
41	Thyroglobulin doubling time offers a better threshold than thyroglobulin level for selecting optimal candidates to undergo localizing [18F]FDG PET/CT in non-iodine avid differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 461-468.	3.3	16
42	Prognostic factors in children and adolescents with differentiated thyroid carcinoma treated with total thyroidectomy and RAI: a real-life multicentric study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1374-1385.	3.3	16
43	18F-choline PET/CT incidental thyroid uptake in patients studied for prostate cancer. <i>Endocrine</i> , 2019, 63, 531-536.	1.1	15
44	Comparison between skeletal muscle and adipose tissue measurements with high-dose CT and low-dose attenuation correction CT of <sup>18</sup> F-FDG PET/CT in elderly Hodgkin lymphoma patients: a two-centre validation. <i>British Journal of Radiology</i> , 2021, 94, 20200672.	1.0	15
45	18F-FDG-PET/CT in Patients Affected by Differentiated Thyroid Carcinoma with Positive Thyroglobulin Level and Negative 131I Whole Body Scan. It's Value Confirmed by a Bicentric Experience. <i>Current Radiopharmaceuticals</i> , 2016, 9, 228-234.	0.3	15
46	Theragnostic Use of Radiolabelled Dota-Peptides in Meningioma: From Clinical Demand to Future Applications. <i>Cancers</i> , 2019, 11, 1412.	1.7	14
47	2-[18F]-FDG PET/CT Role in Detecting Richter Transformation of Chronic Lymphocytic Leukemia and Predicting Overall Survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e277-e283.	0.2	14
48	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017, 5, 525-532.	1.1	13
49	Comparison between Two Different Scanners for the Evaluation of the Role of 18F-FDG PET/CT Semiquantitative Parameters and Radiomics Features in the Prediction of Final Diagnosis of Thyroid Incidentalomas. <i>Journal of Clinical Medicine</i> , 2022, 11, 615.	1.0	13
50	Metabolic behavior and prognostic value of early and end of treatment 18F-FDG PET/CT in adult Burkitt's lymphoma: the role of Deauville and IHP criteria. <i>Leukemia and Lymphoma</i> , 2019, 60, 326-333.	0.6	12
51	Clinical and Prognostic Role of 18F-FDG PET/CT in Pediatric Ewing Sarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2020, 42, e79-e86.	0.3	12
52	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. <i>Clinical and Translational Imaging</i> , 2020, 8, 461-467.	1.1	12
53	New criteria for the diagnosis of infective endocarditis using 18F-FDG PET/CT imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2188-2194.	1.4	12
54	The Role of PET in Supratentorial and Infratentorial Pediatric Brain Tumors. <i>Current Oncology</i> , 2021, 28, 2481-2495.	0.9	12

#	ARTICLE	IF	CITATIONS
55	Diagnostic and Clinical Impact of Staging 18F-FDG PET/CT in Mantle-Cell Lymphoma: A Two-Center Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e457-e464.	0.2	11
56	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019, 64, 203-208.	1.1	11
57	Surveys on COVID-19 in nuclear medicine: what happened and what we learned. <i>Clinical and Translational Imaging</i> , 2020, 8, 303-305.	1.1	11
58	Diagnostic Performance of 18F-FDG PET or PET/CT for Detection of Post-Transplant Lymphoproliferative Disorder: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020, 10, 101.	1.3	11
59	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020, 19, 341-349.	0.9	11
60	Prevalence of interstitial pneumonia suggestive of COVID-19 at 18F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2871-2882.	3.3	11
61	Diagnostic Accuracy of PET/CT or PET/MRI Using PSMA-Targeting Radiopharmaceuticals in High-Grade Gliomas: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2022, 12, 1665.	1.3	11
62	Role of fluorine-18-fluorodeoxyglucose positron emission tomography/computed tomography in evaluating breast mucosa-associated lymphoid tissue lymphoma: A case series. <i>Hematological Oncology</i> , 2017, 35, 884-889.	0.8	10
63	18F-FDG PET/CT Metabolic Behavior of COVID-19 Pneumonia. <i>Clinical Nuclear Medicine</i> , 2020, 45, e378-e380.	0.7	10
64	Metabolic behavior and prognostic role of pretreatment 18F-FDG PET/CT in gist. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, e207-e215.	0.7	10
65	Clinical and prognostic 18F-FDG PET/CT role in recurrent vulvar cancer: a multicentric experience. <i>Japanese Journal of Radiology</i> , 2022, 40, 66-74.	1.0	10
66	Hepatosplenic Candidiasis Detected by (18)F-FDG-PET/CT. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2016, 4, 106-8.	0.1	10
67	Mesenteric Panniculitis Demonstrated on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2016, 41, e164-e166.	0.7	9
68	Radioguided lung lesion localization. <i>Nuclear Medicine Communications</i> , 2019, 40, 597-603.	0.5	9
69	Role of 18F-FDG PET/CT in restaging and follow-up of patients with GIST. <i>Abdominal Radiology</i> , 2020, 45, 644-651.	1.0	9
70	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020, 13, 89-93.	0.3	9
71	Prognostic Role of 2-[18F]FDG PET/CT Metabolic Volume Parameters in Patients Affected by Differentiated Thyroid Carcinoma with High Thyroglobulin Level, Negative 131I WBS and Positive 2-[18F]-FDG PET/CT. <i>Diagnostics</i> , 2021, 11, 2189.	1.3	9
72	Prognostic Role of Pre-Treatment Metabolic Parameters and Sarcopenia Derived by 2-[18F]-FDG PET/CT in Elderly Mantle Cell Lymphoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 1210.	1.0	9

#	ARTICLE	IF	CITATIONS
73	Non-typhoidal Salmonella aortitis. <i>Infection</i> , 2019, 47, 1059-1063.	2.3	8
74	Prognostic role of $^{18}\text{F}$ MTV and $^{18}\text{F}$ TLG in Burkitt lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 280-287.	1.2	8
75	Clinical Meaning of 18F-FDG PET/CT Incidental Gynecological Uptake: An 8-Year Retrospective Analysis. <i>Indian Journal of Gynecologic Oncology</i> , 2021, 19, 1.	0.1	8
76	Prognostic Value of 18F-FDG PET/CT Metabolic Parameters in Splenic Marginal Zone Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e897-e904.	0.2	7
77	The role of Tg kinetics in predicting 2-[18F]-FDG PET/CT results and overall survival in patients affected by differentiated thyroid carcinoma with detectable Tg and negative 131I-scan. <i>Endocrine</i> , 2021, 74, 332-339.	1.1	7
78	Prognostic Role of "Radiological" Sarcopenia in Lymphoma: A Systematic Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e340-e349.	0.2	7
79	Radiolabelled PSMA PET/CT in breast cancer. A systematic review. <i>Nuclear Medicine Review</i> , 2020, 23, 32-35.	0.3	7
80	$^{13}\text{N}$ -NH <sub>3</sub> PET/CT in oncological disease. <i>Japanese Journal of Radiology</i> , 2019, 37, 799-807.	1.0	6
81	18F-FDG PET/TC en reestadificaci3n y seguimiento de pacientes con sarcomas uterinos. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 10-16.	0.0	6
82	Clinical and prognostic role of interim 18F-FDG PET/CT in elderly Hodgkin lymphoma: a dual-center experience. <i>Leukemia and Lymphoma</i> , 2020, 61, 3209-3216.	0.6	6
83	18F-FDG PET/CT demonstrated renal and hepatic cyst infection in a patient with autosomal dominant polycystic kidney disease. <i>Nuclear Medicine Review</i> , 2016, 19, 26-28.	0.3	6
84	The role of thyroglobulin doubling time in differentiated thyroid cancer: a meta-analysis. <i>Endocrine Connections</i> , 2022, 11, .	0.8	6
85	18F-fluorodeoxyglucose PET and PET/computed tomography for the evaluation of immunoglobulin G4-related disease: a systematic review. <i>Nuclear Medicine Communications</i> , 2022, 43, 638-645.	0.5	6
86	Clinical and prognostic value of 18F-FDG PET/CT in recurrent endometrial carcinoma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 87-93.	0.1	5
87	Valor cl3nico y pron3stico de la PET/TC con 18F-FDG en el c3ncer de endometrio recurrente. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 87-93.	0.0	5
88	Three years' clinical practice of Radium-223 therapy in patients with symptomatic bone metastases from metastatic castrate-resistant prostate cancer. <i>Nuclear Medicine Communications</i> , 2020, 41, 300-307.	0.5	5
89	Disruption of bone densitometry practice in a Northern Italy Orthopedic Hospital during the COVID-19 pandemic. <i>Osteoporosis International</i> , 2021, 32, 199-203.	1.3	5
90	Differentiated Thyroid Cancer: The Role of ATA Nodal Risk Factors in N1b Patients. <i>Laryngoscope</i> , 2021, 131, E1029-E1034.	1.1	5

#	ARTICLE	IF	CITATIONS
91	Prognostic Impact of Pretreatment 2-[18F]-FDG PET/CT Parameters in Primary Gastric DLBCL. Medicina (Lithuania), 2021, 57, 498.	0.8	5
92	The role of Hashimoto thyroiditis in predicting radioiodine ablation efficacy and prognosis of low to intermediate risk differentiated thyroid cancer. Annals of Nuclear Medicine, 2021, 35, 1089-1099.	1.2	5
93	Contrast-enhanced 18F-FDG PET/CT to differentiate primary cardiac lymphoma from primary cardiac angiosarcoma. Journal of Nuclear Cardiology, 2022, 29, 2390-2392.	1.4	5
94	131I Whole-Body Scan Incidental Uptake Due to Spermatocele. Clinical Nuclear Medicine, 2017, 42, 901-904.	0.7	4
95	Role of 18F-FDG PET/CT in restaging and follow-up of patients with uterine sarcomas. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2019, 38, 10-16.	0.1	4
96	Thyroid metastasis from breast cancer detected by 18F-FDG PET/CT. Endocrine, 2019, 64, 424-425.	1.1	4
97	18F-FMISO PET imaging: insights over MRI in patients with glioma. Clinical and Translational Imaging, 2020, 8, 3-10.	1.1	4
98	18F-FDG PET/CT role in Burkitt lymphoma. Clinical and Translational Imaging, 2020, 8, 39-45.	1.1	4
99	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. Radiation, 2021, 1, 65-76.	0.6	4
100	18 F-FDG PET/CT follow-up of follicular dendritic cell sarcoma. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2017, 36, 194-196.	0.0	3
101	Detección incidental de adenoma hipofisario con PET/TC con 18 F-FDG y PET/TC con 18 F-Colina en un mismo paciente. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2018, 37, 250-252.	0.0	3
102	Cardiac amyloidosis incidentally detected by 18F-FDG PET/CT. Journal of Nuclear Cardiology, 2020, 27, 2429-2431.	1.4	3
103	Improvement of diagnostic accuracy of 18fluorine-fluorodeoxyglucose PET/computed tomography in detection of infective endocarditis using a 72-h low carbs protocol. Nuclear Medicine Communications, 2020, 41, 753-758.	0.5	3
104	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. Clinical and Translational Imaging, 2020, 8, 237-242.	1.1	3
105	Tumor markers and 18F-FDG PET/CT after orchiectomy in seminoma: Is there any correlation?. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 287-292.	0.1	3
106	Prevalence of physiological uptake in the pancreas on somatostatin receptor-based PET/CT: a systematic review and a meta-analysis. Clinical and Translational Imaging, 2021, 9, 353-360.	1.1	3
107	Primary nasal-ethmoid choriocarcinoma detected by 18F-FDG PET/CT: a rare tumor with complete remission. Nuclear Medicine Review, 2020, 23, 105-107.	0.3	3
108	F-FDG PET/CT in Pleural Epithelioid Hemangioendothelioma. Asia Oceania Journal of Nuclear Medicine and Biology, 2017, 5, 70-74.	0.1	3



#	ARTICLE	IF	CITATIONS
109	Impact of Imaging FDG-PET/CT Minimal Residual Disease Assessment on Outcomes and Matching with Bone Marrow Techniques in Newly Diagnosed Transplant Eligible Multiple Myeloma (MM) Patients: Results of the Phase II Randomized Forte Trial. <i>Blood</i> , 2020, 136, 27-28.	0.6	3
110	Prevalence of Brain Incidental Lesions Detected by 68Ga-DOTA Peptides PET/CT. <i>Medicina (Lithuania)</i> , 2022, 58, 916.	0.8	3
111	Linfoma de Burkitt etmoidal y extranodal en un niño con lesiones renales bilaterales de linfoma de Burkitt detectadas por 18F-FDG PET/TC. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018, 37, 384-386.	0.0	2
112	Diferente captación de 123I-MIBG en los 2 lóbulos hepáticos principales: un misterio persistente sin resolver. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018, 37, 285-289.	0.0	2
113	18F-FDG PET or PET/CT role in plasmacytoma: A systematic review. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2020, 39, 220-224.	0.1	2
114	Correlation between brain glucose metabolism (18F-FDG) and cerebral blood flow with amyloid tracers (18F-Florbetapir) in clinical routine: Preliminary evidences. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 41, 146-152.	0.1	2
115	The "Undetermined Significance" of 18F-FDG PET/CT or PET/MRI in Patients with Monoclonal Gammopathy of Undetermined Significance (MGUS). <i>Medicina (Lithuania)</i> , 2021, 57, 856.	0.8	2
116	Evidence-Based PET for Haematological Tumours. , 2020, , 79-88.		2
117	Incidental Unilateral Tuberculous Sacroiliitis Detected by F-FDG PET/CT in a Patient with Abdominal Tuberculosis. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2017, 5, 144-147.	0.1	2
118	Right atrial metastasis of GIST detected by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 129-130.	0.0	1
119	Different uptake of 123I-MIBG in the two main liver lobes: A persistent unsolved mystery. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018, 37, 285-289.	0.1	1
120	18F-FDG PET/CT brown fat detection: Differences between adult and pediatric population in a 12 year experience. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 224-228.	0.1	1
121	Encrusted cystitis detected by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 250-251.	0.1	1
122	Cistitis incrustada detectada por PET/TC con 18F-FDG. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 250-251.	0.0	1
123	18F-FDG-PET/CT in laryngeal cancer: comparison with conventional imaging and prognostic role. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 229-238.	0.1	1
124	Incidental radioiodine uptake at whole body scan due to Primary Sjogren Syndrome in a patient with differentiated Thyroid cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022, 41, 47-49.	0.1	1
125	68Ga-DOTATOC PET/CT and MR in the Evaluation of Meningeal Metastasis From Esthesioneuroblastoma. <i>Clinical Nuclear Medicine</i> , 2021, Publish Ahead of Print, e378-e380.	0.7	1
126	Value of [18F]FDG PET-CT in the follow-up of surgically treated oral tongue squamous cell carcinoma: single centre cohort analysis on 87 patients. <i>Nuclear Medicine Review</i> , 2021, 24, 58-62.	0.3	1



#	ARTICLE	IF	CITATIONS
127	Metabolic tumor volume as prognostic factor in pediatric Hodgkin lymphoma: Dream or reality?. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29232.	0.8	1
128	Incidental uterine fibroid detected by 68Ga-DOTATOC PET/CT scan in patient with ileal neuroendocrine tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 334-336.	0.1	1
129	Incidental thyroid 99mTc-MDP uptake in a patient affected by differentiated thyroid cancer. <i>Nuclear Medicine Review</i> , 2016, 19, 8-10.	0.3	1
130	Very Poor Outcome of Patients with Relapsed/Refractory Aggressive B Cell Lymphoma after Autologous Stem Cell Transplantation (ASCT) or High Dose of Methotrexate and Cytarabine (HD-MTX/ARA-C) Regimens in the Clinical Care Setting. <i>Blood</i> , 2018, 132, 4232-4232.	0.6	1
131	Detección de grasa parda en la PET/TC con 18F-FDG: diferencias entre la población adulta y pediátrica en una experiencia de 12 años. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019, 38, 224-228.	0.0	1
132	Papel de la 18F-FDG PET o PET/TC en el plasmocitoma: una revisión sistemática. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2020, 39, 220-224.	0.0	1
133	Performing an Additional Lateral Decubitus PET/CT Scan to Resolve a Respiratory Motion Artifact. <i>Journal of Nuclear Medicine Technology</i> , 2021, 49, 84-85.	0.4	1
134	Different glucose metabolism behavior relating to histotypes in synchronous breast cancers evaluated by [18F]FDG PET-CT. <i>Nuclear Medicine Review</i> , 2022, 25, 64-65.	0.3	1
135	18F-FDG PET/CT in staging and follow-up of adamantinoma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 341-343.	0.0	0
136	Comparison Between 99mTc-Sulesomab and 18F-FDG PET/CT in a Patient With Suspected Prosthetic Joint Infection. <i>Clinical Nuclear Medicine</i> , 2016, 41, e298-e300.	0.7	0
137	Incidental meningioma detected by using 99m Tc-MIBI SPECT/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 333-334.	0.0	0
138	Lateral Neck Dissection for Aggressive Variants of Well-Differentiated Thyroid Cancer. <i>Endocrine Practice</i> , 2019, 25, 328-334.	1.1	0
139	Is physiology of coronary blood flow different in men and women?. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 171-172.	1.4	0
140	Response to the letter to the editor "18F-FDG-PET/CT indication in patients affected by differentiated thyroid cancer with elevated serum thyroglobulin and negative whole-body scanning after therapy with 131I". <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2952-2953.	3.3	0
141	Incidental thymoma detection during myocardial perfusion imaging by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 866-870.	1.4	0
142	Anomalous origin of the left coronary artery in patient with reduction of right coronary artery flow reserve detected by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 367-369.	1.4	0
143	Paraganglioma no funcionante detectado incidentalmente en la 18F-FDG PET/TC y confirmado mediante gammagrafía con 123I-MIBG. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2020, 39, 41-42.	0.0	0
144	Comparison of left ventricle mechanical dyssynchrony parameters in ischemic and non-ischemic patients using 13N-NH3 PET/CT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1248-1253.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Thyroid metastasis from lung carcinoid detected by 68Ga-DOTATOC PET/CT. <i>Endocrine</i> , 2021, 74, 202-203.	1.1	0
146	La PET/TC con 18F-FDG en el c�ncer de laringe: comparaci�n con t�cnicas de imagen convencional y valor pron�stico. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 229-238.	0.0	0
147	Marcadores tumorales y 18 F-FDG PET/TC despu�s de orquiectom�a en seminoma: �hay alguna correlaci�n?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 287-292.	0.0	0
148	Incidental 18F-FDG PET/CT bilateral breast uptake due to carcinoma. <i>Nuclear Medicine Review</i> , 2016, 19, 14-16.	0.3	0
149	PET in idiopathic retroperitoneal fibrosis. , 2021, , .		0
150	Molecular Imaging in the Diagnosis of Infectious Endocarditis �� the Role of PET and SPECT. <i>International Journal of Cardiovascular Sciences</i> , 2020, , .	0.0	0
151	18F-FDG PET/CT in the Diagnosis and Follow-up of Balint Syndrome. <i>Clinical Nuclear Medicine</i> , 2021, 46, e90-e93.	0.7	0
152	Response to JNC-22-024-LE. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2198.	1.4	0
153	Incidental double neurinoma detected by 18F-choline PET/CT scan in a prostate cancer patient. <i>Nuclear Medicine Review</i> , 2020, 23, 40-41.	0.3	0
154	Prostate cancer imaging and therapy. , 2018, , .		0