

Juliane BÄŕhm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7569147/publications.pdf>

Version: 2024-02-01

69
papers

4,616
citations

94381

37
h-index

106281

65
g-index

70
all docs

70
docs citations

70
times ranked

2962
citing authors

#	ARTICLE	IF	CITATIONS
1	High-resolution association mapping with libraries of immortalized lines from ancestral landraces. <i>Theoretical and Applied Genetics</i> , 2022, 135, 243-256.	1.8	5
2	Unraveling the potential of phenomic selection within and among diverse breeding material of maize (<i>Zea mays</i> L.). <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, .	0.8	9
3	Theoretical and experimental assessment of genome-based prediction in landraces of allogamous crops. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2121797119.	3.3	4
4	Exploiting genetic diversity in two European maize landraces for improving <i>Gibberella</i> ear rot resistance using genomic tools. <i>Theoretical and Applied Genetics</i> , 2021, 134, 793-805.	1.8	18
5	Genomic prediction with multiple biparental families. <i>Theoretical and Applied Genetics</i> , 2020, 133, 133-147.	1.8	22
6	European maize landraces made accessible for plant breeding and genome-based studies. <i>Theoretical and Applied Genetics</i> , 2019, 132, 3333-3345.	1.8	52
7	Doubled haploid technology for line development in maize: technical advances and prospects. <i>Theoretical and Applied Genetics</i> , 2019, 132, 3227-3243.	1.8	126
8	Efficient genetic value prediction using incomplete omics data. <i>Theoretical and Applied Genetics</i> , 2019, 132, 1211-1222.	1.8	8
9	Haploid male fertility and spontaneous chromosome doubling evaluated in a diallel and recurrent selection experiment in maize. <i>Theoretical and Applied Genetics</i> , 2019, 132, 2273-2284.	1.8	17
10	Testcross performance of doubled haploid lines from European flint maize landraces is promising for broadening the genetic base of elite germplasm. <i>Theoretical and Applied Genetics</i> , 2019, 132, 1897-1908.	1.8	28
11	Early diagnosis of ploidy status in doubled haploid production of maize by stomata length and flow cytometry measurements. <i>Plant Breeding</i> , 2019, 138, 266-276.	1.0	13
12	Progress for testcross performance within the flint heterotic pool of a public maize breeding program since the onset of hybrid breeding. <i>Euphytica</i> , 2019, 215, 1.	0.6	9
13	Production of doubled haploid lines for hybrid breeding in maize. <i>Burleigh Dodds Series in Agricultural Science</i> , 2019, , 143-172.	0.1	7
14	Beyond Genomic Prediction: Combining Different Types of <i>omics</i> Data Can Improve Prediction of Hybrid Performance in Maize. <i>Genetics</i> , 2018, 208, 1373-1385.	1.2	130
15	Genomic prediction and GWAS of <i>Gibberella</i> ear rot resistance traits in dent and flint lines of a public maize breeding program. <i>Euphytica</i> , 2018, 214, 1.	0.6	32
16	Genomic Prediction Within and Among Doubled-Haploid Libraries from Maize Landraces. <i>Genetics</i> , 2018, 210, 1185-1196.	1.2	18
17	Marker-Assisted Breeding of Improved Maternal Haploid Inducers in Maize for the Tropical/Subtropical Regions. <i>Frontiers in Plant Science</i> , 2018, 9, 1527.	1.7	41
18	High-Throughput Precision Phenotyping of the Oil Content of Single Seeds of Various Oilseed Crops. <i>Crop Science</i> , 2018, 58, 670-678.	0.8	22

#	ARTICLE	IF	CITATIONS
19	Nitrous Oxide-Induced Chromosome Doubling of Maize Haploids. <i>Crop Science</i> , 2018, 58, 650-659.	0.8	17
20	Tapping the genetic diversity of landraces in allogamous crops with doubled haploid lines: a case study from European flint maize. <i>Theoretical and Applied Genetics</i> , 2017, 130, 861-873.	1.8	41
21	Transcriptome-based prediction of hybrid performance with unbalanced data from a maize breeding programme. <i>Plant Breeding</i> , 2017, 136, 331-337.	1.0	22
22	Safeguarding Our Genetic Resources with Libraries of Doubled-Haploid Lines. <i>Genetics</i> , 2017, 206, 1611-1619.	1.2	24
23	Dissection of a major QTL qhir1 conferring maternal haploid induction ability in maize. <i>Theoretical and Applied Genetics</i> , 2017, 130, 1113-1122.	1.8	20
24	Accuracy of Genomic Prediction in Synthetic Populations Depending on the Number of Parents, Relatedness, and Ancestral Linkage Disequilibrium. <i>Genetics</i> , 2017, 205, 441-454.	1.2	52
25	Genomic Prediction Within and Across Biparental Families: Means and Variances of Prediction Accuracy and Usefulness of Deterministic Equations. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 3571-3586.	0.8	34
26	High-throughput platform for automated sorting and selection of single seeds based on time-domain nuclear magnetic resonance (TD-NMR) measurement of oil content. <i>Biosystems Engineering</i> , 2017, 164, 213-220.	1.9	21
27	Omics-based hybrid prediction in maize. <i>Theoretical and Applied Genetics</i> , 2017, 130, 1927-1939.	1.8	90
28	Optimum breeding strategies using genomic selection for hybrid breeding in wheat, maize, rye, barley, rice and triticale. <i>Theoretical and Applied Genetics</i> , 2016, 129, 1901-1913.	1.8	69
29	Colchicine Alternatives for Chromosome Doubling in Maize Haploids for Doubled-Haploid Production. <i>Crop Science</i> , 2016, 56, 559-569.	0.8	47
30	Development and Validation of Red Root Marker-Based Haploid Inducers in Maize. <i>Crop Science</i> , 2016, 56, 1678-1688.	0.8	50
31	In Vivo Haploid Induction in Maize: Comparison of Different Testing Regimes for Measuring Haploid Induction Rates. <i>Crop Science</i> , 2016, 56, 1127-1135.	0.8	15
32	The Genetic Basis of Haploid Induction in Maize Identified with a Novel Genome-Wide Association Method. <i>Genetics</i> , 2016, 202, 1267-1276.	1.2	61
33	Controlling Misclassification Rates in Identification of Haploid Seeds from Induction Crosses in Maize with High-Oil Inducers. <i>Crop Science</i> , 2015, 55, 1076-1086.	0.8	10
34	Genomic selection in biparental populations: assessment of parameters for optimum estimation set design. <i>Plant Breeding</i> , 2015, 134, 623-630.	1.0	22
35	Oil Content is Superior to Oil Mass for Identification of Haploid Seeds in Maize Produced with High-Oil Inducers. <i>Crop Science</i> , 2015, 55, 188-195.	0.8	23
36	Fine mapping of qhir8 affecting in vivo haploid induction in maize. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2507-2515.	1.8	52

#	ARTICLE	IF	CITATIONS
37	In Vivo Haploid Induction in Maize: Identification of Haploid Seeds by Their Oil Content. <i>Crop Science</i> , 2014, 54, 1497-1504.	0.8	59
38	Breeding Potential of European Flint Maize Landraces Evaluated by their Testcross Performance. <i>Crop Science</i> , 2014, 54, 1665-1672.	0.8	25
39	Genome Properties and Prospects of Genomic Prediction of Hybrid Performance in a Breeding Program of Maize. <i>Genetics</i> , 2014, 197, 1343-1355.	1.2	192
40	Usefulness of Multiparental Populations of Maize (<i>Zea mays</i> L.) for Genome-Based Prediction. <i>Genetics</i> , 2014, 198, 3-16.	1.2	114
41	Optimizing the allocation of resources for genomic selection in one breeding cycle. <i>Theoretical and Applied Genetics</i> , 2013, 126, 2835-2848.	1.8	74
42	Genomic Predictability of Interconnected Biparental Maize Populations. <i>Genetics</i> , 2013, 194, 493-503.	1.2	180
43	Rapid and accurate identification of in vivo-induced haploid seeds based on oil content in maize. <i>Scientific Reports</i> , 2013, 3, 2129.	1.6	95
44	Gametophytic and zygotic selection leads to segregation distortion through in vivo induction of a maternal haploid in maize. <i>Journal of Experimental Botany</i> , 2013, 64, 1083-1096.	2.4	107
45	Unlocking the Genetic Diversity of Maize Landraces with Doubled Haploids Opens New Avenues for Breeding. <i>PLoS ONE</i> , 2013, 8, e57234.	1.1	68
46	Haploid Fertility in Temperate and Tropical Maize Germplasm. <i>Crop Science</i> , 2012, 52, 623-630.	0.8	61
47	Effectiveness of Genomic Prediction of Maize Hybrid Performance in Different Breeding Populations and Environments. <i>G3: Genes, Genomes, Genetics</i> , 2012, 2, 1427-1436.	0.8	242
48	Genomic prediction of hybrid performance in maize with models incorporating dominance and population specific marker effects. <i>Theoretical and Applied Genetics</i> , 2012, 125, 1181-1194.	1.8	143
49	New Insights into the Genetics of <i>In Vivo</i> Induction of Maternal Haploids, the Backbone of Doubled Haploid Technology in Maize. <i>Genetics</i> , 2012, 190, 781-793.	1.2	143
50	Production of Haploids and Doubled Haploids in Maize. <i>Methods in Molecular Biology</i> , 2012, 877, 161-172.	0.4	69
51	Comparison of whole-genome prediction models for traits with contrasting genetic architecture in a diversity panel of maize inbred lines. <i>BMC Genomics</i> , 2012, 13, 452.	1.2	74
52	Breeding maize as biogas substrate in Central Europe: II. Quantitative-genetic parameters for inbred lines and correlations with testcross performance. <i>Theoretical and Applied Genetics</i> , 2012, 124, 981-988.	1.8	24
53	Variation and covariation for <i>Gibberella</i> ear rot resistance and agronomic traits in testcrosses of doubled haploid maize lines. <i>Euphytica</i> , 2012, 185, 441-451.	0.6	7
54	Doubled haploids in tropical maize: II. Quantitative genetic parameters for testcross performance. <i>Euphytica</i> , 2012, 185, 453-463.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Development of in vivo haploid inducers for tropical maize breeding programs. <i>Euphytica</i> , 2012, 185, 481-490.	0.6	52
56	Determination of Methane Fermentation Yield and its Kinetics by near Infrared Spectroscopy and Chemical Composition in Maize. <i>Journal of Near Infrared Spectroscopy</i> , 2011, 19, 463-477.	0.8	17
57	Effect of source germplasm and season on the in vivo haploid induction rate in tropical maize. <i>Euphytica</i> , 2011, 180, 219-226.	0.6	59
58	Doubled Haploids in Tropical Maize: I. Effects of Inducers and Source Germplasm on in vivo Haploid Induction Rates. <i>Crop Science</i> , 2011, 51, 1498-1506.	0.8	94
59	Population structure and genetic diversity in a commercial maize breeding program assessed with SSR and SNP markers. <i>Theoretical and Applied Genetics</i> , 2010, 120, 1289-1299.	1.8	232
60	Hybrid maize breeding with doubled haploids: III. Efficiency of early testing prior to doubled haploid production in two-stage selection for testcross performance. <i>Theoretical and Applied Genetics</i> , 2007, 115, 519-527.	1.8	27
61	Trends in genetic diversity among European maize cultivars and their parental components during the past 50 years. <i>Theoretical and Applied Genetics</i> , 2005, 111, 838-845.	1.8	93
62	Genetic structure and diversity of European flint maize populations determined with SSR analyses of individuals and bulks. <i>Theoretical and Applied Genetics</i> , 2005, 111, 906-913.	1.8	96
63	Linkage disequilibrium in European elite maize germplasm investigated with SSRs. <i>Theoretical and Applied Genetics</i> , 2005, 111, 723-730.	1.8	167
64	No Evidence for Epistasis in Hybrid and Per Se Performance of Elite European Flint Maize Inbreds from Generation Means and QTL Analyses. <i>Crop Science</i> , 2005, 45, 2605-2613.	0.8	69
65	Marker-Assisted Backcrossing for Simultaneous Introgression of Two Genes. <i>Crop Science</i> , 2001, 41, 1716-1725.	0.8	61
66	Quantitative Trait Locus (QTL) Mapping Using Different Testers and Independent Population Samples in Maize Reveals Low Power of QTL Detection and Large Bias in Estimates of QTL Effects. <i>Genetics</i> , 1998, 149, 383-403.	1.2	462
67	QTL Mapping in Testcrosses of European Flint Lines of Maize: II. Comparison of Different Testers for Forage Quality Traits. <i>Crop Science</i> , 1997, 37, 1913-1922.	0.8	66
68	Relationships among Early European Maize Inbreds: II. Comparison of Pedigree and RFLP Data. <i>Crop Science</i> , 1993, 33, 944-950.	0.8	127
69	Relationships among Early European Maize Inbreds: I. Genetic Diversity among Flint and Dent Lines Revealed by RFLPs. <i>Crop Science</i> , 1992, 32, 1301-1309.	0.8	73