## Saeed Rastegari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7569752/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tungsten–copper composite production by activated sintering and infiltration. International Journal of Refractory Metals and Hard Materials, 2011, 29, 538-541.	3.8	116
2	The influence of pulse plating parameters on structure and properties of Ni–W–TiO2 nanocomposite coatings. Surface and Coatings Technology, 2014, 259, 393-400.	4.8	66
3	A feasibility study of W-Cu composites production by high pressure compression of tungsten powder. International Journal of Refractory Metals and Hard Materials, 2011, 29, 123-127.	3.8	48
4	Effect of heat treatment temperature on the performance of nano-TiO 2 coating in protecting 316L stainless steel against corrosion under UV illumination and dark conditions. Surface and Coatings Technology, 2014, 258, 861-870.	4.8	48
5	A new method for deposition of nano sized titanium nitride on steels. Vacuum, 2011, 86, 131-139.	3.5	40
6	Al 2 O 3 –ZrO 2 nanostructured coatings using DC plasma electrolytic oxidation to improve tribological properties of Al substrates. Applied Surface Science, 2015, 356, 927-934.	6.1	40
7	Alumina- zirconia coatings produced by Plasma Electrolytic Oxidation on Al alloy for corrosion resistance improvement. Journal of Alloys and Compounds, 2017, 724, 435-442.	5.5	40
8	Applying the protective CuMn2O4 spinel coating on AISI-430 ferritic stainless steel used as solid oxide fuel cell interconnects. Surface and Coatings Technology, 2018, 334, 365-372.	4.8	32
9	Effect of electroplating parameters on properties of Zn–nano-TiO <sub>2</sub> composite coatings. Surface Engineering, 2013, 29, 41-45.	2.2	27
10	Microstructure and oxidation resistance of Si modified aluminide coating on TiAl based alloys. Surface Engineering, 2015, 31, 930-933.	2.2	25
11	Investigating efficiency of α-Al <sub>2</sub> O <sub>3</sub> diffusion barrier layer in oxidation of EB-PVD NiCrAlY coatings. Surface Engineering, 2015, 31, 146-155.	2.2	24
12	Effects of temperature and Al-concentration on formation mechanism of an aluminide coating applied on superalloy IN738LC through a single step low activity gas diffusion process. Journal of Alloys and Compounds, 2010, 505, 206-212.	5.5	21
13	Effects of electrodeposition parameters on morphology and properties of Zn–TiO <sub>2</sub> composite coating. Surface Engineering, 2013, 29, 695-699.	2.2	17
14	Mass production of multi-wall carbon nanotubes by metal dusting process with high yield. Materials Research Bulletin, 2011, 46, 716-721.	5.2	16
15	Coarsening Kinetics of γ′ Precipitates in Dendritic Regions of a Ni3Al Base Alloy. Journal of Materials Science and Technology, 2012, 28, 221-228.	10.7	15
16	Deposition of Nano Sized Titanium Nitride on H11 Tool Steel Using Active Screen Plasma Nitriding Method. Journal of Nano Research, 0, 11, 79-84.	0.8	14
17	Effect of heat treatment on coating microstructure applied by high activity diffusion process on IN738LC. Surface Engineering, 2012, 28, 772-777.	2.2	14
18	Elimination of the Corrosion of Ni-P Substrates during Electroless Gold Plating. Journal of the Electrochemical Society, 2005, 152, C173.	2.9	12

SAEED RASTEGARI

#	Article	IF	CITATIONS
19	Dissolution Mechanism of a Zr Rich Structure in a Ni3Al Base Alloy. Journal of Materials Science and Technology, 2011, 27, 885-892.	10.7	12
20	An electrophoretic co-deposition of metal oxides followed by in-situ copper manganese spinel synthesis on AISI-430 for application in SOFC interconnects. International Journal of Hydrogen Energy, 2022, 47, 14346-14360.	7.1	11
21	Effect of electrodeposition parameters on the microstructure and properties of Cu-TiO2 nanocomposite coating. Journal of Alloys and Compounds, 2019, 770, 98-107.	5.5	10
22	Effective parameters on microstructure and properties of EB-PVD NiCrAlY coating. Surface Engineering, 2015, 31, 156-165.	2.2	9
23	An investigation about the effect of annealing conditions on microstructure in a Ni3Al base alloy. Journal of Alloys and Compounds, 2009, 486, 881-885.	5.5	8
24	Formation of Diffusion Aluminide Coatings on γ-TiAl Alloy with In-Pack and Out-Pack Processes. Transactions of the Indian Institute of Metals, 2015, 68, 867-871.	1.5	8
25	Effect of pulse parameters on the morphology of electroplated Ni–W–TiC nanocomposite coating. Surface Engineering, 2020, 36, 982-989.	2.2	8
26	The effect of microstructural aspects of W Cu composites on electrical conductivity and thermal erosion. International Journal of Refractory Metals and Hard Materials, 2021, 101, 105685.	3.8	8
27	High-performance vertically aligned Bi2O3 nanosheet arrays for water splitting applications by controlling the chemical bath deposition method parameters (precursor concentration and pH). International Journal of Hydrogen Energy, 2022, 47, 7214-7227.	7.1	8
28	Gas Phase Aluminizing of a Nickel Base Superalloy by a Single Step HTHA Aluminizing Process. Canadian Metallurgical Quarterly, 2009, 48, 91-98.	1.2	7
29	Effect of cooling rates from partial solution temperature and aging on <i>γ</i> ′ precipitation in IN792 superalloy. Materials Science and Technology, 2013, 29, 1513-1517.	1.6	6
30	A STUDY ON THE MICROSTRUCTURAL CHANGES OF Cr-MODIFIED ALUMINIDE COATINGS ON A NICKEL-BASED SUPERALLOY DURING HOT CORROSION. Canadian Metallurgical Quarterly, 2008, 47, 223-232.	1.2	5
31	Formation mechanism of Pt-modified aluminide coating structure by out-of-the-pack aluminizing. Surface Engineering, 2021, 37, 343-350.	2.2	5
32	Reduction of Sintering Temperature of Porous Tungsten Skeleton Used for Production of W-Cu Composites by Ultra High Compaction Pressure of Tungsten Powder. Advanced Materials Research, 2011, 264-265, 807-812.	0.3	4
33	Formation mechanism of IDZ during coating of IN738 by single step gas phase aluminising. Canadian Metallurgical Quarterly, 2011, 50, 85-90.	1.2	4
34	Microstructural Investigation of Si-Modified Aluminide Coating Formed on Î <sup>3</sup> -TiAl Alloy by the Slurry Method. Metallography, Microstructure, and Analysis, 2015, 4, 109-113.	1.0	4
35	Enhanced photoelectrochemical water splitting performance of vertically aligned Bi2O3 nanosheet arrays derived from chemical bath deposition method by controlling chemical bath temperature and complexing agent concentration. Surfaces and Interfaces, 2022, 30, 101819.	3.0	4
36	Investigating the transition time reduction in evaporation of NiCrAlY using EB–PVD. Surface Engineering, 2014, 30, 511-515.	2.2	3

SAEED RASTEGARI

#	Article	IF	CITATIONS
37	Oxidation Resistance of Double-Ceramic-Layered Thermal Barrier Coating System with an Intermediate Al2O3-YAG Layer. Journal of Thermal Spray Technology, 2021, 30, 1049-1058.	3.1	3
38	Influence of Pulse Electrodeposition and Heat Treatment on Microstructure, Tribological, and Corrosion Behavior of Nano-Grain Size Co-W Coatings. Journal of Materials Engineering and Performance, 2017, 26, 3133-3143.	2.5	2
39	Full homogenisation response of Ni <sub>3</sub> Al based alloy containing Cr, Mo, Zr and B. Materials Science and Technology, 2012, 28, 109-115.	1.6	0
40	Mechanism of Al-Si codeposition on In738LC through single-step diffusion process. International Journal of Surface Science and Engineering, 2017, 11, 1.	0.4	0