

# Floortje Mols

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7572689/floortje-mols-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

5,784  
citations

42  
h-index

71  
g-index

170  
ext. papers

6,936  
ext. citations

4  
avg, IF

5.93  
L-index

#	Paper	IF	Citations
159	Comparing Survivors of Cancer in Population-Based Samples With Those in Online Cancer Communities: Cross-sectional Questionnaire Study.. <i>JMIR Cancer</i> , <b>2022</b> , 8, e19379	3.2	1
158	Exploring the relationship among dispositional optimism, health-related quality of life, and CIPN severity among colorectal cancer patients with chronic peripheral neuropathy. <i>Supportive Care in Cancer</i> , <b>2022</b> , 30, 95-104	3.9	7
157	Patient-reported outcomes following total thyroidectomy and lobectomy in thyroid cancer survivors: an analysis of the PROFILES Registry data. <i>Supportive Care in Cancer</i> , <b>2022</b> , 30, 687-693	3.9	1
156	Longitudinal Associations of Former and Current Alcohol Consumption with Psychosocial Outcomes among Colorectal Cancer Survivors 1-15 Years after Diagnosis.. <i>Nutrition and Cancer</i> , <b>2022</b> , 1-9	2.8	1
155	Symptoms of pre-treatment anxiety are associated with the development of chronic peripheral neuropathy among colorectal cancer patients.. <i>Supportive Care in Cancer</i> , <b>2022</b> , 1	3.9	0
154	Is CT-based body composition associated with long-term chemotherapy-induced peripheral neuropathy in colorectal cancer survivors?. <i>Supportive Care in Cancer</i> , <b>2022</b> , 1	3.9	
153	Association between peripheral neuropathy and sleep quality among colorectal cancer patients from diagnosis until 2-year follow-up: results from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 1	5.1	0
152	Self-reported causes of cancer among 6881 survivors with 6 tumour types: results from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 1	5.1	0
151	Longitudinal associations of sociodemographic, lifestyle, and clinical factors with alcohol consumption in colorectal cancer survivors up to 2 years post-diagnosis. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 5935-5943	3.9	1
150	Chemotherapy-induced peripheral neuropathy after modern treatment of Hodgkin's lymphoma; symptom burden and quality of life. <i>Acta Oncologica</i> , <b>2021</b> , 60, 911-920	3.2	5
149	Untangling the relationship between negative illness perceptions and worse quality of life in patients with advanced cancer-a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 6411-6419	3.9	1
148	Longitudinal Associations of Sedentary Behavior and Physical Activity with Quality of Life in Colorectal Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , <b>2021</b> , 53, 2298-2308	1.2	1
147	Psychological distress and lower health-related quality of life are associated with need for dietary support among colorectal cancer survivors with overweight or obesity. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 7659-7668	3.9	1
146	Increases in adipose tissue and muscle function are longitudinally associated with better quality of life in colorectal cancer survivors. <i>Scientific Reports</i> , <b>2021</b> , 11, 12440	4.9	2
145	Follow-up practice and healthcare utilisation of colorectal cancer survivors. <i>European Journal of Cancer Care</i> , <b>2021</b> , 30, e13472	2.4	2
144	Towards OPTimal Timing and Method for promoting sUstained adherence to lifestyle and body weight recommendations in postMenopausal breast cancer survivors (the OPTIMUM-study): protocol for a longitudinal mixed-method study. <i>BMC Women's Health</i> , <b>2021</b> , 21, 268	2.9	0
143	Diagnosed with a common cancer at an unusual age: causal attributions of survivors of adolescent and young adult colorectal cancer. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 409-416	3.9	0

142	Associations of the dietary World Cancer Research Fund/American Institute for Cancer Research (WCRF/AICR) recommendations with patient-reported outcomes in colorectal cancer survivors 2-10 years post-diagnosis: a cross-sectional analysis. <i>British Journal of Nutrition</i> , <b>2021</b> , 125, 1188-1200	3.6	2
141	The course of peripheral neuropathy and its association with health-related quality of life among colorectal cancer patients. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 15, 190-200	5.1	17
140	Perceived Care and Well-being of Patients With Cancer and Matched Norm Participants in the COVID-19 Crisis: Results of a Survey of Participants in the Dutch PROFILES Registry. <i>JAMA Oncology</i> , <b>2021</b> , 7, 279-284	13.4	22
139	Is sleep associated with BMI, waist circumference, and diet among long-term colorectal cancer survivors? Results from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 7225-7235	3.9	1
138	Symptom clusters in 1330 survivors of 7 cancer types from the PROFILES registry: A network analysis. <i>Cancer</i> , <b>2021</b> , 127, 4665-4674	6.4	1
137	The relation between sleep quality, sleep quantity, and gastrointestinal problems among colorectal cancer survivors: result from the PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2021</b> , 1	3.9	
136	Evaluating the longitudinal effect of colorectal surgery on health-related quality of life in patients with colorectal cancer. <i>Journal of Surgical Oncology</i> , <b>2021</b> ,	2.8	1
135	Sex-differences in symptoms and functioning in >5000 cancer survivors: Results from the PROFILES registry. <i>European Journal of Cancer</i> , <b>2021</b> , 156, 24-34	7.5	6
134	Online Acceptance and Commitment Therapy (ACT) interventions for chronic pain: A systematic literature review. <i>Internet Interventions</i> , <b>2021</b> , 26, 100465	4.4	1
133	Heterogeneity in Quality of Life of Long-Term Colon Cancer Survivors: A Latent Class Analysis of the Population-Based PROFILES Registry. <i>Oncologist</i> , <b>2021</b> , 26, e492-e499	5.7	3
132	1686P The impact of the COVID-19 crisis on perceived changes in care and wellbeing of cancer patients and norm participants: Results of the PROFILES registry. <i>Annals of Oncology</i> , <b>2020</b> , 31, S997-S998	10.3	78
131	Negative illness perceptions are related to more fatigue among haematological cancer survivors: a PROFILES study. <i>Acta Oncologica</i> , <b>2020</b> , 59, 959-966	3.2	1
130	Negative illness perceptions are related to poorer health-related quality of life among thyroid cancer survivors: Results from the PROFILES registry. <i>Head and Neck</i> , <b>2020</b> , 42, 2533-2541	4.2	4
129	Development and internal validation of prediction models for colorectal cancer survivors to estimate the 1-year risk of low health-related quality of life in multiple domains. <i>BMC Medical Informatics and Decision Making</i> , <b>2020</b> , 20, 54	3.6	3
128	Psychological Distress and Illness Perceptions in Thyroid Cancer Survivors: Does Age Matter?. <i>Journal of Adolescent and Young Adult Oncology</i> , <b>2020</b> , 9, 375-383	2.2	1
127	The EORTC QLQ-C30 Summary Score as Prognostic Factor for Survival of Patients with Cancer in the "Real-World": Results from the Population-Based PROFILES Registry. <i>Oncologist</i> , <b>2020</b> , 25, e722-e732	5.7	44
126	Multicenter randomized controlled trial to evaluate the efficacy and tolerability of frozen gloves for the prevention of chemotherapy-induced peripheral neuropathy. <i>Annals of Oncology</i> , <b>2020</b> , 31, 131-136	10.3	28
125	Financial toxicity and employment status in cancer survivors. A systematic literature review. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 5693-5708	3.9	31

124	Colorectal cancer survivors' beliefs on nutrition and cancer; correlates with nutritional information provision. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 1255-1263	3.9	5
123	Are illness perceptions, beliefs about medicines and Type D personality associated with medication adherence among thyroid cancer survivors? A study from the population-based PROFILES registry. <i>Psychology and Health</i> , <b>2020</b> , 35, 128-143	2.9	8
122	Changes in internet use and wishes of cancer survivors: A comparison between 2005 and 2017. <i>Cancer</i> , <b>2020</b> , 126, 408-415	6.4	18
121	Painful and non-painful chemotherapy-induced peripheral neuropathy and quality of life in colorectal cancer survivors: results from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 5933-5941	3.9	11
120	Cancer survivors who fully participate in the PROFILES registry have better health-related quality of life than those who drop out. <i>Journal of Cancer Survivorship</i> , <b>2019</b> , 13, 829-839	5.1	12
119	Usability of an online application for reporting the burden of side effects in cancer patients. <i>Supportive Care in Cancer</i> , <b>2019</b> , 27, 3411-3419	3.9	3
118	The association of cancer-related fatigue with all-cause mortality of colorectal and endometrial cancer survivors: Results from the population-based PROFILES registry. <i>Cancer Medicine</i> , <b>2019</b> , 8, 3227-3236	4.8	9
117	Adherence to the World Cancer Research Fund/American Institute for Cancer Research recommendations for cancer prevention is associated with better health-related quality of life among long-term colorectal cancer survivors: results of the PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2019</b> , 27, 4565-4574	3.9	16
116	Having co-morbid cardiovascular disease at time of cancer diagnosis: already one step behind when it comes to HRQoL?. <i>Acta Oncologica</i> , <b>2019</b> , 58, 1684-1691	3.2	0
115	Anxiety and depression mediate the association between chemotherapy-induced peripheral neuropathy and fatigue: Results from the population-based PROFILES registry. <i>Psycho-Oncology</i> , <b>2019</b> , 28, 1926-1933	3.9	29
114	Improving Information Provision on Chemotherapy-Induced Alopecia and Scalp Cooling: A Comprehensive Approach Including A Website and Web-Based Decision Tool. <i>Asia-Pacific Journal of Oncology Nursing</i> , <b>2019</b> , 6, 336-342	2.2	3
113	Beyond Adaptive Mental Functioning With Pain as the Absence of Psychopathology: Prevalence and Correlates of Flourishing in Two Chronic Pain Samples. <i>Frontiers in Psychology</i> , <b>2019</b> , 10, 2443	3.4	3
112	Financial toxicity is more than costs of care: the relationship between employment and financial toxicity in long-term cancer survivors. <i>Journal of Cancer Survivorship</i> , <b>2019</b> , 13, 10-20	5.1	50
111	Somatic symptom disorder in the general population: Associations with medical status and health care utilization using the SSD-12. <i>General Hospital Psychiatry</i> , <b>2019</b> , 56, 36-41	5.6	16
110	Long-term Outcomes After Surgery Involving the Pelvic Floor in Rectal Cancer: Physical Activity, Quality of Life, and Health Status. <i>Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 23, 808-817	3.3	3
109	Illness perceptions are associated with higher health care use in survivors of endometrial cancer-a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2019</b> , 27, 1935-1944	3.9	6
108	Population-based cancer survivorship research: Experiences from Germany and the Netherlands. <i>Journal of Cancer Policy</i> , <b>2018</b> , 15, 87-91	1	7
107	Symptoms of anxiety and depression among colorectal cancer survivors from the population-based, longitudinal PROFILES Registry: Prevalence, predictors, and impact on quality of life. <i>Cancer</i> , <b>2018</b> , 124, 2621-2628	6.4	54

106	Quality of life in elderly patients with an ostomy - a study from the population-based PROFILES registry. <i>Colorectal Disease</i> , <b>2018</b> , 20, O92-O102	2.1	12
105	Course of chemotherapy-induced peripheral neuropathy and its impact on health-related quality of life among ovarian cancer patients: A longitudinal study. <i>Gynecologic Oncology</i> , <b>2018</b> , 149, 455-463	4.9	20
104	Identifying the subtypes of cancer-related fatigue: results from the population-based PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2018</b> , 12, 38-46	5.1	26
103	Reference data of the EORTC QLQ-C30 questionnaire: five consecutive annual assessments of approximately 2000 representative Dutch men and women. <i>Acta Oncologica</i> , <b>2018</b> , 57, 1381-1391	3.2	18
102	Analysis of Content Shared in Online Cancer Communities: Systematic Review. <i>JMIR Cancer</i> , <b>2018</b> , 4, e6	3.2	16
101	Cancer survivors not participating in observational patient-reported outcome studies have a lower survival compared to participants: the population-based PROFILES registry. <i>Quality of Life Research</i> , <b>2018</b> , 27, 3313-3324	3.7	23
100	Age-related differences in health-related quality of life among thyroid cancer survivors compared with a normative sample: Results from the PROFILES Registry. <i>Head and Neck</i> , <b>2018</b> , 40, 2235-2245	4.2	16
99	The magnitude of neurotoxicity in patients with multiple myeloma and the impact of dose modifications: results from the population-based PROFILES registry. <i>Annals of Hematology</i> , <b>2017</b> , 96, 653-663	3	6
98	The moderation effect of personality on healthcare utilization in Chinese people living with HIV. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2017</b> , 29, 729-733	2.2	1
97	Lymphoma InterVENTion (LIVE) - patient-reported outcome feedback and a web-based self-management intervention for patients with lymphoma: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2017</b> , 18, 199	2.8	8
96	Is Type D personality a risk factor for all-cause mortality? A prospective population-based study among 2625 colorectal cancer survivors from the PROFILES registry. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 96, 76-83	4.1	9
95	The Impact of Body Mass Index and Waist Circumference on Health-related Quality of Life Among Colorectal Cancer Survivors: Results from the PROFILES Registry. <i>Nutrition and Cancer</i> , <b>2017</b> , 69, 1177-1184	2.8	13
94	Lifestyle-Related Factors in the Self-Management of Chemotherapy-Induced Peripheral Neuropathy in Colorectal Cancer: A Systematic Review. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2017</b> , 2017, 7916031	2.3	26
93	Evaluation of the psychometric properties of the EORTC chemotherapy-induced peripheral neuropathy questionnaire (QLQ-CIPN20). <i>Quality of Life Research</i> , <b>2017</b> , 26, 2999-3010	3.7	36
92	Personality, health behaviors, and quality of life among colorectal cancer survivors: Results from the PROFILES registry. <i>Journal of Psychosocial Oncology</i> , <b>2017</b> , 35, 61-76	2.8	8
91	An exploration of needs and preferences for dietary support in colorectal cancer survivors: A mixed-methods study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0189178	3.7	11
90	The Impact of Participation in Online Cancer Communities on Patient Reported Outcomes: Systematic Review. <i>JMIR Cancer</i> , <b>2017</b> , 3, e15	3.2	32
89	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2016</b> , 24, 2883-92	3.9	4

88	Psychological impact of lymphoma on adolescents and young adults: not a matter of black or white. <i>Journal of Cancer Survivorship</i> , <b>2016</b> , 10, 726-35	5.1	14
87	Chemotherapy-induced neuropathy in multiple myeloma: influence on quality of life and development of a questionnaire to compose common toxicity criteria grading for use in daily clinical practice. <i>Supportive Care in Cancer</i> , <b>2016</b> , 24, 2411-20	3.9	36
86	Are chemotherapy-associated symptoms underestimated? A view beyond common toxicity criteria. <i>Acta Oncologica</i> , <b>2016</b> , 55, 516-8	3.2	6
85	Correlates of physical activity among colorectal cancer survivors: results from the longitudinal population-based profiles registry. <i>Supportive Care in Cancer</i> , <b>2016</b> , 24, 573-583	3.9	21
84	Reference data of the European Organisation for Research and Treatment of Cancer (EORTC) QLQ-CIPN20 Questionnaire in the general Dutch population. <i>European Journal of Cancer</i> , <b>2016</b> , 69, 28-38	7.5	20
83	Adherence to the World Cancer Research Fund/American Institute for Cancer Research lifestyle recommendations in colorectal cancer survivors: results of the PROFILES registry. <i>Cancer Medicine</i> , <b>2016</b> , 5, 2587-95	4.8	27
82	Candidate Predictors of Health-Related Quality of Life of Colorectal Cancer Survivors: A Systematic Review. <i>Oncologist</i> , <b>2016</b> , 21, 433-52	5.7	44
81	The impact of diabetes on neuropathic symptoms and receipt of chemotherapy among colorectal cancer patients: results from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2015</b> , 9, 523-31	5.1	13
80	Health-related quality of life is associated with physical activity levels among colorectal cancer survivors: a longitudinal, 3-year study of the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2015</b> , 9, 472-80	5.1	27
79	Variation in fatigue among 6011 (long-term) cancer survivors and a normative population: a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2015</b> , 23, 2165-74	3.9	42
78	Treatment-related differences in health related quality of life and disease specific symptoms among colon cancer survivors: results from the population-based PROFILES registry. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1263-73	7.5	15
77	Comment on: Subgroup effects in a randomized trial of different types and doses of exercise during breast cancer chemotherapy. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 1835	8.7	
76	The role of personality in the course of health-related quality of life and disease-specific health status among colorectal cancer survivors: A prospective population-based study from the PROFILES registry. <i>Acta Oncologica</i> , <b>2015</b> , 54, 669-77	3.2	17
75	Peripheral neuropathy in colorectal cancer survivors: the influence of oxaliplatin administration. Results from the population-based PROFILES registry. <i>Acta Oncologica</i> , <b>2015</b> , 54, 463-9	3.2	56
74	Chemotherapy-induced peripheral neuropathy, physical activity and health-related quality of life among colorectal cancer survivors from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2015</b> , 9, 512-22	5.1	51
73	High levels of physical activity are associated with lower levels of fatigue among lymphoma patients: Results from the longitudinal PROFILES registry. <i>Acta Oncologica</i> , <b>2015</b> , 54, 678-84	3.2	8
72	Dietary changes and dietary supplement use, and underlying motives for these habits reported by colorectal cancer survivors of the Patient Reported Outcomes Following Initial Treatment and Long-Term Evaluation of Survivorship (PROFILES) registry. <i>British Journal of Nutrition</i> , <b>2015</b> , 114, 286-96	3.6	39
71	Symptoms of Anxiety and Depression Are Associated With Satisfaction With Information Provision and Internet Use Among 3080 Cancer Survivors: Results of the PROFILES Registry. <i>Cancer Nursing</i> , <b>2015</b> , 38, 335-42	2.6	16

70	The course of fatigue and its correlates in colorectal cancer survivors: a prospective cohort study of the PROFILES registry. <i>Supportive Care in Cancer</i> , <b>2015</b> , 23, 3361-71	3.9	25
69	Response rates for patient-reported outcomes using web-based versus paper questionnaires: comparison of two invitational methods in older colorectal cancer patients. <i>Journal of Medical Internet Research</i> , <b>2015</b> , 17, e111	7.6	60
68	Unmet information needs and impact of cancer in (long-term) thyroid cancer survivors: results of the PROFILES registry. <i>Psycho-Oncology</i> , <b>2014</b> , 23, 946-52	3.9	33
67	Impact of therapy and disease-related symptoms on health-related quality of life in patients with follicular lymphoma: results of the population-based PHAROS-registry. <i>European Journal of Haematology</i> , <b>2014</b> , 93, 229-38	3.8	15
66	Quality of life more impaired in younger than in older diffuse large B cell lymphoma survivors compared to a normative population: a study from the population-based PROFILES registry. <i>Annals of Hematology</i> , <b>2014</b> , 93, 811-9	3	34
65	Health-related quality of life and persistent symptoms in relation to (R-)CHOP14, (R-)CHOP21, and other therapies among patients with diffuse large B-cell lymphoma: results of the population-based PHAROS-registry. <i>Annals of Hematology</i> , <b>2014</b> , 93, 1705-15	3	25
64	A systematic review on chronic oxaliplatin-induced peripheral neuropathy and the relation with oxaliplatin administration. <i>Supportive Care in Cancer</i> , <b>2014</b> , 22, 1999-2007	3.9	129
63	Chemotherapy-induced peripheral neuropathy and its association with quality of life: a systematic review. <i>Supportive Care in Cancer</i> , <b>2014</b> , 22, 2261-9	3.9	204
62	The course of anxiety and depression for patients with Hodgkin's lymphoma or diffuse large B cell lymphoma: a longitudinal study of the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2014</b> , 8, 555-64	5.1	42
61	Satisfaction with information provision is associated with baseline but not with follow-up quality of life among lymphoma patients: Results from the PROFILES registry. <i>Acta Oncologica</i> , <b>2014</b> , 53, 917-26	3.2	12
60	Living with the physical and mental consequences of an ostomy: a study among 1-10-year rectal cancer survivors from the population-based PROFILES registry. <i>Psycho-Oncology</i> , <b>2014</b> , 23, 998-1004	3.9	48
59	Chemotherapy-induced peripheral neuropathy and its impact on health-related quality of life among ovarian cancer survivors: results from the population-based PROFILES registry. <i>Gynecologic Oncology</i> , <b>2014</b> , 135, 510-7	4.9	92
58	Chemotherapy-induced peripheral neuropathy and impact on quality of life 6 months after treatment with chemotherapy. <i>Journal of Community and Supportive Oncology</i> , <b>2014</b> , 12, 401-6		45
57	Illness perceptions in cancer survivors: what is the role of information provision?. <i>Psycho-Oncology</i> , <b>2013</b> , 22, 490-8	3.9	94
56	What is the use? Application of the short form (SF) questionnaires for the evaluation of treatment effects. <i>Quality of Life Research</i> , <b>2013</b> , 22, 1225-30	3.7	8
55	Population-based cancer registries for quality-of-life research: a work-in-progress resource for survivorship studies?. <i>Cancer</i> , <b>2013</b> , 119 Suppl 11, 2109-23	6.4	39
54	Depressive symptoms are a risk factor for all-cause mortality: results from a prospective population-based study among 3,080 cancer survivors from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , <b>2013</b> , 7, 484-92	5.1	55
53	Information provision and patient reported outcomes in patients with metastasized colorectal cancer: results from the PROFILES registry. <i>Journal of Palliative Medicine</i> , <b>2013</b> , 16, 281-8	2.2	20

52	Quantifying fatigue in (long-term) colorectal cancer survivors: a study from the population-based patient reported outcomes following initial treatment and long term evaluation of survivorship registry. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 1957-66	7.5	53
51	Health-related quality of life and disease specific symptoms in long-term thyroid cancer survivors: a study from the population-based PROFILES registry. <i>Acta Oncologica</i> , <b>2013</b> , 52, 249-58	3.2	90
50	Development of a disease-specific health-related quality of life questionnaire (THYCA-QoL) for thyroid cancer survivors. <i>Acta Oncologica</i> , <b>2013</b> , 52, 447-54	3.2	41
49	Chemotherapy-induced neuropathy and its association with quality of life among 2- to 11-year colorectal cancer survivors: results from the population-based PROFILES registry. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 2699-707	2.2	245
48	Health care use among endometrial cancer survivors: a study from PROFILES, a population-based survivorship registry. <i>International Journal of Gynecological Cancer</i> , <b>2013</b> , 23, 1258-65	3.5	10
47	Satisfaction with information provision in cancer patients and the moderating effect of Type D personality. <i>Psycho-Oncology</i> , <b>2013</b> , 22, 2124-32	3.9	17
46	Multiple primary cancer survivors have poorer health status and well-being than single primary cancer survivors: a study from the population-based PROFILES registry. <i>Psycho-Oncology</i> , <b>2013</b> , 22, 1834-42	3.9	12
45	Fatigue among short- and long-term thyroid cancer survivors: results from the population-based PROFILES registry. <i>Thyroid</i> , <b>2013</b> , 23, 1247-55	6.2	58
44	A high level of fatigue among long-term survivors of non-Hodgkin's lymphoma: results from the longitudinal population-based PROFILES registry in the south of the Netherlands. <i>Haematologica</i> , <b>2013</b> , 98, 479-86	6.6	62
43	Type D (distressed) personality is associated with poor quality of life and mental health among 3080 cancer survivors. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 26-34	6.6	56
42	Health-related quality of life and disease-specific complaints among multiple myeloma patients up to 10 yr after diagnosis: results from a population-based study using the PROFILES registry. <i>European Journal of Haematology</i> , <b>2012</b> , 89, 311-9	3.8	85
41	The association between Type D personality and illness perceptions in colorectal cancer survivors: a study from the population-based PROFILES registry. <i>Journal of Psychosomatic Research</i> , <b>2012</b> , 73, 232-9	4.1	38
40	Socio-economic implications of cancer survivorship: results from the PROFILES registry. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 2037-42	7.5	33
39	Perceived information provision and satisfaction among lymphoma and multiple myeloma survivors--results from a Dutch population-based study. <i>Annals of Hematology</i> , <b>2012</b> , 91, 1587-95	3	40
38	Assessing the impact of chemotherapy-induced peripheral neurotoxicity on the quality of life of cancer patients: the introduction of a new measure. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 877-81	3.9	52
37	Type D personality is associated with increased comorbidity burden and health care utilization among 3080 cancer survivors. <i>General Hospital Psychiatry</i> , <b>2012</b> , 34, 352-9	5.6	29
36	Type D assessment in patients with chronic heart failure and peripheral arterial disease: evaluation of the experimental DS(3) scale using item response theory. <i>Journal of Personality Assessment</i> , <b>2012</b> , 94, 210-9	2.8	4
35	Normative data for the EORTC QLQ-C30 and EORTC-sexuality items in the general Dutch population. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 667-75	7.5	135



34	Impact of chemotherapy on health status and symptom burden of colon cancer survivors: a population-based study. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 1798-807	7.5	39
33	The Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry: scope, rationale and design of an infrastructure for the study of physical and psychosocial outcomes in cancer survivorship cohorts. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 2188-94	7.5	258
32	Impact of preoperative radiotherapy on general and disease-specific health status of rectal cancer survivors: a population-based study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 81, e49-58	4	50
31	Health-related quality of life among thyroid cancer survivors: a systematic review. <i>Clinical Endocrinology</i> , <b>2011</b> , 75, 544-54	3.4	93
30	The impact of treatment, socio-demographic and clinical characteristics on health-related quality of life among Hodgkin <sup>B</sup> and non-Hodgkin <sup>B</sup> lymphoma survivors: a systematic review. <i>Annals of Hematology</i> , <b>2011</b> , 90, 993-1004	3	67
29	The relation between information provision and health-related quality of life, anxiety and depression among cancer survivors: a systematic review. <i>Annals of Oncology</i> , <b>2011</b> , 22, 761-772	10.3	285
28	Melanoma survivors are dissatisfied with perceived information about their diagnosis, treatment and follow-up care. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 879-81	4	18
27	Prostate cancer survivors who would be eligible for active surveillance but were either treated with radiotherapy or managed expectantly: comparisons on long-term quality of life and symptom burden. <i>BJU International</i> , <b>2010</b> , 105, 652-8	5.6	30
26	Type D personality and depressive symptoms are independent predictors of impaired health status following acute myocardial infarction. <i>Heart</i> , <b>2010</b> , 96, 30-5	5.1	53
25	Personality is associated with health status and impact of cancer among melanoma survivors. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 573-80	7.5	29
24	No long-term effects of hormonal therapy preceding brachytherapy on urinary function and health-related quality of life among prostate cancer patients. <i>Urology</i> , <b>2010</b> , 76, 1150-6	1.6	6
23	Long-term prostate cancer survivors with low socioeconomic status reported worse mental health-related quality of life in a population-based study. <i>Urology</i> , <b>2010</b> , 76, 1224-30	1.6	29
22	Type D personality in the general population: a systematic review of health status, mechanisms of disease, and work-related problems. <i>Health and Quality of Life Outcomes</i> , <b>2010</b> , 8, 9	3	146
21	Type D personality among noncardiovascular patient populations: a systematic review. <i>General Hospital Psychiatry</i> , <b>2010</b> , 32, 66-72	5.6	108
20	Type D personality predicts clinical events after myocardial infarction, above and beyond disease severity and depression. <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, 778-83	4.6	63
19	Health-related quality of life in I-125 prostate brachytherapy patients treated with and without volume-reducing hormone therapy: results of a short-term prospective study. <i>Journal of Endourology</i> , <b>2009</b> , 23, 153-9	2.7	2
18	Employment status among cancer survivors. <i>JAMA - Journal of the American Medical Association</i> , <b>2009</b> , 302, 32-3; author reply 34-5	27.4	4
17	Scalp cooling to prevent chemotherapy-induced hair loss: practical and clinical considerations. <i>Supportive Care in Cancer</i> , <b>2009</b> , 17, 181-9	3.9	48

16	Normative data of the SF-12 health survey with validation using postmyocardial infarction patients in the Dutch population. <i>Quality of Life Research</i> , <b>2009</b> , 18, 403-14	3.7	132
15	The impact of disease progression on perceived health status and quality of life of long-term cancer survivors. <i>Journal of Cancer Survivorship</i> , <b>2009</b> , 3, 164-73	5.1	15
14	Long-term cancer survivors experience work changes after diagnosis: results of a population-based study. <i>Psycho-Oncology</i> , <b>2009</b> , 18, 1252-60	3.9	72
13	Bowel, urinary, and sexual problems among long-term prostate cancer survivors: a population-based study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2009</b> , 73, 30-8	4	42
12	Well-being, posttraumatic growth and benefit finding in long-term breast cancer survivors. <i>Psychology and Health</i> , <b>2009</b> , 24, 583-95	2.9	137
11	Impact of peripheral arterial disease on health status: a comparison with chronic heart failure. <i>Journal of Vascular Surgery</i> , <b>2009</b> , 50, 1391-8	3.5	17
10	Does diabetes mellitus as a comorbid condition affect the health-related quality of life in prostate cancer survivors? Results of a population-based observational study. <i>BJU International</i> , <b>2008</b> , 102, 1594-600	5.6	14
9	Increased health care utilization among long-term cancer survivors compared to the average Dutch population: a population-based study. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 871-7	7.5	43
8	Impact of external beam adjuvant radiotherapy on health-related quality of life for long-term survivors of endometrial adenocarcinoma: a population-based study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2007</b> , 69, 125-32	4	78
7	Health-related quality of life and health care utilisation among older long-term cancer survivors: a population-based study. <i>European Journal of Cancer</i> , <b>2007</b> , 43, 2211-21	7.5	35
6	Long-term quality of life among Dutch prostate cancer survivors: results of a population-based study. <i>Cancer</i> , <b>2006</b> , 107, 2186-96	6.4	67
5	Better quality of life among 10-15 year survivors of Hodgkin's lymphoma compared to 5-9 year survivors: a population-based study. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 2794-801	7.5	42
4	A validation study of the Dutch version of the Quality of Life-Cancer Survivor (QOL-CS) questionnaire in a group of prostate cancer survivors. <i>Quality of Life Research</i> , <b>2006</b> , 15, 1607-12	3.7	24
3	Increased health care utilisation among 10-year breast cancer survivors. <i>Supportive Care in Cancer</i> , <b>2006</b> , 14, 436-43	3.9	34
2	Quality of life among long-term breast cancer survivors: a systematic review. <i>European Journal of Cancer</i> , <b>2005</b> , 41, 2613-9	7.5	401
1	A new three-step method for using inverse propensity weighting with latent class analysis. <i>Advances in Data Analysis and Classification</i> , 1	1.8	2