Sheila K West

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7572939/sheila-k-west-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

282 10,729 55 92 h-index g-index citations papers 6.2 6.03 12,414 294 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
282	Grand Challenges in global eye health: a global prioritisation process using Delphi method <i>The Lancet Healthy Longevity</i> , 2022 , 3, e31-e41	9.5	3
281	Evaluation of away-from-home excursion patterns after falling among individuals with glaucoma: a longitudinal study <i>BMC Geriatrics</i> , 2022 , 22, 101	4.1	
280	The Impact of Image Quality and Trachomatous Inflammation on Using Photography for Trachoma Prevalence Surveys <i>Translational Vision Science and Technology</i> , 2022 , 11, 11	3.3	1
279	Evaluation of photography using head-mounted display technology (ICAPS) for district Trachoma surveys. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009928	4.8	1
278	Risk factors for the progression of trachomatous scarring in a cohort of women in a trachoma low endemic district in Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009914	4.8	
277	Environmental factors and hygiene behaviors associated with facial cleanliness and trachoma in Kongwa, Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009902	4.8	1
276	Patient perceived barriers to surgical follow-up: Study of 6-month post-operative trichiasis surgery follow-up in Tanzania. <i>PLoS ONE</i> , 2021 , 16, e0247994	3.7	
275	Knowledge of patient emotional health status: impact on clinical care in glaucoma and retinal services. <i>BMJ Open Ophthalmology</i> , 2021 , 6, e000640	3.2	1
274	Serology, infection, and clinical trachoma as tools in prevalence surveys for re-emergence of trachoma in a formerly hyperendemic district. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009343	4.8	3
273	The Impact of Weather and Seasons on Falls and Physical Activity among Older Adults with Glaucoma: A Longitudinal Prospective Cohort Study. <i>Sensors</i> , 2021 , 21,	3.8	1
272	Importance and Severity Dependence of Physical Activity by GPS-Tracked Location in Glaucoma Patients. <i>American Journal of Ophthalmology</i> , 2021 , 230, 276-284	4.9	2
271	Risk Factors for Crash Events. <i>JAMA Ophthalmology</i> , 2021 , 139, 645-646	3.9	
270	Association Between Visual Field Damage and Gait Dysfunction in Patients With Glaucoma. <i>JAMA Ophthalmology</i> , 2021 , 139, 1053-1060	3.9	1
269	Patterns of Daily Physical Activity across the Spectrum of Visual Field Damage in Glaucoma Patients. <i>Ophthalmology</i> , 2021 , 128, 70-77	7.3	12
268	The Lancet Global Health Commission on Global Eye Health: vision beyond 2020. <i>The Lancet Global Health</i> , 2021 , 9, e489-e551	13.6	131
267	Visual Impairment and Eye Diseases in HIV-infected People in the Antiretroviral Therapy (ART) Era in Rakai, Uganda. <i>Ophthalmic Epidemiology</i> , 2021 , 28, 63-69	1.9	1
266	Characterizing Longitudinal Changes in Physical Activity and Fear of Falling after Falls in Glaucoma. Journal of the American Geriatrics Society, 2021 , 69, 1249-1256	5.6	3

(2020-2021)

265	Children as messengers of health knowledge? Impact of health promotion and water infrastructure in schools on facial cleanliness and trachoma in the community. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009119	4.8	1
264	Contrast Sensitivity Loss in Patients With Posttreatment Lyme Disease. <i>Translational Vision Science and Technology</i> , 2021 , 10, 27	3.3	
263	Utility of photography for trachoma surveys: A systematic review. Survey of Ophthalmology, 2021,	6.1	1
262	Causes of death after biannual azithromycin treatment: A community-level randomized clinical trial. <i>PLoS ONE</i> , 2021 , 16, e0250197	3.7	
261	Longitudinal changes in daily patterns of objectively measured physical activity after falls in older adults with varying degrees of glaucoma. <i>EClinicalMedicine</i> , 2021 , 40, 101097	11.3	O
260	Effect of Mass Azithromycin Distributions on Childhood Growth in Niger: A Cluster-Randomized Trial <i>JAMA Network Open</i> , 2021 , 4, e2139351	10.4	O
259	Re: Shen etlal.: Natural history of autosomal recessive Stargardt disease in untreated eyes: a systematic review and meta-analysis of study and individual level data (Ophthalmology. 2019;126:1288-1296). <i>Ophthalmology</i> , 2020, 127, e28-e29	7.3	1
258	Characterizing the Impact of Fear of Falling on Activity and Falls in Older Adults with Glaucoma. Journal of the American Geriatrics Society, 2020 , 68, 1847-1851	5.6	10
257	Longitudinal Microperimetric Changes of Macular Sensitivity in Stargardt Disease After 12 Months: ProgStar Report No. 13. <i>JAMA Ophthalmology</i> , 2020 , 138, 772-779	3.9	11
256	Faster Sensitivity Loss around Dense Scotomas than for Overall Macular Sensitivity in Stargardt Disease: ProgStar Report No. 14. <i>American Journal of Ophthalmology</i> , 2020 , 216, 219-225	4.9	12
255	Cause-specific mortality of children younger than 5 years in communities receiving biannual mass azithromycin treatment in Niger: verbal autopsy results from a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2020 , 8, e288-e295	13.6	20
254	Milestones in the fight to eliminate trachoma. <i>Ophthalmic and Physiological Optics</i> , 2020 , 40, 66-74	4.1	4
253	The use of serology for trachoma surveillance: Current status and priorities for future investigation. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008316	4.8	9
252	Efficacy of Mass Azithromycin Distribution for Reducing Childhood Mortality Across Geographic Regions. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 1291-1294	3.2	6
251	Effect Modification by Baseline Mortality in the MORDOR Azithromycin Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 1295-1300	3.2	7
250	Impact of Biannual Azithromycin on Anemia in Preschool Children in Kilosa District, Tanzania: A Cluster-Randomized Clinical Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 1311-13	344	1
249	Biannual Treatment of Preschool Children with Single Dose Azithromycin to Reduce Mortality: Impact on Azithromycin Resistance in the MORDOR Trial in Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 1301-1307	3.2	1
248	Patterns of Daily Physical Activity Across the Spectrum of Visual Field Damage in Glaucoma Patients. <i>Innovation in Aging</i> , 2020 , 4, 770-770	0.1	78

247	Gait and Balance as Predictors or Mediators of Falls in Glaucoma. <i>Innovation in Aging</i> , 2020 , 4, 770-771	0.1	78
246	Impact of Fear of Falling on Future Falls and Changes in Physical Activity in Older Adults With Glaucoma. <i>Innovation in Aging</i> , 2020 , 4, 769-770	0.1	78
245	Comparing Longitudinal Changes in Physical Activity and Fear of Falling in Non-Fallers, Fallers, and Injurious Fallers. <i>Innovation in Aging</i> , 2020 , 4, 770-770	0.1	78
244	Incidence and progression of trachomatous scarring in a cohort of children in a formerly hyper-endemic district of Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008708	4.8	2
243	The effect of Mass Drug Administration for trachoma on antibodies to Chlamydia trachomatis pgp3 in children. <i>Scientific Reports</i> , 2020 , 10, 15225	4.9	2
242	Biannual azithromycin distribution and child mortality among malnourished children: Aßubgroup analysis of the MORDOR cluster-randomized trial in Niger. <i>PLoS Medicine</i> , 2020 , 17, e1003285	11.6	3
241	Comparison of anthropometric indicators to predict mortality in a population-based prospective study of children under 5 years in Niger. <i>Public Health Nutrition</i> , 2020 , 23, 538-543	3.3	4
240	The impact on malaria of biannual treatment with azithromycin in children age less than 5lyears: a prospective study. <i>Malaria Journal</i> , 2019 , 18, 284	3.6	2
239	Potential Effect of Epilation on the Outcome of Surgery for Trachomatous Trichiasis. <i>Translational Vision Science and Technology</i> , 2019 , 8, 30	3.3	О
238	Community-level chlamydial serology for assessing trachoma elimination in trachoma-endemic Niger. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007127	4.8	4
237	Ocular Chlamydia trachomatis infection: elimination with mass drug administration. <i>Expert Review of Anti-Infective Therapy</i> , 2019 , 17, 189-200	5.5	12
236	A Workshop on Measuring the Progression of Atrophy Secondary to Stargardt Disease in the ProgStar Studies: Findings and Lessons Learned. <i>Translational Vision Science and Technology</i> , 2019 , 8, 16	3.3	19
235	Community-level Association between Clinical Trachoma and Ocular Chlamydia Infection after MASS Azithromycin Distribution in a Mesoendemic Region of Niger. <i>Ophthalmic Epidemiology</i> , 2019 , 26, 231-237	1.9	6
234	Detailed genetic characteristics of an international large cohort of patients with Stargardt disease: ProgStar study report 8. <i>British Journal of Ophthalmology</i> , 2019 , 103, 390-397	5.5	26
233	Scotopic Microperimetric Assessment of Rod Function in Stargardt Disease (SMART) Study: Design and Baseline Characteristics (Report No. 1). <i>Ophthalmic Research</i> , 2019 , 61, 36-43	2.9	20
232	The Babesia observational antibody (BAOBAB) study: A cross-sectional evaluation of Babesia in two communities in Kilosa district, Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007632	4.8	4
231	Progression of Stargardt Disease as Determined by Fundus Autofluorescence Over a 12-Month Period: ProgStar Report No. 11. <i>JAMA Ophthalmology</i> , 2019 , 137, 1134-1145	3.9	35
230	Biannual mass azithromycin distributions and malaria parasitemia in pre-school children in Niger: A cluster-randomized, placebo-controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002835	11.6	24

229	Pre-operative trichiatic eyelash pattern predicts post-operative trachomatous trichiasis. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007637	4.8	3
228	Announcing The Lancet Global Health Commission on Global Eye Health. <i>The Lancet Global Health</i> , 2019 , 7, e1612-e1613	13.6	21
227	Trachoma elimination in Latin America: prioritization of municipalities for surveillance activities. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2019 , 43, e93	4.1	2
226	A Cross-Sectional Study of the Availability of Azithromycin in Local Pharmacies and Associated Antibiotic Resistance in Communities in Kilosa District, Tanzania. <i>American Journal of Tropical</i> <i>Medicine and Hygiene</i> , 2019 , 100, 1105-1109	3.2	2
225	Mass Azithromycin Distribution to Prevent Childhood Mortality: A Pooled Analysis of Cluster-Randomized Trials. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019 , 100, 691-695	3.2	15
224	Toward the Elimination of Disease: the 2019 Weisenfeld Award Lecture 2019 , 60, 4805-4810		O
223	Biannual versus annual mass azithromycin distribution and malaria seroepidemiology among preschool children in Niger: a sub-study of a cluster randomized trial. <i>Malaria Journal</i> , 2019 , 18, 389	3.6	4
222	Evidence for contamination with C. trachomatis in the household environment of children with active Trachoma: A cross-sectional study in Kongwa, Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007834	4.8	2
221	Mass Oral Azithromycin for Childhood Mortality: Timing of Death After Distribution in the MORDOR Trial. <i>Clinical Infectious Diseases</i> , 2019 , 68, 2114-2116	11.6	12
220	Predictors of Falls per Step and Falls per Year At and Away From Home in Glaucoma. <i>American Journal of Ophthalmology</i> , 2019 , 200, 169-178	4.9	16
219	The Effect of Antibiotic Selection Pressure on the Nasopharyngeal Macrolide Resistome: A Cluster-randomized Trial. <i>Clinical Infectious Diseases</i> , 2018 , 67, 1736-1742	11.6	12
218	Azithromycin to Reduce Childhood Mortality in Sub-Saharan Africa. <i>New England Journal of Medicine</i> , 2018 , 378, 1583-1592	59.2	172
217	Patient-centered communication of community treatment assistants in Tanzania predicts coverage of future mass drug administration for trachoma. <i>Patient Education and Counseling</i> , 2018 , 101, 1075-108	3 ^{3.1}	3
216	Annual Versus Biannual Mass Azithromycin Distribution and Malaria Parasitemia During the Peak Transmission Season Among Children in Niger. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 506-510	3.4	8
215	Risk factors for incidence of trachomatous scarring in a cohort of women in low endemic district. <i>British Journal of Ophthalmology</i> , 2018 , 102, 419-423	5.5	5
214	Longitudinal change in the serology of antibodies to Chlamydia trachomatis pgp3 in children residing in a trachoma area. <i>Scientific Reports</i> , 2018 , 8, 3520	4.9	14
213	Childhood Mortality After Mass Distribution of Azithromycin: A Secondary Analysis of the PRET Cluster-randomized Trial in Niger. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 1082-1086	3.4	14
212	Evaluation of the reproducibility of a serological test for antibodies to Chlamydia trachomatis pgp3: A potential surveillance tool for trachoma programs. <i>Journal of Microbiological Methods</i> , 2018 , 147, 56-58	2.8	9

211	Effectiveness of expanding annual mass azithromycin distribution treatment coverage for trachoma in Niger: a cluster randomised trial. <i>British Journal of Ophthalmology</i> , 2018 , 102, 680-686	5.5	16
210	Locations, Circumstances, and Outcomes of Falls in Patients With Glaucoma. <i>American Journal of Ophthalmology</i> , 2018 , 192, 131-141	4.9	21
209	Visual Acuity Change Over 24 Months and Its Association With Foveal Phenotype and Genotype in Individuals With Stargardt Disease: ProgStar Study Report No. 10. <i>JAMA Ophthalmology</i> , 2018 , 136, 920	- 92 8	27
208	Comparison of Mass Azithromycin Coverage Targets of Children in Niger: A Cluster-Randomized Trachoma Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 98, 389-395	3.2	10
207	and Malaria Infection in Africa: A Pilot Serosurvey in Kilosa District, Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 99, 51-56	3.2	7
206	Quality Assurance and Quality Control in the Global Trachoma Mapping Project. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 99, 858-863	3.2	43
205	Anthropometry and Malaria among Children in Niger: A Cross-Sectional Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 99, 665-669	3.2	2
204	Safety of azithromycin in infants under six months of age in Niger: A community randomized trial. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006950	4.8	17
203	Longitudinal Associations Between Visual Impairment and Cognitive Functioning: The Salisbury Eye Evaluation Study. <i>JAMA Ophthalmology</i> , 2018 , 136, 989-995	3.9	71
202	Fixation Location and Stability Using the MP-1 Microperimeter in Stargardt Disease: ProgStar Report No. 3. <i>Ophthalmology Retina</i> , 2017 , 1, 68-76	3.8	28
201	Evaluation of a field test for antibodies against Chlamydia trachomatis during trachoma surveillance in Nepal. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 88, 3-6	2.9	5
200	Macular Sensitivity Measured With Microperimetry in Stargardt Disease in the Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Study: Report No. 7. <i>JAMA Ophthalmology</i> , 2017 , 135, 696-703	3.9	46
199	Visual Acuity Change over 12 Months in the Prospective Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Study: ProgStar Report Number 6. <i>Ophthalmology</i> , 2017 , 124, 1640-1651	7.3	34
198	Surveillance Surveys for Reemergent Trachoma in Formerly Endemic Districts in Nepal From 2 to 10 Years After Mass Drug Administration Cessation. <i>JAMA Ophthalmology</i> , 2017 , 135, 1141-1146	3.9	15
197	Metrics and Acquisition Modes for Fixation Stability as a Visual Function Biomarker 2017 , 58, BIO268-BI	O276	12
196	Treating village newcomers and travelers for trachoma: Results from ASANTE cluster randomized trial. <i>PLoS ONE</i> , 2017 , 12, e0178595	3.7	3
195	The "F" in SAFE: Reliability of assessing clean faces for trachoma control in the field. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0006019	4.8	10
194	Trachomatous scarring among children in a formerly hyper-endemic district of Tanzania. <i>PLoS</i> Neglected Tropical Diseases, 2017 , 11, e0006085	4.8	1

193	Measuring Trachomatous Inflammation-Intense (TI) When Prevalence Is Low Provides Data on Infection With Chlamydia trachomatis 2017 , 58, 997-1000		4
192	Trachomatous Scarring and Infection With Non-Chlamydia Trachomatis Bacteria in Women in Kongwa, Tanzania 2017 , 58, 3249-3253		6
191	Progression of Visual Acuity and Fundus Autofluorescence in Recent-Onset Stargardt Disease: ProgStar Study Report #4. <i>Ophthalmology Retina</i> , 2017 , 1, 514-523	3.8	23
190	Identifying Patient Perceived Barriers to Trichiasis Surgery in Kongwa District, Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005211	4.8	12
189	Mass Azithromycin and Malaria Parasitemia in Niger: Results from a Community-Randomized Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017 , 97, 696-701	3.2	9
188	Antibiotic Resistance in Young Children in Kilosa District, Tanzania 4 Years after Mass Distribution of Azithromycin for Trachoma Control. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017 , 97, 815	- 8 :78	14
187	A Cluster-Randomized Trial to Assess the Efficacy of Targeting Trachoma Treatment to Children. <i>Clinical Infectious Diseases</i> , 2017 , 64, 743-750	11.6	27
186	Surveillance and Azithromycin Treatment for Newcomers and Travelers Evaluation (ASANTE) Trial: Design and Baseline Characteristics. <i>Ophthalmic Epidemiology</i> , 2016 , 23, 347-353	1.9	10
185	Longitudinal Study of Age-Related Cataract Using Dynamic Light Scattering: Loss of Ecrystallin Leads to Nuclear Cataract Development. <i>Ophthalmology</i> , 2016 , 123, 248-254	7.3	30
184	The Natural History of the Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Studies: Design and Baseline Characteristics: ProgStar Report No. 1. <i>Ophthalmology</i> , 2016 , 123, 817-28	7.3	94
183	Longitudinal relationships between visual acuity and severe depressive symptoms in older adults: the Salisbury Eye Evaluation study. <i>Aging and Mental Health</i> , 2016 , 20, 295-302	3.5	25
182	Can We Use Antibodies to Chlamydia trachomatis as a Surveillance Tool for National Trachoma Control Programs? Results from a District Survey. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004352	4.8	38
181	The World Health Organization Recommendations for Trachoma Surveillance, Experience in Nepal and Added Benefit of Testing for Antibodies to Chlamydia trachomatis pgp3 Protein: NESTS Study. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005003	4.8	18
180	Evaluation of Central and Peripheral Visual Field Concordance in Glaucoma 2016 , 57, 2797-804		21
179	Author Response: Comments on Evaluation of Central and Peripheral Visual Field Concordance in Glaucoma 2016 , 57, 5272		1
178	Longitudinal Comparison of Antibiotic Resistance in Diarrheagenic and Non-pathogenic Escherichia coli from Young Tanzanian Children. <i>Frontiers in Microbiology</i> , 2016 , 7, 1420	5.7	23
177	Comparison of Short-Wavelength Reduced-Illuminance and Conventional Autofluorescence Imaging in Stargardt Macular Dystrophy. <i>American Journal of Ophthalmology</i> , 2016 , 168, 269-278	4.9	23
176	Visual Acuity Loss and Associated Risk Factors in the Retrospective Progression of Stargardt Disease Study (ProgStar Report No. 2). <i>Ophthalmology</i> , 2016 , 123, 1887-97	7.3	52

175	Population-Based Study of Trachoma in Guatemala. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 231-6	1.9	4
174	The distribution of ocular Chlamydia prevalence across Tanzanian communities where trachoma is declining. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003682	4.8	9
173	Costs of testing for ocular Chlamydia trachomatis infection compared to mass drug administration for trachoma in the Gambia: application of results from the PRET study. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003670	4.8	11
172	Risk of Infection with Chlamydia trachomatis from Migrants to Communities Undergoing Mass Drug Administration for Trachoma Control. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 170-5	1.9	12
171	Lower Postoperative Scar Height is Associated with Increased Postoperative Trichiasis 1 Year after Bilamellar Tarsal Rotation Surgery. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 200-7	1.9	6
170	The Global Trachoma Mapping Project: Methodology of a 34-Country Population-Based Study. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 214-25	1.9	146
169	Comparing the Impact of Refractive and Nonrefractive Vision Loss on Functioning and Disability: The Salisbury Eye Evaluation. <i>Ophthalmology</i> , 2015 , 122, 1102-10	7.3	18
168	Community mass treatment with azithromycin for trachoma: Factors associated with change in participation of children from the first to the second round. <i>Clinical Epidemiology and Global Health</i> , 2015 , 3, 37-43	1.8	3
167	Exposure to an Indoor Cooking Fire and Risk of Trachoma in Children of Kongwa, Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003774	4.8	8
166	Assessment of a Novel Approach to Identify Trichiasis Cases Using Community Treatment Assistants in Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004270	4.8	7
165	Short-term forecasting of the prevalence of clinical trachoma: utility of including delayed recovery and tests for infection. <i>Parasites and Vectors</i> , 2015 , 8, 535	4	11
164	Patients Perceptions of Trichiasis Surgery: Results from the Partnership for Rapid Elimination of Trachoma (PRET) Surgery Clinical Trial. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 153-61	1.9	3
163	Short-term Forecasting of the Prevalence of Trachoma: Expert Opinion, Statistical Regression, versus Transmission Models. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004000	4.8	15
162	Assessment of oxygen saturation in retinal vessels of normal subjects and diabetic patients with and without retinopathy using Flow Oximetry System. <i>Quantitative Imaging in Medicine and Surgery</i> , 2015 , 5, 86-96	3.6	5
161	Is there evidence for resistance of ocular Chlamydia trachomatis to azithromycin after mass treatment for trachoma control?. <i>Journal of Infectious Diseases</i> , 2014 , 210, 65-71	7	33
160	Does walking speed mediate the association between visual impairment and self-report of mobility disability? The Salisbury Eye Evaluation Study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1540-	- 5 .6	6
159	Impact of mass azithromycin distribution on malaria parasitemia during the low-transmission season in Niger: a cluster-randomized trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014 , 90, 846-51	3.2	26
158	The efficacy of oral azithromycin in clearing ocular chlamydia: mathematical modeling from a community-randomized trachoma trial. <i>Epidemics</i> , 2014 , 6, 10-7	5.1	13

157	Cohort and age effects of mass drug administration on prevalence of trachoma: a longitudinal study in rural Tanzania 2014 , 55, 2307-14		8
156	Does mass azithromycin distribution impact child growth and nutrition in Niger? A cluster-randomized trial. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3128	4.8	14
155	Non-participation during azithromycin mass treatment for trachoma in The Gambia: heterogeneity and risk factors. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3098	4.8	5
154	The effect of multiple rounds of mass drug administration on the association between ocular Chlamydia trachomatis infection and follicular trachoma in preschool-aged children. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2761	4.8	13
153	Gender and performance of community treatment assistants in Tanzania. <i>International Journal for Quality in Health Care</i> , 2014 , 26, 524-9	1.9	7
152	A longitudinal study of the association between visual impairment and mobility performance in older adults: the salisbury eye evaluation study. <i>American Journal of Epidemiology</i> , 2014 , 179, 313-22	3.8	23
151	Increased carriage of macrolide-resistant fecal E. coli following mass distribution of azithromycin for trachoma control. <i>International Journal of Epidemiology</i> , 2014 , 43, 1105-13	7.8	40
150	Geospatial distribution and clustering of Chlamydia trachomatis in communities undergoing mass azithromycin treatment 2014 , 55, 4144-50		8
149	Trachoma. <i>Lancet, The</i> , 2014 , 384, 2142-52	40	198
148	Longitudinal analysis of antibody responses to trachoma antigens before and after mass drug administration. <i>BMC Infectious Diseases</i> , 2014 , 14, 216	4	32
147	Longitudinal relationships among visual acuity, daily functional status, and mortality: the Salisbury Eye Evaluation Study. <i>JAMA Ophthalmology</i> , 2014 , 132, 1400-6	3.9	60
146	Older drivers and rapid deceleration events: Salisbury Eye Evaluation Driving Study. <i>Accident Analysis and Prevention</i> , 2013 , 58, 279-85	6.1	10
145	Blindness and Visual Impairment: Global Perspective. Essentials in Ophthalmology, 2013, 13-17	0.2	
144	Azithromycin use for trachoma control: lessons learned from Tanzania. <i>Expert Review of Ophthalmology</i> , 2013 , 8, 245-253	1.5	
143	Pooling ocular swab specimens from Tanzania for testing by Roche Amplicor and Aptima Combo 2 assays for the detection of Chlamydia trachomatis: accuracy and cost-savings. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013 , 77, 289-91	2.9	14
142	The relationship between better-eye and integrated visual field mean deviation and visual disability. <i>Ophthalmology</i> , 2013 , 120, 2476-2484	7.3	48
141	Functional improvement after one- and two-eye cataract surgery in the Salisbury Eye Evaluation. <i>Ophthalmology</i> , 2013 , 120, 949-55	7.3	21
140	Mass distribution of azithromycin for trachoma control is associated with increased risk of azithromycin-resistant Streptococcus pneumoniae carriage in young children 6 months after treatment. Clinical Infectious Diseases, 2013 , 56, 1519-26	11.6	60

139	Assessment of transmission in trachoma programs over time suggests no short-term loss of immunity. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2303	4.8	10
138	A randomized trial of two coverage targets for mass treatment with azithromycin for trachoma. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2415	4.8	25
137	Field evaluation of the Cepheid GeneXpert Chlamydia trachomatis assay for detection of infection in a trachoma endemic community in Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2265	4.8	18
136	Mass treatment with azithromycin for trachoma: when is one round enough? Results from the PRET Trial in the Gambia. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2115	4.8	47
135	Associations between self-rated vision score, vision tests, and self-reported visual function in the Salisbury Eye Evaluation Study 2013 , 54, 6439-45		20
134	Comparison of the Abbott m2000 RealTime CT assay and the Cepheid GeneXpert CT/NG assay to the Roche Amplicor CT assay for detection of Chlamydia trachomatis in ocular samples from Tanzania. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 1611-3	9.7	31
133	The decline in attentional visual fields over time among older participants in the Salisbury Eye Evaluation Driving Study 2013 , 54, 1839-44		4
132	Does visual impairment affect mobility over time? The Salisbury Eye Evaluation Study 2013 , 54, 7683-90)	28
131	Can we stop mass drug administration prior to 3 annual rounds in communities with low prevalence of trachoma?: PRET Ziada trial results. <i>JAMA Ophthalmology</i> , 2013 , 131, 431-6	3.9	21
130	A close look at trachoma control and the challenges that district programs pose. <i>Clinical Investigation</i> , 2013 , 3, 1101-1103		
129	Longitudinal relationships among visual acuity and tasks of everyday life: the Salisbury Eye Evaluation study 2013 , 54, 193-200		35
128	The easiest children to reach are most likely to be infected with ocular Chlamydia trachomatis in trachoma endemic areas of Niger. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e1983	4.8	7
127	Is household air pollution a risk factor for eye disease?. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5378-98	4.6	45
126	Vision and Driving Performance in Elderly. Essentials in Ophthalmology, 2013, 193-206	0.2	
125	Definitions and standardization of a new grading scheme for eyelid contour abnormalities after trichiasis surgery. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1713	4.8	19
124	Community risk factors for ocular Chlamydia infection in Niger: pre-treatment results from a cluster-randomized trachoma trial. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1586	4.8	33
123	Relationship between immediate post-operative appearance and 6-week operative outcome in trichiasis surgery. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1718	4.8	5
122	CT694 and pgp3 as serological tools for monitoring trachoma programs. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1873	4.8	78

121	Trachoma and antibiotic use: the QQn SAFE. Expert Review of Anti-Infective Therapy, 2012, 10, 75-83	5.5	9
120	Two-day dosing versus one-day dosing of azithromycin in children with severe trachoma in Tanzania. <i>Ophthalmic Epidemiology</i> , 2012 , 19, 38-42	1.9	5
119	Visual characteristics of elderly night drivers in the Salisbury Eye Evaluation Driving Study 2012 , 53, 51	61-7	9
118	The trachomatous trichiasis clamp: a surgical instrument designed to improve bilamellar tarsal rotation procedure outcomes. <i>JAMA Ophthalmology</i> , 2012 , 130, 220-3		8
117	Mass distribution of azithromycin for trachoma control is associated with short-term reduction in risk of acute lower respiratory infection in young children. <i>Pediatric Infectious Disease Journal</i> , 2012 , 31, 341-6	3.4	37
116	Three-year outcomes of the surgery for trichiasis, antibiotics to prevent recurrence trial. <i>JAMA Ophthalmology</i> , 2012 , 130, 427-31		7
115	Azithromycin mass treatment for trachoma control: risk factors for non-participation of children in two treatment rounds. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1576	4.8	15
114	Impact of Trichiasis surgery on physical functioning in Ethiopian patients: STAR trial. <i>American Journal of Ophthalmology</i> , 2011 , 151, 850-7	4.9	10
113	Do infants increase the risk of re-emergent infection in households after mass drug administration for trachoma? 2011 , 52, 6040-2		10
112	Rates and risk factors for unfavorable outcomes 6 weeks after trichiasis surgery 2011 , 52, 2704-11		24
111	Can clinical signs of trachoma be used after multiple rounds of mass antibiotic treatment to indicate infection? 2011 , 52, 8806-10		20
110	Number of years of annual mass treatment with azithromycin needed to control trachoma in hyper-endemic communities in Tanzania. <i>Journal of Infectious Diseases</i> , 2011 , 204, 268-73	7	39
109	Design and baseline data of a randomized trial to evaluate coverage and frequency of mass treatment with azithromycin: the Partnership for Rapid Elimination of Trachoma (PRET) in Tanzania and The Gambia. <i>Ophthalmic Epidemiology</i> , 2011 , 18, 20-9	1.9	68
108	Risk factors for ocular infection with Chlamydia trachomatis in children 6 months following mass treatment in Tanzania. <i>PLoS Neglected Tropical Diseases</i> , 2011 , 5, e978	4.8	18
107	Association of mass treatment with azithromycin in trachoma-endemic communities with short-term reduced risk of diarrhea in young children. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 85, 691-6	3.2	47
106	Older drivers and failure to stop at red lights. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 179-83	6.4	30
105	Targeting antibiotics to households for trachoma control. PLoS Neglected Tropical Diseases, 2010, 4, e8	62 .8	16
104	Trachoma prevalence and associated risk factors in the gambia and Tanzania: baseline results of a cluster randomised controlled trial. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e861	4.8	60

103	Mass treatment with azithromycin for trachoma control: participation clusters in households. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e838	4.8	19
102	Change in function and spectacle-use 2 months after providing presbyopic spectacles in rural Tanzania. <i>British Journal of Ophthalmology</i> , 2010 , 94, 685-9	5.5	7
101	How much is not enough? A community randomized trial of a Water and Health Education programme for Trachoma and Ocular C. trachomatis infection in Niger. <i>Tropical Medicine and International Health</i> , 2010 , 15, 98-104	2.3	25
100	Predictors of lane-change errors in older drivers. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 457-64	5.6	26
99	Visual and cognitive deficits predict stopping or restricting driving: the Salisbury Eye Evaluation Driving Study (SEEDS) 2009 , 50, 107-13		66
98	Estimating household and community transmission of ocular Chlamydia trachomatis. <i>PLoS Neglected Tropical Diseases</i> , 2009 , 3, e401	4.8	38
97	Glaucoma and reading speed: the Salisbury Eye Evaluation project. <i>JAMA Ophthalmology</i> , 2009 , 127, 82-7		88
96	Prevalence of pterygium in Latinos: Proyecto VER. British Journal of Ophthalmology, 2009 , 93, 1287-90	5.5	44
95	Age, sex, and cohort effects in a longitudinal study of trachomatous scarring 2009 , 50, 592-6		22
94	Urban and rural differences in older drivers Qailure to stop at stop signs. <i>Accident Analysis and Prevention</i> , 2009 , 41, 995-1000	6.1	35
93	Constant ocular infection with Chlamydia trachomatis predicts risk of scarring in children in Tanzania. <i>Ophthalmology</i> , 2009 , 116, 243-7	7.3	36
92	Randomized trial of high dose azithromycin compared to standard dosing for children with severe trachoma in Tanzania. <i>Ophthalmic Epidemiology</i> , 2009 , 16, 175-80	1.9	7
91	Effect of trichiasis surgery on visual acuity outcomes in Ethiopia. JAMA Ophthalmology, 2009, 127, 1505	5-10	20
90	Cognitive and vision loss affects the topography of the attentional visual field 2008 , 49, 4672-8		20
89	Racial differences in the prevalence of age-related macular degeneration: the Salisbury Eye Evaluation (SEE) Project. <i>JAMA Ophthalmology</i> , 2008 , 126, 241-5		68
88	Knowledge of diabetic eye disease and vision care guidelines among Hispanic individuals in Baltimore with and without diabetes. <i>JAMA Ophthalmology</i> , 2008 , 126, 968-74		37
87	Issues in defining and measuring facial cleanliness for national trachoma control programs. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008 , 102, 426-31	2	16
86	Visual and cognitive predictors of performance on brake reaction test: Salisbury eye evaluation driving study. <i>Ophthalmic Epidemiology</i> , 2007 , 14, 216-22	1.9	24

85	Azithromycin prevents recurrence of severe trichiasis following trichiasis surgery: STAR trial. <i>Ophthalmic Epidemiology</i> , 2007 , 14, 273-7	1.9	14
84	Epidemiology of cataract: accomplishments over 25 years and future directions. <i>Ophthalmic Epidemiology</i> , 2007 , 14, 173-8	1.9	83
83	Trachoma and ocular Chlamydia trachomatis were not eliminated three years after two rounds of mass treatment in a trachoma hyperendemic village. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 1492-7		46
82	A prospective, population-based study of the role of visual impairment in motor vehicle crashes among older drivers: the SEE study. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 1483-91		175
81	Measures of visual function and their association with driving modification in older adults. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 514-20		90
80	Single-dose azithromycin prevents trichiasis recurrence following surgery: randomized trial in Ethiopia. <i>JAMA Ophthalmology</i> , 2006 , 124, 309-14		66
79	Field evaluation of a rapid point-of-care assay for targeting antibiotic treatment for trachoma control: a comparative study. <i>Lancet, The</i> , 2006 , 367, 1585-90	40	59
78	Intensive insecticide spraying for fly control after mass antibiotic treatment for trachoma in a hyperendemic setting: a randomised trial. <i>Lancet, The</i> , 2006 , 368, 596-600	40	45
77	Impact of presbyopia on quality of life in a rural African setting. Ophthalmology, 2006, 113, 728-34	7.3	101
76	Population-based study of presbyopia in rural Tanzania. <i>Ophthalmology</i> , 2006 , 113, 723-7	7.3	77
75	Spatial clustering of ocular chlamydial infection over time following treatment, among households in a village in Tanzania. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 99-104		43
74	Chlamydial positivity of nasal discharge at baseline is associated with ocular chlamydial positivity 2 months following azithromycin treatment. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 47	67-71	15
73	Dynamic measures of visual function and their relationship to self-report of visual functioning. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 4762-6		4
72	Driving status and risk of entry into long-term care in older adults. <i>American Journal of Public Health</i> , 2006 , 96, 1254-9	5.1	190
71	Re-emergence of Chlamydia trachomatis infection after mass antibiotic treatment of a trachoma-endemic Gambian community: a longitudinal study. <i>Lancet, The</i> , 2005 , 365, 1321-8	40	113
70	Infection with Chlamydia trachomatis after mass treatment of a trachoma hyperendemic community in Tanzania: a longitudinal study. <i>Lancet, The</i> , 2005 , 366, 1296-300	40	109
69	Surgery for Trichiasis, Antibiotics to prevent Recurrence (STAR) Clinical Trial methodology. <i>Ophthalmic Epidemiology</i> , 2005 , 12, 279-86	1.9	13
68	Cortical, but not posterior subcapsular, cataract shows significant familial aggregation in an older population after adjustment for possible shared environmental factors. <i>Ophthalmology</i> , 2005 , 112, 73-7	77.3	28

67	Pattern of recurrence of trachomatous trichiasis after surgery surgical technique as an explanation. <i>Ophthalmology</i> , 2005 , 112, 705-9	7.3	30
66	Determinants and heritability of intraocular pressure and cup-to-disc ratio in a defined older population. <i>Ophthalmology</i> , 2005 , 112, 1186-91	7.3	79
65	Compensatory strategy use identifies risk of incident disability for the visually impaired. <i>JAMA Ophthalmology</i> , 2005 , 123, 1242-7		16
64	Prevalence of age-related macular degeneration in a population-based sample of Hispanic people in Arizona: Proyecto VER. <i>JAMA Ophthalmology</i> , 2005 , 123, 1575-80		47
63	Measures of visual function and time to driving cessation in older adults. <i>Optometry and Vision Science</i> , 2005 , 82, 765-73	2.1	58
62	Cataract and barriers to cataract surgery in a US Hispanic population: Proyecto VER. <i>JAMA Ophthalmology</i> , 2005 , 123, 1231-6		29
61	Risk factors for postsurgical trichiasis recurrence in a trachoma-endemic area. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 447-53		53
60	Model of risk of cortical cataract in the US population with exposure to increased ultraviolet radiation due to stratospheric ozone depletion. <i>American Journal of Epidemiology</i> , 2005 , 162, 1080-8	3.8	39
59	Mass treatment and the effect on the load of Chlamydia trachomatis infection in a trachoma-hyperendemic community. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 83-7		75
58	Nuclear cataract shows significant familial aggregation in an older population after adjustment for possible shared environmental factors. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 2182-	6	34
57	Contribution of sex-linked biology and gender roles to disparities with trachoma. <i>Emerging Infectious Diseases</i> , 2004 , 10, 2012-6	10.2	53
56	Prevalence of cataract and pseudophakia/aphakia among adults in the United States. <i>JAMA Ophthalmology</i> , 2004 , 122, 487-94		434
55	Gender equity and trichiasis surgery in the Vietnam and Tanzania national trachoma control programmes. <i>British Journal of Ophthalmology</i> , 2004 , 88, 1368-71	5.5	19
54	Mass treatment with single-dose azithromycin for trachoma. <i>New England Journal of Medicine</i> , 2004 , 351, 1962-71	59.2	2 10
53	Trachoma: new assault on an ancient disease. <i>Progress in Retinal and Eye Research</i> , 2004 , 23, 381-401	20.5	37
52	Incidence and progression of lens opacities: effect of hormone replacement therapy and reproductive factors. <i>Epidemiology</i> , 2004 , 15, 451-7	3.1	27
51	Antibiotic dosage in trachoma control programs: height as a surrogate for weight in children. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 1464-9		20
50	Strategies for control of trachoma: observational study with quantitative PCR. <i>Lancet, The</i> , 2003 , 362, 198-204	40	175

(1999-2003)

49	A randomized trial of visual impairment interventions for nursing home residents: study design, baseline characteristics and visual loss. <i>Ophthalmic Epidemiology</i> , 2003 , 10, 193-209	1.9	37
48	Which members of a community need antibiotics to control trachoma? Conjunctival Chlamydia trachomatis infection load in Gambian villages. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 4215-22		109
47	Polymorphisms in Chlamydia trachomatis tryptophan synthase genes differentiate between genital and ocular isolates. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1757-69	15.9	226
46	Household willingness to pay for azithromycin treatment for trachoma control in the United Republic of Tanzania. <i>Bulletin of the World Health Organization</i> , 2003 , 81, 101-7	8.2	10
45	Blinding trachoma: prevention with the safe strategy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003 , 69, 18-23	3.2	34
44	How does visual impairment affect performance on tasks of everyday life? The SEE Project. Salisbury Eye Evaluation. <i>JAMA Ophthalmology</i> , 2002 , 120, 774-80		302
43	Risk factors for Type II diabetes and diabetic retinopathy in a mexican-american population: Proyecto VER. <i>American Journal of Ophthalmology</i> , 2002 , 134, 390-8	4.9	81
42	Causes of blindness and visual impairment in a population-based sample of U.S. Hispanics. <i>Ophthalmology</i> , 2002 , 109, 737-43	7.3	96
41	Blindness, visual impairment and the problem of uncorrected refractive error in a Mexican-American population: Proyecto VER. <i>Investigative Ophthalmology and Visual Science</i> , 2002 , 43, 608-14		88
40	Determinants of trachoma endemicity using Chlamydia trachomatis ompA DNA sequencing. <i>Microbes and Infection</i> , 2001 , 3, 447-58	9.3	20
39	Progression of active trachoma to scarring in a cohort of Tanzanian children. <i>Ophthalmic Epidemiology</i> , 2001 , 8, 137-44	1.9	90
38	OmpA genotypic evidence for persistent ocular Chlamydia trachomatis infection in Tanzanian village women. <i>Ophthalmic Epidemiology</i> , 2001 , 8, 127-35	1.9	30
37	The SAFE strategy for trachoma control: planning a cost-effectiveness analysis of the antibiotic component and beyond. <i>Ophthalmic Epidemiology</i> , 2001 , 8, 205-14	1.9	12
36	Mixed lens opacities and subsequent mortality. <i>JAMA Ophthalmology</i> , 2000 , 118, 393-7		74
35	Looking forward to 20/20: a focus on the epidemiology of eye diseases. <i>Epidemiologic Reviews</i> , 2000 , 22, 64-70	4.1	57
34	Anthropometric status and cataract: the Salisbury Eye Evaluation project. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 237-42	7	46
33	Epidemiology of eye injuries in rural Tanzania. <i>Ophthalmic Epidemiology</i> , 1999 , 6, 85-94	1.9	49
32	Characteristics of effective village treatment assistants: the Kongwa Trachoma Project. <i>Ophthalmic Epidemiology</i> , 1999 , 6, 257-65	1.9	6

31	Who participates in population based studies of visual impairment? The Salisbury Eye Evaluation project experience. <i>Annals of Epidemiology</i> , 1999 , 9, 53-9	6.4	42
30	Sunlight exposure and risk of lens opacities in a population-based study: the Salisbury Eye Evaluation project. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 280, 714-8	27.4	177
29	Severe disease in children with trachoma is associated with persistent Chlamydia trachomatis infection. <i>Journal of Infectious Diseases</i> , 1997 , 176, 1524-30	7	55
28	Absence of a relationship between malnutrition and trachoma in preschool children. <i>Ophthalmic Epidemiology</i> , 1997 , 4, 83-8	1.9	6
27	Evaluation of barriers to surgical compliance in the treatment of trichiasis. <i>International Ophthalmology</i> , 1997 , 21, 235-41	2.2	47
26	Incidence estimates of late stages of trachoma among women in a hyperendemic area of central Tanzania. <i>Tropical Medicine and International Health</i> , 1997 , 2, 1030-8	2.3	31
25	Assessment of ocular exposure to ultraviolet-B for population studies. Salisbury Eye Evaluation Project Team. <i>Photochemistry and Photobiology</i> , 1997 , 66, 701-9	3.6	19
24	Blindness and visual impairment in western Bulgaria. <i>Ophthalmic Epidemiology</i> , 1996 , 3, 143-9	1.9	8
23	Cigarette smoking and risk for progression of nuclear opacities. JAMA Ophthalmology, 1995, 113, 1377-	80	56
22	Epidemiology of risk factors for age-related cataract. <i>Survey of Ophthalmology</i> , 1995 , 39, 323-34	6.1	231
21	Predicting surgical compliance in a cohort of women with trichiasis. <i>International Ophthalmology</i> , 1994 , 18, 105-9	2.2	42
20	Testing a participatory strategy to change hygiene behaviour: face washing in central Tanzania. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1994 , 88, 513-7	2	29
19	Measuring progression of lens opacities for longitudinal studies. <i>Current Eye Research</i> , 1993 , 12, 123-32	2.9	31
18	Risk factors for trichiasis in women in Kongwa, Tanzania: a case-control study. <i>International Journal of Epidemiology</i> , 1993 , 22, 341-7	7.8	50
17	Exposure to children and risk of active trachoma in Tanzanian women. <i>American Journal of Epidemiology</i> , 1993 , 137, 366-72	3.8	41
16	Non-viral risk factors for nasopharyngeal carcinoma in the Philippines: results from a case-control study. <i>International Journal of Cancer</i> , 1993 , 55, 722-7	7.5	89
15	Epidemiology of trachoma in Bebedouro State of SB Paulo, Brazil: prevalence and risk factors. <i>International Journal of Epidemiology</i> , 1992 , 21, 169-77	7.8	39
14	Household decisions among the Gogo people of Tanzania: determining the roles of men, women and the community in implementing a trachoma prevention program. <i>Social Science and Medicine</i> , 1992 , 34, 817-24	5.1	20

LIST OF PUBLICATIONS

	13	An abbreviated assessment of ocular exposure to ultraviolet radiation. <i>Australian and New Zealand Journal of Ophthalmology</i> , 1992 , 20, 219-23		4
	12	Ocular and facial skin exposure to ultraviolet radiation in sunlight: a personal exposure model with application to a worker population. <i>Health Physics</i> , 1991 , 61, 77-86	2.3	72
	11	The epidemiology of trachoma in central Tanzania. International Journal of Epidemiology, 1991, 20, 108	8 <i></i> 9. 8	150
	10	Facial cleanliness and risk of trachoma in families. <i>JAMA Ophthalmology</i> , 1991 , 109, 855-7		71
	9	Changing water-use patterns in a water-poor area: lessons for a trachoma intervention project. <i>Social Science and Medicine</i> , 1990 , 31, 1233-8	5.1	31
i	8	Association of nonmelanoma skin cancer and actinic keratosis with cumulative solar ultraviolet exposure in Maryland watermen. <i>Cancer</i> , 1990 , 65, 2811-7	6.4	240
	7	Cigarette smoking and risk of nuclear cataracts. <i>JAMA Ophthalmology</i> , 1989 , 107, 1166-9		121
•	6	Quantitative carcinogenesis in man: solar ultraviolet B dose dependence of skin cancer in Maryland watermen. <i>Journal of the National Cancer Institute</i> , 1989 , 81, 1910-3	9.7	77
	5	The clinical grading of lens opacities. <i>Australian and New Zealand Journal of Ophthalmology</i> , 1989 , 17, 81-86		65
	4	Community-based intervention programs for trachoma control. <i>International Ophthalmology</i> , 1988 , 12, 19-23	2.2	10
	3	Effect of ultraviolet radiation on cataract formation. New England Journal of Medicine, 1988, 319, 1429-	- 35 9.2	592
	2	A review of Antihistamines and the Common Cold. <i>Pediatrics</i> , 1975 , 56, 100-107	7.4	11
	1	Development of treatment guides and a drug formulary for nurse-practitioners. <i>American Journal of Health-System Pharmacy</i> 1973 30, 316-320	2.2	