Sheila K West

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7572939/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Effect of Ultraviolet Radiation on Cataract Formation. New England Journal of Medicine, 1988, 319, 1429-1433.	27.0	663
2	The Lancet Global Health Commission on Global Eye Health: vision beyond 2020. The Lancet Global Health, 2021, 9, e489-e551.	6.3	549
3	Prevalence of Cataract and Pseudophakia/Aphakia Among Adults in theUnited States. JAMA Ophthalmology, 2004, 122, 487.	2.4	507
4	How Does Visual Impairment Affect Performance on Tasks of Everyday Life?. JAMA Ophthalmology, 2002, 120, 774.	2.4	370
5	Trachoma. Lancet, The, 2014, 384, 2142-2152.	13.7	289
6	Epidemiology of risk factors for age-related cataract. Survey of Ophthalmology, 1995, 39, 323-334.	4.0	284
7	Polymorphisms in Chlamydia trachomatis tryptophan synthase genes differentiate between genital and ocular isolates. Journal of Clinical Investigation, 2003, 111, 1757-1769.	8.2	275
8	Association of nonmelanoma skin cancer and actinic keratosis with cumulative solar ultraviolet exposure in Maryland watermen. Cancer, 1990, 65, 2811-2817.	4.1	270
9	Mass Treatment with Single-Dose Azithromycin for Trachoma. New England Journal of Medicine, 2004, 351, 1962-1971.	27.0	257
10	Azithromycin to Reduce Childhood Mortality in Sub-Saharan Africa. New England Journal of Medicine, 2018, 378, 1583-1592.	27.0	256
11	Driving Status and Risk of Entry Into Long-Term Care in Older Adults. American Journal of Public Health, 2006, 96, 1254-1259.	2.7	231
12	Sunlight Exposure and Risk of Lens Opacities in a Population-Based Study. JAMA - Journal of the American Medical Association, 1998, 280, 714.	7.4	224
13	Strategies for control of trachoma: observational study with quantitative PCR. Lancet, The, 2003, 362, 198-204.	13.7	216
14	A Prospective, Population-Based Study of the Role of Visual Impairment in Motor Vehicle Crashes among Older Drivers: The SEE Study. , 2007, 48, 1483.		203
15	The Global Trachoma Mapping Project: Methodology of a 34-Country Population-Based Study. Ophthalmic Epidemiology, 2015, 22, 214-225.	1.7	196
16	The Epidemiology of Trachoma in Central Tanzania. International Journal of Epidemiology, 1991, 20, 1088-1092.	1.9	174
17	Cigarette Smoking and Risk of Nuclear Cataracts. JAMA Ophthalmology, 1989, 107, 1166.	2.4	153
18	Longitudinal Associations Between Visual Impairment and Cognitive Functioning. JAMA Ophthalmology, 2018, 136, 989.	2.5	135

#	Article	IF	CITATIONS
19	Re-emergence of Chlamydia trachomatis infection after mass antibiotic treatment of a trachoma-endemic Gambian community: a longitudinal study. Lancet, The, 2005, 365, 1321-1328.	13.7	134
20	Impact of Presbyopia on Quality of Life in a Rural African Setting. Ophthalmology, 2006, 113, 728-734.	5.2	134
21	Infection with Chlamydia trachomatis after mass treatment of a trachoma hyperendemic community in Tanzania: a longitudinal study. Lancet, The, 2005, 366, 1296-1300.	13.7	132
22	The Natural History of the Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Studies. Ophthalmology, 2016, 123, 817-828.	5.2	126
23	Which Members of a Community Need Antibiotics to Control Trachoma? ConjunctivalChlamydia trachomatisInfection Load in Gambian Villages. , 2003, 44, 4215.		124
24	Causes of blindness and visual impairment in a population-based sample of U.S. Hispanics. Ophthalmology, 2002, 109, 737-743.	5.2	119
25	Glaucoma and Reading Speed. JAMA Ophthalmology, 2009, 127, 82.	2.4	115
26	Progression of active trachoma to scarring in a cohort of Tanzanian children. Ophthalmic Epidemiology, 2001, 8, 137-144.	1.7	110
27	Measures of Visual Function and Their Association with Driving Modification in Older Adults. , 2006, 47, 514.		102
28	Non-viral risk factors for nasopharyngeal carcinoma in the philippines: Results from a case-control study. International Journal of Cancer, 1993, 55, 722-727.	5.1	99
29	Population-Based Study of Presbyopia in Rural Tanzania. Ophthalmology, 2006, 113, 723-727.	5.2	99
30	CT694 and pgp3 as Serological Tools for Monitoring Trachoma Programs. PLoS Neglected Tropical Diseases, 2012, 6, e1873.	3.0	98
31	Epidemiology of Cataract: Accomplishments over 25 years and Future Directions. Ophthalmic Epidemiology, 2007, 14, 173-178.	1.7	97
32	Determinants and Heritability of Intraocular Pressure and Cup-to-Disc Ratio in a Defined Older Population. Ophthalmology, 2005, 112, 1186-1191.	5.2	93
33	Blindness, visual impairment and the problem of uncorrected refractive error in a Mexican-American population: Proyecto VER. Investigative Ophthalmology and Visual Science, 2002, 43, 608-14.	3.3	93
34	Risk factors for type ii diabetes and diabetic retinopathy in a mexican-american population: proyecto ver. American Journal of Ophthalmology, 2002, 134, 390-398.	3.3	90
35	Mass Treatment and the Effect on the Load ofChlamydia trachomatisInfection in a Trachoma-Hyperendemic Community. , 2005, 46, 83.		90
36	The clinical grading of lens opacities. Australian and New Zealand Journal of Ophthalmology, 1989, 17, 81-86.	0.4	89

#	Article	IF	CITATIONS
37	Quantitative Carcinogenesis in Man: Solar Ultraviolet B Dose Dependence of Skin Cancer in Maryland Watermen. Journal of the National Cancer Institute, 1989, 81, 1910-1913.	6.3	88
38	Ocular and Facial Skin Exposure to Ultraviolet Radiation in Sunlight. Health Physics, 1991, 61, 77-86.	0.5	87
39	Single-Dose Azithromycin Prevents Trichiasis Recurrence Following Surgery. JAMA Ophthalmology, 2006, 124, 309.	2.4	85
40	Racial Differences in the Prevalence of Age-Related Macular Degeneration. JAMA Ophthalmology, 2008, 126, 241.	2.4	85
41	Longitudinal Relationships Among Visual Acuity, Daily Functional Status, and Mortality. JAMA Ophthalmology, 2014, 132, 1400.	2.5	82
42	Facial Cleanliness and Risk of Trachoma in Families. JAMA Ophthalmology, 1991, 109, 855.	2.4	80
43	Mixed Lens Opacities and Subsequent Mortality. JAMA Ophthalmology, 2000, 118, 393.	2.4	80
44	Visual and Cognitive Deficits Predict Stopping or Restricting Driving: The Salisbury Eye Evaluation Driving Study (SEEDS). , 2009, 50, 107.		79
45	Measures of Visual Function and Time to Driving Cessation in Older Adults. Optometry and Vision Science, 2005, 82, 765-773.	1.2	78
46	Contribution of Sex-linked Biology and Gender Roles to Disparities with Trachoma1. Emerging Infectious Diseases, 2004, 10, 2012-2016.	4.3	75
47	Design and Baseline Data of a Randomized Trial to Evaluate Coverage and Frequency of Mass Treatment with Azithromycin: The Partnership for Rapid Elimination of Trachoma (PRET) in Tanzania and The Gambia. Ophthalmic Epidemiology, 2011, 18, 20-29.	1.7	74
48	Trachoma Prevalence and Associated Risk Factors in The Gambia and Tanzania: Baseline Results of a Cluster Randomised Controlled Trial. PLoS Neglected Tropical Diseases, 2010, 4, e861.	3.0	73
49	Mass Distribution of Azithromycin for Trachoma Control Is Associated With Increased Risk of Azithromycin-Resistant Streptococcus pneumoniae Carriage in Young Children 6 Months After Treatment. Clinical Infectious Diseases, 2013, 56, 1519-1526.	5.8	69
50	Prevalence of pterygium in Latinos: Proyecto VER. British Journal of Ophthalmology, 2009, 93, 1287-1290.	3.9	68
51	Risk Factors for Postsurgical Trichiasis Recurrence in a Trachoma-Endemic Area. , 2005, 46, 447.		66
52	Cigarette Smoking and Risk for Progression of Nuclear Opacities. JAMA Ophthalmology, 1995, 113, 1377.	2.4	65
53	Field evaluation of a rapid point-of-care assay for targeting antibiotic treatment for trachoma control: a comparative study. Lancet, The, 2006, 367, 1585-1590.	13.7	65
54	Severe Disease in Children with Trachoma Is Associated with Persistent <i>Chlamydia trachomatis</i> Infection. Journal of Infectious Diseases, 1997, 176, 1524-1530.	4.0	64

#	Article	IF	CITATIONS
55	Is Household Air Pollution a Risk Factor for Eye Disease?. International Journal of Environmental Research and Public Health, 2013, 10, 5378-5398.	2.6	62
56	Epidemiology of eye injuries in rural Tanzania. Ophthalmic Epidemiology, 1999, 6, 85-94.	1.7	61
57	Looking Forward to 20/20: A Focus on the Epidemiology of Eye Diseases. Epidemiologic Reviews, 2000, 22, 64-70.	3.5	60
58	Macular Sensitivity Measured With Microperimetry in Stargardt Disease in the Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Study. JAMA Ophthalmology, 2017, 135, 696.	2.5	60
59	Prevalence of Age-Related Macular Degeneration in a Population-Based Sample of Hispanic People in Arizona: Proyecto VER. JAMA Ophthalmology, 2005, 123, 1575.	2.4	59
60	Association of Mass Treatment with Azithromycin in Trachoma-Endemic Communities with Short-Term Reduced Risk of Diarrhea in Young Children. American Journal of Tropical Medicine and Hygiene, 2011, 85, 691-696.	1.4	59
61	Visual Acuity Loss and Associated Risk Factors in the Retrospective Progression of Stargardt Disease Study (ProgStar Report No. 2). Ophthalmology, 2016, 123, 1887-1897.	5.2	59
62	Risk Factors for Trichiasis in Women in Kongwa, Tanzania: A Case-Control Study. International Journal of Epidemiology, 1993, 22, 341-347.	1.9	57
63	Mass Treatment with Azithromycin for Trachoma: When Is One Round Enough? Results from the PRET Trial in The Gambia. PLoS Neglected Tropical Diseases, 2013, 7, e2115.	3.0	57
64	Increased carriage of macrolide-resistant fecal <i>E. coli</i> following mass distribution of azithromycin for trachoma control. International Journal of Epidemiology, 2014, 43, 1105-1113.	1.9	57
65	Progression of Stargardt Disease as Determined by Fundus Autofluorescence Over a 12-Month Period. JAMA Ophthalmology, 2019, 137, 1134.	2.5	57
66	Quality Assurance and Quality Control in the Global Trachoma Mapping Project. American Journal of Tropical Medicine and Hygiene, 2018, 99, 858-863.	1.4	56
67	Epidemiology of Trachoma in Bebedouro State of São Paulo, Brazil: Prevalence and Risk Factors. International Journal of Epidemiology, 1992, 21, 169-177.	1.9	55
68	Anthropometric status and cataract: the Salisbury Eye Evaluation project. American Journal of Clinical Nutrition, 1999, 69, 237-242.	4.7	54
69	Knowledge of Diabetic Eye Disease and Vision Care Guidelines Among Hispanic Individuals in Baltimore With and Without Diabetes. JAMA Ophthalmology, 2008, 126, 968.	2.4	54
70	Evaluation of barriers to surgical compliance in the treatment of trichiasis. International Ophthalmology, 1997, 21, 235-241.	1.4	53
71	The Relationship between Better-Eye and Integrated Visual Field Mean Deviation and Visual Disability. Ophthalmology, 2013, 120, 2476-2484.	5.2	52
72	Exposure to Children and Risk of Active Trachoma in Tanzanian Women. American Journal of Epidemiology, 1993, 137, 366-372.	3.4	51

#	Article	IF	CITATIONS
73	Intensive insecticide spraying for fly control after mass antibiotic treatment for trachoma in a hyperendemic setting: a randomised trial. Lancet, The, 2006, 368, 596-600.	13.7	51
74	Trachoma: new assault on an ancient disease. Progress in Retinal and Eye Research, 2004, 23, 381-401.	15.5	50
75	Trachoma and OcularChlamydia trachomatisWere Not Eliminated Three Years after Two Rounds of Mass Treatment in a Trachoma Hyperendemic Village. , 2007, 48, 1492.		50
76	Predicting surgical compliance in a cohort of women with trichiasis. International Ophthalmology, 1994, 18, 105-109.	1.4	48
77	Who Participates in Population Based Studies of Visual Impairment? The Salisbury Eye Evaluation Project Experience. Annals of Epidemiology, 1999, 9, 53-59.	1.9	47
78	Spatial Clustering of Ocular Chlamydial Infection over Time following Treatment, among Households in a Village in Tanzania. , 2006, 47, 99.		47
79	Constant Ocular Infection with Chlamydia trachomatis Predicts Risk of Scarring in Children in Tanzania. Ophthalmology, 2009, 116, 243-247.	5.2	47
80	Mass Distribution of Azithromycin for Trachoma Control Is Associated With Short-term Reduction in Risk of Acute Lower Respiratory Infection in Young Children. Pediatric Infectious Disease Journal, 2012, 31, 341-346.	2.0	47
81	Model of Risk of Cortical Cataract in the US Population with Exposure to Increased Ultraviolet Radiation due to Stratospheric Ozone Depletion. American Journal of Epidemiology, 2005, 162, 1080-1088.	3.4	46
82	Can We Use Antibodies to Chlamydia trachomatis as a Surveillance Tool for National Trachoma Control Programs? Results from a District Survey. PLoS Neglected Tropical Diseases, 2016, 10, e0004352.	3.0	46
83	Urban and rural differences in older drivers' failure to stop at stop signs. Accident Analysis and Prevention, 2009, 41, 995-1000.	5.7	45
84	Number of Years of Annual Mass Treatment With Azithromycin Needed to Control Trachoma in Hyper-endemic Communities in Tanzania. Journal of Infectious Diseases, 2011, 204, 268-273.	4.0	45
85	Detailed genetic characteristics of an international large cohort of patients with Stargardt disease: ProgStar study report 8. British Journal of Ophthalmology, 2019, 103, 390-397.	3.9	45
86	Visual Acuity Change Over 24 Months and Its Association With Foveal Phenotype and Genotype in Individuals With Stargardt Disease. JAMA Ophthalmology, 2018, 136, 920.	2.5	44
87	A randomized trial of visual impairment interventions for nursing home residents: Study design, baseline characteristics and visual loss. Ophthalmic Epidemiology, 2003, 10, 193-209.	1.7	43
88	Cataract and Barriers to Cataract Surgery in a US Hispanic Population. JAMA Ophthalmology, 2005, 123, 1231.	2.4	43
89	Does Visual Impairment Affect Mobility Over Time? The Salisbury Eye Evaluation Study. , 2013, 54, 7683.		43
90	Visual Acuity Change over 12 Months in the Prospective Progression of Atrophy Secondary to Stargardt Disease (ProgStar) Study. Ophthalmology, 2017, 124, 1640-1651.	5.2	43

#	Article	IF	CITATIONS
91	BLINDING TRACHOMA: PREVENTION WITH THE SAFE STRATEGY. American Journal of Tropical Medicine and Hygiene, 2003, 69, 18-23.	1.4	43
92	Estimating Household and Community Transmission of Ocular Chlamydia trachomatis. PLoS Neglected Tropical Diseases, 2009, 3, e401.	3.0	42
93	Longitudinal analysis of antibody responses to trachoma antigens before and after mass drug administration. BMC Infectious Diseases, 2014, 14, 216.	2.9	42
94	Nuclear Cataract Shows Significant Familial Aggregation in an Older Population after Adjustment for Possible Shared Environmental Factors. , 2004, 45, 2182.		40
95	Longitudinal Relationships among Visual Acuity and Tasks of Everyday Life: The Salisbury Eye Evaluation Study. , 2013, 54, 193.		40
96	Longitudinal Study of Age-Related Cataract Using Dynamic Light Scattering. Ophthalmology, 2016, 123, 248-254.	5.2	39
97	Community Risk Factors for Ocular Chlamydia Infection in Niger: Pre-Treatment Results from a Cluster-Randomized Trachoma Trial. PLoS Neglected Tropical Diseases, 2012, 6, e1586.	3.0	38
98	Announcing The Lancet Global Health Commission on Global Eye Health. The Lancet Global Health, 2019, 7, e1612-e1613.	6.3	38
99	Comparison of the Abbott <i>m</i> 2000 RealTi <i>m</i> e CT Assay and the Cepheid GeneXpert CT/NG Assay to the Roche Amplicor CT Assay for Detection of Chlamydia trachomatis in Ocular Samples from Tanzania. Journal of Clinical Microbiology, 2013, 51, 1611-1613.	3.9	37
100	Is There Evidence for Resistance of Ocular Chlamydia trachomatis to Azithromycin After Mass Treatment for Trachoma Control?. Journal of Infectious Diseases, 2014, 210, 65-71.	4.0	37
101	Fixation Location and Stability Using the MP-1 Microperimeter in Stargardt Disease. Ophthalmology Retina, 2017, 1, 68-76.	2.4	37
102	Cause-specific mortality of children younger than 5 years in communities receiving biannual mass azithromycin treatment in Niger: verbal autopsy results from a cluster-randomised controlled trial. The Lancet Global Health, 2020, 8, e288-e295.	6.3	37
103	Incidence estimates of late stages of trachoma among women in a hyperendemic area of central Tanzania. Tropical Medicine and International Health, 1997, 2, 1030-1038.	2.3	36
104	Longitudinal Comparison of Antibiotic Resistance in Diarrheagenic and Non-pathogenic Escherichia coli from Young Tanzanian Children. Frontiers in Microbiology, 2016, 7, 1420.	3.5	36
105	Changing water-use patterns in a water-poor area: Lessons for a trachoma intervention project. Social Science and Medicine, 1990, 31, 1233-1238.	3.8	35
106	Testing a participatory strategy to change hygiene behaviour: face washing in central Tanzania. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1994, 88, 513-517.	1.8	35
107	Cortical, but not posterior subcapsular, cataract shows significant familial aggregation in an older population after adjustment for possible shared environmental factors. Ophthalmology, 2005, 112, 73-77.	5.2	35
108	Longitudinal relationships between visual acuity and severe depressive symptoms in older adults: the Salisbury Eye Evaluation study. Aging and Mental Health, 2016, 20, 295-302.	2.8	35

#	Article	IF	CITATIONS
109	Pattern of Recurrence of Trachomatous Trichiasis After SurgerySurgical technique as an explanation. Ophthalmology, 2005, 112, 705-709.	5.2	34
110	OmpA genotypic evidence for persistent ocular Chlamydia trachomatis infection in Tanzanian village women. Ophthalmic Epidemiology, 2001, 8, 127-135.	1.7	33
111	Rates and Risk Factors for Unfavorable Outcomes 6 Weeks after Trichiasis Surgery. , 2011, 52, 2704.		33
112	Visual and Cognitive Predictors of Performance on Brake Reaction Test: Salisbury Eye Evaluation Driving Study. Ophthalmic Epidemiology, 2007, 14, 216-222.	1.7	32
113	Older Drivers and Failure to Stop at Red Lights. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 179-183.	3.6	32
114	A cluster-randomized trial to assess the efficacy of targeting trachoma treatment to children. Clinical Infectious Diseases, 2016, 64, ciw810.	5.8	32
115	Biannual mass azithromycin distributions and malaria parasitemia in pre-school children in Niger: A cluster-randomized, placebo-controlled trial. PLoS Medicine, 2019, 16, e1002835.	8.4	32
116	Measuring progression of lens opacities for longitudinal studies. Current Eye Research, 1993, 12, 123-132.	1.5	31
117	Predictors of Laneâ€Change Errors in Older Drivers. Journal of the American Geriatrics Society, 2010, 58, 457-464.	2.6	31
118	A Longitudinal Study of the Association Between Visual Impairment and Mobility Performance in Older Adults: The Salisbury Eye Evaluation Study. American Journal of Epidemiology, 2014, 179, 313-322.	3.4	31
119	Impact of Mass Azithromycin Distribution on Malaria Parasitemia during the Low-Transmission Season in Niger: A Cluster-Randomized Trial. American Journal of Tropical Medicine and Hygiene, 2014, 90, 846-851.	1.4	30
120	Locations, Circumstances, and Outcomes of Falls in Patients With Glaucoma. American Journal of Ophthalmology, 2018, 192, 131-141.	3.3	30
121	The World Health Organization Recommendations for Trachoma Surveillance, Experience in Nepal and Added Benefit of Testing for Antibodies to Chlamydia trachomatis pgp3 Protein: NESTS Study. PLoS Neglected Tropical Diseases, 2016, 10, e0005003.	3.0	30
122	Incidence and Progression of Lens Opacities. Epidemiology, 2004, 15, 451-457.	2.7	29
123	Comparison of Short-Wavelength Reduced-Illuminance and Conventional Autofluorescence Imaging in Stargardt Macular Dystrophy. American Journal of Ophthalmology, 2016, 168, 269-278.	3.3	29
124	Age, Sex, and Cohort Effects in a Longitudinal Study of Trachomatous Scarring. , 2009, 50, 592.		28
125	Comparing the Impact of Refractive and Nonrefractive Vision Loss on Functioning andÂDisability. Ophthalmology, 2015, 122, 1102-1110.	5.2	28
126	Evaluation of Central and Peripheral Visual Field Concordance in Glaucoma. , 2016, 57, 2797.		28

#	ARTICLE	IF	CITATIONS
127	Progression of Visual Acuity and Fundus Autofluorescence in Recent-Onset Stargardt Disease: ProgStar Study Report #4. Ophthalmology Retina, 2017, 1, 514-523.	2.4	28
128	Functional Improvement after One- and Two-Eye Cataract Surgery in the Salisbury Eye Evaluation. Ophthalmology, 2013, 120, 949-955.	5.2	27
129	Associations Between Self-Rated Vision Score, Vision Tests, and Self-Reported Visual Function in the Salisbury Eye Evaluation Study. , 2013, 54, 6439.		27
130	Safety of azithromycin in infants under six months of age in Niger: A community randomized trial. PLoS Neglected Tropical Diseases, 2018, 12, e0006950.	3.0	27
131	A Workshop on Measuring the Progression of Atrophy Secondary to Stargardt Disease in the ProgStar Studies: Findings and Lessons Learned. Translational Vision Science and Technology, 2019, 8, 16.	2.2	27
132	Predictors of Falls per Step and Falls per Year At and Away From Home in Glaucoma. American Journal of Ophthalmology, 2019, 200, 169-178.	3.3	27
133	How much is not enough? A community randomized trial of a Water and Health Education programme for Trachoma and Ocular C.Âtrachomatis infection in Niger. Tropical Medicine and International Health, 2010, 15, 98-104.	2.3	26
134	A Randomized Trial of Two Coverage Targets for Mass Treatment with Azithromycin for Trachoma. PLoS Neglected Tropical Diseases, 2013, 7, e2415.	3.0	26
135	Scotopic Microperimetric Assessment of Rod Function in Stargardt Disease (SMART) Study: Design and Baseline Characteristics (Report No. 1). Ophthalmic Research, 2019, 61, 36-43.	1.9	26
136	The use of serology for trachoma surveillance: Current status and priorities for future investigation. PLoS Neglected Tropical Diseases, 2020, 14, e0008316.	3.0	26
137	Determinants of trachoma endemicity using Chlamydia trachomatis ompA DNA sequencing. Microbes and Infection, 2001, 3, 447-458.	1.9	25
138	Effect of Trichiasis Surgery on Visual Acuity Outcomes in Ethiopia. JAMA Ophthalmology, 2009, 127, 1505.	2.4	25
139	Antibiotic Dosage in Trachoma Control Programs: Height as a Surrogate for Weight in Children. , 2003, 44, 1464.		24
140	Gender equity and trichiasis surgery in the Vietnam and Tanzania national trachoma control programmes. British Journal of Ophthalmology, 2004, 88, 1368-1371.	3.9	24
141	Mass Azithromycin Distribution to Prevent Childhood Mortality: A Pooled Analysis of Cluster-Randomized Trials. American Journal of Tropical Medicine and Hygiene, 2019, 100, 691-695.	1.4	24
142	Household decisions among the Gogo people of Tanzania: Determining the roles of men, women and the community in implementing a trachoma prevention program. Social Science and Medicine, 1992, 34, 817-824.	3.8	23
143	Assessment of Ocular Exposure to Ultravioletâ€B for Population Studies. Photochemistry and Photobiology, 1997, 66, 701-709.	2.5	23

144 Cognitive and Vision Loss Affects the Topography of the Attentional Visual Field. , 2008, 49, 4672.

23

#	Article	IF	CITATIONS
145	Definitions and Standardization of a New Grading Scheme for Eyelid Contour Abnormalities after Trichiasis Surgery. PLoS Neglected Tropical Diseases, 2012, 6, e1713.	3.0	23
146	Targeting Antibiotics to Households for Trachoma Control. PLoS Neglected Tropical Diseases, 2010, 4, e862.	3.0	22
147	Mass Treatment with Azithromycin for Trachoma Control: Participation Clusters in Households. PLoS Neglected Tropical Diseases, 2010, 4, e838.	3.0	22
148	Can We Stop Mass Drug Administration Prior to 3 Annual Rounds in Communities With Low Prevalence of Trachoma?. JAMA Ophthalmology, 2013, 131, 431.	2.5	22
149	A review of Antihistamines and the Common Cold. Pediatrics, 1975, 56, 100-107.	2.1	22
150	Can Clinical Signs of Trachoma Be Used after Multiple Rounds of Mass Antibiotic Treatment to Indicate Infection?. , 2011, 52, 8806.		21
151	Longitudinal change in the serology of antibodies to Chlamydia trachomatis pgp3 in children residing in a trachoma area. Scientific Reports, 2018, 8, 3520.	3.3	21
152	Ocular <i>Chlamydia trachomatis</i> infection: elimination with mass drug administration. Expert Review of Anti-Infective Therapy, 2019, 17, 189-200.	4.4	21
153	Patterns of Daily Physical Activity across the Spectrum of Visual Field Damage in Glaucoma Patients. Ophthalmology, 2021, 128, 70-77.	5.2	21
154	Chlamydial Positivity of Nasal Discharge at Baseline Is Associated with Ocular Chlamydial Positivity 2 Months following Azithromycin Treatment. , 2006, 47, 4767.		20
155	Faster Sensitivity Loss around Dense Scotomas than for Overall Macular Sensitivity in Stargardt Disease: ProgStar Report No. 14. American Journal of Ophthalmology, 2020, 216, 219-225.	3.3	20
156	Azithromycin Prevents Recurrence of Severe Trichiasis Following Trichiasis Surgery: STAR Trial. Ophthalmic Epidemiology, 2007, 14, 273-277.	1.7	19
157	Issues in defining and measuring facial cleanliness for national trachoma control programs. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 426-431.	1.8	19
158	Risk Factors for Ocular Infection with Chlamydia trachomatis in Children 6 Months following Mass Treatment in Tanzania. PLoS Neglected Tropical Diseases, 2011, 5, e978.	3.0	19
159	Field Evaluation of the Cepheid GeneXpert Chlamydia trachomatis Assay for Detection of Infection in a Trachoma Endemic Community in Tanzania. PLoS Neglected Tropical Diseases, 2013, 7, e2265.	3.0	19
160	Surveillance Surveys for Reemergent Trachoma in Formerly Endemic Districts in Nepal From 2 to 10 Years After Mass Drug Administration Cessation. JAMA Ophthalmology, 2017, 135, 1141.	2.5	19
161	Longitudinal Microperimetric Changes of Macular Sensitivity in Stargardt Disease After 12 Months. JAMA Ophthalmology, 2020, 138, 772.	2.5	19
162	Azithromycin Mass Treatment for Trachoma Control: Risk Factors for Non-Participation of Children in Two Treatment Rounds. PLoS Neglected Tropical Diseases, 2012, 6, e1576.	3.0	19

#	Article	IF	CITATIONS
163	Grand Challenges in global eye health: a global prioritisation process using Delphi method. The Lancet Healthy Longevity, 2022, 3, e31-e41.	4.6	19
164	Compensatory Strategy Use Identifies Risk of Incident Disability for the Visually Impaired. JAMA Ophthalmology, 2005, 123, 1242.	2.4	18
165	Costs of Testing for Ocular Chlamydia trachomatis Infection Compared to Mass Drug Administration for Trachoma in The Gambia: Application of Results from the PRET Study. PLoS Neglected Tropical Diseases, 2015, 9, e0003670.	3.0	18
166	Childhood Mortality After Mass Distribution of Azithromycin. Pediatric Infectious Disease Journal, 2018, 37, 1082-1086.	2.0	18
167	Effectiveness of expanding annual mass azithromycin distribution treatment coverage for trachoma in Niger: a cluster randomised trial. British Journal of Ophthalmology, 2018, 102, 680-686.	3.9	18
168	Mass Oral Azithromycin for Childhood Mortality: Timing of Death After Distribution in the MORDOR Trial. Clinical Infectious Diseases, 2019, 68, 2114-2116.	5.8	18
169	Short-term Forecasting of the Prevalence of Trachoma: Expert Opinion, Statistical Regression, versus Transmission Models. PLoS Neglected Tropical Diseases, 2015, 9, e0004000.	3.0	18
170	Antibiotic Resistance in Young Children in Kilosa District, Tanzania 4 Years after Mass Distribution of Azithromycin for Trachoma Control. American Journal of Tropical Medicine and Hygiene, 2017, 97, 815-818.	1.4	18
171	Surgery for Trichiasis, Antibiotics to Prevent Recurrence (STAR) Clinical Trial Methodology. Ophthalmic Epidemiology, 2005, 12, 279-286.	1.7	17
172	Older drivers and rapid deceleration events: Salisbury Eye Evaluation Driving Study. Accident Analysis and Prevention, 2013, 58, 279-285.	5.7	17
173	Does Mass Azithromycin Distribution Impact Child Growth and Nutrition in Niger? A Cluster-Randomized Trial. PLoS Neglected Tropical Diseases, 2014, 8, e3128.	3.0	16
174	Metrics and Acquisition Modes for Fixation Stability as a Visual Function Biomarker. , 2017, 58, BIO268.		16
175	Identifying Patient Perceived Barriers to Trichiasis Surgery in Kongwa District, Tanzania. PLoS Neglected Tropical Diseases, 2017, 11, e0005211.	3.0	16
176	The SAFE strategy for trachoma control: Planning a cost-effectiveness analysis of the antibiotic component and beyond. Ophthalmic Epidemiology, 2001, 8, 205-214.	1.7	15
177	Pooling ocular swab specimens from Tanzania for testing by Roche Amplicor and Aptima Combo 2 assays for the detection of Chlamydia trachomatis: accuracy and cost-savings. Diagnostic Microbiology and Infectious Disease, 2013, 77, 289-291.	1.8	15
178	The efficacy of oral azithromycin in clearing ocular chlamydia: Mathematical modeling from a community-randomized trachoma trial. Epidemics, 2014, 6, 10-17.	3.0	15
179	The Effect of Antibiotic Selection Pressure on the Nasopharyngeal Macrolide Resistome: A Cluster-randomized Trial. Clinical Infectious Diseases, 2018, 67, 1736-1742.	5.8	15
180	Evaluation of the reproducibility of a serological test for antibodies to Chlamydia trachomatis pgp3: A potential surveillance tool for trachoma programs. Journal of Microbiological Methods, 2018, 147, 56-58.	1.6	15

#	Article	IF	CITATIONS
181	Babesia microti and Malaria Infection in Africa: A Pilot Serosurvey in Kilosa District, Tanzania. American Journal of Tropical Medicine and Hygiene, 2018, 99, 51-56.	1.4	15
182	Three-Year Outcomes of the Surgery for Trichiasis, Antibiotics to Prevent Recurrence Trial. JAMA Ophthalmology, 2012, 130, 427.	2.4	14
183	The Effect of Multiple Rounds of Mass Drug Administration on the Association between Ocular Chlamydia trachomatis Infection and Follicular Trachoma in Preschool-Aged Children. PLoS Neglected Tropical Diseases, 2014, 8, e2761.	3.0	14
184	Short-term forecasting of the prevalence of clinical trachoma: utility of including delayed recovery and tests for infection. Parasites and Vectors, 2015, 8, 535.	2.5	14
185	Risk of Infection withChlamydia trachomatisfrom Migrants to Communities Undergoing Mass Drug Administration for Trachoma Control. Ophthalmic Epidemiology, 2015, 22, 170-175.	1.7	14
186	Change in function and spectacle-use 2 months after providing presbyopic spectacles in rural Tanzania. British Journal of Ophthalmology, 2010, 94, 685-689.	3.9	13
187	Surveillance and Azithromycin Treatment for Newcomers and Travelers Evaluation (ASANTE) Trial: Design and Baseline Characteristics. Ophthalmic Epidemiology, 2016, 23, 347-353.	1.7	13
188	Comparison of anthropometric indicators to predict mortality in a population-based prospective study of children under 5 years in Niger. Public Health Nutrition, 2020, 23, 538-543.	2.2	13
189	Effect Modification by Baseline Mortality in the MORDOR Azithromycin Trial. American Journal of Tropical Medicine and Hygiene, 2020, 103, 1295-1300.	1.4	13
190	Blindness and visual impairment in Western Bulgaria. Ophthalmic Epidemiology, 1996, 3, 143-149.	1.7	12
191	Do Infants Increase the Risk of Re-emergent Infection in Households after Mass Drug Administration for Trachoma?. , 2011, 52, 6040.		12
192	Visual Characteristics of Elderly Night Drivers in the Salisbury Eye Evaluation Driving Study. , 2012, 53, 5161.		12
193	Geospatial Distribution and Clustering of <i>Chlamydia trachomatis</i> in Communities Undergoing Mass Azithromycin Treatment. , 2014, 55, 4144.		12
194	Characterizing the Impact of Fear of Falling on Activity and Falls in Older Adults with Glaucoma. Journal of the American Geriatrics Society, 2020, 68, 1847-1851.	2.6	12
195	Comparison of Mass Azithromycin Coverage Targets of Children in Niger: A Cluster-Randomized Trachoma Trial. American Journal of Tropical Medicine and Hygiene, 2018, 98, 389-395.	1.4	12
196	Community-based intervention programs for trachoma control. International Ophthalmology, 1988, 12, 19-23.	1.4	11
197	Impact of Trichiasis Surgery on Physical Functioning in Ethiopian Patients: STAR Trial. American Journal of Ophthalmology, 2011, 151, 850-857.	3.3	11
198	River Blindness Eliminated in Colombia. Ophthalmic Epidemiology, 2013, 20, 258-259.	1.7	11

#	Article	IF	CITATIONS
199	Exposure to an Indoor Cooking Fire and Risk of Trachoma in Children of Kongwa, Tanzania. PLoS Neglected Tropical Diseases, 2015, 9, e0003774.	3.0	11
200	The "F" in SAFE: Reliability of assessing clean faces for trachoma control in the field. PLoS Neglected Tropical Diseases, 2017, 11, e0006019.	3.0	11
201	Community-level chlamydial serology for assessing trachoma elimination in trachoma-endemic Niger. PLoS Neglected Tropical Diseases, 2019, 13, e0007127.	3.0	11
202	Milestones in the fight to eliminate trachoma. Ophthalmic and Physiological Optics, 2020, 40, 66-74.	2.0	11
203	Trachoma elimination in Latin America: prioritization of municipalities for surveillance activities. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2019, 43, 1.	1.1	11
204	The Trachomatous Trichiasis Clamp. JAMA Ophthalmology, 2012, 130, 220.	2.4	10
205	Assessment of Transmission in Trachoma Programs over Time Suggests No Short-Term Loss of Immunity. PLoS Neglected Tropical Diseases, 2013, 7, e2303.	3.0	10
206	Does Walking Speed Mediate the Association Between Visual Impairment and Selfâ€Report of Mobility Disability? The Salisbury Eye Evaluation Study. Journal of the American Geriatrics Society, 2014, 62, 1540-1545.	2.6	10
207	Assessment of a Novel Approach to Identify Trichiasis Cases Using Community Treatment Assistants in Tanzania. PLoS Neglected Tropical Diseases, 2015, 9, e0004270.	3.0	10
208	The Distribution of Ocular Chlamydia Prevalence across Tanzanian Communities Where Trachoma Is Declining. PLoS Neglected Tropical Diseases, 2015, 9, e0003682.	3.0	10
209	Trachomatous Scarring and Infection With Non– <i>Chlamydia Trachomatis</i> Bacteria in Women in Kongwa, Tanzania. , 2017, 58, 3249.		10
210	Community-level Association between Clinical Trachoma and Ocular Chlamydia Infection after MASS Azithromycin Distribution in a Mesoendemic Region of Niger. Ophthalmic Epidemiology, 2019, 26, 231-237.	1.7	10
211	Biannual azithromycin distribution and child mortality among malnourished children: AÂsubgroup analysis of the MORDOR cluster-randomized trial in Niger. PLoS Medicine, 2020, 17, e1003285.	8.4	10
212	Serology, infection, and clinical trachoma as tools in prevalence surveys for re-emergence of trachoma in a formerly hyperendemic district. PLoS Neglected Tropical Diseases, 2021, 15, e0009343.	3.0	10
213	The Impact of Weather and Seasons on Falls and Physical Activity among Older Adults with Glaucoma: A Longitudinal Prospective Cohort Study. Sensors, 2021, 21, 3415.	3.8	10
214	Association Between Visual Field Damage and Gait Dysfunction in Patients With Glaucoma. JAMA Ophthalmology, 2021, 139, 1053.	2.5	10
215	Mass Azithromycin and Malaria Parasitemia in Niger: Results from a Community-Randomized Trial. American Journal of Tropical Medicine and Hygiene, 2017, 97, 696-701.	1.4	10
216	Household willingness to pay for azithromycin treatment for trachoma control in the United Republic of Tanzania. Bulletin of the World Health Organization, 2003, 81, 101-7.	3.3	10

#	Article	IF	CITATIONS
217	Trachoma and antibiotic use: the 'Aâ€~ in SAFE. Expert Review of Anti-Infective Therapy, 2012, 10, 75-83.	4.4	9
218	The Easiest Children to Reach Are Most Likely to Be Infected with Ocular Chlamydia trachomatis in Trachoma Endemic Areas of Niger. PLoS Neglected Tropical Diseases, 2013, 7, e1983.	3.0	9
219	Cohort and Age Effects of Mass Drug Administration on Prevalence of Trachoma: A Longitudinal Study in Rural Tanzania. , 2014, 55, 2307.		9
220	Annual Versus Biannual Mass Azithromycin Distribution and Malaria Parasitemia During the Peak Transmission Season Among Children in Niger. Pediatric Infectious Disease Journal, 2018, 37, 506-510.	2.0	9
221	Pre-operative trichiatic eyelash pattern predicts post-operative trachomatous trichiasis. PLoS Neglected Tropical Diseases, 2019, 13, e0007637.	3.0	9
222	Utility of photography for trachoma surveys: A systematic review. Survey of Ophthalmology, 2022, 67, 842-857.	4.0	9
223	Efficacy of Mass Azithromycin Distribution for Reducing Childhood Mortality Across Geographic Regions. American Journal of Tropical Medicine and Hygiene, 2020, 103, 1291-1294.	1.4	9
224	Evaluation of photography using head-mounted display technology (ICAPS) for district Trachoma surveys. PLoS Neglected Tropical Diseases, 2021, 15, e0009928.	3.0	9
225	Dynamic Measures of Visual Function and Their Relationship to Self-Report of Visual Functioning. , 2006, 47, 4762.		8
226	Randomized Trial of High Dose Azithromycin Compared to Standard Dosing for Children with Severe Trachoma in Tanzania. Ophthalmic Epidemiology, 2009, 16, 175-180.	1.7	8
227	Non-Participation during Azithromycin Mass Treatment for Trachoma in The Gambia: Heterogeneity and Risk Factors. PLoS Neglected Tropical Diseases, 2014, 8, e3098.	3.0	8
228	Gender and performance of community treatment assistants in Tanzania. International Journal for Quality in Health Care, 2014, 26, 524-529.	1.8	8
229	Population-Based Study of Trachoma in Guatemala. Ophthalmic Epidemiology, 2015, 22, 231-236.	1.7	8
230	Lower Postoperative Scar Height is Associated with Increased Postoperative Trichiasis 1 Year after Bilamellar Tarsal Rotation Surgery. Ophthalmic Epidemiology, 2015, 22, 200-207.	1.7	8
231	Absence of a relationship between malnutrition and trachoma in preschool children. Ophthalmic Epidemiology, 1997, 4, 83-88.	1.7	7
232	Relationship between Immediate Post-Operative Appearance and 6-Week Operative Outcome in Trichiasis Surgery. PLoS Neglected Tropical Diseases, 2012, 6, e1718.	3.0	7
233	Patients' Perceptions of Trichiasis Surgery: Results from the Partnership for Rapid Elimination of Trachoma (PRET) Surgery Clinical Trial. Ophthalmic Epidemiology, 2015, 22, 153-161.	1.7	7
234	Risk factors for incidence of trachomatous scarring in a cohort of women in low endemic district. British Journal of Ophthalmology, 2018, 102, 419-423.	3.9	7

#	Article	IF	CITATIONS
235	Importance and Severity Dependence of Physical Activity by GPS-Tracked Location in Glaucoma Patients. American Journal of Ophthalmology, 2021, 230, 276-284.	3.3	7
236	Assessment of oxygen saturation in retinal vessels of normal subjects and diabetic patients with and without retinopathy using Flow Oximetry System. Quantitative Imaging in Medicine and Surgery, 2015, 5, 86-96.	2.0	7
237	Characteristics of effective Village Treatment Assistants: the Kongwa Trachoma Project. Ophthalmic Epidemiology, 1999, 6, 257-265.	1.7	6
238	The Decline in Attentional Visual Fields over Time among Older Participants in the Salisbury Eye Evaluation Driving Study. , 2013, 54, 1839.		6
239	Evaluation of a field test for antibodies against Chlamydia trachomatis during trachoma surveillance in Nepal. Diagnostic Microbiology and Infectious Disease, 2017, 88, 3-6.	1.8	6
240	The Babesia observational antibody (BAOBAB) study: A cross-sectional evaluation of Babesia in two communities in Kilosa district, Tanzania. PLoS Neglected Tropical Diseases, 2019, 13, e0007632.	3.0	6
241	Biannual versus annual mass azithromycin distribution and malaria seroepidemiology among preschool children in Niger: a sub-study of a cluster randomized trial. Malaria Journal, 2019, 18, 389.	2.3	6
242	The effect of Mass Drug Administration for trachoma on antibodies to Chlamydia trachomatis pgp3 in children. Scientific Reports, 2020, 10, 15225.	3.3	6
243	Two-Day Dosing versus One-Day Dosing of Azithromycin in Children with Severe Trachoma in Tanzania. Ophthalmic Epidemiology, 2012, 19, 38-42.	1.7	5
244	Measuring Trachomatous Inflammation-Intense (TI) When Prevalence Is Low Provides Data on Infection With Chlamydia trachomatis. , 2017, 58, 997.		5
245	Characterizing Longitudinal Changes in Physical Activity and Fear of Falling after Falls in Glaucoma. Journal of the American Geriatrics Society, 2021, 69, 1249-1256.	2.6	5
246	Biannual Treatment of Preschool Children with Single Dose Azithromycin to Reduce Mortality: Impact on Azithromycin Resistance in the MORDOR Trial in Tanzania. American Journal of Tropical Medicine and Hygiene, 2020, 103, 1301-1307.	1.4	5
247	An abbreviated assessment of ocular exposure to ultraviolet radiation. Australian and New Zealand Journal of Ophthalmology, 1992, 20, 219-222.	0.4	4
248	Community mass treatment with azithromycin for trachoma: Factors associated with change in participation of children from the first to the second round. Clinical Epidemiology and Global Health, 2015, 3, 37-43.	1.9	4
249	Treating village newcomers and travelers for trachoma: Results from ASANTE cluster randomized trial. PLoS ONE, 2017, 12, e0178595.	2.5	4
250	Patient-centered communication of community treatment assistants in Tanzania predicts coverage of future mass drug administration for trachoma. Patient Education and Counseling, 2018, 101, 1075-1081.	2.2	4
251	Anthropometry and Malaria among Children in Niger: A Cross-Sectional Study. American Journal of Tropical Medicine and Hygiene, 2018, 99, 665-669.	1.4	4
252	A Cross-Sectional Study of the Availability of Azithromycin in Local Pharmacies and Associated Antibiotic Resistance in Communities in Kilosa District, Tanzania. American Journal of Tropical Medicine and Hygiene, 2019, 100, 1105-1109.	1.4	4

#	Article	IF	CITATIONS
253	Effect of Mass Azithromycin Distributions on Childhood Growth in Niger. JAMA Network Open, 2021, 4, e2139351.	5.9	4
254	Trachoma Control: 14 Years Later. Ophthalmic Epidemiology, 2015, 22, 145-147.	1.7	3
255	The impact on malaria of biannual treatment with azithromycin in children age less than 5Âyears: a prospective study. Malaria Journal, 2019, 18, 284.	2.3	3
256	Toward the Elimination of Disease: the 2019 Weisenfeld Award Lecture. , 2019, 60, 4805.		3
257	Incidence and progression of trachomatous scarring in a cohort of children in a formerly hyper-endemic district of Tanzania. PLoS Neglected Tropical Diseases, 2020, 14, e0008708.	3.0	3
258	Visual Impairment and Eye Diseases in HIV-infected People in the Antiretroviral Therapy (ART) Era in Rakai, Uganda. Ophthalmic Epidemiology, 2021, 28, 63-69.	1.7	3
259	Children as messengers of health knowledge? Impact of health promotion and water infrastructure in schools on facial cleanliness and trachoma in the community. PLoS Neglected Tropical Diseases, 2021, 15, e0009119.	3.0	3
260	Knowledge of patient emotional health status: impact on clinical care in glaucoma and retinal services. BMJ Open Ophthalmology, 2021, 6, e000640.	1.6	3
261	Passing the Baton: Reflections on Publishing in Ophthalmic Epidemiology. Ophthalmic Epidemiology, 2011, 18, 143-145.	1.7	2
262	Potential Effect of Epilation on the Outcome of Surgery for Trachomatous Trichiasis. Translational Vision Science and Technology, 2019, 8, 30.	2.2	2
263	Evidence for contamination with C. trachomatis in the household environment of children with active Trachoma: A cross-sectional study in Kongwa, Tanzania. PLoS Neglected Tropical Diseases, 2019, 13, e0007834.	3.0	2
264	Re: Shen etÂal.: Natural history of autosomal recessive Stargardt disease in untreated eyes: a systematic review and meta-analysis of study and individual level data (Ophthalmology. 2019;126:1288–1296). Ophthalmology, 2020, 127, e28-e29.	5.2	2
265	Longitudinal changes in daily patterns of objectively measured physical activity after falls in older adults with varying degrees of glaucoma. EClinicalMedicine, 2021, 40, 101097.	7.1	2
266	Impact of Biannual Azithromycin on Anemia in Preschool Children in Kilosa District, Tanzania: A Cluster-Randomized Clinical Trial. American Journal of Tropical Medicine and Hygiene, 2020, 103, 1311-1314.	1.4	2
267	Longitudinal Changes in Scotopic and Mesopic Macular Function as Assessed with Microperimetry in Patients With Stargardt Disease: SMART Study Report No. 2. American Journal of Ophthalmology, 2022, 236, 32-44.	3.3	2
268	Risk factors for the progression of trachomatous scarring in a cohort of women in a trachoma low endemic district in Tanzania. PLoS Neglected Tropical Diseases, 2021, 15, e0009914.	3.0	2
269	An observational assessment of the safety of mass drug administration for trachoma in Ethiopian children. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2022, , .	1.8	2
270	The Impact of Image Quality and Trachomatous Inflammation on Using Photography for Trachoma Prevalence Surveys. Translational Vision Science and Technology, 2022, 11, 11.	2.2	2

#	Article	IF	CITATIONS
271	Risk of seroconversion and seroreversion of antibodies to Chlamydia trachomatis pgp3 in a longitudinal cohort of children in a low trachoma prevalence district in Tanzania. PLoS Neglected Tropical Diseases, 2022, 16, e0010629.	3.0	2
272	Author Response: Comments on Evaluation of Central and Peripheral Visual Field Concordance in Glaucoma. , 2016, 57, 5272.		1
273	Trachomatous scarring among children in a formerly hyper-endemic district of Tanzania. PLoS Neglected Tropical Diseases, 2017, 11, e0006085.	3.0	1
274	Epidemiology of trachoma. , 2012, , 455-486.		1
275	Environmental factors and hygiene behaviors associated with facial cleanliness and trachoma in Kongwa, Tanzania. PLoS Neglected Tropical Diseases, 2021, 15, e0009902.	3.0	1
276	Impact of Fear of Falling on Future Falls and Changes in Physical Activity in Older Adults With Glaucoma. Innovation in Aging, 2020, 4, 769-770.	0.1	1
277	Development of treatment guides and a drug formulary for nurse-practitioners. American Journal of Health-System Pharmacy, 1973, 30, 316-320.	1.0	0
278	Poverty and Human Development. JAMA Ophthalmology, 2007, 125, 1564.	2.4	0
279	New Methods in Epidemiology. Ophthalmic Epidemiology, 2011, 18, 53-53.	1.7	0
280	Saving Eyes, Millions at a Time. Ophthalmology, 2012, 119, 1723-1724.	5.2	0
281	Blindness and Visual Impairment: Global Perspective. Essentials in Ophthalmology, 2013, , 13-17.	0.1	0
282	Azithromycin use for trachoma control: lessons learned from Tanzania. Expert Review of Ophthalmology, 2013, 8, 245-253.	0.6	0
283	A close look at trachoma control and the challenges that district programs pose. Clinical Investigation, 2013, 3, 1101-1103.	0.0	0
284	Contrast Sensitivity Loss in Patients With Posttreatment Lyme Disease. Translational Vision Science and Technology, 2021, 10, 27.	2.2	0
285	Patient perceived barriers to surgical follow-up: Study of 6-month post-operative trichiasis surgery follow-up in Tanzania. PLoS ONE, 2021, 16, e0247994.	2.5	0
286	Risk Factors for Crash Events. JAMA Ophthalmology, 2021, 139, 645.	2.5	0
287	Causes of death after biannual azithromycin treatment: A community-level randomized clinical trial. PLoS ONE, 2021, 16, e0250197.	2.5	0
288	Vision and Driving Performance in Elderly. Essentials in Ophthalmology, 2013, , 193-206.	0.1	0

#	Article	IF	CITATIONS
289	Patterns of Daily Physical Activity Across the Spectrum of Visual Field Damage in Glaucoma Patients. Innovation in Aging, 2020, 4, 770-770.	0.1	0
290	Gait and Balance as Predictors or Mediators of Falls in Glaucoma. Innovation in Aging, 2020, 4, 770-771.	0.1	0
291	Comparing Longitudinal Changes in Physical Activity and Fear of Falling in Non-Fallers, Fallers, and Injurious Fallers. Innovation in Aging, 2020, 4, 770-770.	0.1	0
292	Evaluation of away-from-home excursion patterns after falling among individuals with glaucoma: a longitudinal study. BMC Geriatrics, 2022, 22, 101.	2.7	0