

Hye Soo Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7573278/publications.pdf>

Version: 2024-02-01

50
papers

1,387
citations

331259

21
h-index

360668

35
g-index

52
all docs

52
docs citations

52
times ranked

2547
citing authors

#	ARTICLE	IF	CITATIONS
1	Implications of fasting plasma glucose variability on the risk of incident peripheral artery disease in a population without diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, 15.	2.7	3
2	The Relationship Between Nocturia and Mortality: Data From the National Health and Nutrition Examination Survey. <i>International Neurourology Journal</i> , 2022, 26, 144-152.	0.5	16
3	Effect of Metabolic Health and Obesity Phenotype on the Risk of Pancreatic Cancer: A Nationwide Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 521-528.	1.1	16
4	The impact of urinary incontinence on falls: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0251711.	1.1	30
5	Association of nocturia and cardiovascular disease: Data from the National Health and Nutrition Examination Survey. <i>Neurourology and Urodynamics</i> , 2021, 40, 1569-1575.	0.8	9
6	Organokines in disease. <i>Advances in Clinical Chemistry</i> , 2020, 94, 261-321.	1.8	24
7	Interleukin-15 and irisin serum concentrations are not related to cardiometabolic risk factors in patients with type 2 diabetes from Korea and Germany. <i>Acta Diabetologica</i> , 2020, 57, 381-384.	1.2	2
8	Beneficial Effects of Time-Restricted Eating on Metabolic Diseases: A Systemic Review and Meta-Analysis. <i>Nutrients</i> , 2020, 12, 1267.	1.7	122
9	Impact of urinary incontinence on falls in the older population: 2017 national survey of older Koreans. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104158.	1.4	9
10	Reply to: Kidney Dysfunction and Risk of Parkinson's Disease: The Issue of Equations and Large Numberâ€™s Movement Disorders, 2020, 35, 520-520.	2.2	1
11	Z-score of the log-transformed A Body Shape Index predicts low muscle mass in population with abdominal obesity: The U.S. and Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020, 15, e0242557.	1.1	7
12	Association between Serum Selenium Level and the Presence of Diabetes Mellitus: A Meta-Analysis of Observational Studies. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 447.	1.8	38
13	Association between serum selenium level and the prevalence of diabetes mellitus in U.S. population. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 52, 83-88.	1.5	24
14	Variability in Total Cholesterol Concentration Is Associated With the Risk of Dementia: A Nationwide Population-Based Cohort Study. <i>Frontiers in Neurology</i> , 2019, 10, 441.	1.1	23
15	$\hat{3}$ -Glutamyltransferase Variability and the Risk of Mortality, Myocardial Infarction, and Stroke: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 832.	1.0	12
16	Utility of the Z-score of log-transformed A Body Shape Index (LBSIZ) in the assessment for sarcopenic obesity and cardiovascular disease risk in the United States. <i>Scientific Reports</i> , 2019, 9, 9292.	1.6	16
17	Total cholesterol variability and risk of atrial fibrillation: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2019, 14, e0215687.	1.1	13
18	Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. <i>Movement Disorders</i> , 2019, 34, 1184-1191.	2.2	33

#	ARTICLE	IF	CITATIONS
19	Proportion and Characteristics of the Subjects with Low Muscle Mass and Abdominal Obesity among the Newly Diagnosed and Drug-Na ⁺ ve Type 2 Diabetes Mellitus Patients. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 105.	1.8	16
20	The Association between Z-Score of Log-Transformed A Body Shape Index and Cardiovascular Disease in Korea. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 675.	1.8	4
21	The Association Between Obesity and the Nocturia in the U.S. Population. <i>International Neurourology Journal</i> , 2019, 23, 169-176.	0.5	24
22	Implication of liver enzymes on incident cardiovascular diseases and mortality: A nationwide population-based cohort study. <i>Scientific Reports</i> , 2018, 8, 3764.	1.6	59
23	The association of low muscle mass with soluble receptor for advanced glycation end products (<scp>sRAGE</scp>): The Korean Sarcopenic Obesity Study (<scp>KSOS</scp>). <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2974.	1.7	17
24	Effects of Low Muscle Mass on Albuminuria and Chronic Kidney Disease in Patients With Type 2 Diabetes: The Korean Sarcopenic Obesity Study (KSOS). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 386-392.	1.7	24
25	Implications of circulating Meteorin-like (Metrl) level in human subjects with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 136, 100-107.	1.1	51
26	Relationship of Circulating Fetuin-A Levels with Body Size and Metabolic Phenotypes. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-8.	0.6	12
27	Associations between Hashimoto Thyroiditis and Clinical Outcomes of Papillary Thyroid Cancer: A Meta-Analysis of Observational Studies. <i>Endocrinology and Metabolism</i> , 2018, 33, 473.	1.3	64
28	Impact of Visit-to-Visit Fasting Plasma Glucose Variability on the Development of Type 2 Diabetes: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2018, 41, 2610-2616.	4.3	41
29	Implication of Nonalcoholic Fatty Liver Disease, Metabolic Syndrome, and Subclinical Inflammation on Mild Renal Insufficiency. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-7.	0.6	2
30	Knockdown of Sestrin2 Increases Lipopolysaccharide-Induced Oxidative Stress, Apoptosis, and Fibrotic Reactions in H9c2 Cells and Heart Tissues of Mice via an AMPK-Dependent Mechanism. <i>Mediators of Inflammation</i> , 2018, 2018, 1-10.	1.4	34
31	Association of serum Sestrin2 level with metabolic risk factors in newly diagnosed drug-na ⁺ ve type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 34-41.	1.1	23
32	Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002640.	3.9	106
33	Adipokines and Myokines: A Pivotal Role in Metabolic and Cardiovascular Disorders. <i>Current Medicinal Chemistry</i> , 2018, 25, 2401-2415.	1.2	48
34	Analyzing the Factors Associated With Nocturia in Older People in the United States. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 184-188.	0.7	4
35	Knockdown of sestrin2 increases pro-inflammatory reactions and ER stress in the endothelium via an AMPK dependent mechanism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 1436-1444.	1.8	50
36	Comparisons of three different methods for defining sarcopenia: An aspect of cardiometabolic risk. <i>Scientific Reports</i> , 2017, 7, 6491.	1.6	50

#	ARTICLE	IF	CITATIONS
37	Association between vascular inflammation and non-alcoholic fatty liver disease: Analysis by 18F-fluorodeoxyglucose positron emission tomography. <i>Metabolism: Clinical and Experimental</i> , 2017, 67, 72-79.	1.5	31
38	Association of leukocyte cell-derived chemotaxin 2 (LECT2) with NAFLD, metabolic syndrome, and atherosclerosis. <i>PLoS ONE</i> , 2017, 12, e0174717.	1.1	55
39	Predictive Mortality Index for Community-Dwelling Elderly Koreans. <i>Medicine (United States)</i> , 2016, 95, e2696.	0.4	6
40	Circulating angiopoietin-like protein 8 (ANGPTL8) and ANGPTL3 concentrations in relation to anthropometric and metabolic profiles in Korean children: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2016, 15, 1.	2.7	104
41	The dipeptidyl peptidase-IV inhibitor inhibits the expression of vascular adhesion molecules and inflammatory cytokines in HUVECs via Akt- and AMPK-dependent mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2015, 405, 25-34.	1.6	40
42	Predictive factors of durability to sitagliptin: Slower reduction of glycated hemoglobin, older age and higher baseline glycated hemoglobin. <i>Journal of Diabetes Investigation</i> , 2014, 5, 51-59.	1.1	7
43	Smaller Mean LDL Particle Size and Higher Proportion of Small Dense LDL in Korean Type 2 Diabetic Patients. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 536.	1.8	16
44	Korean Type 2 Diabetes Patients have Multiple Adenomatous Polyps Compared to Non-diabetic Controls. <i>Journal of Korean Medical Science</i> , 2011, 26, 1196.	1.1	16
45	Efficacy of Sitagliptin When Added to Ongoing Therapy in Korean Subjects with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 411.	1.8	13
46	Three-day continuous glucose monitoring for rapid assessment of hypoglycemic events and glycemic variability in type 1 diabetic patients. <i>Endocrine Journal</i> , 2011, 58, 535-541.	0.7	12
47	Daily urine iodine excretion while consuming a low-iodine diet in preparation for radioactive iodine therapy in a high iodine intake area. <i>Clinical Endocrinology</i> , 2011, 75, 851-856.	1.2	20
48	Usefulness of iodine/creatinine ratio from spot urine samples to evaluate the effectiveness of low-iodine diet preparation for radioiodine therapy. <i>Clinical Endocrinology</i> , 2010, 73, 114-118.	1.2	32
49	Relationship Between Metabolic Syndrome and Risk of Chronic Complications in Koreans with Type 2 Diabetes. <i>Korean Diabetes Journal</i> , 2009, 33, 392.	0.8	7
50	Two Cases of Acromegaly with Empty Sella Syndrome Treated by Long-Acting Release Octreotide. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 135.	0.1	0