Vanessa Sperandio

List of Publications by Citations

Source: https://exaly.com/author-pdf/7573413/vanessa-sperandio-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

11,260 150 105 51 h-index g-index citations papers 162 6.78 13,062 9.2 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
150	Anti-virulence strategies to combat bacteria-mediated disease. <i>Nature Reviews Drug Discovery</i> , 2010 , 9, 117-28	64.1	854
149	Bacteria-host communication: the language of hormones. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 8951-6	11.5	663
148	Interactions between the microbiota and pathogenic bacteria in the gut. <i>Nature</i> , 2016 , 535, 85-93	50.4	627
147	The pangenome structure of Escherichia coli: comparative genomic analysis of E. coli commensal and pathogenic isolates. <i>Journal of Bacteriology</i> , 2008 , 190, 6881-93	3.5	607
146	Inter-kingdom signalling: communication between bacteria and their hosts. <i>Nature Reviews Microbiology</i> , 2008 , 6, 111-20	22.2	522
145	The QseC sensor kinase: a bacterial adrenergic receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 10420-10425	11.5	421
144	Quorum sensing Escherichia coli regulators B and C (QseBC): a novel two-component regulatory system involved in the regulation of flagella and motility by quorum sensing in E. coli. <i>Molecular Microbiology</i> , 2002 , 43, 809-21	4.1	391
143	Targeting QseC signaling and virulence for antibiotic development. <i>Science</i> , 2008 , 321, 1078-80	33.3	382
142	Quorum sensing is a global regulatory mechanism in enterohemorrhagic Escherichia coli O157:H7. Journal of Bacteriology, 2001 , 183, 5187-97	3.5	346
141	The Per regulon of enteropathogenic Escherichia coli: identification of a regulatory cascade and a novel transcriptional activator, the locus of enterocyte effacement (LEE)-encoded regulator (Ler). <i>Molecular Microbiology</i> , 1999 , 33, 296-306	4.1	330
140	Fucose sensing regulates bacterial intestinal colonization. <i>Nature</i> , 2012 , 492, 113-7	50.4	312
139	The locus of enterocyte effacement (LEE)-encoded regulator controls expression of both LEE- and non-LEE-encoded virulence factors in enteropathogenic and enterohemorrhagic Escherichia coli. <i>Infection and Immunity</i> , 2000 , 68, 6115-26	3.7	287
138	Quorum sensing: the many languages of bacteria. FEMS Microbiology Letters, 2006, 254, 1-11	2.9	279
137	Quorum sensing in Escherichia coli and Salmonella. <i>International Journal of Medical Microbiology</i> , 2006 , 296, 125-31	3.7	194
136	Enterohemorrhagic E. coli (EHEC) pathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 90	5.9	173
135	The gut commensal Bacteroides thetaiotaomicron exacerbates enteric infection through modification of the metabolic landscape. <i>Cell Host and Microbe</i> , 2014 , 16, 759-69	23.4	171
134	Jamming bacterial communication: new approaches for the treatment of infectious diseases. <i>EMBO Molecular Medicine</i> , 2009 , 1, 201-10	12	157

(2012-2002)

133	Quorum-sensing Escherichia coli regulator A: a regulator of the LysR family involved in the regulation of the locus of enterocyte effacement pathogenicity island in enterohemorrhagic E. coli. <i>Infection and Immunity</i> , 2002 , 70, 3085-93	3.7	151
132	The QseC adrenergic signaling cascade in Enterohemorrhagic E. coli (EHEC). <i>PLoS Pathogens</i> , 2009 , 5, e1000553	7.6	150
131	Inter-kingdom signaling: chemical language between bacteria and host. <i>Current Opinion in Microbiology</i> , 2009 , 12, 192-8	7.9	147
130	AI-3 synthesis is not dependent on luxS in Escherichia coli. <i>Journal of Bacteriology</i> , 2006 , 188, 5668-81	3.5	147
129	Bacterial cell-to-cell signaling in the gastrointestinal tract. <i>Infection and Immunity</i> , 2005 , 73, 3197-209	3.7	134
128	An alternative polyamine biosynthetic pathway is widespread in bacteria and essential for biofilm formation in Vibrio cholerae. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9899-907	5.4	128
127	Transcriptional regulation of flhDC by QseBC and sigma (FliA) in enterohaemorrhagic Escherichia coli. <i>Molecular Microbiology</i> , 2005 , 57, 1734-49	4.1	120
126	QseC mediates Salmonella enterica serovar typhimurium virulence in vitro and in vivo. <i>Infection and Immunity</i> , 2010 , 78, 914-26	3.7	119
125	Autoinducer 3 and epinephrine signaling in the kinetics of locus of enterocyte effacement gene expression in enterohemorrhagic Escherichia coli. <i>Infection and Immunity</i> , 2006 , 74, 5445-55	3.7	117
124	Activation of enteropathogenic Escherichia coli (EPEC) LEE2 and LEE3 operons by Ler. <i>Molecular Microbiology</i> , 2000 , 38, 781-93	4.1	115
123	The two-component system QseEF and the membrane protein QseG link adrenergic and stress sensing to bacterial pathogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5889-94	11.5	112
122	Ethanolamine controls expression of genes encoding components involved in interkingdom signaling and virulence in enterohemorrhagic Escherichia coli O157:H7. <i>MBio</i> , 2012 , 3,	7.8	112
121	A novel two-component signaling system that activates transcription of an enterohemorrhagic Escherichia coli effector involved in remodeling of host actin. <i>Journal of Bacteriology</i> , 2007 , 189, 2468-7	<i>∂</i> .5	112
120	Modulation of enteropathogenic Escherichia coli virulence by quorum sensing. <i>Infection and Immunity</i> , 2004 , 72, 2329-37	3.7	102
119	Cell-to-cell signalling during pathogenesis. <i>Cellular Microbiology</i> , 2009 , 11, 363-9	3.9	101
118	Chemical sensing in mammalian host-bacterial commensal associations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9831-6	11.5	100
117	Global effects of the cell-to-cell signaling molecules autoinducer-2, autoinducer-3, and epinephrine in a luxS mutant of enterohemorrhagic Escherichia coli. <i>Infection and Immunity</i> , 2007 , 75, 4875-84	3.7	96
116	Virulence meets metabolism: Cra and KdpE gene regulation in enterohemorrhagic Escherichia coli. <i>MBio</i> , 2012 , 3, e00280-12	7.8	94

115	Shiga toxin in enterohemorrhagic E.coli: regulation and novel anti-virulence strategies. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 81	5.9	90
114	QseC inhibitors as an antivirulence approach for Gram-negative pathogens. <i>MBio</i> , 2014 , 5, e02165	7.8	85
113	Characterization of the locus of enterocyte effacement (LEE) in different enteropathogenic Escherichia coli (EPEC) and Shiga-toxin producing Escherichia coli (STEC) serotypes. <i>FEMS Microbiology Letters</i> , 1998 , 164, 133-9	2.9	80
112	Global Effects of the Cell-to-Cell Signaling Molecules Autoinducer-2, Autoinducer-3, and Epinephrine in a luxS Mutant of Enterohemorrhagic Escherichia coli. <i>Infection and Immunity</i> , 2008 , 76, 1319-1319	3.7	78
111	The type VI secretion system plays a role in type 1 fimbria expression and pathogenesis of an avian pathogenic Escherichia coli strain. <i>Infection and Immunity</i> , 2010 , 78, 4990-8	3.7	75
110	Quorum sensing by enteric pathogens. <i>Current Opinion in Gastroenterology</i> , 2007 , 23, 10-5	3	69
109	What a Dinner Party! Mechanisms and Functions of Interkingdom Signaling in Host-Pathogen Associations. <i>MBio</i> , 2016 , 7, e01748	7.8	68
108	Hfq virulence regulation in enterohemorrhagic Escherichia coli O157:H7 strain 86-24. <i>Journal of Bacteriology</i> , 2011 , 193, 6843-51	3.5	65
107	Transcriptional autoregulation by quorum sensing Escherichia coli regulators B and C (QseBC) in enterohaemorrhagic E. coli (EHEC). <i>Molecular Microbiology</i> , 2005 , 58, 441-55	4.1	65
106	Indole Signaling at the Host-Microbiota-Pathogen Interface. <i>MBio</i> , 2019 , 10,	7.8	62
105	Bundle-forming pili and EspA are involved in biofilm formation by enteropathogenic Escherichia coli. <i>Journal of Bacteriology</i> , 2006 , 188, 3952-61	3.5	61
104	Bacterial Adrenergic Sensors Regulate Virulence of Enteric Pathogens in the Gut. <i>MBio</i> , 2016 , 7,	7.8	60
103	Characterization of IcmF of the type VI secretion system in an avian pathogenic Escherichia coli (APEC) strain. <i>Microbiology (United Kingdom)</i> , 2011 , 157, 2954-2962	2.9	58
102	Frenemies: Signaling and Nutritional Integration in Pathogen-Microbiota-Host Interactions. <i>Cell Host and Microbe</i> , 2015 , 18, 275-84	23.4	57
101	Structural and mechanistic roles of novel chemical ligands on the SdiA quorum-sensing transcription regulator. <i>MBio</i> , 2015 , 6,	7.8	56
100	QseA directly activates transcription of LEE1 in enterohemorrhagic Escherichia coli. <i>Infection and Immunity</i> , 2007 , 75, 2432-40	3.7	53
99	QseA and GrlR/GrlA regulation of the locus of enterocyte effacement genes in enterohemorrhagic Escherichia coli. <i>Journal of Bacteriology</i> , 2007 , 189, 5387-92	3.5	51
98	Bacterial Chat: Intestinal Metabolites and Signals in Host-Microbiota-Pathogen Interactions. Infection and Immunity, 2017, 85,	3.7	50

(2008-2012)

97	Enterohemorrhagic Escherichia coli virulence regulation by two bacterial adrenergic kinases, QseC and QseE. <i>Infection and Immunity</i> , 2012 , 80, 688-703	3.7	49
96	Recurrent urinary tract infections in healthy and nonpregnant women. <i>Urological Science</i> , 2014 , 25, 1-8	0.3	45
95	Global analysis of posttranscriptional regulation by GlmY and GlmZ in enterohemorrhagic Escherichia coli O157:H7. <i>Infection and Immunity</i> , 2015 , 83, 1286-95	3.7	44
94	Events at the host-microbial interface of the gastrointestinal tract III. Cell-to-cell signaling among microbial flora, host, and pathogens: there is a whole lot of talking going on. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, G1105-9	5.1	44
93	Posttranscriptional control of microbe-induced rearrangement of host cell actin. <i>MBio</i> , 2014 , 5, e01025	- 1/3 8	43
92	Characterization of Autoinducer-3 Structure and Biosynthesis in. <i>ACS Central Science</i> , 2020 , 6, 197-206	16.8	42
91	Virulence and stress-related periplasmic protein (VisP) in bacterial/host associations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1470-5	11.5	42
90	Interplay between the QseC and QseE bacterial adrenergic sensor kinases in Salmonella enterica serovar Typhimurium pathogenesis. <i>Infection and Immunity</i> , 2012 , 80, 4344-53	3.7	42
89	SdiA sensing of acyl-homoserine lactones by enterohemorrhagic E. coli (EHEC) serotype O157:H7 in the bovine rumen. <i>Gut Microbes</i> , 2010 , 1, 432-5	8.8	38
88	The Serotonin Neurotransmitter Modulates Virulence of Enteric Pathogens. <i>Cell Host and Microbe</i> , 2020 , 28, 41-53.e8	23.4	33
87	Catabolite and Oxygen Regulation of Enterohemorrhagic Escherichia coli Virulence. MBio, 2016, 7,	7.8	33
86	Novel approaches to bacterial infection therapy by interfering with bacteria-to-bacteria signaling. <i>Expert Review of Anti-Infective Therapy</i> , 2007 , 5, 271-6	5.5	32
85	The interacting Cra and KdpE regulators are involved in the expression of multiple virulence factors in enterohemorrhagic Escherichia coli. <i>Journal of Bacteriology</i> , 2013 , 195, 2499-508	3.5	31
84	The LysR-type regulator QseA regulates both characterized and putative virulence genes in enterohaemorrhagic Escherichia coli O157:H7. <i>Molecular Microbiology</i> , 2010 , 76, 1306-21	4.1	30
83	Lack of expression of bundle-forming pili in some clinical isolates of enteropathogenic Escherichia coli (EPEC) is due to a conserved large deletion in the bfp operon. <i>FEMS Microbiology Letters</i> , 1999 , 179, 169-74	2.9	28
82	The Epinephrine/Norepinephrine/Autoinducer-3 Interkingdom Signaling System in Escherichia coli O157:H7. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 874, 247-61	3.6	26
81	The LysR-type transcriptional regulator QseD alters type three secretion in enterohemorrhagic Escherichia coli and motility in K-12 Escherichia coli. <i>Journal of Bacteriology</i> , 2010 , 192, 3699-712	3.5	26
8o	CadA negatively regulates Escherichia coli O157:H7 adherence and intestinal colonization. <i>Infection and Immunity</i> , 2008 , 76, 5072-81	3.7	26

79	Cell-to-Cell Signaling in Escherichia coli and Salmonella. <i>EcoSal Plus</i> , 2014 , 6,	7.7	24
78	Enteric Pathogens Exploit the Microbiota-generated Nutritional Environment of the Gut. <i>Microbiology Spectrum</i> , 2015 , 3,	8.9	24
77	A transcriptome study of the QseEF two-component system and the QseG membrane protein in enterohaemorrhagic Escherichia coli O157: H7. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 1167-1175	2.9	24
76	Bacteriophage Transcription Factor Cro Regulates Virulence Gene Expression in Enterohemorrhagic Escherichia coli. <i>Cell Host and Microbe</i> , 2018 , 23, 607-617.e6	23.4	22
75	Enterohemorrhagic Escherichia coli outwits hosts through sensing small molecules. <i>Current Opinion in Microbiology</i> , 2018 , 41, 83-88	7.9	21
74	Redox, amino acid, and fatty acid metabolism intersect with bacterial virulence in the gut. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E10712-E10	7 1 3·5	20
73	Cell-to-cell signaling in intestinal pathogens. Current Issues in Intestinal Microbiology, 2004 , 5, 9-17		20
72	Diet-derived galacturonic acid regulates virulence and intestinal colonization in enterohaemorrhagic Escherichia coli and Citrobacter rodentium. <i>Nature Microbiology</i> , 2020 , 5, 368-378	26.6	18
71	SdiA aids enterohemorrhagic Escherichia coli carriage by cattle fed a forage or grain diet. <i>Infection and Immunity</i> , 2013 , 81, 3472-8	3.7	17
70	Molecular and ultrastructural characterisation of EspA from different enteropathogenic Escherichia coli serotypes. <i>FEMS Microbiology Letters</i> , 1998 , 169, 73-80	2.9	17
69	Escherichia albertii, a novel human enteropathogen, colonizes rat enterocytes and translocates to extra-intestinal sites. <i>PLoS ONE</i> , 2017 , 12, e0171385	3.7	16
68	Atypical enteropathogenic Escherichia coli that contains functional locus of enterocyte effacement genes can be attaching-and-effacing negative in cultured epithelial cells. <i>Infection and Immunity</i> , 2011 , 79, 1833-41	3.7	16
67	Genetic and Mechanistic Analyses of the Periplasmic Domain of the Enterohemorrhagic Escherichia coli QseC Histidine Sensor Kinase. <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	15
66	Influence of the major nitrite transporter NirC on the virulence of a Swollen Head Syndrome avian pathogenic E. coli (APEC) strain. <i>Veterinary Microbiology</i> , 2015 , 175, 123-31	3.3	15
65	The Interplay between the Microbiota and Enterohemorrhagic Escherichia coli. <i>Microbiology Spectrum</i> , 2014 , 2,	8.9	15
64	Nutrient and chemical sensing by intestinal pathogens. <i>Microbes and Infection</i> , 2013 , 15, 759-64	9.3	15
63	Outbreak caused by cad-negative Shiga toxin-producing Escherichia coli O111, Oklahoma. <i>Foodborne Pathogens and Disease</i> , 2010 , 7, 107-9	3.8	14
62	Microbiota and Pathogen Proteases Modulate Type III Secretion Activity in Enterohemorrhagic Escherichia coli. <i>MBio</i> , 2018 , 9,	7.8	14

61	Development of novel plasmid vectors and a promoter trap system in Francisella tularensis compatible with the pFLN10 based plasmids. <i>Plasmid</i> , 2007 , 58, 159-66	3.3	13
60	Endocannabinoids Inhibit the Induction of Virulence in Enteric Pathogens. <i>Cell</i> , 2020 , 183, 650-665.e15	56.2	12
59	Bacterial signaling as an antimicrobial target. Current Opinion in Microbiology, 2020, 57, 78-86	7.9	12
58	The Locus of Enterocyte Effacement (LEE)-Encoded Regulator Controls Expression of Both LEE-and Non-LEE-Encoded Virulence Factors in Enteropathogenic and EnterohemorrhagicEscherichia coli. <i>Infection and Immunity</i> , 2000 , 68, 6115-6126	3.7	11
57	Pathogens' adaptation to the human host. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 9342-9343	11.5	11
56	l-Arginine sensing regulates virulence gene expression and disease progression in enteric pathogens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 12387-12393	11.5	10
55	Striking a balance: inter-kingdom cell-to-cell signaling, friendship or war?. <i>Trends in Immunology</i> , 2004 , 25, 505-7	14.4	10
54	Taming the Beast: Interplay between Gut Small Molecules and Enteric Pathogens. <i>Infection and Immunity</i> , 2019 , 87,	3.7	9
53	Adrenergic regulation of bacterial virulence. <i>Journal of Infectious Diseases</i> , 2007 , 195, 1248-9	7	9
52	EspFu-Mediated Actin Assembly Enhances Enteropathogenic Adherence and Activates Host Cell Inflammatory Signaling Pathways. <i>MBio</i> , 2020 , 11,	7.8	8
51	Microbiology. Virulence or competition?. <i>Science</i> , 2012 , 336, 1238-9	33.3	8
50	The efficacy of immediate versus delayed antibiotic administration on bacterial growth and biofilm production of selected strains of uropathogenic Escherichia coli and Pseudomonas aeruginosa. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2015, 41, 67-77	2	7
49	The acyl-homoserine lactone synthase YenI from Yersinia enterocolitica modulates virulence gene expression in enterohemorrhagic Escherichia coli O157:H7. <i>Infection and Immunity</i> , 2013 , 81, 4192-9	3.7	7
48	SdiA bridges chemical signaling between Salmonella enterica serovar Typhimurium and Yersinia enterocolitica in mice. <i>Journal of Bacteriology</i> , 2010 , 192, 21-2	3.5	7
47	Colonization of gnotobiotic piglets by a luxS mutant strain of Escherichia coli O157:H7. <i>Infection and Immunity</i> , 2005 , 73, 1214-6	3.7	7
46	The QseG Lipoprotein Impacts the Virulence of Enterohemorrhagic Escherichia coli and Citrobacter rodentium and Regulates Flagellar Phase Variation in Salmonella enterica Serovar Typhimurium. <i>Infection and Immunity</i> , 2018 , 86,	3.7	6
45	The Canonical Long-Chain Fatty Acid Sensing Machinery Processes Arachidonic Acid To Inhibit Virulence in Enterohemorrhagic Escherichia coli. <i>MBio</i> , 2021 , 12,	7.8	6
44	Complete Genome Sequence of Escherichia albertii Strain 1551-2, a Potential Extracellular and Intracellular Pathogen. <i>Genome Announcements</i> , 2018 , 6,		5

43	Comparison between enterotoxigenic Escherichia coli strains expressing "F42," F41 and K99 colonization factors. <i>Microbiology and Immunology</i> , 1993 , 37, 869-75	2.7	5
42	In vivo influence of in vitro up-regulated genes in the virulence of an APEC strain associated with swollen head syndrome. <i>Avian Pathology</i> , 2016 , 45, 94-105	2.4	5
41	The Epinephrine/Norepinephrine/Autoinducer-3 Interkingdom Signaling System in Escherichia coli O157:H7 2010 , 213-227		5
40	Quorum Sensing and the Gut Microbiome 2019 , 151-169		4
39	Restrictive Streptomycin Resistance Mutations Decrease the Formation of Attaching and Effacing Lesions in Escherichia coli O157:H7 Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 4260-426	6 ^{5.9}	4
38	How the bacterial flora and the epithelial cell get along. <i>Trends in Microbiology</i> , 2000 , 8, 544	12.4	4
37	Characterization of the locus of enterocyte effacement (LEE) in different enteropathogenic Escherichia coli (EPEC) and Shiga-toxin producing Escherichia coli (STEC) serotypes		4
36	Take Your Pick: Vitamins and Microbiota Facilitate Pathogen Clearance. <i>Cell Host and Microbe</i> , 2017 , 21, 130-131	23.4	3
35	Novel approaches to bacterial infection therapy by interfering with cell-to-cell signaling. <i>Current Protocols in Microbiology</i> , 2009 , Chapter 17, Unit17.3	7.1	3
34	Enteric Pathogens Exploit the Microbiota-generated Nutritional Environment of the Gut279-296		3
33	Animal Reservoirs of Shiga Toxin-Producing Escherichia coli211-230		2
32	Public Health Microbiology of Shiga Toxin-Producing Escherichia coli245-259		2
31	Escherichia coli O104:H4 Pathogenesis: An Enteroaggregative E. coli/Shiga Toxin-Producing E. coli Explosive Cocktail of High Virulence503-529		2
30	The Locus of Enterocyte Effacement and Associated Virulence Factors of Enterohemorrhagic Escherichia coli97-130		2
29	Enterococcus faecalis Enhances Expression and Activity of the Enterohemorrhagic Escherichia coli Type III Secretion System. <i>MBio</i> , 2019 , 10,	7.8	2
28	Bacterial Reductionism: Host Thiols Enhance Virulence. <i>Cell Host and Microbe</i> , 2015 , 18, 7-8	23.4	1
27	Overview and Historical Perspectives1-13		1
26	Shiga Toxin (Stx) Classification, Structure, and Function37-53		1

25	Genomic Properties and Temporal Analysis of the Interaction of an Invasive With Epithelial Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 571088	5.9	1
24	Shiga Toxin-Producing Escherichia coli in Fresh Produce: A Food Safety Dilemma231-244		1
23	Enterohemorrhagic Escherichia coli Pathogenesis and the Host Response381-402		1
22	Enterohemorrhagic Escherichia coli Virulence Gene Regulation175-195		1
21	New Therapeutic Developments against Shiga Toxin-Producing Escherichia coli341-358		1
20	The Inflammatory Response during EnterohemorrhagicEscherichia coliInfection321-339		1
19	Detection of Shiga Toxin-Producing Escherichia coli from Nonhuman Sources and Strain Typing261-295		О
18	Taxonomy Meets Public Health: The Case of Shiga Toxin-Producing Escherichia coli15-36		О
17	Interference with Bacterial Cell-to-Cell Chemical Signaling in Development of New Anti-Infectives 2013 , 241-261		
16	Flagella: multipurpose structures in EPEC. <i>Trends in Microbiology</i> , 2002 , 10, 262	12.4	
16 15	Flagella: multipurpose structures in EPEC. <i>Trends in Microbiology</i> , 2002 , 10, 262 Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481	12.4	
15	Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481		
15 14	Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481 Clinical Studies of Escherichia coli O157:H7 Conjugate Vaccines in Adults and Young Children477-485		
15 14 13	Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481 Clinical Studies of Escherichia coli O157:H7 Conjugate Vaccines in Adults and Young Children477-485 Vaccination of Cattle against Escherichia coli O157:H7487-501		
15 14 13	Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481 Clinical Studies of Escherichia coli O157:H7 Conjugate Vaccines in Adults and Young Children477-485 Vaccination of Cattle against Escherichia coli O157:H7487-501 Risk Factors for Shiga Toxin-Producing Escherichia coli-Associated Human Diseases359-380		
15 14 13 12	Illuminating quorum sensing. <i>Trends in Microbiology</i> , 1999 , 7, 481 Clinical Studies of Escherichia coli O157:H7 Conjugate Vaccines in Adults and Young Children477-485 Vaccination of Cattle against Escherichia coli O157:H7487-501 Risk Factors for Shiga Toxin-Producing Escherichia coli-Associated Human Diseases359-380 Role of Shiga/Vero Toxins in Pathogenesis73-95		

- Veterinary Public Health Approach to Managing Pathogenic Verocytotoxigenic Escherichia coli in the Agri-Food Chain457-476
- 6 Enterohemorrhagic Escherichia coli Genomics: Past, Present, and Future55-71
- 5 Peri- and Postharvest Factors in the Control of Shiga Toxin-Producing Escherichia coli in Beef437-456
- 4 PreharvestIFood Safety for Escherichia coli O157 and Other Pathogenic Shiga Toxin-Producing Strains419-436
- 3 Shiga Toxin (Verotoxin)-ProducingEscherichia coliin Japan197-209
- 2 Regulation in Response to Host-Derived Signaling Molecules 545-565
- IgG Binds Serine Protease EspP and Protects Mice From O157:H7 Infection.. *Frontiers in Immunology* , **2022**, 13, 807959

8.4