
Joshua R Atkins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7574035/publications.pdf Version: 2024-02-01



LOSHUA P ATKING

#	Article	IF	CITATIONS
1	Cell type-specific manifestations of cortical thickness heterogeneity in schizophrenia. Molecular Psychiatry, 2022, 27, 2052-2060.	7.9	29
2	Genetic estimates of correlation and causality between blood-based biomarkers and psychiatric disorders. Science Advances, 2022, 8, eabj8969.	10.3	37
3	Genetic Analysis of Lung Cancer and the Germline Impact on Somatic Mutation Burden. Journal of the National Cancer Institute, 2022, 114, 1159-1166.	6.3	8
4	The MIR137 VNTR rs58335419 Is Associated With Cognitive Impairment in Schizophrenia and Altered Cortical Morphology. Schizophrenia Bulletin, 2021, 47, 495-504.	4.3	9
5	Polygenic disruption of retinoid signalling in schizophrenia and a severe cognitive deficit subtype. Molecular Psychiatry, 2020, 25, 719-731.	7.9	33
6	Wnt receptor gene FZD1 was associated with schizophrenia in genome-wide SNP analysis of the Australian Schizophrenia Research Bank cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 902-908.	2.3	9
7	The genetic architecture of the human cerebral cortex. Science, 2020, 367, .	12.6	450
8	The Medical Genome Reference Bank contains whole genome and phenotype data of 2570 healthy elderly. Nature Communications, 2020, 11, 435.	12.8	47
9	Pharmacological enrichment of polygenic risk for precision medicine in complex disorders. Scientific Reports, 2020, 10, 879.	3.3	33
10	The maternal immune activation model uncovers a role for the Arx gene in GABAergic dysfunction in schizophrenia. Brain, Behavior, and Immunity, 2019, 81, 161-171.	4.1	26
11	Alteration of miRNA-mRNA interactions in lymphocytes of individuals with schizophrenia. Journal of Psychiatric Research, 2019, 112, 89-98.	3.1	15
12	Circular RNA biogenesis is decreased in postmortem cortical gray matter in schizophrenia and may alter the bioavailability of associated miRNA. Neuropsychopharmacology, 2019, 44, 1043-1054.	5.4	55
13	Differential effect of disease-associated ST8SIA2 haplotype on cerebral white matter diffusion properties in schizophrenia and healthy controls. Translational Psychiatry, 2018, 8, 21.	4.8	9
14	Common variation in ZNF804A (rs1344706) is not associated with brain morphometry in schizophrenia or healthy participants. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 82, 12-20.	4.8	4
15	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. Nature Genetics, 2017, 49, 27-35.	21.4	838
16	miRNA Enriched in Human Neuroblast Nuclei Bind the MAZ Transcription Factor and Their Precursors Contain the MAZ Consensus Motif. Frontiers in Molecular Neuroscience, 2017, 10, 259.	2.9	4
17	Inhibition of extracellular matrix mediated TGF-β signalling suppresses endometrial cancer metastasis. Oncotarget, 2017, 8, 71400-71417.	1.8	21
18	Advantages of Array-Based Technologies for Pre-Emptive Pharmacogenomics Testing. Microarrays (Basel, Switzerland), 2016, 5, 12.	1.4	9

#	Article	IF	CITATIONS
19	Germ cell-specific sustained activation of Wnt signalling perturbs spermatogenesis in aged mice, possibly through non-coding RNAs. Oncotarget, 2016, 7, 85709-85727.	1.8	8