

Krithika Lingappan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7574087/publications.pdf>

Version: 2024-02-01

48
papers

1,493
citations

331670

21
h-index

330143

37
g-index

49
all docs

49
docs citations

49
times ranked

2047
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Coronavirus Disease-2019 on the Workload of Neonatologists. <i>Journal of Pediatrics</i> , 2022, 242, 145-151.e1.	1.8	6
2	Vision 2020: How Caregiving and Work Productivity Outlook Shifted for Academic Pediatric Faculty. <i>Journal of Women's Health</i> , 2022, 31, 631-639.	3.3	4
3	The role of cytochrome P450 (CYP) enzymes in hyperoxic lung injury. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2021, 17, 171-178.	3.3	13
4	Neonatal Lung Disease: Mechanisms Driving Sex Differences. <i>Physiology in Health and Disease</i> , 2021, , 115-144.	0.3	4
5	Does the Epigenome Hold Clues to Leptin-Associated Hypertension in Obesity?. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2021, 65, 132-133.	2.9	2
6	Effect of sex chromosomes versus hormones in neonatal lung injury. <i>JCI Insight</i> , 2021, 6, .	5.0	18
7	National professional society augments career development and leadership amongst neonatal fellows and early career neonatologists. <i>Journal of Perinatology</i> , 2021, , .	2.0	0
8	Role of Human NADPH Quinone Oxidoreductase (NQO1) in Oxygen-Mediated Cellular Injury and Oxidative DNA Damage in Human Pulmonary Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-13.	4.0	5
9	Epigenetic response to hyperoxia in the neonatal lung is sexually dimorphic. <i>Redox Biology</i> , 2020, 37, 101718.	9.0	22
10	Molecular role of cytochrome P4501A enzymes in oxidative stress. <i>Current Opinion in Toxicology</i> , 2020, 20-21, 77-84.	5.0	30
11	Oxygen-mediated lung injury in mice lacking the gene for NRF2: Rescue with the cytochrome P4501A-inducer, beta-naphthoflavone (BNF), and differential sex-specific effects. <i>Free Radical Biology and Medicine</i> , 2020, 160, 208-218.	2.9	6
12	Role of Growth Differentiation Factor 15 in Lung Disease and Senescence: Potential Role Across the Lifespan. <i>Frontiers in Medicine</i> , 2020, 7, 594137.	2.6	26
13	The Wnt Signaling Pathway and the Development of Bronchopulmonary Dysplasia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 1174-1176.	5.6	9
14	Impact of Early Life Antibiotic Exposure and Neonatal Hyperoxia on the Murine Microbiome and Lung Injury. <i>Scientific Reports</i> , 2019, 9, 14992.	3.3	13
15	Association between elevated placental polycyclic aromatic hydrocarbons (PAHs) and PAH-DNA adducts from Superfund sites in Harris County, and increased risk of preterm birth (PTB). <i>Biochemical and Biophysical Research Communications</i> , 2019, 516, 344-349.	2.1	35
16	Role of HIF-1 α -miR30a-Snai1 Axis in Neonatal Hyperoxic Lung Injury. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-9.	4.0	10
17	MicroRNA-30a as a candidate underlying sex-specific differences in neonatal hyperoxic lung injury: implications for BPD. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2019, 316, L144-L156.	2.9	32
18	HIF-1 α Mediates Sex-specific miR-30a Expression in Neonatal Hyperoxic Lung Injury: Implications for Bronchopulmonary Dysplasia. <i>FASEB Journal</i> , 2019, 33, 735.6.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Noninvasive ventilation strategies: which to choose?. <i>Journal of Perinatology</i> , 2018, 38, 447-450.	2.0	3
20	Î ² -Naphthoflavone treatment attenuates neonatal hyperoxic lung injury in wild type and Cyp1a2-knockout mice. <i>Toxicology and Applied Pharmacology</i> , 2018, 339, 133-142.	2.8	11
21	Hyperoxia-mediated transcriptional activation of cytochrome P4501A1 (CYP1A1) and decreased susceptibility to oxygen-mediated lung injury in newborn mice. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 408-413.	2.1	5
22	NF-Î ^B in oxidative stress. <i>Current Opinion in Toxicology</i> , 2018, 7, 81-86.	5.0	525
23	Sex-specific differences in primary neonatal murine lung fibroblasts exposed to hyperoxia in vitro: implications for bronchopulmonary dysplasia. <i>Physiological Genomics</i> , 2018, 50, 940-946.	2.3	13
24	Mice Lacking the Cytochrome P450 1B1 Gene Are Less Susceptible to Hyperoxic Lung Injury Than Wild Type. <i>Toxicological Sciences</i> , 2018, 165, 462-474.	3.1	17
25	Pulmonary endothelial cells exhibit sexual dimorphism in their response to hyperoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1287-H1292.	3.2	34
26	Videolaryngoscopy versus direct laryngoscopy for tracheal intubation in neonates. <i>The Cochrane Library</i> , 2018, 6, CD009975.	2.8	44
27	Role of Cytochrome P450 (CYP)1A in Hyperoxic Lung Injury: Analysis of the Transcriptome and Proteome. <i>Scientific Reports</i> , 2017, 7, 642.	3.3	22
28	Newborn Mice Lacking the Gene for Cyp1a1 Are More Susceptible to Oxygen-Mediated Lung Injury, and Are Rescued by Postnatal Î ² -Naphthoflavone Administration: Implications for Bronchopulmonary Dysplasia in Premature Infants. <i>Toxicological Sciences</i> , 2017, 157, 260-271.	3.1	23
29	Differential sex-specific effects of oxygen toxicity in human umbilical vein endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 431-437.	2.1	30
30	Sexual dimorphism of the pulmonary transcriptome in neonatal hyperoxic lung injury: identification of angiogenesis as a key pathway. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L991-L1005.	2.9	37
31	Sex-specific differences in the modulation of Growth Differentiation Factor 15 (GDF15) by hyperoxia in vivo and in vitro : Role of Hif-1Î±. <i>Toxicology and Applied Pharmacology</i> , 2017, 332, 8-14.	2.8	24
32	One-Month-Old Infant With Hypotonia and Cardiorespiratory Arrest. <i>Clinical Pediatrics</i> , 2017, 56, 397-398.	0.8	1
33	Focused Evidence-Based Medicine Curriculum for Trainees in Neonatal-Perinatal Medicine. <i>MedEdPORTAL: the Journal of Teaching and Learning Resources</i> , 2017, 13, 10664.	1.2	6
34	Sex-specific differences in neonatal hyperoxic lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 311, L481-L493.	2.9	84
35	Mechanistic role of cytochrome P450 (CYP)1B1 in oxygen-mediated toxicity in pulmonary cells: A novel target for prevention of hyperoxic lung injury. <i>Biochemical and Biophysical Research Communications</i> , 2016, 476, 346-351.	2.1	13
36	Relationship between PCO ₂ and unfavorable outcome in infants with moderate-to-severe hypoxic ischemic encephalopathy. <i>Pediatric Research</i> , 2016, 80, 204-208.	2.3	38

#	ARTICLE	IF	CITATIONS
37	Videolaryngoscopy versus direct laryngoscopy for tracheal intubation in neonates. The Cochrane Library, 2015, , CD009975.	2.8	15
38	Can maternal DHA supplementation offer long-term protection against neonatal hyperoxic lung injury?. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2015, 309, L1383-L1386.	2.9	2
39	Disruption of cytochrome P4501A2 in mice leads to increased susceptibility to hyperoxic lung injury. Free Radical Biology and Medicine, 2015, 82, 147-159.	2.9	28
40	Role of GDF15 (growth and differentiation factor 15) in pulmonary oxygen toxicity. Toxicology in Vitro, 2015, 29, 1369-1376.	2.4	30
41	Sex-specific differences in hyperoxic lung injury in mice: Role of cytochrome P450 (CYP)1A. Toxicology, 2015, 331, 14-23.	4.2	27
42	Analysis of the Transcriptome in Hyperoxic Lung Injury and Sex-Specific Alterations in Gene Expression. PLoS ONE, 2014, 9, e101581.	2.5	26
43	Mice Deficient in the Gene for Cytochrome P450 (CYP)1A1 Are More Susceptible Than Wild-Type to Hyperoxic Lung Injury: Evidence for Protective Role of CYP1A1 Against Oxidative Stress. Toxicological Sciences, 2014, 141, 68-77.	3.1	43
44	Increased susceptibility to hyperoxic lung injury and alveolar simplification in newborn rats by prenatal administration of benzo[a]pyrene. Toxicology Letters, 2014, 230, 322-332.	0.8	21
45	Differential concentration-specific effects of caffeine on cell viability, oxidative stress, and cell cycle in pulmonary oxygen toxicity in vitro. Biochemical and Biophysical Research Communications, 2014, 450, 1345-1350.	2.1	48
46	Lactoferrin and the newborn: current perspectives. Expert Review of Anti-Infective Therapy, 2013, 11, 695-707.	4.4	15
47	Sex-specific differences in hyperoxic lung injury in mice: Implications for acute and chronic lung disease in humans. Toxicology and Applied Pharmacology, 2013, 272, 281-290.	2.8	41
48	COMBINATION BACTERICIDAL ANTIBIOTIC TESTING TO MULTIRESTANT STRAINS OF <i>PSEUDOMONAS AERUGINOSA</i> , <i>CEPACIA</i> , AND <i>STENOTROPHOMONAS MALTOPHILIA</i> ISOLATED FROM PATIENTS WITH CYSTIC FIBROSIS (CF). Chest, 2006, 130, 1547-53.	0.8	31