Paul Dendale

List of Publications by Citations

Source: https://exaly.com/author-pdf/7574197/paul-dendale-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers9,914
citations28
h-index99
g-index120
ext. papers16,992
ext. citations4.3
avg, IF5.37
L-index

#	Paper	IF	Citations
102	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
101	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
100	2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Heart Journal</i> , 2021 , 42, 3599-3726	9.5	875
99	Secondary prevention through cardiac rehabilitation: from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and		502
98	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery: a policy statement from the cardiac rehabilitation section of the European Association for Cardiovascular Prevention &	3.9	365
97	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , 2021 , 42, 3227-3337	9.5	358
96	Cardiac rehabilitation in Europe: results from the European Cardiac Rehabilitation Inventory Survey. European Journal of Cardiovascular Prevention and Rehabilitation, 2010 , 17, 410-8		303
95	Secondary prevention through comprehensive cardiovascular rehabilitation: From knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. European Journal of Preventive	3.9	131
94	Effect of a telemonitoring-facilitated collaboration between general practitioner and heart failure clinic on mortality and rehospitalization rates in severe heart failure: the TEMA-HF 1 (TElemonitoring in the MAnagement of Heart Failure) study. European Journal of Heart Failure,	12.3	129
93	A review of telerehabilitation for cardiac patients. <i>Journal of Telemedicine and Telecare</i> , 2015 , 21, 45-53	6.8	107
92	Medium-Term Effectiveness of a Comprehensive Internet-Based and Patient-Specific Telerehabilitation Program With Text Messaging Support for Cardiac Patients: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e185	7.6	88
91	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1994-2006	3.9	88
90	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology.	3.9	84
89	ESC e-Cardiology Working Group Position Paper: Overcoming challenges in digital health implementation in cardiovascular medicine. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1166-1	<i>379</i>	81
88	Neuromuscular electrical stimulation prevents muscle wasting in critically ill comatose patients. <i>Clinical Science</i> , 2015 , 128, 357-65	6.5	81
87	Performance of handheld electrocardiogram devices to detect atrial fibrillation in a cardiology and geriatric ward setting. <i>Europace</i> , 2017 , 19, 29-39	3.9	77
86	The impact of training modalities on the clinical benefits of exercise intervention in patients with cardiovascular disease risk or type 2 diabetes mellitus. <i>Sports Medicine</i> , 2010 , 40, 921-40	10.6	77

85	Participating or not in a cardiac rehabilitation programme: factors influencing a patient's decision. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 341-8	3.9	70	
84	Effect of comprehensive cardiac telerehabilitation on one-year cardiovascular rehospitalization rate, medical costs and quality of life: A cost-effectiveness analysis. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 674-82	3.9	67	
83	Cardiac telerehabilitation: A novel cost-efficient care delivery strategy that can induce long-term health benefits. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1708-1717	3.9	60	
82	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58	
81	The future is now: a call for action for cardiac telerehabilitation in the COVID-19 pandemic from the secondary prevention and rehabilitation section of the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 524-540	3.9	56	
80	Increasing the medium-term clinical benefits of hospital-based cardiac rehabilitation by physical activity telemonitoring in coronary artery disease patients. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 150-8	3.9	50	
79	Long-term effect of rehabilitation in coronary artery disease patients: randomized clinical trial of the impact of exercise volume. <i>Clinical Rehabilitation</i> , 2010 , 24, 319-27	3.3	49	
78	Knowledge gaps in patients with atrial fibrillation revealed by a new validated knowledge questionnaire. <i>International Journal of Cardiology</i> , 2016 , 223, 906-914	3.2	44	
77	Telemonitoring-based feedback improves adherence to non-vitamin K antagonist oral anticoagulants intake in patients with atrial fibrillation. <i>European Heart Journal</i> , 2018 , 39, 1394-1403	9.5	35	
76	Reduction of cardiovascular event rate: different effects of cardiac rehabilitation in CABG and PCI patients. <i>Acta Cardiologica</i> , 2009 , 64, 639-44	0.9	35	
75	The why, when and how to test for obstructive sleep apnea in patients with atrial fibrillation. <i>Clinical Research in Cardiology</i> , 2018 , 107, 617-631	6.1	30	
74	The Health Buddies App as a Novel Tool to Improve Adherence and Knowledge in Atrial Fibrillation Patients: A Pilot Study. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e98	5.5	25	
73	Clinical benefits of the addition of lower extremity low-intensity resistance muscle training to early aerobic endurance training intervention in patients with coronary artery disease: a randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 800-7	3.4	24	
7 ²	Effectiveness and usability of an online tailored education platform for atrial fibrillation patients undergoing a direct current cardioversion or pulmonary vein isolation. <i>International Journal of Cardiology</i> , 2018 , 272, 123-129	3.2	21	
71	Long-term impact of a six-month telemedical care programme on mortality, heart failure readmissions and healthcare costs in patients with chronic heart failure. <i>Journal of Telemedicine and Telecare</i> , 2019 , 25, 286-293	6.8	19	
70	Long-term cost-benefit ratio of cardiac rehabilitation after percutaneous coronary intervention. <i>Acta Cardiologica</i> , 2008 , 63, 451-6	0.9	19	
69	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 299-310	4.3	16	
68	Effect of Exercise Intervention on Cardiac Function in Type 2 Diabetes Mellitus: A Systematic Review. <i>Sports Medicine</i> , 2019 , 49, 255-268	10.6	16	

67	Telerehab III: a multi-center randomized, controlled trial investigating the long-term effectiveness of a comprehensive cardiac telerehabilitation programrationale and study design. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 29	2.3	15
66	Economic and social impact of increased cardiac rehabilitation uptake and cardiac telerehabilitation in Belgium - a cost-benefit analysis. <i>Acta Cardiologica</i> , 2018 , 73, 222-229	0.9	15
65	The EAPC EXPERT tool. European Heart Journal, 2017, 38, 2318-2320	9.5	14
64	Evaluating the Impact of the HeartHab App on Motivation, Physical Activity, Quality of Life, and Risk Factors of Coronary Artery Disease Patients: Multidisciplinary Crossover Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e10874	5.5	13
63	Nicotine Dependence and Urinary Nicotine, Cotinine and Hydroxycotinine Levels in Daily Smokers. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1813-9	4.9	13
62	ESC Core Curriculum for the Cardiologist. European Heart Journal, 2020, 41, 3605-3692	9.5	12
61	The effect of intravenous ferric carboxymaltose on cardiac reverse remodelling following cardiac resynchronization therapy-the IRON-CRT trial. <i>European Heart Journal</i> , 2021 ,	9.5	12
60	Use of cardiac telerehabilitation during COVID-19 pandemic in Belgium. <i>Acta Cardiologica</i> , 2021 , 76, 77	73&.36	11
59	Prevention: From the cradle to the grave and beyond. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 507-511	3.9	11
58	Frailty is highly prevalent in specific cardiovascular diseases and females, but significantly worsens prognosis in all affected patients: A systematic review. <i>Ageing Research Reviews</i> , 2021 , 66, 101233	12	11
57	A Grounded Approach for Applying Behavior Change Techniques in Mobile Cardiac Tele-Rehabilitation 2016 ,		10
56	Magnitude of muscle wasting early after on-pump coronary artery bypass graft surgery and exploration of aetiology. <i>Experimental Physiology</i> , 2015 , 100, 818-28	2.4	10
55	Cost-effectiveness of cardiac telerehabilitation in coronary artery disease and heart failure patients: systematic review of randomized controlled trials. <i>European Heart Journal Digital Health</i> , 2020 , 1, 20-29	2.3	10
54	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 369-380	3.3	9
53	Reduction in pulmonary function after CABG surgery is related to postoperative inflammation and hypercortisolemia. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 10938-46		9
52	Delphi consensus recommendations on how to provide cardiovascular rehabilitation in the COVID-19 era. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 541-557	3.9	9
51	EAPC Core Curriculum for Preventive Cardiology. European Journal of Preventive Cardiology, 2021,	3.9	9
50	Diagnostic performance of quantitative coronary computed tomography angiography and quantitative coronary angiography to predict hemodynamic significance of intermediate-grade stenoses. <i>International Journal of Cardiovascular Imagina</i> , 2015 , 31, 1651-61	2.5	8

49	The use of cardiac imaging in the evaluation of athletes in the clinical practice: A survey by the Sports Cardiology and Exercise Section of the European Association of Preventive Cardiology and University of Siena, in collaboration with the European Association of Cardiovascular Imaging, the	3.9	8	
48	European Heart Rhythm Association and the ESC Working Group on Myocardial and Pericardial Digital Health in Cardiac Réhábilitation and Sécondary Prevention: A Search for the Ideal Tool. Sensors, 2020 , 21,	3.8	8	
47	Effect of reinforced, targeted in-person education using the Jessa Atrial fibrillation Knowledge Questionnaire in patients with atrial fibrillation: A randomized controlled trial. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 194-203	3.3	8	
46	Coronary Computed Tomography Angiography: Patient-related factors determining image quality using a second-generation 320-slice CT scanner. <i>International Journal of Cardiology</i> , 2016 , 221, 970-6	3.2	7	
45	A Novel Intelligent Two-Way Communication System for Remote Heart Failure Medication Uptitration (the CardioCoach Study): Randomized Controlled Feasibility Trial. <i>JMIR Cardio</i> , 2018 , 2, e8	3.1	6	
44	Validation of a single-stage fixed-rate step test for the prediction of maximal oxygen uptake in healthy adults. <i>Clinical Physiology and Functional Imaging</i> , 2016 , 36, 401-6	2.4	6	
43	Exercise improves cardiac function and attenuates insulin resistance in Dahl salt-sensitive rats. <i>International Journal of Cardiology</i> , 2015 , 186, 154-60	3.2	5	
42	How do General Practitioners assess physical activity and prescribe exercise in patients with different cardiovascular diseases? An Italian pilot study. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320925221	3.9	5	
41	A flexible joint modeling framework for longitudinal and time-to-event data with overdispersion. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 1661-76	2.3	5	
40	Accreditation of clinical centres providing primary prevention, secondary prevention and rehabilitation, and sports cardiology: A step towards optimizing quality. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1775-1777	3.9	5	
39	Muscle wasting after coronary artery bypass graft surgery: impact on post-operative clinical status and effect of exercise-based rehabilitation. <i>Acta Cardiologica</i> , 2020 , 75, 406-410	0.9	5	
38	The value of screening questionnaires/scoring scales for obstructive sleep apnoea in patients with atrial fibrillation. <i>Archives of Cardiovascular Diseases</i> , 2021 , 114, 737-747	2.7	5	
37	Have You Met Your METs? Enhancing Patient Motivation to Achieve Physical Activity Targets in Cardiac Tele-rehabilitation		4	
36	Correlation of FFR-derived from CT and stress perfusion CMR with invasive FFR in intermediate-grade coronary artery stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 559-568	2.5	4	
35	Electrical support during outdoor cycling in patients with coronary artery disease: impact on exercise intensity, volume and perception of effort. <i>Acta Cardiologica</i> , 2018 , 73, 343-350	0.9	3	
34	Mandatory oral glucose tolerance tests identify more diabetics in stable patients with chronic heart failure: a prospective observational study. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 44	5.6	3	
33	A case of carcinoid heart disease with desaturation and no liver metastases. <i>Echocardiography</i> , 2014 , 31, E307-9	1.5	3	
32	Bridging Patients Needs and Caregivers Perspectives to Tailor Information Provisioning during Cardiac Rehabilitation		3	

31	Providing comprehensive cardiac rehabilitation during and after the COVID-19 pandemic. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 520-521	3.9	3
30	Phase III multidisciplinary exercise-based rehabilitation is associated with fewer hospitalizations due to adverse cardiovascular events in coronary artery disease patients. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	3
29	Iron Deficiency Is Associated With Impaired Biventricular Reserve and Reduced Exercise Capacity in Patients With Unexplained Dyspnea. <i>Journal of Cardiac Failure</i> , 2021 , 27, 766-776	3.3	3
28	Optimising implementation of European guidelines on cardiovascular disease prevention in clinical practice: what is needed?. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320926776	3.9	3
27	How to reliably diagnose arterial hypertension: lessons from 24 h blood pressure monitoring. <i>Blood Pressure</i> , 2019 , 28, 93-98	1.7	2
26	A Comprehensive Approach to Decision Aids Supporting Shared Decision Making in Cardiac Rehabilitation 2019 ,		2
25	Value of Relative Myocardial Perfusion at MRI for Fractional Flow Reserve-Defined Ischemia: A Pilot Study. <i>American Journal of Roentgenology</i> , 2019 , 1-8	5.4	2
24	Transport as a new avenue for CV prevention in city dwellers: how to kill two birds with one stone?. <i>European Heart Journal</i> , 2020 , 41, 816-817	9.5	2
23	Cardiac Telerehabilitation - A Solution for Cardiovascular Care in Japan <i>Circulation Reports</i> , 2021 , 3, 733-736	0.7	2
22	Exercise capacity is related to attenuated responses in oxygen extraction and left ventricular longitudinal strain in asymptomatic type 2 diabetes patients. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	2
21	Is there an optimal dose of cardiac rehabilitation in coronary artery disease patients?. <i>International Journal of Cardiology</i> , 2021 , 330, 7-11	3.2	2
20	Patient experiences and willingness-to-pay for cardiac telerehabilitation during the first surge of the COVID-19 pandemic: single-centre experience. <i>Acta Cardiologica</i> , 2021 , 76, 151-157	0.9	2
19	The importance of ventilatory thresholds to define aerobic exercise intensity in cardiac patients and healthy subjects. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 1796-1808	4.6	2
18	Motivation of overweight patients with atrial fibrillation to lose weight or to follow a weight loss management program: a cross-sectional study. <i>Acta Cardiologica</i> , 2021 , 76, 494-503	0.9	1
17	Neurological outcome after minimally invasive coronary artery bypass surgery (NOMICS): An observational prospective cohort study. <i>PLoS ONE</i> , 2020 , 15, e0242519	3.7	1
16	The new Primary Care and Risk Factor Management (PCRFM) nucleus of the European Association of Preventive Cardiology: A call for action. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1328-13	30 ⁹	1
15	The Jessa Hospital experience for cardiac rehabilitation. <i>European Heart Journal</i> , 2021 , 42, 1451-1453	9.5	1
14	Pacemaker guided screening for severe sleep apnea, a possible option for patients with atrial fibrillation: A systematic review and meta-analysis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1421-1431	1.6	1

LIST OF PUBLICATIONS

13	Exercise-based cardiac rehabilitation: different angles to grasp its beauty. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	1
12	The role of cardiac rehabilitation in vocational reintegration Belgian working group of cardiovascular prevention and rehabilitation position paper. <i>Acta Cardiologica</i> , 2020 , 75, 388-397	0.9	1
11	Effect of targeted education for atrial fibrillation patients: Design of the EduCare-AF Study. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13442	4.6	1
10	Asymptomatic type 2 diabetes mellitus display a reduced myocardial deformation but adequate response during exercise. <i>European Journal of Applied Physiology</i> , 2021 , 121, 929-940	3.4	1
9	The effect of minimally invasive surgical aortic valve replacement on postoperative pulmonary and skeletal muscle function. <i>Experimental Physiology</i> , 2019 , 104, 855-865	2.4	O
8	Impact of continuous vs. interval training on oxygen extraction and cardiac function during exercise in type 2 diabetes mellitus <i>European Journal of Applied Physiology</i> , 2022 , 122, 875	3.4	O
7	Cardiorespiratory Polygraphy for Detection of Obstructive Sleep Apnea in Patients With Atrial Fibrillation <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 758548	5.4	0
6	A new smartphone application for integrated transmural care of atrial fibrillation, AF-EduApp: Usability and validation study <i>Digital Health</i> , 2021 , 7, 20552076211067105	4	O
5	Future of preventive cardiology: EAPC vision 2020-22. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 356-358	3.9	0
4	Clinical benefit of atrio-ventricular delay optimization in patients with a dual-chamber pacemaker: a pilot study. The CBRAVO trial (NCT01998256). <i>Acta Cardiologica</i> , 2016 , 71, 257-265	0.9	
3	Response to letter from RJ Shephard P roblems of medical supervision and physiological validity encountered with fixed-rate step tests <i>European Journal of Applied Physiology</i> , 2012 , 112, 3697-3698	3.4	
2	Rehabilitation of Patients After CABG/Sternotomy 2017 , 193-205		
1	Cardiac involvement in hypereosinophilic syndrome. <i>Acta Cardiologica</i> , 2016 , 71, 75-76	0.9	