## Francis Berghmans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7574566/publications.pdf

Version: 2024-02-01

289 papers

3,930 citations

34 h-index 223390 49 g-index

290 all docs

290 docs citations

times ranked

290

2460 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Plasmon-Enhanced Refractometry Through Cladding Mode Excitation by a Fiber Bragg Grating in Photonic Crystal Fiber. Journal of Lightwave Technology, 2022, 40, 1121-1129.   | 2.7 | 7         |
| 2  | Simultaneous modal phase and group velocity matching in microstructured optical fibers for second harmonic generation with ultrashort pulses. Optics Express, 2022, 30, 12026.  | 1.7 | 5         |
| 3  | Practicalities of BVID detection on aerospace-grade CFRP materials with optical fibre sensors.<br>Composite Structures, 2021, 259, 113243.  | 3.1 | 29        |
| 4  | Identification of modal strains in concrete beams at sub-microstrain amplitude excitation using fibre Bragg grating sensors mounted on a strain-amplifying transducer. Structural Health Monitoring, 2021, 20, 1221-1230. | 4.3 | 1         |
| 5  | Monitoring of Torque Induced Strain in Composite Shafts with Embedded and Surface-Mounted Optical Fiber Bragg Gratings. Sensors, 2021, 21, 2403.  | 2.1 | 7         |
| 6  | Challenges in the Fabrication of Biodegradable and Implantable Optical Fibers for Biomedical Applications. Materials, 2021, 14, 1972.   | 1.3 | 13        |
| 7  | Wide-Field-of-View Longwave Camera for the Characterization of the Earth's Outgoing Longwave Radiation. Sensors, 2021, 21, 4444.  | 2.1 | 6         |
| 8  | Design and Fabrication of Straight Waveguides, Tapers and S-Bends with Two-Photon Direct Laser Writing. , 2021, , .   |     | 0         |
| 9  | Design and two-photon direct laser writing of low-loss waveguides, tapers and S-bends. JPhys Photonics, 2021, 3, 045001.  | 2.2 | 14        |
| 10 | A global assessment of barely visible impact damage for CFRP sub-components with FBG-based sensors. Composite Structures, 2021, 272, 114025.  | 3.1 | 22        |
| 11 | Compact wide field-of-view camera design for remote sensing of the Earth's emitted thermal radiation. , 2021, , .   |     | 1         |
| 12 | Highly birefringent photonic crystal fiber for distributed hydrostatic pressure sensing. , 2021, , .  |     | 0         |
| 13 | Optical fiber-based sensors as an experimental tool to assess the weft and warp yarn tension beam-to-roll in rapier weaving machines. Textile Reseach Journal, 2020, 90, 857-865.   | 1.1 | 6         |
| 14 | On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. Journal of Lightwave Technology, 2020, 38, 1905-1914.  | 2.7 | 13        |
| 15 | Spectral Verification of the Mechanisms behind FBG-Based Ultrasonic Guided Wave Detection. Sensors, 2020, 20, 6571.   | 2.1 | 9         |
| 16 | Optical System Design of a Wide Field-of-View Camera for the Characterization of Earth's Reflected Solar Radiation. Remote Sensing, 2020, 12, 2556.   | 1.8 | 8         |
| 17 | Design and Analysis of a Next-Generation Wide Field-of-View Earth Radiation Budget Radiometer.<br>Remote Sensing, 2020, 12, 425.  | 1.8 | 14        |
| 18 | Selective liquid filling of photonic crystal fibers using two-photon polymerization lithography without post-exposure development., 2020, , .   |     | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | VACNT versus Black Velvet: a coating analysis for the next-generation Earth Radiation Budget radiometer. , 2020, , .   |     | O         |
| 20 | Fatigue failure monitoring of 316L stainless steel coupons using optical fibre based distributed strain sensing. Smart Materials and Structures, 2019, 28, 105054.   | 1.8 | 4         |
| 21 | Numerical and Experimental Study on the IR Femtosecond Laser and Phase Mask-Based Grating Inscription in Photonic Crystal Fibers. , 2019, , .  |     | 0         |
| 22 | Anomalous Transparency in Photonic Crystals and its Dependence on the Refractive Index Difference. , 2019, , .   |     | 0         |
| 23 | Poly(D,L-Lactic Acid) (PDLLA) Biodegradable and Biocompatible Polymer Optical Fiber. Journal of Lightwave Technology, 2019, 37, 1916-1923.   | 2.7 | 36        |
| 24 | Aerospace-grade surface mounted optical fibre strain sensor for structural health monitoring on composite structures evaluated against in-flight conditions. Smart Materials and Structures, 2019, 28, 065008. | 1.8 | 60        |
| 25 | Distributed Hydrostatic Pressure Measurement Using Phase-OTDR in a Highly Birefringent Photonic Crystal Fiber. Journal of Lightwave Technology, 2019, 37, 4496-4500.   | 2.7 | 25        |
| 26 | Radiation-Induced Effects on Fiber Bragg Gratings Inscribed in Highly Birefringent Photonic Crystal Fiber. IEEE Transactions on Nuclear Science, 2019, 66, 120-124.  | 1.2 | 3         |
| 27 | Effect of hydrogen gas on FBG-based optical fiber sensors for downhole pressure and temperature monitoring. Optics Express, 2019, 27, 5487.  | 1.7 | 12        |
| 28 | Anomalous transparency in photonic crystals and its application to point-by-point grating inscription in photonic crystal fibers. Scientific Reports, 2018, 8, 5470.   | 1.6 | 10        |
| 29 | Distributed hydrostatic pressure measurement using phase-OTDR in a highly birefringent photonic crystal fibre. , 2018, , .   |     | 0         |
| 30 | Phase mask-based IR femtosecond grating inscription in a photonic crystal fiber with short focal length cylindrical lens. , $2018$ , , .   |     | 0         |
| 31 | IR femtosecond pulsed laser-based fiber Bragg grating inscription in a photonic crystal fiber using a phase mask and a short focal length lens. Optics Express, 2018, 26, 14741.                               | 1.7 | 6         |
| 32 | Packaged FBG based optical fiber sensor for simultaneous pressure and temperature monitoring. , 2018, , .  |     | 6         |
| 33 | Aerospace-grade compatible surface mounted optical fibre sensor for structural health monitoring of composite structures. , 2018, , .  |     | 2         |
| 34 | Optical Fiber Bragg Grating Sensors for Torque Induced Strain Monitoring in Filament Wound Composite Shafts., 2018,,.  |     | 0         |
| 35 | Highly birefringent photonic crystal fiber compatible with IR femtosecond grating inscription methods. , $2018$ , , .  |     | 0         |
| 36 | Instrumentation of a Lead-Bismuth Eutectic Cooled Nuclear Fuel Assembly Using Fibre Bragg Gratings for Characterizing the Flow-Induced Vibrations. , 2018, , .   |     | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Micro-structured fiber Bragg grating based pressure sensors in a downhole-like hydrogen rich environment. , $2018,  ,  .$  |     | 0         |
| 38 | Fiber Bragg grating sensors written by femtosecond laser pulses in micro-structured fiber for downhole pressure monitoring. , $2017$ , , .   |     | 0         |
| 39 | Fibre optic sensor based measurements of flow-induced vibration in a liquid metal cooled nuclear reactor set-up. , 2017, , .   |     | 0         |
| 40 | Mechanical strain-amplifying transducer for fiber Bragg grating sensors with applications in structural health monitoring. , 2017, , .   |     | 1         |
| 41 | Development of a mechanical strain amplifying transducer with Bragg grating sensor for low-amplitude strain sensing. Smart Materials and Structures, 2017, 26, 075006.                               | 1.8 | 11        |
| 42 | Dynamic 3D strain measurements with embedded micro-structured optical fiber Bragg grating sensors during impact on a CFRP coupon. , 2017, , .  |     | 0         |
| 43 | Identification of modal strains using sub-microstrain FBG data and a novel wavelength-shift detection algorithm. Mechanical Systems and Signal Processing, 2017, 86, 58-74.                          | 4.4 | 33        |
| 44 | FBGs written in specialty fiber for high pressure/high temperature measurement. Optics Express, 2017, 25, 17936.   | 1.7 | 35        |
| 45 | Fibre Bragg Gratings in Embedded Microstructured Optical Fibres Allow Distinguishing between Symmetric and Anti-Symmetric Lamb Waves in Carbon Fibre Reinforced Composites. Sensors, 2017, 17, 1948. | 2.1 | 9         |
| 46 | Characterizing Flow-Induced Vibrations of Fuel Assemblies for Future Liquid Metal Cooled Nuclear Reactors Using Quasi-Distributed Fibre-Optic Sensors. Applied Sciences (Switzerland), 2017, 7, 864. | 1.3 | 12        |
| 47 | Point-by-point fiber Bragg grating inscription in a dedicated multi-ring hexagonal lattice photonic crystal fiber., 2017,,.  |     | 0         |
| 48 | Vibration Monitoring Using Fiber Optic Sensors in a Lead-Bismuth Eutectic Cooled Nuclear Fuel Assembly. Sensors, 2016, 16, 571.  | 2.1 | 21        |
| 49 | A numerical study on the importance of non-uniform index modification during femtosecond grating inscription in microstructured optical fibers. , $2016$ , , .                                       |     | 0         |
| 50 | Inverse Abel transform algorithms to determine the radial profile of the photoelastic coefficient of glass optical fibers. , $2016$ , , .  |     | 0         |
| 51 | Understanding the influence of the structured cladding on the reflectivity of femtosecond laser written gratings in photonic crystal fibers. , 2016, , .   |     | 0         |
| 52 | Determination of the radial profile of the photoelastic coefficient of polymer optical fibers., 2016,,.  |     | 0         |
| 53 | Thermal effects on the photoelastic coefficient of polymer optical fibers. Optics Letters, 2016, 41, 2517.   | 1.7 | 14        |
| 54 | Temperature monitoring using fibre optic sensors in a lead-bismuth eutectic cooled nuclear fuel assembly. Nuclear Engineering and Design, 2016, 297, 54-59.  | 0.8 | 5         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Photonic Crystal Fibers for Femtosecond Laser Point-by-Point Grating Inscription. , 2016, , .   |     | 1         |
| 56 | The novel potential for embedded strain measurements offered by micro-structured optical fiber Bragg gratings. , 2015, , 529-535.   |     | 0         |
| 57 | Operational modal analysis of flow-induced vibration of nuclear fuel rods in a turbulent axial flow.<br>Nuclear Engineering and Design, 2015, 284, 19-26.   | 0.8 | 25        |
| 58 | Microstructured optical fibre-based sensors for structural health monitoring applications. , 2015, , 139-174.   |     | 0         |
| 59 | The role of highly non-linear index change mechanism during femtosecond grating writing in microstructured optical fibers. , 2015, , .  |     | 0         |
| 60 | A Micro-Computed Tomography Technique to Study the Quality of Fibre Optics Embedded in Composite Materials. Sensors, 2015, 15, 10852-10871.   | 2.1 | 13        |
| 61 | Microstructured optical fiber Bragg grating as an internal three-dimensional strain sensor for composite laminates. Smart Materials and Structures, 2015, 24, 055003.                             | 1.8 | 27        |
| 62 | Opportunities for designing microstructured optical fibers for efficient femtosecond laser grating inscription. , $2015, \ldots$  |     | 0         |
| 63 | Numerical modeling of femtosecond laser inscribed IR gratings in photonic crystal fibers. Optics Express, 2015, 23, 709.  | 1.7 | 12        |
| 64 | Algorithms for determining the radial profile of the photoelastic coefficient in glass and polymer optical fibers. Optics Express, 2015, 23, 18943.   | 1.7 | 4         |
| 65 | Signal-to-Noise Ratio Evaluation of Fibre Bragg Gratings for Dynamic Strain Sensing at Elevated Temperatures in a Liquid Metal Environment. Journal of Lightwave Technology, 2015, 33, 2378-2385. | 2.7 | 8         |
| 66 | Influence of Fiber Bragg Grating Spectrum Degradation on the Performance of Sensor Interrogation Algorithms. Sensors, 2014, 14, 24258-24277.  | 2.1 | 28        |
| 67 | On a possible method to measure the radial profile of the photoelastic constant in step-index optical fiber. , 2014, , .  |     | 1         |
| 68 | Peak detection in fiber Bragg grating using a fast phase correlation algorithm. , 2014, , .   |     | 6         |
| 69 | Internal strain monitoring in composite materials with embedded photonic crystal fiber Bragg gratings. Proceedings of SPIE, 2014, , .   | 0.8 | 1         |
| 70 | Plastic Optical Fibers for Sensing Applications. , 2014, , .  |     | 4         |
| 71 | Microstructured optical fiber Bragg grating-based strain and temperature sensing in the concrete buffer of the Belgian supercontainer concept. Proceedings of SPIE, 2014, , .                     | 0.8 | 4         |
| 72 | Disbond monitoring in adhesive joints using shear stress optical fiber sensors. Smart Materials and Structures, 2014, 23, 075006.   | 1.8 | 27        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Reflective polarimetric vibration sensor based on temperature-independent FBG in HiBi microstructured optical fiber. , 2014, , .   |     | 3         |
| 74 | Microstructured optical fiber Bragg grating-based shear stress sensing in adhesive bonds. , 2014, , .  |     | 0         |
| 75 | Self-centering fiber alignment structures for high-precision field installable single-mode fiber connectors. Proceedings of SPIE, 2014, , .  | 0.8 | 3         |
| 76 | Signal-to-noise ratio evaluation with draw tower fibre Bragg gratings (DTGs) for dynamic strain sensing at elevated temperatures and corrosive environment. Proceedings of SPIE, 2014, , . | 0.8 | 3         |
| 77 | Fiber Bragg grating-based shear strain sensors for adhesive bond monitoring. Proceedings of SPIE, 2014, , .  | 0.8 | 1         |
| 78 | Challenges in the fabrication of fibre Bragg gratings in silica and polymer microstructured optical fibres. Laser and Photonics Reviews, 2014, 8, 27-52.                                   | 4.4 | 63        |
| 79 | A novel fast phase correlation algorithm for peak wavelength detection of fiber Bragg grating sensors. Optics Express, 2014, 22, 7099.   | 1.7 | 63        |
| 80 | Mechanical Strength of Microstructured Optical Fibers. Journal of Lightwave Technology, 2014, 32, 2193-2201.   | 2.7 | 8         |
| 81 | Photonic crystal lenses for transverse focusing of laser illumination in microstructured optical fibers. , 2014, , .   |     | 0         |
| 82 | Microstructured fibers optimized for transverse load and pressure sensing. , 2014, , .   |     | 0         |
| 83 | Embedded fiber Bragg gratings in photonic crystal fiber for cure cycle monitoring of carbon fiber-reinforced polymer materials. Proceedings of SPIE, 2013, , .                             | 0.8 | 2         |
| 84 | Benchmarking of deformation and vibration measurement techniques for nuclear fuel pins. Measurement: Journal of the International Measurement Confederation, 2013, 46, 3647-3653.          | 2.5 | 26        |
| 85 | Shear stress sensing with Bragg grating-based sensors in microstructured optical fibers. Optics Express, 2013, 21, 20404.  | 1.7 | 46        |
| 86 | Influence of measurement noise on the determination of the radial profile of the photoelastic coefficient in step-index optical fibers. Applied Optics, 2013, 52, 8451.                    | 0.9 | 6         |
| 87 | Photonic Crystal Mikaelian Lenses and Their Potential Use as Transverse Focusing Elements in Microstructured Fibers. IEEE Photonics Journal, 2013, 5, 7100512-7100512.                     | 1.0 | 13        |
| 88 | Experimental investigation of bending properties of large mode area photonic crystal fibre with double lattice constant structure. , $2013$ , , .  |     | 0         |
| 89 | On the influence of hexagonal lattice photonic crystal fiber parameters on femtosecond grating inscription. Proceedings of SPIE, 2012, , .   | 0.8 | 1         |
| 90 | Temperature-insensitive polarimetric vibration sensor based on HiBi microstructured optical fiber. Applied Optics, 2012, 51, 6130.   | 0.9 | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Sensing characteristics of the rocking filters in microstructured fibers optimized for hydrostatic pressure measurements. Optics Express, 2012, 20, 23320.                        | 1.7 | 27        |
| 92  | Towards flexible photonic sensing skins with optical fiber sensors. , 2012, , .   |     | 0         |
| 93  | Rocking filter in microstructured fiber for high resolution hydrostatic pressure measurements. , 2012, , .  |     | 0         |
| 94  | Microstructure-assisted grating inscription in photonic crystal fibers. , 2012, , .   |     | 2         |
| 95  | Supercontinuum generation in all-solid photonic crystal fiber with low index core. Laser Physics, 2012, 22, 784-790.  | 0.6 | 12        |
| 96  | Mechanical reliability of microstructured optical fibers: a comparative study of tensile and bending strength. Proceedings of SPIE, 2012, , .                                     | 0.8 | 2         |
| 97  | Characterisation of Tactile Sensors based on Fibre Bragg gratings Towards Temperature Independent Pressure Sensing. Procedia Engineering, 2012, 47, 1402-1405.                    | 1.2 | 5         |
| 98  | Photonic Crystal Fiber With Large Mode Area and Characteristic Bending Properties. IEEE Photonics Technology Letters, 2012, 24, 1409-1411.  | 1.3 | 28        |
| 99  | Control Over the Pressure Sensitivity of Bragg Grating-Based Sensors in Highly Birefringent Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2012, 24, 527-529. | 1.3 | 37        |
| 100 | Applying optical design methods to the development of application specific photonic crystal fibres. , 2012, , .   |     | 2         |
| 101 | Photonic crystal fiber with large-mode area and low-bending loss for high-power compact lasers and amplifiers. , 2012, , .  |     | 0         |
| 102 | Design of a low-bending-loss large-mode-area photonic crystal fiber. Proceedings of SPIE, 2012, , .   | 0.8 | 3         |
| 103 | Transverse propagation of ultraviolet and infrared femtosecond laser pulses in photonic crystal fibers. Photonics Letters of Poland, 2012, 4, .                                   | 0.2 | 5         |
| 104 | Towards micro-structured optical fiber sensors for transverse strain sensing in smart composite materials. , $2011$ , , .   |     | 11        |
| 105 | Low-Loss Patch Cords by Effective Splicing of Various Photonic Crystal Fibers With Standard Single<br>Mode Fiber. Journal of Lightwave Technology, 2011, 29, 2940-2946.           | 2.7 | 18        |
| 106 | Geometrical study of a hexagonal lattice photonic crystal fiber for efficient femtosecond laser grating inscription. Optics Express, 2011, 19, 7705.                              | 1.7 | 42        |
| 107 | Large-mode-area photonic crystal fiber with double lattice constant structure and low bending loss. Optics Express, 2011, 19, 22628.  | 1.7 | 58        |
| 108 | Influence of Fiber Orientation on Femtosecond Bragg Grating Inscription in Pure Silica<br>Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2011, 23, 1832-1834. | 1.3 | 22        |

| #   | Article   | IF         | CITATIONS   |
|-----|---|------------|-------------|
| 109 | Photonic crystal fiber Bragg grating based sensors: opportunities for applications in healthcare. Proceedings of SPIE, 2011, , .  | 0.8        | 5           |
| 110 | Microstructured Optical Fiber Sensors Embedded in a Laminate Composite for Smart Material Applications. Sensors, 2011, 11, 2566-2579.                                   | 2.1        | 70          |
| 111 | Photonic crystal fiber Bragg grating based sensors – opportunities for applications in healthcare. , 2011, , .  |            | 1           |
| 112 | UV Bragg grating inscription in germanium-doped photonic crystal fibers. Proceedings of SPIE, 2010, , .   | 0.8        | 1           |
| 113 | Polymer photonic sensing skin. Proceedings of SPIE, 2010, , .   | 0.8        | 1           |
| 114 | Highly birefringent soft glass rectangular photonic crystal fibers with elliptical holes. Applied Physics B: Lasers and Optics, 2010, 99, 13-17.                        | 1.1        | 15          |
| 115 | Development of flexible pressure sensing polymer foils based on embedded fibre Bragg grating sensors. Procedia Engineering, 2010, 5, 272-275.                           | 1.2        | 13          |
| 116 | Induced optical absorption of silicate glasses due to gamma irradiation at high temperatures. Fusion Engineering and Design, 2010, 85, 1-6.                             | 1.0        | 10          |
| 117 | Polarizing photonic crystal fiber with low index inclusion in the core. Journal of Optics (United) Tj ETQq $1\ 1\ 0.784$  | 314 rgBT / | Oyerlock 10 |
| 118 | Optical fiber sensors embedded in flexible polymer foils. Proceedings of SPIE, 2010, , .  | 0.8        | 6           |
| 119 | Highly birefringent microstructured fibers with enhanced sensitivity to hydrostatic pressure. Optics Express, 2010, 18, 15113.  | 1.7        | 137         |
| 120 | Extremely large-mode-area photonic crystal fibre with low bending loss. Optics Express, 2010, 18, 15408.  | 1.7        | 56          |
| 121 | Point-by-point fiber Bragg grating inscription in free-standing step-index and photonic crystal fibers using near-IR femtosecond laser. Optics Letters, 2010, 35, 1647. | 1.7        | 78          |
| 122 | Bragg Grating Inscription in GeO -Doped Microstructured Optical Fibers. Journal of Lightwave Technology, 2010, 28, 1459-1467.   | 2.7        | 41          |
| 123 | Development of silicate hollow core photonic crystal fiber. Photonics Letters of Poland, 2010, 2, .   | 0.2        | 0           |
| 124 | Ultra flat supercontinuum generation in silicate dual core microstructured fiber. Laser Physics Letters, 2009, 6, 575-581.  | 0.6        | 34          |
| 125 | Birefringent photonic crystal fibers with zero polarimetric sensitivity to temperature. Applied Physics B: Lasers and Optics, 2009, 94, 635-640.                        | 1.1        | 34          |
| 126 | Transverse UV-laser irradiation-induced defects and absorption in a single-mode erbium-doped optical fiber. Optical Materials, 2009, 31, 1296-1299.                     | 1.7        | 3           |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Radiation Sensitivity of EDFAs Based on Highly Er-Doped Fibers. Journal of Lightwave Technology, 2009, 27, 1540-1545.   | 2.7 | 29        |
| 128 | Transversal Load Sensing With Fiber Bragg Gratings in Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2009, 21, 6-8.                                   | 1.3 | 83        |
| 129 | Response of FBGs in Microstructured and Bow Tie Fibers Embedded in Laminated Composite. IEEE Photonics Technology Letters, 2009, 21, 1290-1292.                           | 1.3 | 37        |
| 130 | Guidelines for the characterization and use of fibre optic sensors: basic definitions and a proposed standard for FBG-based strain sensors. , 2009, , .                   |     | 6         |
| 131 | Fiber Bragg gratings in microstructured optical fibers for stress monitoring. Proceedings of SPIE, 2009, , .  | 0.8 | 0         |
| 132 | Photonic skins for optical sensing: highlights of the PHOSFOS Project., 2009,,.   |     | 2         |
| 133 | Supercontinuum generation with microstructured fibers made of soft glass. Photonics Letters of Poland, 2009, 1, .   | 0.2 | 0         |
| 134 | An Introduction to Radiation Effects on Optical Components and Fiber Optic Sensors., 2008,, 127-165.  |     | 35        |
| 135 | Effect of the Fiber Coating on the Radiation Sensitivity of Type I FBGs. IEEE Photonics Technology<br>Letters, 2008, 20, 1802-1804.                                       | 1.3 | 28        |
| 136 | Fiber Bragg Gratings in Germanium-Doped Highly Birefringent Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2008, 20, 554-556.                         | 1.3 | 52        |
| 137 | Highly birefringent holey fibers with zero polarimetric sensitivity to temperature. Proceedings of SPIE, 2008, , .  | 0.8 | 0         |
| 138 | Photonic crystal fibers for sensing applications., 2008,,.  |     | 3         |
| 139 | Effect of Ionizing Radiation on the Performance of Volume Holographic Elements. IEEE Transactions on Nuclear Science, 2008, 55, 2248-2251.                                | 1.2 | 1         |
| 140 | Stabilization of Fiber Bragg Gratings Against Gamma Radiation. IEEE Transactions on Nuclear Science, 2008, 55, 2205-2212.   | 1.2 | 35        |
| 141 | Gamma-irradiation tests of IR optical fibres for ITER thermography—a case study. AIP Conference Proceedings, 2008, , .  | 0.3 | 0         |
| 142 | Core Versus Cladding Effects of Proton Irradiation on Erbium-Doped Optical Fiber:<br>Micro-Luminescence Study. IEEE Transactions on Nuclear Science, 2008, 55, 2223-2228. | 1.2 | 18        |
| 143 | <title>Soft glass photonic crystal fibers for supercontinuum generation</title> ., 2008, , .  |     | 0         |
| 144 | The fabrication and characterization of fiber Bragg gratings in highly birefringent photonic crystal fibers for sensing applications. Proceedings of SPIE, 2008, , .      | 0.8 | 1         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Characterization of all-glass photonic band gap fiber. Proceedings of SPIE, 2008, , .  | 0.8 | O         |
| 146 | Influence of the coating type on the radiation sensitivity of FBGs. , 2008, , .  |     | 5         |
| 147 | Broadband supercontinuum generation with photonic crystal fibers made of soft glass., 2008,,.  |     | 0         |
| 148 | Investigations of bending loss oscillations in large mode area photonic crystal fibers. Proceedings of SPIE, 2008, , .   | 0.8 | 1         |
| 149 | Toward supercontinuum generation with non-symmetric double core microstructured fibers. , 2008, , .  |     | 2         |
| 150 | An Introduction to Reliability of Optical Components and Fiber Optic Sensors., 2008,, 73-100.  |     | 6         |
| 151 | Effect of ionizing radiation on the performance of volume holographic elements., 2007,,.   |     | 0         |
| 152 | Measurements of polarimetric sensitivity to temperature in birefringent holey fibres. Measurement Science and Technology, 2007, 18, 3055-3060.                     | 1.4 | 33        |
| 153 | Fibre-optic gamma-flux monitoring in a fission reactor by means of Cerenkov radiation. Measurement Science and Technology, 2007, 18, 3257-3262.                    | 1.4 | 34        |
| 154 | Sensing with photonic crystal fibres. , 2007, , .  |     | 3         |
| 155 | Stabilization of fiber Bragg gratings against gamma radiation. , 2007, , .   |     | 3         |
| 156 | Photonic crystal fibers: new opportunities for sensing. Proceedings of SPIE, 2007, , .   | 0.8 | 13        |
| 157 | Radiation-induced transmission degradation of borosilicate crown optical glass from four different manufacturers. Optical Engineering, 2007, 46, 043004.           | 0.5 | 9         |
| 158 | Investigations of birefringence of the fundamental and the higher order modes in index guiding photonic crystal fiber. , 2007, , .                                 |     | 0         |
| 159 | <title>Sensing applications of photonic crystal fibres</title> ., 2007, , .  |     | 1         |
| 160 | <title>Polarizing photonic crystal fibers for different operation range</title> . Proceedings of SPIE, 2007, , .   | 0.8 | 0         |
| 161 | Sensing properties of Bragg grating in highly birefringent and single mode photonic crystal fiber. , 2007, , .   |     | 2         |
| 162 | Gamma radiation and low-temperature effect on a low-birefringence fibre for current sensing application in plasma burning reactors. Proceedings of SPIE, 2007, , . | 0.8 | 1         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Experimental investigations of bending loss oscillations in large mode area photonic crystal fibers. Optics Express, 2007, 15, 13547.   | 1.7 | 40        |
| 164 | Assessment of space radiation effects on solid-state Brillouin phase conjugate mirrors. Applied Optics, 2007, 46, 5329.   | 2.1 | 4         |
| 165 | Reduction of the radiation-induced absorption in hydrogenated pure silica core fibres irradiated in situ with $\hat{l}^3$ -rays. Journal of Non-Crystalline Solids, 2007, 353, 466-472. | 1.5 | 39        |
| 166 | Gamma radiation induced loss in erbium doped optical fibers. Journal of Non-Crystalline Solids, 2007, 353, 477-480.   | 1.5 | 19        |
| 167 | Proton- and Gamma-Induced Effects on Erbium-Doped Optical Fibers. IEEE Transactions on Nuclear Science, 2007, 54, 2426-2434.  | 1.2 | 68        |
| 168 | Proton and gamma radiation of 0.13 $\pm$ x00B5;m 200 GHz NPN SiGe:C HBTs featuring an airgap deep trench isolation. , 2007, , .   |     | 3         |
| 169 | Comparison of gamma and proton-induced radiation damage in long-wavelength VCSELs., 2007, , .   |     | 3         |
| 170 | Design and Assessment of a Circuit and Layout Level Radiation Hardened CMOS VCSEL Driver. IEEE Transactions on Nuclear Science, 2007, 54, 1055-1060.                                    | 1.2 | 13        |
| 171 | Radial distribution of proton-induced effects in erbium-doped optical fibers: micro-luminescence study., 2007,,.  |     | 2         |
| 172 | Effect of simulated space radiation on solid-state Brillouin phase conjugate mirrors., 2007,,.  |     | 0         |
| 173 | Pulsed X-Ray and Continuous Gamma Radiation Effects on Erbium Doped Optical Fibers Properties. IEEE Transactions on Nuclear Science, 2007, 54, 2598-2603.                               | 1.2 | 8         |
| 174 | Analytical evaluation of bending loss oscillations in photonic crystal fibers. Optics Communications, 2007, 269, 261-270.   | 1.0 | 21        |
| 175 | An active vacuum general-purpose radiation test facility for assessment of ceramic insulators and diagnostic components. Fusion Engineering and Design, 2007, 82, 2531-2535.            | 1.0 | 2         |
| 176 | Experimental developments towards an ITER thermography diagnostic. Journal of Nuclear Materials, 2007, 363-365, 1466-1471.  | 1.3 | 8         |
| 177 | Measurements of sensitivity to hydrostatic pressure and temperature in highly birefringent photonic crystal fibers. Optical and Quantum Electronics, 2007, 39, 481-489.                 | 1.5 | 23        |
| 178 | Dynamic characteristics of nonlinear Bragg gratings in photonic crystal fibres. Optical and Quantum Electronics, 2007, 39, 455-467.   | 1.5 | 2         |
| 179 | Radiation assessment of hydrogen-loaded aluminium-coated pure silica core fibres for ITER plasma diagnostic applications. Fusion Engineering and Design, 2007, 82, 2451-2455.           | 1.0 | 33        |
| 180 | Single-Polarization Single-Mode Photonic Band Gap Fiber. Acta Physica Polonica A, 2007, 111, 239-245.   | 0.2 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | <title>High birefringent photonic crystal optical fiber for Bragg gratings inscriptions</title> . Proceedings of SPIE, 2007, , .   | 0.8 | O         |
| 182 | Measurements of hydrostatic pressure and temperature sensitivity in birefringent holey fibers. , 2006, 6182, 586.  |     | 0         |
| 183 | Chemical composition fiber gratings in a high mixed gamma neutron radiation field. IEEE Transactions on Nuclear Science, 2006, 53, 1607-1613.                                      | 1.2 | 19        |
| 184 | Mechanical reliability studies of optical fibres under high-dose gamma radiation. , 2006, , .  |     | 1         |
| 185 | SPICE Modelling of a Discrete COTS SiGe HBT for Digital Applications up to MGy Dose Levels. IEEE Transactions on Nuclear Science, 2006, 53, 1945-1949.                             | 1.2 | 7         |
| 186 | Transient optical absorption in pulsed-X-ray-irradiated pure-silica-core optical fibers: Influence of self-trapped holes. Journal of Non-Crystalline Solids, 2006, 352, 2637-2642. | 1.5 | 42        |
| 187 | Kinetic approach to the decomposition of radiation-induced absorption spectra. Journal of Non-Crystalline Solids, 2006, 352, 3343-3349.  | 1.5 | 3         |
| 188 | Reliability studies of microoptical components in NEMO. , 2006, , .  |     | 0         |
| 189 | Technology of high-birefringent photonic crystal fibers for sensing applications. , 2006, , .  |     | 1         |
| 190 | Polarizing Properties of Photonic Crystal Fibers. , 2006, , .  |     | 4         |
| 191 | Numerical Analysis of Highly Birefringent Photonic Crystal Fibers with Bragg Reflectors. Optical and Quantum Electronics, 2006, 38, 535-545.                                       | 1.5 | 5         |
| 192 | Use of the polarization properties of fiber Bragg gratings for sensing purposes. , 2006, 6189, 516.  |     | 1         |
| 193 | High-Vacuum Gamma Irradiation Facilities for Synergistic Effects Testing on Optoelectronic Components and Materials. IEEE Transactions on Nuclear Science, 2006, 53, 3726-3730.    | 1.2 | 8         |
| 194 | Comparative Study of Pulsed X-Ray and \$gamma \$-Ray Radiation-Induced Effects in Pure-Silica-Core Optical Fibers. IEEE Transactions on Nuclear Science, 2006, 53, 1756-1763.      | 1.2 | 14        |
| 195 | Design and Assessment of a High Gamma-Dose Tolerant VCSEL Driver With Discrete SiGe HBTs. IEEE Transactions on Nuclear Science, 2006, 53, 2033-2039.                               | 1.2 | 9         |
| 196 | Reliability of components for fiber optic sensors (Invited Paper)., 2005,,.  |     | 1         |
| 197 | Reliability of optical fibers and components (Invited Paper). , 2005, , .  |     | 6         |
| 198 | Theoretical investigations of birefringent holey fiber of new construction., 2005,,.   |     | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 199 | Investigation of highly birefringent microstructured fibres for Bragg gratings inscription., 2005,,.  |     | О         |
| 200 | Application of microinterferometric tomography as an evaluation tool for phase micro-objects. , 2005, 5776, 596.  |     | 4         |
| 201 | Gamma dosimetry using commercial PMMA optical fibres for nuclear environments. , 2005, 5855, 499.   |     | 6         |
| 202 | Application of the microinterferometric tomography setup to the reliability tests of the fiber sensors exposed to cumulated gamma radiation. , $2005$ , , .   |     | 1         |
| 203 | Analysis of birefringent doped-core holey fibers for Bragg gratings. , 2005, 5855, 351.   |     | 2         |
| 204 | Optical fiber sensors and their application in monitoring stress build-up in dental resin cements. , 2005, , .  |     | 7         |
| 205 | Temperature sensitivity in birefringent photonic crystal fiber with triple defect., 2005,,.   |     | 0         |
| 206 | In situ in-reactor testing of fusion materials and components. Fusion Engineering and Design, 2005, 75-79, 819-822.   | 1.0 | 9         |
| 207 | Gamma dosimetry using red 4034 Harwell dosimeters in mixed fission neutrons and gamma environments. IEEE Transactions on Nuclear Science, 2005, 52, 505-509.  | 1.2 | 15        |
| 208 | Temperature and pressure sensitivities of the highly birefringent photonic crystal fiber with core asymmetry. Applied Physics B: Lasers and Optics, 2005, 81, 325-331.                              | 1.1 | 62        |
| 209 | Photonic crystal fibers with material anisotropy. Optical and Quantum Electronics, 2005, 37, 253-264.   | 1.5 | 13        |
| 210 | Comparison of radiation-induced transmission degradation of borosilicate crown optical glass from four different manufacturers., 2005, 5897, 164.   |     | 8         |
| 211 | Polarization properties of photonic bandgap holey fibers. , 2005, , .   |     | 0         |
| 212 | Sensitivity of highly birefringent photonic bandgap fibers to temperature and strain., 2005,,.  |     | 2         |
| 213 | Phase and group modal birefringence of triple-defect photonic crystal fibres. Journal of Optics, 2005, 7, 763-766.  | 1.5 | 26        |
| 214 | Radiation-induced absorption in a photo-thermo-refractive glass., 2005, 5897, 172.  |     | 7         |
| 215 | SPICE modelling of a discrete COTS SiGe HBT for digital applications up to MGy dose levels. , 2005, , .   |     | 2         |
| 216 | Design and Assessment of a High Gamma-Dose Tolerant VCSEL Driver wit Discrete SiGe HBT's. European Conference on Radiation and Its Effects on Components and Systems, Proceedings of the, 2005, , . | 0.0 | 2         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 217 | Radiation-tolerant Raman distributed temperature monitoring system for large nuclear infrastructures. IEEE Transactions on Nuclear Science, 2005, 52, 2689-2694.                           | 1.2 | 88        |
| 218 | High total dose gamma radiation assessment of commercially available SiGe heterojunction bipolar transistors. , 2005, , .  |     | 6         |
| 219 | Experimental and theoretical investigations of birefringent holey fibers with a triple defect. Applied Optics, 2005, 44, 2652.   | 2.1 | 59        |
| 220 | Effect of ionizing radiation on the properties of arc-induced long-period fiber gratings. Applied Optics, 2005, 44, 6258.  | 2.1 | 50        |
| 221 | Dispersion and refractive index measurement for Ge, B-Ge doped and photonic crystal fibre following irradiation at MGy levels. Measurement Science and Technology, 2004, 15, 1659-1664.    | 1.4 | 7         |
| 222 | Wavelength dependence of the response of Si and InGaAs pin photodiodes under gamma radiation. , 2004, , .  |     | 7         |
| 223 | <title>Birefringence in photonic crystal fibers: a numerical approach based on the plane-wave method</title> ., 2004, 5576, 54.  |     | 2         |
| 224 | Radiation-hardening techniques of dedicated optical fibres used in plasma diagnostic systems in ITER. Journal of Nuclear Materials, 2004, 329-333, 1456-1460.                              | 1.3 | 59        |
| 225 | Long-term radiation effects on fibre Bragg grating temperature sensors in a low flux nuclear reactor. Measurement Science and Technology, 2004, 15, 1506-1511.                             | 1.4 | 34        |
| 226 | Gamma radiation effects in Er-doped silica fibers. IEEE Transactions on Nuclear Science, 2004, 51, 2763-2769.  | 1.2 | 35        |
| 227 | <title>Photonic crystal fibers: state of the art and future perspectives</title> ., 2004, , .  |     | 5         |
| 228 | True dose rate enhancement effect in phosphorous-doped fibre optic radiation sensors., 2004,,.   |     | 3         |
| 229 | Reliability study of photodiodes for their potential use in future fusion reactor environments., 2004,   |     | 6         |
| 230 | Evaluation of long-period fiber grating temperature sensors in nuclear environments., 2004, 5502, 88.  |     | 5         |
| 231 | <title>Multiparameter sensitivities of birefringent photonic crystal fiber</title> ., 2004,,.  |     | 3         |
| 232 | <title>Light propagation in birefringent doped-core holey fibers</title> ., 2004, , .  |     | 0         |
| 233 | Round-robin for fiber Bragg grating metrology during COST270 action. , 2004, , .   |     | 3         |
| 234 | Radiation tolerance qualification for maintenance tasks in the future fusion reactors: from fibre-optic components to robust data links. Fusion Engineering and Design, 2003, 69, 191-195. | 1.0 | 14        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 235 | In situ measurement of refractive index changes induced by gamma radiation in germanosilicate fibers. IEEE Photonics Technology Letters, 2003, 15, 1428-1430.  | 1.3 | 27        |
| 236 | Dependence of the POR and NBOHC defects as function of the dose in hydrogen-treated and untreated KU1 glass fibers. IEEE Transactions on Nuclear Science, 2003, 50, 2024-2029.                                 | 1.2 | 18        |
| 237 | Thermal poling of glass modified by gamma radiation. , 2003, , .   |     | 2         |
| 238 | Long-term irradiation of fiber Bragg gratings in a low-dose-rate gamma-neutron radiation field., 2002,   |     | 4         |
| 239 | Feasibility study for distributed dose monitoring in ionizing radiation environments with standard and custom-made optical fibers., 2002, 4823, 213.   |     | 1         |
| 240 | <title>Radiation hardness of passive fiber optic components for the future thermonuclear fusion reactor instrumentation links</title> ., 2002, , .   |     | 5         |
| 241 | <title>Development of a high total radiation dose-resistant vertical-cavity surface-emitting laser driver with discrete COTS components</title> ., 2002, , .   |     | 0         |
| 242 | High-total-dose gamma and neutron radiation tolerance of VCSEL assemblies. , 2002, , .   |     | 7         |
| 243 | Dose-rate dependencies in gamma-irradiated fiber Bragg grating filters. IEEE Transactions on Nuclear Science, 2002, 49, 2874-2878.   | 1.2 | 65        |
| 244 | Refractive-index changes caused by proton radiation in silicate optical glasses. Applied Optics, 2002, 41, 678.  | 2.1 | 38        |
| 245 | Design and characterization of a radiation-tolerant optical transmitter using discrete COTS bipolar transistors and VCSELs. IEEE Transactions on Nuclear Science, 2002, 49, 1414-1420.                         | 1.2 | 9         |
| 246 | Toward the development of radiation-tolerant instrumentation data links for thermonuclear fusion experiments. IEEE Transactions on Nuclear Science, 2002, 49, 2879-2887.                                       | 1.2 | 20        |
| 247 | Origin of the radiation-induced OH vibration band in polymer-coated optical fibers irradiated in a nuclear fission reactor. IEEE Transactions on Nuclear Science, 2002, 49, 2852-2856.                         | 1.2 | 24        |
| 248 | Effect of gamma–neutron nuclear reactor radiation on the properties of Bragg gratings written in photosensitive Ge-doped optical fiber. Nuclear Instruments & Methods in Physics Research B, 2002, 187, 79-86. | 0.6 | 41        |
| 249 | Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. Optical Engineering, 2002, 41, 1246.   | 0.5 | 88        |
| 250 | Index and density changes induced by proton radiation in lanthanum crown glass. Applied Physics Letters, 2001, 78, 3196-3198.  | 1.5 | 4         |
| 251 | <title>Multiplexed fiber Bragg grating sensors for in-core thermometry in nuclear reactors</title> ., 2001,,.  |     | 9         |
| 252 | Round-robin evaluation of optical fibres for plasma diagnostics. Fusion Engineering and Design, 2001, 56-57, 917-921.  | 1.0 | 29        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Radiation-resistant WDM optical link for thermonuclear fusion reactor instrumentation. IEEE Transactions on Nuclear Science, 2001, 48, .   | 1.2 | 22        |
| 254 | <title>Dosimetry with optical fibers: results for pure silica, phosphorous, and erbium doped samples</title> ., 2001, 4204, 151.   |     | 11        |
| 255 | Multi-component force sensor based on multiplexed fibre Bragg grating strain sensors. Measurement Science and Technology, 2001, 12, 810-813.   | 1.4 | 43        |
| 256 | Radiation effects in optical communication devices., 2001,,.   |     | 2         |
| 257 | Behavior of fibre Bragg gratings under high total dose gamma radiation. IEEE Transactions on Nuclear Science, 2000, 47, 688-692.   | 1.2 | 58        |
| 258 | Evaluation of a pragmatic approach for the prediction of radiation-induced losses in optical fibers exposed to a gamma-ray environment. , 2000, , .                                  |     | 11        |
| 259 | Fiber Bragg gratings as a candidate technology for satellite optical communication payloads: radiation-induced spectral effects. , 2000, , .   |     | 10        |
| 260 | Effect of combined gamma-neutron radiation on multiplexed fiber Bragg grating sensors. , 2000, 4134, 86.   |     | 12        |
| 261 | Radiation hardness of fiber optic sensors for monitoring and remote handling applications in nuclear environments., 1999, 3538, 28.  |     | 19        |
| 262 | Design of a radiation-hard optical fiber Bragg grating temperature sensor., 1999,,.  |     | 16        |
| 263 | High total dose irradiation experiments on fiber optic components for fusion reactor environments. , 1999, , .   |     | 13        |
| 264 | Dedicated optical fibers for dosimetry based on radiation-induced attenuation: experimental results. , 1999, , .   |     | 14        |
| 265 | Realization of polarization-reconfigurable optical interconnections using VCSELs and polarization selective diffractive optical elements. , 1999, , .                                |     | 0         |
| 266 | Data transparent reconfigurable optical interconnections using polarization switching in VCSEL's induced by optical injection. IEEE Photonics Technology Letters, 1999, 11, 985-987. | 1.3 | 34        |
| 267 | High total dose radiation effects on temperature sensing fiber Bragg gratings. IEEE Photonics<br>Technology Letters, 1999, 11, 1159-1161.  | 1.3 | 78        |
| 268 | Analysis of photoinduced stress distribution in fiber Bragg gratings. Optics Letters, 1999, 24, 1334.  | 1.7 | 6         |
| 269 | <title>Photonics for nuclear industry: issues, problems, and potential solutions</title> ., 1999, , .  |     | 2         |
| 270 | Evaluation of three different optical fibre temperature sensor types for application in gamma radiation environments. IEEE Transactions on Nuclear Science, 1998, 45, 1537-1542.     | 1.2 | 23        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | A cascadable polarization-based 1-to-9 multimode optical fiber switch using a PMMA fiber array holder. Journal of Lightwave Technology, 1998, 16, 1464-1472. | 2.7 | 3         |
| 272 | Preliminary results on high-total-dose testing of semiconductor photonic sources: a comparison of VCSELs and resonant-cavity LEDs., 1998, 3440, 47.          |     | 7         |
| 273 | Optical interconnections and photonic devices for space applications: a review of radiation effects., 1998, 3490, 159.                                       |     | 0         |
| 274 | Influence of gamma radiation on the electrooptic behavior of planar nematic liquid crystal cells. IEEE Photonics Technology Letters, 1997, 9, 481-483.       | 1.3 | 8         |
| 275 | <title>Optical fiber semiconductor absorption temperature sensor for temperature monitoring in a gas-cooled nuclear reactor</title> ., 1996,,.               |     | 4         |
| 276 | <title>Radiation effects on nematic liquid crystal devices</title> ., 1996,,.  |     | 7         |
| 277 | Fibre Optic Sensors: Potential, applications and state of the art of the technology. , 1995, , 647-689.  |     | 0         |
| 278 | Evaluation of three different optical fibre temperature sensor types for application in gamma radiation environments. , $0$ , , .                            |     | 1         |
| 279 | On-line gamma dosimetry with phosphorous and germanium co-doped optical fibres. , 0, , .   |     | 6         |
| 280 | Behavior of fibre Bragg gratings under high total dose gamma radiation. , 0, , .   |     | 1         |
| 281 | Fiber-optic link components for maintenance tasks in thermonuclear fusion environments. , 0, , .   |     | 5         |
| 282 | Long-term prediction of radiation induced losses in single mode optical fibers exposed to gamma rays using a pragmatic approach. , $0$ , , .                 |     | 3         |
| 283 | Radiation effects in optical communication devices. , 0, , .   |     | 11        |
| 284 | Fibre Bragg grating temperature sensors for harsh nuclear environments. , 0, , .   |     | 12        |
| 285 | Design and characterization of a radiation tolerant optical transmitter using discrete COTS bipolar transistors and VCSELs. , 0, , .                         |     | 1         |
| 286 | SCK·CEN gamma irradiation facilities for radiation tolerance assessment. , 0, , .  |     | 16        |
| 287 | Mode analysis of doped-core holey fibers. , 0, , .   |     | 0         |
| 288 | Reliability issues for optical fibre technology in nuclear applications. , 0, , .  |     | 1         |

# ARTICLE IF CITATIONS

289 Modeling Bragg gratings in doped-core holey fibers., 0,,... o