

Robin M Murray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7577846/robin-m-murray-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,159
papers

82,667
citations

147
h-index

240
g-index

1,223
ext. papers

93,723
ext. citations

6.1
avg, IF

7.9
L-index

| # | Paper | IF | Citations |
|------|---|------|-----------|
| 1159 | Associations Between Canada's Cannabis Legalization and Emergency Department Presentations for Transient Cannabis-Induced Psychosis and Schizophrenia Conditions: Ontario and Alberta, 2015-2019.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437211070650 | 4.8 | 1 |
| 1158 | Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10 | 6.9 | 2 |
| 1157 | Impact of physiological factors on longitudinal structural MRI measures of the brain.. <i>Psychiatry Research - Neuroimaging</i> , 2022 , 321, 111446 | 2.9 | 1 |
| 1156 | Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 , | 1.3 | 1 |
| 1155 | The long-term effects of a polygenetic predisposition to general cognition on healthy cognitive ageing: evidence from the English Longitudinal Study of Ageing.. <i>Psychological Medicine</i> , 2022 , 1-9 | 6.9 | |
| 1154 | Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2022 , 298, 95-103 | 6.6 | |
| 1153 | Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117 | 7.9 | 11 |
| 1152 | Consensus paper of the WFSBP task force on cannabis, cannabinoids and psychosis.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-24 | 3.8 | 1 |
| 1151 | Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432 | 25.5 | 1 |
| 1150 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 , | 50.4 | 35 |
| 1149 | Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548 | 6.9 | 20 |
| 1148 | Cross-sectional study comparing cognitive function in treatment responsive versus treatment non-responsive schizophrenia: evidence from the STRATA study. <i>BMJ Open</i> , 2021 , 11, e054160 | 3 | 0 |
| 1147 | Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021 , 238, 188-198 | 3.6 | 0 |
| 1146 | Acute effects of Tetrahydrocannabinol and cannabidiol on auditory mismatch negativity. <i>Psychopharmacology</i> , 2021 , 1 | 4.7 | 0 |
| 1145 | Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021 , 51, 2599-2609 | 6.9 | 5 |
| 1144 | Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021 , 26, 5307-5319 | 15.1 | 5 |
| 1143 | 1q21.1 distal copy number variants are associated with cerebral and cognitive alterations in humans. <i>Translational Psychiatry</i> , 2021 , 11, 182 | 8.6 | 6 |

| | | | |
|------|---|------|----|
| 1142 | First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021 , 23, 519-527 | 2.2 | 1 |
| 1141 | Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9 | 6.9 | 3 |
| 1140 | A Method for Tapering Antipsychotic Treatment That May Minimize the Risk of Relapse. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1116-1129 | 1.3 | 20 |
| 1139 | Structural Covariance of Cortical Gyrification at Illness Onset in Treatment Resistance: A Longitudinal Study of First-Episode Psychoses. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1729-1739 | 1.3 | 4 |
| 1138 | Association Between Specific Childhood Adversities and Symptom Dimensions in People With Psychosis: Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 975-985 | 1.3 | 10 |
| 1137 | Adult outcome of preterm birth: Implications for neurodevelopmental theories of psychosis. <i>Schizophrenia Research</i> , 2021 , | 3.6 | 3 |
| 1136 | Lack of Support for the Genes by Early Environment Interaction Hypothesis in the Pathogenesis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 6 |
| 1135 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684 | 1.3 | 3 |
| 1134 | Employment and relationship outcomes in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Schizophrenia Research</i> , 2021 , 231, 122-133 | 3.6 | 4 |
| 1133 | Public health psychiatry: an idea whose time has come. <i>World Psychiatry</i> , 2021 , 20, 222-223 | 14.4 | 0 |
| 1132 | Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662 | 1.3 | 0 |
| 1131 | The relationship between cannabis and schizophrenia: a genetically informed perspective. <i>Addiction</i> , 2021 , 116, 3227-3234 | 4.6 | 6 |
| 1130 | Psychological trauma and the genetic overlap between posttraumatic stress disorder and major depressive disorder. <i>Psychological Medicine</i> , 2021 , 1-10 | 6.9 | 3 |
| 1129 | Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633 | 6.9 | 15 |
| 1128 | Tapering Antipsychotic Treatment. <i>JAMA Psychiatry</i> , 2021 , 78, 125-126 | 14.5 | 21 |
| 1127 | Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 118-127 | 1.3 | 6 |
| 1126 | Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021 , 30, 104-112 | 12.7 | 2 |
| 1125 | Individualized prediction of 2-year risk of relapse as indexed by psychiatric hospitalization following psychosis onset: Model development in two first episode samples. <i>Schizophrenia Research</i> , 2021 , 228, 483-492 | 3.6 | 4 |

| | | | |
|------|---|------|----|
| 1124 | Prevention of psychosis: moving on from the at-risk mental state to universal primary prevention. <i>Psychological Medicine</i> , 2021 , 51, 223-227 | 6.9 | 8 |
| 1123 | Neuroanatomical abnormalities in first-episode psychosis across independent samples: a multi-centre mega-analysis. <i>Psychological Medicine</i> , 2021 , 51, 340-350 | 6.9 | 11 |
| 1122 | Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , 2021 , 51, 300-309 | 6.9 | 7 |
| 1121 | Investigating the effects of genetic risk of schizophrenia on behavioural traits. <i>NPJ Schizophrenia</i> , 2021 , 7, 2 | 5.5 | 3 |
| 1120 | Development and validation of prediction model to estimate 10-year risk of all-cause mortality using modern statistical learning methods: a large population-based cohort study and external validation. <i>BMC Medical Research Methodology</i> , 2021 , 21, 8 | 4.7 | 3 |
| 1119 | Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2021 , 1-10 | 6.9 | 2 |
| 1118 | Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13 | 6.9 | 6 |
| 1117 | DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021 , 10, | 8.9 | 15 |
| 1116 | Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2021 , | 5.9 | 6 |
| 1115 | Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. <i>Psychological Medicine</i> , 2021 , 1-11 | 6.9 | 1 |
| 1114 | Cortisol Levels in Childhood Associated With Emergence of Attenuated Psychotic Symptoms in Early Adulthood. <i>Biological Psychiatry</i> , 2021 , | 7.9 | 2 |
| 1113 | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423 | 8.6 | 1 |
| 1112 | Cannabis use and clinical outcome in people with first-episode schizophrenia spectrum disorders over 24 months of treatment. <i>Psychiatry Research</i> , 2021 , 302, 114022 | 9.9 | 1 |
| 1111 | Withdrawal-associated relapse is a potential source of bias. <i>Lancet Psychiatry</i> , 2021 , 8, 747-748 | 23.3 | 2 |
| 1110 | Altered relationship between cortisol response to social stress and mediotemporal function during fear processing in people at clinical high risk for psychosis: a preliminary report. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1 | 5.1 | 0 |
| 1109 | The Jury Is Still out on Placental Genes and Obstetric Complications. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 1 |
| 1108 | Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436 | 14.4 | 21 |
| 1107 | The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79 | 3.6 | 0 |

| | | | |
|------|---|------|----|
| 1106 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33 | 14.4 | 43 |
| 1105 | Development and Validation of a Nonremission Risk Prediction Model in First-Episode Psychosis: An Analysis of 2 Longitudinal Studies. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab041 | 2.2 | 2 |
| 1104 | Environmental Risk Factors in Bipolar Disorder and Psychotic Depression: A Systematic Review and Meta-Analysis of Prospective Studies. <i>Schizophrenia Bulletin</i> , 2021 , 47, 959-974 | 1.3 | 7 |
| 1103 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543 | 15.1 | 7 |
| 1102 | The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 336-344 | 1.3 | 38 |
| 1101 | Schizophrenia polygenic risk predicts general cognitive deficit but not cognitive decline in healthy older adults. <i>Translational Psychiatry</i> , 2020 , 10, 422 | 8.6 | 8 |
| 1100 | The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.9 | 7 |
| 1099 | Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2020 , 1-9 | 6.9 | 4 |
| 1098 | Effect of delaying treatment of first-episode psychosis on symptoms and social outcomes: a longitudinal analysis and modelling study. <i>Lancet Psychiatry</i> , 2020 , 7, 602-610 | 23.3 | 25 |
| 1097 | Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9 | 6.9 | 13 |
| 1096 | Schizophrenia and Influenza at the Centenary of the 1918-1919 Spanish Influenza Pandemic: Mechanisms of Psychosis Risk. <i>Frontiers in Psychiatry</i> , 2020 , 11, 72 | 5 | 68 |
| 1095 | O8.4. ENVIRONMENTAL RISK FACTORS IN BIPOLAR DISORDER AND PSYCHOTIC DEPRESSION: A SYSTEMATIC REVIEW AND META-ANALYSIS OF PROSPECTIVE STUDIES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S19-S20 | 1.3 | 78 |
| 1094 | Childhood adversity and psychosis: a systematic review of bio-psycho-social mediators and moderators. <i>Psychological Medicine</i> , 2020 , 50, 1761-1782 | 6.9 | 20 |
| 1093 | The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. <i>Schizophrenia Research</i> , 2020 , 225, 63-68 | 3.6 | 12 |
| 1092 | A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020 , 123, 145-150 | 5.2 | 13 |
| 1091 | Altered Cortical Gyrfication in Adults Who Were Born Very Preterm and Its Associations With Cognition and Mental Health. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 640-650 | 3.4 | 8 |
| 1090 | Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020 , | 1.3 | 2 |
| 1089 | Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. <i>Trials</i> , 2020 , 21, 14 | 2.8 | 5 |

| | | | |
|------|--|------|----|
| 1088 | Baseline high levels of complement component 4 predict worse clinical outcome at 1-year follow-up in first-episode psychosis. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 913-915 | 16.6 | 14 |
| 1087 | The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657 | 4.5 | 20 |
| 1086 | Prenatal and perinatal risk and protective factors for psychosis: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2020 , 7, 399-410 | 23.3 | 69 |
| 1085 | Will Legalization and Commercialization of Cannabis Use Increase the Incidence and Prevalence of Psychosis?. <i>JAMA Psychiatry</i> , 2020 , 77, 777-778 | 14.5 | 31 |
| 1084 | A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. <i>Programme Grants for Applied Research</i> , 2020 , 8, 1-124 | 1.5 | 2 |
| 1083 | Cannabis points to the synaptic pathology of mental disorders: how aberrant synaptic components disrupt the highest psychological functions?. <i>Dialogues in Clinical Neuroscience</i> , 2020 , 22, 251-258 | 5.7 | 2 |
| 1082 | Association of Copy Number Variation of the 15q11.2 BP1-BP2 Region With Cortical and Subcortical Morphology and Cognition. <i>JAMA Psychiatry</i> , 2020 , 77, 420-430 | 14.5 | 24 |
| 1081 | Schizophrenia polygenic risk score influence on white matter microstructure. <i>Journal of Psychiatric Research</i> , 2020 , 121, 62-67 | 5.2 | 5 |
| 1080 | T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S251-S251 | 1.3 | 78 |
| 1079 | T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S296-S296 | 1.3 | 78 |
| 1078 | S92. REASONS TO START SMOKING CANNABIS: A CASE CONTROL-ANALYSIS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S69-S69 | 1.3 | 78 |
| 1077 | S115. EVALUATION OF THE CLINICAL UTILITY OF SYMPTOM DIMENSIONS ON LONG-TERM CLINICAL AND FUNCTIONAL OUTCOMES IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S78-S78 | 1.3 | 78 |
| 1076 | S118. TRANSDIAGNOSTIC SYMPTOM DIMENSIONS OF PSYCHOSIS AND THE PREDICTIVE ROLE OF PREMORBID ADJUSTMENT AND COGNITIVE CHARACTERISTICS IN THE MULTINATIONAL EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S79-S80 | 1.3 | 78 |
| 1075 | S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S83-S83 | 1.3 | 78 |
| 1074 | S186. THE EFFECTS OF CHILDHOOD TRAUMA ON HIPPOCAMPAL VOLUME IN FIRST EPISODE PSYCHOSIS: DOES CORTISOL PLAY A ROLE?. <i>Schizophrenia Bulletin</i> , 2020 , 46, S109-S109 | 1.3 | 78 |
| 1073 | Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 , | 5.9 | 5 |
| 1072 | T183. LOW LEVELS OF VITAMIN D ARE ASSOCIATED WITH REDUCED CORTICAL THICKNESS AND SURFACE AREA IN FRONTAL, TEMPORAL AND OCCIPITAL REGIONS IN FIRST-EPISODE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S301-S302 | 1.3 | 78 |
| 1071 | T145. EFFECTS OF CANNABIDIOL ON EMOTION PROCESSING IN PSYCHOSIS RISK: AN FMRI INVESTIGATION. <i>Schizophrenia Bulletin</i> , 2020 , 46, S286-S286 | 1.3 | 78 |

| | | | |
|------|---|-------|----|
| 1070 | Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020 , 46, 814-822. | 3 | 8 |
| 1069 | Do AKT1, COMT and FAAH influence reports of acute cannabis intoxication experiences in patients with first episode psychosis, controls and young adult cannabis users?. <i>Translational Psychiatry</i> , 2020 , 10, 143 | 8.6 | 5 |
| 1068 | A systematic review on mediators between adversity and psychosis: potential targets for treatment. <i>Psychological Medicine</i> , 2020 , 50, 1966-1976 | 6.9 | 21 |
| 1067 | Author's reply. <i>British Journal of Psychiatry</i> , 2020 , 217, 399 | 5.4 | |
| 1066 | Predicting onset of early- and late-treatment resistance in first-episode schizophrenia patients using advanced shrinkage statistical methods in a small sample. <i>Psychiatry Research</i> , 2020 , 294, 113527 | 9.9 | 5 |
| 1065 | INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. <i>BMJ Open</i> , 2020 , 10, e039004 | 3 | 5 |
| 1064 | A single dose of cannabidiol modulates medial temporal and striatal function during fear processing in people at clinical high risk for psychosis. <i>Translational Psychiatry</i> , 2020 , 10, 311 | 8.6 | 4 |
| 1063 | Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020 , 217, 575-582 | 5.4 | 9 |
| 1062 | Nature, Nurture, and the Polygenic Risk Score for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1363-1365 | 13.65 | 0 |
| 1061 | Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020 , 25, 584-602 | 15.1 | 24 |
| 1060 | Hospitalisation and length of hospital stay following first-episode psychosis: systematic review and meta-analysis of longitudinal studies. <i>Psychological Medicine</i> , 2020 , 50, 991-1001 | 6.9 | 5 |
| 1059 | Using Machine Learning and Structural Neuroimaging to Detect First Episode Psychosis: Reconsidering the Evidence. <i>Schizophrenia Bulletin</i> , 2020 , 46, 17-26 | 1.3 | 39 |
| 1058 | The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2213-2220 | 6.9 | 14 |
| 1057 | Cannabis Use and the Risk for Psychosis and Affective Disorders. <i>Journal of Dual Diagnosis</i> , 2020 , 16, 22-42 | 2.4 | 42 |
| 1056 | Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020 , 50, 1452-1462 | 6.9 | 7 |
| 1055 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529 | 1.3 | 10 |
| 1054 | T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S219-S220 | 1.3 | 1 |
| 1053 | T66. PREDICTING TREATMENT RESISTANT SCHIZOPHRENIA AT FIRST-EPISODE OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S229-S230 | 1.3 | 1 |

| | | | |
|------|--|------|-----|
| 1052 | O1.4. CAN PRS FOR SCHIZOPHRENIA, BIPOLAR DISORDER AND MAJOR DEPRESSION DISTINGUISH AFFECTIVE PSYCHOSIS DIAGNOSTIC CATEGORIES? THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S160-S160 | 1.3 | 78 |
| 1051 | O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S176-S176 | 1.3 | 78 |
| 1050 | Non-Genetic Factors in Schizophrenia. <i>Current Psychiatry Reports</i> , 2019 , 21, 100 | 9.1 | 70 |
| 1049 | A randomised controlled trial of vaporised Δ 9-tetrahydrocannabinol and cannabidiol alone and in combination in frequent and infrequent cannabis users: acute intoxication effects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 17-35 | 5.1 | 92 |
| 1048 | Differential gene expression analysis in blood of first episode psychosis patients. <i>Schizophrenia Research</i> , 2019 , 209, 88-97 | 3.6 | 11 |
| 1047 | High-potency cannabis and incident psychosis: correcting the causal assumption - Authors' reply. <i>Lancet Psychiatry</i> , 2019 , 6, 466-467 | 23.3 | 13 |
| 1046 | The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556 | 7.9 | 33 |
| 1045 | Tobacco smoking and nicotine dependence in first episode and established psychosis. <i>Asian Journal of Psychiatry</i> , 2019 , 43, 125-131 | 6.7 | 13 |
| 1044 | 6.3 DOES TOBACCO SMOKING CAUSE PSYCHOSIS?. <i>Schizophrenia Bulletin</i> , 2019 , 45, S96-S96 | 1.3 | 78 |
| 1043 | 20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S122-S122 | 1.3 | 78 |
| 1042 | Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). <i>Schizophrenia Research</i> , 2019 , 208, 138-144 | 3.6 | 5 |
| 1041 | O4.8. CAN YOU SPOT EMOTIONS? FACIAL EMOTION RECOGNITION AND GENETIC RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S172-S172 | 1.3 | 78 |
| 1040 | De novo single-nucleotide and copy number variation in discordant monozygotic twins reveals disease-related genes. <i>European Journal of Human Genetics</i> , 2019 , 27, 1121-1133 | 5.3 | 24 |
| 1039 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436 | 23.3 | 322 |
| 1038 | The Psychiatric Risk Gene NT5C2 Regulates Adenosine Monophosphate-Activated Protein Kinase Signaling and Protein Translation in Human Neural Progenitor Cells. <i>Biological Psychiatry</i> , 2019 , 86, 120-130 | 7.9 | 17 |
| 1037 | S84. THE EFFECT OF ANTIPSYCHOTICS ON GLUTAMATE LEVELS IN THE ANTERIOR CINGULATE AND CLINICAL RESPONSE MEASURED BY PANSS: A 1H-MRS STUDY IN FIRST-EPISEODE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S339-S339 | 1.3 | 78 |
| 1036 | O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S165-S166 | 1.3 | 78 |
| 1035 | Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019 , 213, 32-39 | 3.6 | 13 |

| | | | |
|------|--|------|----|
| 1034 | Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 223-231 | 3.5 | 2 |
| 1033 | Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. <i>Schizophrenia Research</i> , 2019 , 205, 38-44 | 3.6 | 12 |
| 1032 | Associations Between Non-neurological Autoimmune Disorders and Psychosis: A Meta-analysis. <i>Biological Psychiatry</i> , 2019 , 85, 35-48 | 7.9 | 60 |
| 1031 | The effect of psychosis associated CACNA1C, and its epistasis with ZNF804A, on brain function. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12510 | 3.6 | 27 |
| 1030 | IQ differences between patients with first episode psychosis in London and Palermo reflect differences in patterns of cannabis use. <i>Schizophrenia Research</i> , 2019 , 210, 81-88 | 3.6 | 2 |
| 1029 | Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 3 |
| 1028 | Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. <i>British Journal of Psychiatry</i> , 2019 , 215, 712-719 | 5.4 | 13 |
| 1027 | Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2019 , 176, 811-819 | 11.9 | 64 |
| 1026 | Should the supply of cannabis be legalised now?. <i>BMJ, The</i> , 2019 , 366, l4473 | 5.9 | 3 |
| 1025 | Systematic assessment of perinatal and socio-demographic factors associated with IQ from childhood to adult life following very preterm birth. <i>Intelligence</i> , 2019 , 77, 101401 | 3 | 4 |
| 1024 | Verbal Fluency Is Affected by Altered Brain Lateralization in Adults Who Were Born Very Preterm. <i>ENeuro</i> , 2019 , 6, | 3.9 | 6 |
| 1023 | O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. <i>Schizophrenia Bulletin</i> , 2019 , 45, S195-S195 | 1.3 | 78 |
| 1022 | Vitamin D and clinical symptoms in First Episode Psychosis (FEP): A prospective cohort study. <i>Schizophrenia Research</i> , 2019 , 204, 381-388 | 3.6 | 9 |
| 1021 | Metabolic-inflammatory status as predictor of clinical outcome at 1-year follow-up in patients with first episode psychosis. <i>Psychoneuroendocrinology</i> , 2019 , 99, 145-153 | 5 | 20 |
| 1020 | Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 871-882 | 1.3 | 11 |
| 1019 | 'At risk mental state' clinics for psychosis - an idea whose time has come - and gone!. <i>Psychological Medicine</i> , 2019 , 49, 529-534 | 6.9 | 30 |
| 1018 | Jumping to conclusions at first onset of psychosis predicts longer admissions, more compulsory admissions and police involvement over the next 4 years: the GAP study. <i>Psychological Medicine</i> , 2019 , 49, 2256-2266 | 6.9 | 11 |
| 1017 | Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39 | 7.9 | 4 |

| | | | |
|------|--|------|-----|
| 1016 | Association of a Schizophrenia-Risk Nonsynonymous Variant With Putamen Volume in Adolescents: A Voxelwise and Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2019 , 76, 435-445 | 14.5 | 31 |
| 1015 | Neuropsychological function at first episode in treatment-resistant psychosis: findings from the SOP-10 study. <i>Psychological Medicine</i> , 2019 , 49, 2100-2110 | 6.9 | 14 |
| 1014 | Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019 , 49, 2600-2607 | 6.9 | 5 |
| 1013 | Continuity of care and clinical outcomes in the community for people with severe mental illness. <i>British Journal of Psychiatry</i> , 2019 , 214, 273-278 | 5.4 | 22 |
| 1012 | Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019 , 204, 80-89 | 3.6 | 13 |
| 1011 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391 | 6.9 | 42 |
| 1010 | Interaction between childhood adversity and functional polymorphisms in the dopamine pathway on first-episode psychosis. <i>Schizophrenia Research</i> , 2019 , 205, 51-57 | 3.6 | 10 |
| 1009 | Complement system biomarkers in first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 204, 16-22 | 3.6 | 33 |
| 1008 | Validation of an algorithm-based definition of treatment resistance in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 197, 294-297 | 3.6 | 12 |
| 1007 | T130. ASSOCIATIONS BETWEEN DIFFERENT TYPES OF CHILDHOOD ADVERSITY AND 5-YEAR OUTCOMES IN FIRST-EPISEODE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S166-S166 | 1.3 | 78 |
| 1006 | S12. THE AUTOANTIBODYOME IN PSYCHOSIS: A PILOT STUDY AND BLUEPRINT FOR BIOMARKER DISCOVERY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S328-S328 | 1.3 | 78 |
| 1005 | A dimensional approach to assessing psychiatric risk in adults born very preterm. <i>Psychological Medicine</i> , 2018 , 48, 1738-1744 | 6.9 | 9 |
| 1004 | What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018 , 17, 49-66 | 14.4 | 239 |
| 1003 | The antipsychotic landscape: dopamine and beyond. <i>Therapeutic Advances in Psychopharmacology</i> , 2018 , 8, 127-135 | 4.9 | 11 |
| 1002 | The impact of psychosis genome-wide associated ZNF804A variation on verbal fluency connectivity. <i>Journal of Psychiatric Research</i> , 2018 , 98, 17-21 | 5.2 | 5 |
| 1001 | O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S110-S110 | 1.3 | 2 |
| 1000 | Substance use and at-risk mental state for psychosis in 2102 prisoners: the case for early detection and early intervention in prison. <i>Microbial Biotechnology</i> , 2018 , 12, 400-409 | 3.3 | 7 |
| 999 | Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. <i>Microbial Biotechnology</i> , 2018 , 12, 135-142 | 3.3 | 18 |

| | | | |
|-----|--|------|-----|
| 998 | The relative prevalence of schizophrenia among cannabis and cocaine users attending addiction services. <i>Schizophrenia Research</i> , 2018 , 194, 13-17 | 3.6 | 11 |
| 997 | Utilising symptom dimensions with diagnostic categories improves prediction of time to first remission in first-episode psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 391-398 | 3.6 | 6 |
| 996 | The effects of cannabidiol on persecutory ideation and anxiety in a high trait paranoid group. <i>Journal of Psychopharmacology</i> , 2018 , 32, 276-282 | 4.6 | 24 |
| 995 | A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 21-34 | 3.5 | 39 |
| 994 | O8.7. COGNITIVE SUBTYPES IN FIRST-EPISEODE PSYCHOSIS AND ASSOCIATION TO TREATMENT RESPONSE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S98-S99 | 1.3 | 78 |
| 993 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360, | 33.3 | 666 |
| 992 | T189. PEPTIDE SHARING BETWEEN SCHIZOPHRENIA-RELATED PROTEINS AND THE INFLUENZA A VIRUS MAY OFFER A WINDOW INTO THE IMMUNE AETIOLOGY OF PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S189-S189 | 1.3 | 1 |
| 991 | Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018 , 213, 535-541 | 5.4 | 21 |
| 990 | 5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S6-S6 | 1.3 | 78 |
| 989 | Different types of childhood adversity and 5-year outcomes in a longitudinal cohort of first-episode psychosis patients. <i>Psychiatry Research</i> , 2018 , 269, 199-206 | 9.9 | 21 |
| 988 | 35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODROMAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. <i>Schizophrenia Bulletin</i> , 2018 , 44, S58-S58 | 1.3 | 78 |
| 987 | Is the grass greener for those at risk of psychosis?. <i>Schizophrenia Research</i> , 2018 , 201, 35-36 | 3.6 | 2 |
| 986 | O2.1. FIRST EPISODE PSYCHOSIS PATIENTS ACROSS EUROPE DIFFER IN INTELLECTUAL QUOTIENT (IQ) AND EXPOSURE TO ENVIRONMENTAL HAZARDS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S75-S76 | 1.3 | 78 |
| 985 | The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. <i>Schizophrenia Research</i> , 2018 , 195, 306-317 | 3.6 | 14 |
| 984 | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46 | 14.5 | 154 |
| 983 | O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S87-S87 | 1.3 | 78 |
| 982 | F68. PREMORBID IQ, EDUCATIONAL LEVEL AND JUMPING TO CONCLUSIONS AS PREDICTORS OF CLINICAL OUTCOME AT FIRST ONSET OF PSYCHOSIS OVER THE NEXT 4 YEARS: THE GAP STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S246-S246 | 1.3 | 78 |
| 981 | O6.7. COMMON NEUROANATOMICAL ABNORMALITIES IN FIRST EPISODE PSYCHOSIS ACROSS SEVERAL INDEPENDENT SAMPLES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S92-S92 | 1.3 | 78 |

| | | | |
|-----|--|------|-----|
| 980 | 5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S7-S7 | 1.3 | 1 |
| 979 | O4.5. INVESTIGATING GENETIC PROFILES ASSOCIATED WITH REAL WORLD CLINICAL OUTCOMES IN PSYCHOSIS: A RETROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S84-S85 | 1.3 | 78 |
| 978 | T15. LONGITUDINAL ASSOCIATIONS BETWEEN CHILDHOOD SALIVARY CORTISOL LEVELS AND PRODROMAL SYMPTOMS IN LATE ADOLESCENCE: FINDINGS FROM A HIGH-RISK COHORT. <i>Schizophrenia Bulletin</i> , 2018 , 44, S118-S119 | 1.3 | 78 |
| 977 | T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S156-S156 | 1.3 | 78 |
| 976 | F99. FIRST EPISODE PSYCHOSIS PATIENTS WHO USED CANNABIS DEVELOP THEIR ILLNESS AT A SIGNIFICANTLY YOUNGER AGE THAN THOSE WHO NEVER USED CONSISTENTLY ACROSS EUROPE AND BRAZIL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S258-S259 | 1.3 | 78 |
| 975 | S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S354-S355 | 1.3 | 0 |
| 974 | S123. TREATMENT RESISTANT SCHIZOPHRENIA AND GYRIFICATION-BASED CONNECTOME. <i>Schizophrenia Bulletin</i> , 2018 , 44, S373-S373 | 1.3 | 78 |
| 973 | The Representativeness of Participants With Severe Mental Illness in a Psychosocial Clinical Trial. <i>Frontiers in Psychiatry</i> , 2018 , 9, 654 | 5 | 12 |
| 972 | T26. PERINATAL STRESS AND PSYCHOSIS: RESULTS FROM THE BOLOGNA FIRST EPISODE PSYCHOSIS (BO-FEP) STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S123-S123 | 1.3 | 78 |
| 971 | 35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S59-S59 | 1.3 | 78 |
| 970 | O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S77-S77 | 1.3 | 78 |
| 969 | Effect of Cannabidiol on Medial Temporal, Midbrain, and Striatal Dysfunction in People at Clinical High Risk of Psychosis: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2018 , 75, 1107-1117 | 14.5 | 73 |
| 968 | T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S158-S159 | 1.3 | 1 |
| 967 | Can Artificial Neural Networks Predict Psychiatric Conditions Associated with Cannabis Use?. <i>IFIP Advances in Information and Communication Technology</i> , 2018 , 311-322 | 0.5 | 2 |
| 966 | Cortical thickness correlates of minor neurological signs in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 200, 104-111 | 3.6 | 7 |
| 965 | S100. EFFECTS OF CANNABIS USE ON BODY MASS, FASTING GLUCOSE AND LIPIDS DURING THE FIRST 12 MONTHS OF TREATMENT IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S364-S364 | 1.3 | 1 |
| 964 | Predicting First-Episode Psychosis Associated with Cannabis Use with Artificial Neural Networks and Deep Learning. <i>Communications in Computer and Information Science</i> , 2018 , 691-702 | 0.3 | |
| 963 | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654 | 7.9 | 325 |

| | | | |
|-----|--|------|-----|
| 962 | Increasing expectations and knowledge require a more subtle use of prophylactic antipsychotics. <i>World Psychiatry</i> , 2018 , 17, 161-162 | 14.4 | 7 |
| 961 | A New Machine Learning Framework for Understanding the Link Between Cannabis Use and First-Episode Psychosis. <i>Studies in Health Technology and Informatics</i> , 2018 , 248, 9-16 | 0.5 | 2 |
| 960 | Duration of untreated psychosis and pathway to care in Riyadh, Saudi Arabia. <i>Microbial Biotechnology</i> , 2017 , 11, 47-56 | 3.3 | 14 |
| 959 | Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. <i>Microbial Biotechnology</i> , 2017 , 11, 522-525 | 3.3 | 7 |
| 958 | Can we make cannabis safer?. <i>Lancet Psychiatry</i> , 2017 , 4, 643-648 | 23.3 | 80 |
| 957 | White matter alterations to cingulum and fornix following very preterm birth and their relationship with cognitive functions. <i>NeuroImage</i> , 2017 , 150, 373-382 | 7.9 | 24 |
| 956 | Effects of risk for bipolar disorder on brain function: A twin and family study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 494-503 | 1.2 | 5 |
| 955 | Effect of continued cannabis use on medication adherence in the first two years following onset of psychosis. <i>Psychiatry Research</i> , 2017 , 255, 36-41 | 9.9 | 15 |
| 954 | Real-Life Impact of Executive Function Impairments in Adults Who Were Born Very Preterm. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 381-389 | 3.1 | 27 |
| 953 | Cannabis-associated psychosis: Neural substrate and clinical impact. <i>Neuropharmacology</i> , 2017 , 124, 89-104 | 5.9 | 99 |
| 952 | Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 302-315 | 1.3 | 39 |
| 951 | Atypical antipsychotics: recent research findings and applications to clinical practice: Proceedings of a symposium presented at the 29th Annual European College of Neuropsychopharmacology Congress, 19 September 2016, Vienna, Austria. <i>Therapeutic Advances in Psychopharmacology</i> , 2017 , 7, 1-14 | 4.9 | 14 |
| 950 | Connectomic correlates of response to treatment in first-episode psychosis. <i>Brain</i> , 2017 , 140, 487-496 | 11.2 | 36 |
| 949 | Volumetric grey matter alterations in adolescents and adults born very preterm suggest accelerated brain maturation. <i>NeuroImage</i> , 2017 , 163, 379-389 | 7.9 | 39 |
| 948 | Remission and recovery from first-episode psychosis in adults: systematic review and meta-analysis of long-term outcome studies. <i>British Journal of Psychiatry</i> , 2017 , 211, 350-358 | 5.4 | 150 |
| 947 | 30 Years on: How the Neurodevelopmental Hypothesis of Schizophrenia Morphed Into the Developmental Risk Factor Model of Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1190-1196 | 1.3 | 127 |
| 946 | Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. <i>BMC Psychiatry</i> , 2017 , 17, 308 | 4.2 | 32 |
| 945 | Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPACT): cost-effectiveness of integrated psychosocial health promotion. <i>BMC Psychiatry</i> , 2017 , 17, 407 | 4.2 | 6 |

| | | | |
|-----|---|------|-----|
| 944 | Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPACT). <i>BMC Psychiatry</i> , 2017 , 17, 413 | 4.2 | 28 |
| 943 | Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. <i>Schizophrenia Research</i> , 2017 , 189, 117-125 | 3.6 | 21 |
| 942 | Patterns of illness and care over the 5 years following onset of psychosis in different ethnic groups; the GAP-5 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1101-1111 | 4.5 | 19 |
| 941 | Development of multivariable models to predict change in Body Mass Index within a clinical trial population of psychotic individuals. <i>Scientific Reports</i> , 2017 , 7, 14738 | 4.9 | 9 |
| 940 | The contribution of rare variants to risk of schizophrenia in individuals with and without intellectual disability. <i>Nature Genetics</i> , 2017 , 49, 1167-1173 | 36.3 | 132 |
| 939 | Poor medication adherence and risk of relapse associated with continued cannabis use in patients with first-episode psychosis: a prospective analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 627-633 | 23.3 | 66 |
| 938 | Can cognitive insight predict symptom remission in a first episode psychosis cohort?. <i>BMC Psychiatry</i> , 2017 , 17, 54 | 4.2 | 20 |
| 937 | Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: the BOP-10 study. <i>British Journal of Psychiatry</i> , 2017 , 211, 88-94 | 5.4 | 41 |
| 936 | The Role of Genes, Stress, and Dopamine in the Development of Schizophrenia. <i>Biological Psychiatry</i> , 2017 , 81, 9-20 | 7.9 | 289 |
| 935 | An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2017 , 81, 470-477 | 7.9 | 126 |
| 934 | Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017 , 49, 27-35 | 36.3 | 530 |
| 933 | A multimodal imaging study of recognition memory in very preterm born adults. <i>Human Brain Mapping</i> , 2017 , 38, 644-655 | 5.9 | 14 |
| 932 | Clinical utility of magnetic resonance imaging in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017 , 211, 231-237 | 5.4 | 14 |
| 931 | Authors' reply. <i>British Journal of Psychiatry</i> , 2017 , 211, 250 | 5.4 | |
| 930 | Perinatal Asphyxia in Rat Alters Expression of Novel Schizophrenia Risk Genes. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 341 | 6.1 | 7 |
| 929 | Autoantibodies against voltage-gated potassium channel and glutamic acid decarboxylase in psychosis: A systematic review, meta-analysis, and case series. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 678-689 | 6.2 | 13 |
| 928 | Familial and environmental influences on brain volumes in twins with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 122-130 | 4.5 | 12 |
| 927 | The effect of perinatal brain injury on dopaminergic function and hippocampal volume in adult life. <i>ELife</i> , 2017 , 6, | 8.9 | 21 |

| | | | |
|-----|---|------|-----|
| 926 | Mistakes I Have Made in My Research Career. <i>Schizophrenia Bulletin</i> , 2017 , 43, 253-256 | 1.3 | 30 |
| 925 | Effects of continuation, frequency, and type of cannabis use on relapse in the first 2 years after onset of psychosis: an observational study. <i>Lancet Psychiatry</i> , 2016 , 3, 947-953 | 23.3 | 84 |
| 924 | An integrated genetic-epigenetic analysis of schizophrenia: evidence for co-localization of genetic associations and differential DNA methylation. <i>Genome Biology</i> , 2016 , 17, 176 | 18.3 | 189 |
| 923 | Are deficits in cognition associated with psychotic-like experiences after cannabis?. <i>Human Psychopharmacology</i> , 2016 , 31, 402-411 | 2.3 | 4 |
| 922 | Patterns of regional gray matter loss at different stages of schizophrenia: A multisite, cross-sectional VBM study in first-episode and chronic illness. <i>NeuroImage: Clinical</i> , 2016 , 12, 1-15 | 5.3 | 77 |
| 921 | Outcomes following first-episode psychosis - Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1055-1063 | 2.6 | 20 |
| 920 | Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016 , 209, 361-365 | 5.4 | 152 |
| 919 | Gene-expression analysis of clozapine treatment in whole blood of patients with psychosis. <i>Psychiatric Genetics</i> , 2016 , 26, 211-7 | 2.9 | 6 |
| 918 | New insights into the endophenotypic status of cognition in bipolar disorder: genetic modelling study of twins and siblings. <i>British Journal of Psychiatry</i> , 2016 , 208, 539-47 | 5.4 | 10 |
| 917 | Correlation still does not imply causation - Authors' reply. <i>Lancet Psychiatry</i> , 2016 , 3, 401-2 | 23.3 | 4 |
| 916 | Continued versus discontinued cannabis use in patients with psychosis: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 215-25 | 23.3 | 167 |
| 915 | Resting Hyperperfusion of the Hippocampus, Midbrain, and Basal Ganglia in People at High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2016 , 173, 392-9 | 11.9 | 68 |
| 914 | Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. <i>Schizophrenia Research</i> , 2016 , 173, 90-3 | 3.6 | 15 |
| 913 | Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 712-22 | 1.3 | 164 |
| 912 | Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 464-75 | 1.3 | 33 |
| 911 | Meta-analysis of the Association Between the Level of Cannabis Use and Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1262-9 | 1.3 | 414 |
| 910 | Heritability of the limbic networks. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 746-57 | 4 | 32 |
| 909 | Rare loss-of-function variants in SETD1A are associated with schizophrenia and developmental disorders. <i>Nature Neuroscience</i> , 2016 , 19, 571-7 | 25.5 | 284 |

| | | | |
|-----|--|------|-----|
| 908 | Cannabis and Psychosis: What Degree of Proof Do We Require?. <i>Biological Psychiatry</i> , 2016 , 79, 514-5 | 7.9 | 31 |
| 907 | Substance use, medication adherence and outcome one year following a first episode of psychosis. <i>Schizophrenia Research</i> , 2016 , 170, 311-7 | 3.6 | 45 |
| 906 | Reinforcement of the Brain's Rich-Club Architecture Following Early Neurodevelopmental Disruption Caused by Very Preterm Birth. <i>Cerebral Cortex</i> , 2016 , 26, 1322-35 | 5.1 | 57 |
| 905 | The effect of five day dosing with THCV on THC-induced cognitive, psychological and physiological effects in healthy male human volunteers: A placebo-controlled, double-blind, crossover pilot trial. <i>Journal of Psychopharmacology</i> , 2016 , 30, 140-51 | 4.6 | 55 |
| 904 | Overview of Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016 , 23, 5-15 | 0.7 | |
| 903 | Interplay between Schizophrenia Polygenic Risk Score and Childhood Adversity in First-Presentation Psychotic Disorder: A Pilot Study. <i>PLoS ONE</i> , 2016 , 11, e0163319 | 3.7 | 38 |
| 902 | Globally Efficient Brain Organization and Treatment Response in Psychosis: A Connectomic Study of Gyrfication. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1446-1456 | 1.3 | 37 |
| 901 | Adversity in childhood linked to elevated striatal dopamine function in adulthood. <i>Schizophrenia Research</i> , 2016 , 176, 171-176 | 3.6 | 58 |
| 900 | Concepts of madness in diverse settings: a qualitative study from the INTREPID project. <i>BMC Psychiatry</i> , 2016 , 16, 388 | 4.2 | 14 |
| 899 | A Prediction Modelling and Pattern Detection Approach for the First-Episode Psychosis Associated to Cannabis Use 2016 , | | 5 |
| 898 | Association Between Continued Cannabis Use and Risk of Relapse in First-Episode Psychosis: A Quasi-Experimental Investigation Within an Observational Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1173-1179 | 14.5 | 52 |
| 897 | Traditional marijuana, high-potency cannabis and synthetic cannabinoids: increasing risk for psychosis. <i>World Psychiatry</i> , 2016 , 15, 195-204 | 14.4 | 146 |
| 896 | Genome-wide significant schizophrenia risk variation on chromosome 10q24 is associated with altered cis-regulation of BORCS7, AS3MT, and NT5C2 in the human brain. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 806-14 | 3.5 | 29 |
| 895 | How cannabis causes paranoia: using the intravenous administration of Δ -tetrahydrocannabinol (THC) to identify key cognitive mechanisms leading to paranoia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 391-9 | 1.3 | 75 |
| 894 | Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 243-6 | 3.6 | 11 |
| 893 | Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015 , 227, 213-8 | 9.9 | 11 |
| 892 | Does tobacco use cause psychosis? Systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015 , 2, 718-725 | 23.3 | 184 |
| 891 | Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , 2015 , 2, 233-8 | 23.3 | 338 |

| | | | |
|-----|--|------|-----|
| 890 | Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1162-70 | 1.3 | 166 |
| 889 | Delta-9-tetrahydrocannabinol, neural oscillations above 20 Hz and induced acute psychosis. <i>Psychopharmacology</i> , 2015 , 232, 519-28 | 4.7 | 20 |
| 888 | Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1489-500 | 4.5 | 37 |
| 887 | Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1171-82 | 1.3 | 58 |
| 886 | Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3 | 9.9 | 2 |
| 885 | A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1266-75 | 1.3 | 21 |
| 884 | Structural brain network analysis in families multiply affected with bipolar I disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 44-51 | 2.9 | 42 |
| 883 | Genetic moderation of the effects of cannabis: catechol-O-methyltransferase (COMT) affects the impact of Δ -9-tetrahydrocannabinol (THC) on working memory performance but not on the occurrence of psychotic experiences. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1146-51 | 4.6 | 27 |
| 882 | Mortality in schizophrenia and other psychoses: a 10-year follow-up of the BOP first-episode cohort. <i>Schizophrenia Bulletin</i> , 2015 , 41, 664-73 | 1.3 | 101 |
| 881 | Tobacco use and psychosis: missing the risk of bias assessment and other methodological considerations - Authors' reply. <i>Lancet Psychiatry</i> , 2015 , 2, 865-6 | 23.3 | |
| 880 | Jumping to conclusions, neuropsychological functioning, and delusional beliefs in first episode psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 411-8 | 1.3 | 48 |
| 879 | Functional outcome in people at high risk for psychosis predicted by thalamic glutamate levels and prefronto-striatal activation. <i>Schizophrenia Bulletin</i> , 2015 , 41, 429-39 | 1.3 | 51 |
| 878 | Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15067 | 51.1 | 432 |
| 877 | Interaction between DRD2 and AKT1 genetic variations on risk of psychosis in cannabis users: a case-control study. <i>NPJ Schizophrenia</i> , 2015 , 1, 15025 | 5.5 | 21 |
| 876 | Does environmental confounding mask pleiotropic effects of a multiple sclerosis susceptibility variant on vitamin D in psychosis?. <i>NPJ Schizophrenia</i> , 2015 , 1, 15036 | 5.5 | |
| 875 | Age-Related Differences and Heritability of the Perisylvian Language Networks. <i>Journal of Neuroscience</i> , 2015 , 35, 12625-34 | 6.6 | 43 |
| 874 | Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , 2015 , 1, 6-13 | 5 | 18 |
| 873 | Subregional Hippocampal Morphology and Psychiatric Outcome in Adolescents Who Were Born Very Preterm and at Term. <i>PLoS ONE</i> , 2015 , 10, e0130094 | 3.7 | 11 |

| | | | |
|-----|---|------|-----|
| 872 | Alterations in cortical thickness development in preterm-born individuals: Implications for high-order cognitive functions. <i>NeuroImage</i> , 2015 , 115, 64-75 | 7.9 | 52 |
| 871 | Very Early Brain Damage Leads to Remodeling of the Working Memory System in Adulthood: A Combined fMRI/Tractography Study. <i>Journal of Neuroscience</i> , 2015 , 35, 15787-99 | 6.6 | 30 |
| 870 | Cannabis: debated schizophrenia link. <i>Nature</i> , 2015 , 527, 305 | 50.4 | 8 |
| 869 | Ten-Year Outcomes of First-Episode Psychoses in the MRC BOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 379-86 | 1.8 | 70 |
| 868 | Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015 , 161, 277-82 | 3.6 | 9 |
| 867 | Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 879-93 | 4.5 | 25 |
| 866 | Eating disorder psychopathology, brain structure, neuropsychological correlates and risk mechanisms in very preterm young adults. <i>European Eating Disorders Review</i> , 2015 , 23, 147-55 | 5.3 | 17 |
| 865 | Bridging the gap between research into biological and psychosocial models of psychosis. <i>Shanghai Archives of Psychiatry</i> , 2015 , 27, 139-43 | | 3 |
| 864 | Appraising the risks of reefer madness. <i>Cerebrum: the Dana Forum on Brain Science</i> , 2015 , 2015, 1 | 0 | 2 |
| 863 | The impact of substance use at psychosis onset on First Episode Psychosis course: results from a 1 year follow-up study in Bologna. <i>Schizophrenia Research</i> , 2014 , 153, 60-3 | 3.6 | 12 |
| 862 | Daily use, especially of high-potency cannabis, drives the earlier onset of psychosis in cannabis users. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1509-17 | 1.3 | 276 |
| 861 | Schizophrenia: an integrated sociodevelopmental-cognitive model. <i>Lancet, The</i> , 2014 , 383, 1677-1687 | 40 | 470 |
| 860 | Brain derived Neurotrophic Factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , 2014 , 159, 56-61 | 3.6 | 32 |
| 859 | Motor fMRI and cortical grey matter volume in adults born very preterm. <i>Developmental Cognitive Neuroscience</i> , 2014 , 10, 1-9 | 5.5 | 13 |
| 858 | Neural compensation in adulthood following very preterm birth demonstrated during a visual paired associates learning task. <i>NeuroImage: Clinical</i> , 2014 , 6, 54-63 | 5.3 | 12 |
| 857 | Different dopaminergic abnormalities underlie cannabis dependence and cannabis-induced psychosis. <i>Biological Psychiatry</i> , 2014 , 75, 430-1 | 7.9 | 19 |
| 856 | Antipsychotic treatment resistance in schizophrenia associated with elevated glutamate levels but normal dopamine function. <i>Biological Psychiatry</i> , 2014 , 75, e11-3 | 7.9 | 218 |
| 855 | Resting EEG in psychosis and at-risk populations--a possible endophenotype?. <i>Schizophrenia Research</i> , 2014 , 153, 96-102 | 3.6 | 44 |

| | | | |
|-----|---|------|-----|
| 854 | A genome-wide association analysis of a broad psychosis phenotype identifies three loci for further investigation. <i>Biological Psychiatry</i> , 2014 , 75, 386-97 | 7.9 | 36 |
| 853 | Relationship between brain glutamate levels and clinical outcome in individuals at ultra high risk of psychosis. <i>Neuropsychopharmacology</i> , 2014 , 39, 2891-9 | 8.7 | 69 |
| 852 | Different rates of first admissions for psychosis in migrant groups in Paris. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1103-9 | 4.5 | 20 |
| 851 | Amphetamine sensitization alters reward processing in the human striatum and amygdala. <i>PLoS ONE</i> , 2014 , 9, e93955 | 3.7 | 65 |
| 850 | A systematic review of cognitive function in first-episode psychosis, including a discussion on childhood trauma, stress, and inflammation. <i>Frontiers in Psychiatry</i> , 2014 , 4, 182 | 5 | 116 |
| 849 | Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36 | 1.3 | 186 |
| 848 | Meta-analysis of cognitive deficits in ultra-high risk to psychosis and first-episode psychosis: do the cognitive deficits progress over, or after, the onset of psychosis?. <i>Schizophrenia Bulletin</i> , 2014 , 40, 744-55 | 1.3 | 295 |
| 847 | White matter integrity as a predictor of response to treatment in first episode psychosis. <i>Brain</i> , 2014 , 137, 172-82 | 11.2 | 114 |
| 846 | Association between symptom dimensions and categorical diagnoses of psychosis: a cross-sectional and longitudinal investigation. <i>Schizophrenia Bulletin</i> , 2014 , 40, 111-9 | 1.3 | 49 |
| 845 | Preterm birth and structural brain alterations in early adulthood. <i>NeuroImage: Clinical</i> , 2014 , 6, 180-91 | 5.3 | 114 |
| 844 | Interplay between childhood physical abuse and familial risk in the onset of psychotic disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1443-51 | 1.3 | 30 |
| 843 | Caregiving in first-episode psychosis: social characteristics associated with perceived 'burden' and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014 , 8, 122-9 | 3.3 | 38 |
| 842 | Searching for the truth about schizophrenia requires the application of similarly high standards of proof to biological and social risk factors*. <i>Psychosis</i> , 2014 , 6, 85-87 | 1.2 | 2 |
| 841 | Do psychosis patients with poor insight show implicit awareness on the emotional stroop task?. <i>Psychopathology</i> , 2014 , 47, 93-100 | 3.4 | 11 |
| 840 | Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2014 , 5, 84 | 5 | 16 |
| 839 | Dysconnectivity of neurocognitive networks at rest in very-preterm born adults. <i>NeuroImage: Clinical</i> , 2014 , 4, 352-65 | 5.3 | 63 |
| 838 | Cannabis use, gender and age of onset of schizophrenia: data from the BOP study. <i>Psychiatry Research</i> , 2014 , 215, 528-32 | 9.9 | 62 |
| 837 | Pre-morbid fertility in psychosis: findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014 , 156, 168-73 | 3.6 | 4 |

| | | | |
|-----|---|------|------|
| 836 | Identifying aspects of neighbourhood deprivation associated with increased incidence of schizophrenia. <i>Schizophrenia Research</i> , 2014 , 156, 115-21 | 3.6 | 48 |
| 835 | Road work on memory lane--functional and structural alterations to the learning and memory circuit in adults born very preterm. <i>NeuroImage</i> , 2014 , 102 Pt 1, 152-61 | 7.9 | 29 |
| 834 | Chronic effects of cannabis use on the auditory mismatch negativity. <i>Biological Psychiatry</i> , 2014 , 75, 449-58 | 5.8 | 16 |
| 833 | Insight and suicidality in first-episode psychosis: understanding the influence of suicidal history on insight dimensions at first presentation. <i>Microbial Biotechnology</i> , 2014 , 8, 113-21 | 3.3 | 17 |
| 832 | Amphetamine sensitisation and memory in healthy human volunteers: a functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 857-65 | 4.6 | 8 |
| 831 | Functional neuroanatomy of executive function after neonatal brain injury in adults who were born very preterm. <i>PLoS ONE</i> , 2014 , 9, e113975 | 3.7 | 26 |
| 830 | The Enduring Centrality of Dopamine in the Pathophysiology of Schizophrenia: In Vivo Evidence from the Prodrome to the First Psychotic Episode 2014 , 151-152 | | |
| 829 | Risk variant of oligodendrocyte lineage transcription factor 2 is associated with reduced white matter integrity. <i>Human Brain Mapping</i> , 2013 , 34, 2025-31 | 5.9 | 16 |
| 828 | Interaction between effects of genes coding for dopamine and glutamate transmission on striatal and parahippocampal function. <i>Human Brain Mapping</i> , 2013 , 34, 2244-58 | 5.9 | 8 |
| 827 | Analysis of multiple phenotypes in genome-wide genetic mapping studies. <i>BMC Bioinformatics</i> , 2013 , 14, 151 | 3.6 | 23 |
| 826 | Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9 | 36.3 | 1153 |
| 825 | Vitamin D deficiency in first episode psychosis: a case-control study. <i>Schizophrenia Research</i> , 2013 , 150, 533-7 | 3.6 | 65 |
| 824 | Cannabidiol inhibits THC-elicited paranoid symptoms and hippocampal-dependent memory impairment. <i>Journal of Psychopharmacology</i> , 2013 , 27, 19-27 | 4.6 | 287 |
| 823 | Unemployment, ethnicity and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 202-9 | 6.5 | 16 |
| 822 | Temporal lobe volume abnormalities precede the prodrome: a study of children presenting antecedents of schizophrenia. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1318-27 | 1.3 | 36 |
| 821 | Serum and gene expression profile of cytokines in first-episode psychosis. <i>Brain, Behavior, and Immunity</i> , 2013 , 31, 90-5 | 16.6 | 146 |
| 820 | Preterm birth and adolescent social functioning--alterations in emotion-processing brain areas. <i>Journal of Pediatrics</i> , 2013 , 163, 1596-604 | 3.6 | 55 |
| 819 | Neuropsychological, clinical and cognitive insight predictors of outcome in a first episode psychosis study. <i>Schizophrenia Research</i> , 2013 , 149, 70-6 | 3.6 | 29 |

| | | | |
|-----|---|------|-----|
| 818 | Cannabis users have higher premorbid IQ than other patients with first onset psychosis. <i>Schizophrenia Research</i> , 2013 , 150, 129-35 | 3.6 | 40 |
| 817 | Prevalence of bullying victimisation amongst first-episode psychosis patients and unaffected controls. <i>Schizophrenia Research</i> , 2013 , 150, 169-75 | 3.6 | 61 |
| 816 | "I am sane but he is mad": Insight and illness attributions to self and others in psychosis. <i>Psychiatry Research</i> , 2013 , 207, 173-8 | 9.9 | 10 |
| 815 | Persecutory ideation and a history of cannabis use. <i>Schizophrenia Research</i> , 2013 , 148, 122-5 | 3.6 | 7 |
| 814 | Cannabis use, cognition and brain structure in first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 147, 209-15 | 3.6 | 40 |
| 813 | Substantial genetic link between IQ and working memory: implications for molecular genetic studies on schizophrenia. the European twin study of schizophrenia (EUTwinsS). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 413-8 | 3.5 | 18 |
| 812 | A population-level prediction tool for the incidence of first-episode psychosis: translational epidemiology based on cross-sectional data. <i>BMJ Open</i> , 2013 , 3, | 3 | 28 |
| 811 | The myth of schizophrenia as a progressive brain disease. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1363-72 | 1.3 | 228 |
| 810 | Association between the 2-bp deletion polymorphism in the duplicated version of the alpha7 nicotinic receptor gene and P50 sensory gating. <i>European Journal of Human Genetics</i> , 2013 , 21, 76-81 | 5.3 | 16 |
| 809 | Social disadvantage: cause or consequence of impending psychosis?. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1288-95 | 1.3 | 96 |
| 808 | Effect of DISC1 on the P300 waveform in psychosis. <i>Schizophrenia Bulletin</i> , 2013 , 39, 161-7 | 1.3 | 16 |
| 807 | Cortical folding defects as markers of poor treatment response in first-episode psychosis. <i>JAMA Psychiatry</i> , 2013 , 70, 1031-40 | 14.5 | 82 |
| 806 | Gender difference in age at onset of schizophrenia: a meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 155-67 | 6.9 | 95 |
| 805 | What can we learn about schizophrenia from studying the human model, drug-induced psychosis?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 661-70 | 3.5 | 47 |
| 804 | Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 36-45 | 4.3 | 17 |
| 803 | Improving physical health and reducing substance use in psychosis--randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 263 | 4.2 | 25 |
| 802 | Gender differences in neuropsychological performance across psychotic disorders--a multi-centre population based case-control study. <i>PLoS ONE</i> , 2013 , 8, e77318 | 3.7 | 15 |
| 801 | Does using marijuana increase the risk for developing schizophrenia?. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e08 | 4.6 | 8 |

800 Does Higher Potency of Cannabis Mean Higher Risk for Psychosis? **2013**, 101-105

| | | | |
|-----|--|------|-----|
| 799 | The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 400-11 | 6.5 | 7 |
| 798 | Hypothalamic-pituitary-adrenal axis and clinical symptoms in first-episode psychosis. <i>Psychoneuroendocrinology</i> , 2012 , 37, 629-44 | 5 | 76 |
| 797 | Effect of D-amino acid oxidase activator (DAOA; G72) on brain function during verbal fluency. <i>Human Brain Mapping</i> , 2012 , 33, 143-53 | 5.9 | 15 |
| 796 | A twin study of schizoaffective-manía, schizoaffective-depression, and other psychotic syndromes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 172-82 | 3.5 | 30 |
| 795 | Meta-analysis of the association of urbanicity with schizophrenia. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1118-23 | 265 | |
| 794 | Dopamine synthesis capacity in patients with treatment-resistant schizophrenia. <i>American Journal of Psychiatry</i> , 2012 , 169, 1203-10 | 11.9 | 230 |
| 793 | Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012 , 142, 159-64 | 3.6 | 7 |
| 792 | Sustained attention in bipolar I disorder patients with familial psychosis and their first-degree relatives. <i>Psychiatry Research</i> , 2012 , 199, 70-3 | 9.9 | 7 |
| 791 | Ectodermal markers of early developmental impairment in very preterm individuals. <i>Psychiatry Research</i> , 2012 , 200, 715-8 | 9.9 | 3 |
| 790 | Patterns of deficits in brain function in bipolar disorder and schizophrenia: a cluster analytic study. <i>Psychiatry Research</i> , 2012 , 200, 272-80 | 9.9 | 24 |
| 789 | How genes and environmental factors determine the different neurodevelopmental trajectories of schizophrenia and bipolar disorder. <i>Schizophrenia Bulletin</i> , 2012 , 38, 209-14 | 1.3 | 132 |
| 788 | ¿Media la dopamina los efectos psicológicos del Cannabis? Revisión e integración de los hallazgos a través de disciplinas. <i>Psiquiatria Biologica</i> , 2012 , 19, 49-58 | 0.2 | 1 |
| 787 | Epigenome-wide scans identify differentially methylated regions for age and age-related phenotypes in a healthy ageing population. <i>PLoS Genetics</i> , 2012 , 8, e1002629 | 6 | 501 |
| 786 | The genetic and environmental determinants of the association between brain abnormalities and schizophrenia: the schizophrenia twins and relatives consortium. <i>Biological Psychiatry</i> , 2012 , 71, 915-21 | 7.9 | 45 |
| 785 | Confirmation that the AKT1 (rs2494732) genotype influences the risk of psychosis in cannabis users. <i>Biological Psychiatry</i> , 2012 , 72, 811-6 | 7.9 | 184 |
| 784 | Association between hippocampal volume and P300 event related potential in psychosis: support for the Kraepelinian divide. <i>NeuroImage</i> , 2012 , 59, 997-1003 | 7.9 | 13 |
| 783 | Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012 , 134, 42-8 | 3.6 | 95 |

| | | | |
|-----|---|------|-----|
| 782 | Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , 2012 , 137, 73-9 | 3.6 | 81 |
| 781 | Meeting report: the Schizophrenia International Research Society (SIRS) South America Conference (August 5-7, 2011). <i>Schizophrenia Research</i> , 2012 , 137, 1-6 | 3.6 | |
| 780 | Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012 , 140, 221-31 | 3.6 | 19 |
| 779 | BDNF gene polymorphism, cognition and symptom severity in a Brazilian population-based sample of first-episode psychosis subjects. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34 Suppl 2, S219-25 | 2.6 | 7 |
| 778 | Superior intellectual ability in schizophrenia: neuropsychological characteristics. <i>Neuropsychology</i> , 2012 , 26, 181-90 | 3.8 | 36 |
| 777 | Incidence of schizophrenia and other psychoses in England, 1950-2009: a systematic review and meta-analyses. <i>PLoS ONE</i> , 2012 , 7, e31660 | 3.7 | 297 |
| 776 | Do child abuse and maltreatment increase risk of schizophrenia?. <i>Psychiatry Investigation</i> , 2012 , 9, 87-99 | 3.1 | 50 |
| 775 | Theory of Mind as a potential trait marker of schizophrenia: a family study. <i>Cognitive Neuropsychiatry</i> , 2012 , 17, 64-89 | 2 | 13 |
| 774 | Preterm birth and psychiatric disorders in young adult life. <i>Archives of General Psychiatry</i> , 2012 , 69, E1-8 | | 286 |
| 773 | Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: a report from the UK AeSOP study. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 98-105 | 8.5 | 18 |
| 772 | Volumetric abnormalities predating the onset of schizophrenia and affective psychoses: an MRI study in subjects at ultrahigh risk of psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1083-91 | 1.3 | 73 |
| 771 | Prefrontal and striatal volumes in monozygotic twins concordant and discordant for schizophrenia. <i>Schizophrenia Bulletin</i> , 2012 , 38, 192-203 | 1.3 | 29 |
| 770 | Communication breakdown: delta-9 tetrahydrocannabinol effects on pre-speech neural coherence. <i>Molecular Psychiatry</i> , 2012 , 17, 568-9 | 15.1 | 16 |
| 769 | Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. <i>Psychological Medicine</i> , 2012 , 42, 1893-901 | 6.9 | 85 |
| 768 | The Association between COMT, BDNF, and NRG1 and Premorbid Social Functioning in Patients with Psychosis, Their Relatives, and Controls. <i>Scientifica</i> , 2012 , 2012, 560514 | 2.6 | 3 |
| 767 | Is neuregulin 1 involved in determining cerebral volumes in schizophrenia? Preliminary results showing a decrease in superior temporal gyrus volume. <i>Neuropsychobiology</i> , 2012 , 65, 119-25 | 4 | 22 |
| 766 | Longitudinal follow-up of cavum septum pellucidum and adhesio interthalamica alterations in first-episode psychosis: a population-based MRI study. <i>Psychological Medicine</i> , 2012 , 42, 2523-34 | 6.9 | 25 |
| 765 | Mortality in first-contact psychosis patients in the U.K.: a cohort study. <i>Psychological Medicine</i> , 2012 , 42, 1649-61 | 6.9 | 40 |

| | | | |
|-----|---|------|-----|
| 764 | Criminal conviction among offspring with parental history of mental disorder. <i>Psychological Medicine</i> , 2012 , 42, 571-81 | 6.9 | 12 |
| 763 | Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. <i>Psychological Medicine</i> , 2012 , 42, 1037-47 | 6.9 | 100 |
| 762 | Genetic vulnerability to psychosis and cortical function: epistatic effects between DAAO and G72. <i>Current Pharmaceutical Design</i> , 2012 , 18, 510-7 | 3.3 | 9 |
| 761 | Prefrontal deviations in function but not volume are putative endophenotypes for schizophrenia. <i>Brain</i> , 2012 , 135, 2231-44 | 11.2 | 28 |
| 760 | Sexual dysfunction in people with prodromal or first-episode psychosis. <i>British Journal of Psychiatry</i> , 2012 , 201, 131-6 | 5.4 | 34 |
| 759 | The effect of marijuana use on the risk for schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1463-8 | 4.6 | 22 |
| 758 | Neonatal brain injury and neuroanatomy of memory processing following very preterm birth in adulthood: an fMRI study. <i>PLoS ONE</i> , 2012 , 7, e34858 | 3.7 | 25 |
| 757 | Chapter 8 Does Higher Potency of Cannabis Mean Higher Risk for Psychosis? 2012 , 97-101 | | |
| 756 | Structural magnetic resonance imaging in bipolar disorder: an international collaborative mega-analysis of individual adult patient data. <i>Biological Psychiatry</i> , 2011 , 69, 326-35 | 7.9 | 235 |
| 755 | Striatal dopamine synthesis capacity in twins discordant for schizophrenia. <i>Psychological Medicine</i> , 2011 , 41, 2331-8 | 6.9 | 48 |
| 754 | Differential effects of DAAO on regional activation and functional connectivity in schizophrenia, bipolar disorder and controls. <i>NeuroImage</i> , 2011 , 56, 2283-91 | 7.9 | 22 |
| 753 | Genetic overlap between schizophrenia and selective components of executive function. <i>Schizophrenia Research</i> , 2011 , 127, 181-7 | 3.6 | 30 |
| 752 | Early risk factors for suicide in an epidemiological first episode psychosis cohort. <i>Schizophrenia Research</i> , 2011 , 126, 11-9 | 3.6 | 66 |
| 751 | Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis. <i>Schizophrenia Research</i> , 2011 , 126, 81-6 | 3.6 | 22 |
| 750 | Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , 2011 , 129, 12-9 | 3.6 | 88 |
| 749 | COMT gene polymorphism and corpus callosum morphometry in preterm born adults. <i>NeuroImage</i> , 2011 , 54, 148-53 | 7.9 | 9 |
| 748 | Atlasing location, asymmetry and inter-subject variability of white matter tracts in the human brain with MR diffusion tractography. <i>NeuroImage</i> , 2011 , 54, 49-59 | 7.9 | 477 |
| 747 | Disruption of frontal coherence by Δ^9 -tetrahydrocannabinol is associated with positive psychotic symptoms. <i>Neuropsychopharmacology</i> , 2011 , 36, 827-36 | 8.7 | 68 |

| | | | |
|-----|---|------|-----|
| 746 | Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011 , 495, 17-21 | 3.3 | 29 |
| 745 | Why do patients with psychosis use cannabis and are they ready to change their use?. <i>International Journal of Developmental Neuroscience</i> , 2011 , 29, 335-46 | 2.7 | 42 |
| 744 | Long-term maternal recall of obstetric complications in schizophrenia research. <i>Psychiatry Research</i> , 2011 , 187, 335-40 | 9.9 | 21 |
| 743 | Drug-induced psychosis: how to avoid star gazing in schizophrenia research by looking at more obvious sources of light. <i>Frontiers in Behavioral Neuroscience</i> , 2011 , 5, 1 | 3.5 | 116 |
| 742 | White matter and cognition in adults who were born preterm. <i>PLoS ONE</i> , 2011 , 6, e24525 | 3.7 | 104 |
| 741 | Assessment of posttraumatic symptoms in patients with first-episode psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 896-8 | 1.8 | 6 |
| 740 | COMT (Val(158/108)Met) genotype moderates the impact of antipsychotic medication on verbal IQ in twins with schizophrenia. <i>Psychiatric Genetics</i> , 2011 , 21, 98-105 | 2.9 | 6 |
| 739 | Environmental risk factors for schizophrenia: implications for prevention. <i>Neuropsychiatry</i> , 2011 , 1, 457-465 | 4.6 | 7 |
| 738 | A population-based morphometric MRI study in patients with first-episode psychotic bipolar disorder: comparison with geographically matched healthy controls and major depressive disorder subjects. <i>Bipolar Disorders</i> , 2011 , 13, 28-40 | 3.8 | 38 |
| 737 | Executive functioning in familial bipolar I disorder patients and their unaffected relatives. <i>Bipolar Disorders</i> , 2011 , 13, 208-16 | 3.8 | 38 |
| 736 | The genetic and environmental influences of event-related gamma oscillations on bipolar disorder. <i>Bipolar Disorders</i> , 2011 , 13, 260-71 | 3.8 | 22 |
| 735 | Modulation of orbitofrontal response to amphetamine by a functional variant of DAT1 and in vitro confirmation. <i>Molecular Psychiatry</i> , 2011 , 16, 124-6 | 15.1 | 8 |
| 734 | Very preterm adolescents show gender-dependent alteration of the structural brain correlates of spelling abilities. <i>Neuropsychologia</i> , 2011 , 49, 2685-93 | 3.2 | 8 |
| 733 | Pattern of neural responses to verbal fluency shows diagnostic specificity for schizophrenia and bipolar disorder. <i>BMC Psychiatry</i> , 2011 , 11, 18 | 4.2 | 139 |
| 732 | Structural covariance in the cortex of very preterm adolescents: a voxel-based morphometry study. <i>Human Brain Mapping</i> , 2011 , 32, 1615-25 | 5.9 | 37 |
| 731 | Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81 | 5.6 | 162 |
| 730 | Cannabis use in young people: the risk for schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 1779-87 | 9 | 122 |
| 729 | Does intravenous Δ -tetrahydrocannabinol increase dopamine release? A SPET study. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1462-8 | 4.6 | 77 |

| | | | |
|-----|--|------|-----|
| 728 | Dopamine synthesis capacity before onset of psychosis: a prospective [18F]-DOPA PET imaging study. <i>American Journal of Psychiatry</i> , 2011 , 168, 1311-7 | 11.9 | 256 |
| 727 | Functional magnetic resonance imaging investigation of the amphetamine sensitization model of schizophrenia in healthy male volunteers. <i>Archives of General Psychiatry</i> , 2011 , 68, 545-54 | | 22 |
| 726 | Do COMT, BDNF and NRG1 polymorphisms influence P50 sensory gating in psychosis?. <i>Psychological Medicine</i> , 2011 , 41, 263-76 | 6.9 | 30 |
| 725 | Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. <i>Psychological Medicine</i> , 2011 , 41, 463-76 | 6.9 | 91 |
| 724 | Genetic overlap between episodic memory deficits and schizophrenia: results from the Maudsley Twin Study. <i>Psychological Medicine</i> , 2011 , 41, 521-32 | 6.9 | 33 |
| 723 | Abnormalities in connectivity of white-matter tracts in patients with familial and non-familial schizophrenia. <i>Psychological Medicine</i> , 2011 , 41, 1691-700 | 6.9 | 33 |
| 722 | Reliability and comparability of psychosis patients' retrospective reports of childhood abuse. <i>Schizophrenia Bulletin</i> , 2011 , 37, 546-53 | 1.3 | 309 |
| 721 | Disease-associated epigenetic changes in monozygotic twins discordant for schizophrenia and bipolar disorder. <i>Human Molecular Genetics</i> , 2011 , 20, 4786-96 | 5.6 | 364 |
| 720 | Increased risk of schizophrenia from additive interaction between infant motor developmental delay and obstetric complications: evidence from a population-based longitudinal study. <i>American Journal of Psychiatry</i> , 2011 , 168, 1295-302 | 11.9 | 43 |
| 719 | The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011 , 23, 55-60 | 3.6 | 3 |
| 718 | Neonatal ultrasound results following very preterm birth predict adolescent behavioral and cognitive outcome. <i>Developmental Neuropsychology</i> , 2011 , 36, 118-35 | 1.8 | 35 |
| 717 | The early auditory gamma-band response is heritable and a putative endophenotype of schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 778-87 | 1.3 | 76 |
| 716 | Stress and inflammation reduce brain-derived neurotrophic factor expression in first-episode psychosis: a pathway to smaller hippocampal volume. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1677-1684 | 4.6 | 206 |
| 715 | Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 351-8 | 6.5 | 47 |
| 714 | Factor structures of the neurocognitive assessments and familial analysis in first-episode schizophrenia patients, their relatives and controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 109-19 | 2.6 | 19 |
| 713 | A large replication study and meta-analysis in European samples provides further support for association of AHI1 markers with schizophrenia. <i>Human Molecular Genetics</i> , 2010 , 19, 1379-86 | 5.6 | 42 |
| 712 | Genetic modelling of childhood social development and personality in twins and siblings with schizophrenia. <i>Psychological Medicine</i> , 2010 , 40, 1305-16 | 6.9 | 13 |
| 711 | A functional MRI study of verbal fluency in adults with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2010 , 40, 2025-35 | 6.9 | 45 |

| | | | |
|-----|---|------|-----|
| 710 | The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010 , 40, 1967-78 | 6.9 | 139 |
| 709 | Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , 2010 , 40, 1137-47 | 6.9 | 10 |
| 708 | Migration, ethnicity, and psychosis: toward a sociodevelopmental model. <i>Schizophrenia Bulletin</i> , 2010 , 36, 655-64 | 1.3 | 219 |
| 707 | Lateral ventricle differences between first-episode schizophrenia and first-episode psychotic bipolar disorder: A population-based morphometric MRI study. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 873-87 | 3.8 | 19 |
| 706 | Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. <i>Archives of General Psychiatry</i> , 2010 , 67, 822-9 | | 186 |
| 705 | Excellent school performance at age 16 and risk of adult bipolar disorder: national cohort study. <i>British Journal of Psychiatry</i> , 2010 , 196, 109-15 | 5.4 | 211 |
| 704 | Static and dynamic cognitive deficits in childhood preceding adult schizophrenia: a 30-year study. <i>American Journal of Psychiatry</i> , 2010 , 167, 160-9 | 11.9 | 380 |
| 703 | Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010 , 9, 4-14 | 0.7 | 27 |
| 702 | Specific and generalized neuropsychological deficits: a comparison of patients with various first-episode psychosis presentations. <i>American Journal of Psychiatry</i> , 2010 , 167, 78-85 | 11.9 | 152 |
| 701 | Error-related processing dysfunction in children aged 9 to 12 years presenting putative antecedents of schizophrenia. <i>Biological Psychiatry</i> , 2010 , 67, 238-45 | 7.9 | 48 |
| 700 | Regional gray matter volume in monozygotic twins concordant and discordant for schizophrenia. <i>Biological Psychiatry</i> , 2010 , 67, 956-64 | 7.9 | 69 |
| 699 | Family context and duration of untreated psychosis (DUP): results from the Sao Paulo Study. <i>Schizophrenia Research</i> , 2010 , 119, 124-30 | 3.6 | 18 |
| 698 | Does dopamine mediate the psychosis-inducing effects of cannabis? A review and integration of findings across disciplines. <i>Schizophrenia Research</i> , 2010 , 121, 107-17 | 3.6 | 88 |
| 697 | Neurocognitive performance in children aged 9-12 years who present putative antecedents of schizophrenia. <i>Schizophrenia Research</i> , 2010 , 121, 15-23 | 3.6 | 36 |
| 696 | Ethnic identity, perceptions of disadvantage, and psychosis: findings from the BOP study. <i>Schizophrenia Research</i> , 2010 , 124, 43-8 | 3.6 | 28 |
| 695 | Exaggerated neural response to emotional faces in patients with bipolar disorder and their first-degree relatives. <i>NeuroImage</i> , 2010 , 53, 58-64 | 7.9 | 101 |
| 694 | Premorbid tobacco smoking is associated with later age at onset in schizophrenia. <i>Psychiatry Research</i> , 2010 , 178, 461-6 | 9.9 | 23 |
| 693 | Cognitive functioning in subjects with recent-onset psychosis from a low-middle-income environment: multiple-domain deficits and longitudinal evaluation. <i>Psychiatry Research</i> , 2010 , 179, 157-64 | 9.9 | 13 |

| | | | |
|-----|--|------|-----|
| 692 | Memory in intellectually matched groups of young participants with 22q11.2 deletion syndrome and those with schizophrenia. <i>Research in Developmental Disabilities</i> , 2010 , 31, 864-8 | 2.7 | 3 |
| 691 | Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: the role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , 2010 , 116, 234-42 | 3.6 | 219 |
| 690 | Higher cortisol levels are associated with smaller left hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2010 , 119, 75-8 | 3.6 | 100 |
| 689 | Opposite effects of delta-9-tetrahydrocannabinol and cannabidiol on human brain function and psychopathology. <i>Neuropsychopharmacology</i> , 2010 , 35, 764-74 | 8.7 | 481 |
| 688 | Substance use in adolescence and psychosis: clarifying the relationship. <i>Annual Review of Clinical Psychology</i> , 2010 , 6, 365-89 | 20.5 | 49 |
| 687 | Reassessing the long-term risk of suicide after a first episode of psychosis. <i>Archives of General Psychiatry</i> , 2010 , 67, 1230-7 | | 114 |
| 686 | Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010 , 197, 141-8 | 5.4 | 79 |
| 685 | Impaired intellect and memory: a missing link between genetic risk and schizophrenia?. <i>Archives of General Psychiatry</i> , 2010 , 67, 905-13 | | 94 |
| 684 | The very preterm brain in young adulthood: the neural correlates of verbal paired associate learning. <i>Journal of Pediatrics</i> , 2010 , 156, 889-895 | 3.6 | 34 |
| 683 | Evidence of association of KIBRA genotype with episodic memory in families of psychotic patients and controls. <i>Journal of Psychiatric Research</i> , 2010 , 44, 795-8 | 5.2 | 26 |
| 682 | Volume reduction of the corpus callosum and its relationship with deficits in interhemispheric transfer of information in recent-onset psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 1-9 | 2.9 | 16 |
| 681 | Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010 , 16, 219-25 | 4.6 | 22 |
| 680 | Mapping reliability in multicenter MRI: voxel-based morphometry and cortical thickness. <i>Human Brain Mapping</i> , 2010 , 31, 1967-82 | 5.9 | 61 |
| 679 | The epidemiology of schizophrenia: replacing dogma with knowledge. <i>Dialogues in Clinical Neuroscience</i> , 2010 , 12, 305-15 | 5.7 | 69 |
| 678 | Integrating the Epidemiology and Pathogenesis of Schizophrenia from the Street to the Striatum: Integrating the Epidemiology and Pathogenesis of Schizophrenia 2010 , 357-366 | | |
| 677 | Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 195, 336-45 | 5.4 | 34 |
| 676 | The acute effects of synthetic intravenous Delta9-tetrahydrocannabinol on psychosis, mood and cognitive functioning. <i>Psychological Medicine</i> , 2009 , 39, 1607-16 | 6.9 | 226 |
| 675 | Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , 2009 , 39, 1943-55 | 6.9 | 79 |

| | | | |
|-----|--|------|------|
| 674 | Elevated striatal dopamine function linked to prodromal signs of schizophrenia. <i>Archives of General Psychiatry</i> , 2009 , 66, 13-20 | | 557 |
| 673 | Stroop-test interference in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 285-6 | 5.4 | 23 |
| 672 | Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009 , 194, 319-25 | 5.4 | 157 |
| 671 | Altered effect of dopamine transporter 3'UTR VNTR genotype on prefrontal and striatal function in schizophrenia. <i>Archives of General Psychiatry</i> , 2009 , 66, 1162-72 | | 34 |
| 670 | Disruption of the neurexin 1 gene is associated with schizophrenia. <i>Human Molecular Genetics</i> , 2009 , 18, 988-96 | 5.6 | 376 |
| 669 | Epistasis between the DAT 3' UTR VNTR and the COMT Val158Met SNP on cortical function in healthy subjects and patients with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13600-5 | 11.5 | 72 |
| 668 | The neural basis of response inhibition and attention allocation as mediated by gestational age. <i>Human Brain Mapping</i> , 2009 , 30, 1038-50 | 5.9 | 50 |
| 667 | Increased inferior frontal activation during word generation: a marker of genetic risk for schizophrenia but not bipolar disorder?. <i>Human Brain Mapping</i> , 2009 , 30, 3287-98 | 5.9 | 31 |
| 666 | Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7 | 50.4 | 1350 |
| 665 | Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 226-35 | 6.5 | 102 |
| 664 | Memory functioning in familial bipolar I disorder patients and their relatives. <i>Bipolar Disorders</i> , 2009 , 11, 209-14 | 3.8 | 27 |
| 663 | Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009 , 11, 323-9 | 3.8 | 12 |
| 662 | Are auditory P300 and duration MMN heritable and putative endophenotypes of psychotic bipolar disorder? A Maudsley Bipolar Twin and Family Study. <i>Psychological Medicine</i> , 2009 , 39, 1277-87 | 6.9 | 77 |
| 661 | High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2009 , 195, 488-91 | 5.4 | 371 |
| 660 | Prevalence of psychotic symptoms in substance users: a comparison across substances. <i>Comprehensive Psychiatry</i> , 2009 , 50, 245-50 | 7.3 | 96 |
| 659 | Neuropsychological correlates of eye movement abnormalities in schizophrenic patients and their unaffected relatives. <i>Psychiatry Research</i> , 2009 , 168, 193-7 | 9.9 | 13 |
| 658 | Opposite effects of catechol-O-methyltransferase Val158Met on cortical function in healthy subjects and patients with schizophrenia. <i>Biological Psychiatry</i> , 2009 , 65, 473-80 | 7.9 | 56 |
| 657 | Cognitive performance is related to cortical grey matter volumes in early stages of schizophrenia: a population-based study of first-episode psychosis. <i>Schizophrenia Research</i> , 2009 , 113, 200-9 | 3.6 | 38 |

| | | | |
|-----|---|------|------|
| 656 | Twin study of illness history variables in psychosis. <i>Schizophrenia Research</i> , 2009 , 115, 237-44 | 3.6 | 8 |
| 655 | The prevalence, diagnostic significance and demographic characteristics of Schneiderian first-rank symptoms in an epidemiological sample of first-episode psychoses. <i>Psychopathology</i> , 2009 , 42, 81-91 | 3.4 | 35 |
| 654 | From real-world events to psychosis: the emerging neuropharmacology of delusions. <i>Schizophrenia Bulletin</i> , 2009 , 35, 668-74 | 1.3 | 42 |
| 653 | Neural substrates of visual paired associates in young adults with a history of very preterm birth: alterations in fronto-parieto-occipital networks and caudate nucleus. <i>NeuroImage</i> , 2009 , 47, 1884-93 | 7.9 | 72 |
| 652 | Neural substrates of letter fluency processing in young adults who were born very preterm: alterations in frontal and striatal regions. <i>NeuroImage</i> , 2009 , 47, 1904-13 | 7.9 | 51 |
| 651 | Diffusion tensor MRI of the corpus callosum and cognitive function in adults born preterm. <i>NeuroReport</i> , 2009 , 20, 424-8 | 1.7 | 64 |
| 650 | White matter microstructural impairments and genetic liability to familial bipolar I disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 527-34 | 5.4 | 142 |
| 649 | Using the Stroop task to investigate the neural correlates of symptom change in schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 194, 373-4 | 5.4 | 18 |
| 648 | Neurocognitive Endophenotypes for Bipolar Disorder: Evidence from Case-Control, Family and Twin Studies 2009 , 195-210 | | 1 |
| 647 | The copy number variant involving part of the alpha7 nicotinic receptor gene contains a polymorphic inversion. <i>European Journal of Human Genetics</i> , 2008 , 16, 1364-71 | 5.3 | 31 |
| 646 | Large recurrent microdeletions associated with schizophrenia. <i>Nature</i> , 2008 , 455, 232-6 | 50.4 | 1427 |
| 645 | Auditory P300 in patients with bipolar disorder and their unaffected relatives. <i>Bipolar Disorders</i> , 2008 , 10, 377-86 | 3.8 | 68 |
| 644 | Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2008 , 42, 913-9 | 5.2 | 5 |
| 643 | Pituitary volume in unaffected relatives of patients with schizophrenia and bipolar disorder. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1004-12 | 5 | 63 |
| 642 | Selective attention deficits reflect increased genetic vulnerability to schizophrenia. <i>Schizophrenia Research</i> , 2008 , 101, 169-75 | 3.6 | 18 |
| 641 | Neuregulin-1 and the P300 waveform--a preliminary association study using a psychosis endophenotype. <i>Schizophrenia Research</i> , 2008 , 103, 178-85 | 3.6 | 37 |
| 640 | Positional pathway screen of wnt signaling genes in schizophrenia: association with DKK4. <i>Biological Psychiatry</i> , 2008 , 63, 13-6 | 7.9 | 31 |
| 639 | Neural responses to sad facial expressions in major depression following cognitive behavioral therapy. <i>Biological Psychiatry</i> , 2008 , 64, 505-12 | 7.9 | 257 |

| | | | |
|-----|--|------|-----|
| 638 | Genetic liability for bipolar disorder is characterized by excess frontal activation in response to a working memory task. <i>Biological Psychiatry</i> , 2008 , 64, 513-20 | 7.9 | 81 |
| 637 | Personality in schizophrenia assessed with the Temperament and Character Inventory (TCI). <i>Psychiatry Research</i> , 2008 , 160, 175-83 | 9.9 | 63 |
| 636 | Gene-environment interplay between cannabis and psychosis. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1111-21 | 1.3 | 185 |
| 635 | Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008 , 41, 553-60 | 7.9 | 76 |
| 634 | The effects of neuregulin1 on brain function in controls and patients with schizophrenia and bipolar disorder. <i>NeuroImage</i> , 2008 , 42, 817-26 | 7.9 | 59 |
| 633 | Schizophrenia: from developmental deviance to dopamine dysregulation. <i>European Neuropsychopharmacology</i> , 2008 , 18 Suppl 3, S129-34 | 1.2 | 104 |
| 632 | Misattribution bias of threat-related facial expressions is related to a longer duration of illness and poor executive function in schizophrenia and schizoaffective disorder. <i>European Psychiatry</i> , 2008 , 23, 14-9 | 6 | 124 |
| 631 | Psychiatric disorder in young adults born very preterm: role of family history. <i>European Psychiatry</i> , 2008 , 23, 527-31 | 6 | 36 |
| 630 | Grey and white matter distribution in very preterm adolescents mediates neurodevelopmental outcome. <i>Brain</i> , 2008 , 131, 205-17 | 11.2 | 312 |
| 629 | Gene-environment interactions in schizophrenia. Introduction. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1064-5 | 1.3 | 13 |
| 628 | Cerebellar growth and behavioural & neuropsychological outcome in preterm adolescents. <i>Brain</i> , 2008 , 131, 1344-51 | 11.2 | 103 |
| 627 | Psychotic-like experiences and other antecedents of schizophrenia in children aged 9-12 years: a comparison of ethnic and migrant groups in the United Kingdom. <i>Psychological Medicine</i> , 2008 , 38, 1103-11 | 6.9 | 54 |
| 626 | Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008 , 38, 71-7 | 6.9 | 33 |
| 625 | Scholastic achievement at age 16 and risk of schizophrenia and other psychoses: a national cohort study. <i>Psychological Medicine</i> , 2008 , 38, 1133-40 | 6.9 | 87 |
| 624 | Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008 , 38, 1701-15 | 6.9 | 148 |
| 623 | White-matter hyperintensities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 25-30 | 5.4 | 35 |
| 622 | Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008 , 38, 1083-94 | 6.9 | 104 |
| 621 | Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 192, 178-84 | 5.4 | 71 |

| | | | |
|-----|---|-----|----|
| 620 | Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008 , 192, 185-90 | 5.4 | 67 |
| 619 | Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 197-202 | 5.4 | 46 |
| 618 | Correlation and familial aggregation of dimensions of psychosis in affected sibling pairs from China. <i>British Journal of Psychiatry</i> , 2008 , 193, 305-10 | 5.4 | 22 |
| 617 | Facial fear processing and psychotic symptoms in schizophrenia: functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2008 , 192, 191-6 | 5.4 | 48 |
| 616 | What is the mechanism whereby cannabis use increases risk of psychosis?. <i>Neurotoxicity Research</i> , 2008 , 14, 105-12 | 4.3 | 47 |
| 615 | Is processing speed predictive of functional outcome in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 437-44 | 4.5 | 5 |
| 614 | Unemployment, social isolation, achievement-expectation mismatch and psychosis: findings from the AESOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 743-51 | 4.5 | 74 |
| 613 | Functional magnetic resonance imaging (fMRI) of attention processes in presumed obligate carriers of schizophrenia: preliminary findings. <i>Annals of General Psychiatry</i> , 2008 , 7, 18 | 3.4 | 17 |
| 612 | Evidence of normal hearing laterality in familial schizophrenic patients and their relatives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 73-6 | 3.5 | 3 |
| 611 | Differential methylation of the X-chromosome is a possible source of discordance for bipolar disorder female monozygotic twins. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 459-62 | 3.5 | 62 |
| 610 | PRODH gene is associated with executive function in schizophrenic families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 654-7 | 3.5 | 11 |
| 609 | Further evidence for shared genetic effects between psychotic bipolar disorder and P50 suppression: a combined twin and family study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 619-27 | 3.5 | 39 |
| 608 | Twin study refining psychotic symptom dimensions as phenotypes for genetic research. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1213-21 | 3.5 | 9 |
| 607 | Twins discordant for schizophrenia: psychopathology of the non-schizophrenic co-twins. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 214-9 | 6.5 | 20 |
| 606 | The role of cannabis in inducing paranoia and psychosis 2008 , 267-280 | | 3 |
| 605 | Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , 2007 , 89, 86-90 | 3.6 | 18 |
| 604 | Reaction time of the Continuous Performance Test is an endophenotypic marker for schizophrenia: a study of first-episode neuroleptic-naïve schizophrenia, their non-psychotic first-degree relatives and healthy population controls. <i>Schizophrenia Research</i> , 2007 , 89, 293-8 | 3.6 | 51 |
| 603 | Cognitive deficits in first-episode psychosis: a population-based study in São Paulo, Brazil. <i>Schizophrenia Research</i> , 2007 , 90, 338-43 | 3.6 | 44 |

| | | | |
|-----|---|------|-----|
| 602 | Community screening for psychotic-like experiences and other putative antecedents of schizophrenia in children aged 9-12 years. <i>Schizophrenia Research</i> , 2007 , 90, 130-46 | 3.6 | 167 |
| 601 | Psychotic experiences in the general population: a twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007 , 92, 1-14 | 3.6 | 226 |
| 600 | Comparative profile analysis of cognitive function in recent-onset and chronic patients with adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2007 , 94, 240-4 | 3.6 | 15 |
| 599 | Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007 , 95, 103-10 | 3.6 | 49 |
| 598 | Changing incidence of psychotic disorders among the young in Zurich. <i>Schizophrenia Research</i> , 2007 , 95, 9-18 | 3.6 | 31 |
| 597 | Schizophrenia. <i>BMJ, The</i> , 2007 , 335, 91-5 | 5.9 | 190 |
| 596 | P50 auditory evoked potential suppression in bipolar disorder patients with psychotic features and their unaffected relatives. <i>Biological Psychiatry</i> , 2007 , 62, 121-8 | 7.9 | 86 |
| 595 | Searching for racists under the psychiatric bed: Commentary on Institutional racism in psychiatry. <i>Psychiatric Bulletin</i> , 2007 , 31, 365-366 | | 8 |
| 594 | Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 407-16 | 3.5 | 50 |
| 593 | Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 647-59 | 3.5 | 43 |
| 592 | Cannabis, the mind and society: the hash realities. <i>Nature Reviews Neuroscience</i> , 2007 , 8, 885-95 | 13.5 | 247 |
| 591 | Adverse pregnancy outcomes in mothers with affective psychosis. <i>Bipolar Disorders</i> , 2007 , 9, 305-9 | 3.8 | 53 |
| 590 | The nature of abnormal language processing in euthymic bipolar I disorder: evidence for a relationship between task demand and prefrontal function. <i>Bipolar Disorders</i> , 2007 , 9, 358-69 | 3.8 | 30 |
| 589 | Effects of very low birthweight on brain structure in adulthood. <i>Developmental Medicine and Child Neurology</i> , 2007 , 46, 46-53 | 3.3 | 87 |
| 588 | Physical illness and lifestyle risk factors in people with their first presentation of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 117-24 | 4.5 | 57 |
| 587 | Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 438-45 | 4.5 | 74 |
| 586 | Symmetries in human brain language pathways correlate with verbal recall. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17163-8 | 11.5 | 480 |
| 585 | Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s123-7 | 5.4 | 26 |

| | | | |
|-----|--|------|-----|
| 584 | Magnetic resonance imaging of the thalamus and adhesio interthalamica in twins with schizophrenia. <i>Archives of General Psychiatry</i> , 2007 , 64, 401-9 | | 67 |
| 583 | Substantial genetic overlap between neurocognition and schizophrenia: genetic modeling in twin samples. <i>Archives of General Psychiatry</i> , 2007 , 64, 1348-55 | | 190 |
| 582 | Biological, life course, and cross-cultural studies all point toward the value of dimensional and developmental ratings in the classification of psychosis. <i>Schizophrenia Bulletin</i> , 2007 , 33, 868-76 | 1.3 | 67 |
| 581 | Impaired executive functioning in young adults born very preterm. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 571-81 | 3.1 | 122 |
| 580 | Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007 , 37, 1413-25 | 6.9 | 165 |
| 579 | Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s111-6 | 5.4 | 45 |
| 578 | Grey matter abnormalities in Brazilians with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s117-22 | 5.4 | 54 |
| 577 | Cannabis use and psychiatric and cognitive disorders: the chicken or the egg?. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 228-34 | 4.9 | 97 |
| 576 | Familial liability to schizophrenia and premorbid adjustment. <i>British Journal of Psychiatry</i> , 2007 , 191, 260-1 | 5.4 | 15 |
| 575 | Growth of the corpus callosum in adolescents born preterm. <i>JAMA Pediatrics</i> , 2007 , 161, 1183-9 | | 46 |
| 574 | Incidence of first-contact psychosis in São Paulo, Brazil. <i>British Journal of Psychiatry</i> , 2007 , 51, s102-6 | 5.4 | 49 |
| 573 | A diffusion tensor imaging study of fasciculi in schizophrenia. <i>American Journal of Psychiatry</i> , 2007 , 164, 467-73 | 11.9 | 208 |
| 572 | Substantial shared genetic influences on schizophrenia and event-related potentials. <i>American Journal of Psychiatry</i> , 2007 , 164, 804-12 | 11.9 | 87 |
| 571 | Genetic overlap between bipolar illness and event-related potentials. <i>Psychological Medicine</i> , 2007 , 37, 667-78 | 6.9 | 63 |
| 570 | Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007 , 37, 495-503 | 6.9 | 173 |
| 569 | Suicide and other causes of mortality in bipolar disorder: a longitudinal study. <i>Psychological Medicine</i> , 2007 , 37, 839-47 | 6.9 | 73 |
| 568 | Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , 2007 , 37, 547-57 | 6.9 | 67 |
| 567 | A quantitative association study between schizotypal traits and COMT, PRODH and BDNF genes in a healthy Chinese population. <i>Psychiatry Research</i> , 2007 , 153, 7-15 | 9.9 | 39 |

| | | | |
|-----|--|------|-----|
| 566 | Schizophrenia as a GSK-3 dysregulation disorder. <i>Trends in Neurosciences</i> , 2007 , 30, 142-9 | 13.3 | 155 |
| 565 | Risk factors for schizophrenia--all roads lead to dopamine. <i>European Neuropsychopharmacology</i> , 2007 , 17 Suppl 2, S101-7 | 1.2 | 78 |
| 564 | The right answer for the wrong reasons?. <i>World Psychiatry</i> , 2007 , 6, 93-4 | 14.4 | 2 |
| 563 | Sexual function and gonadal hormones in patients taking antipsychotic treatment for schizophrenia or schizoaffective disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 361-7 | 4.6 | 64 |
| 562 | First- vs Second-Generation Antipsychotic Drugs in SchizophreniaReply. <i>Archives of General Psychiatry</i> , 2007 , 64, 979 | | 5 |
| 561 | Cerebral asymmetry in 14 year olds born very preterm. <i>Brain Research</i> , 2006 , 1093, 33-40 | 3.7 | 14 |
| 560 | The relationship between eye movement and brain structural abnormalities in patients with schizophrenia and their unaffected relatives. <i>Journal of Psychiatric Research</i> , 2006 , 40, 589-98 | 5.2 | 10 |
| 559 | Genetic overlap between P300, P50, and duration mismatch negativity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 336-43 | 3.5 | 35 |
| 558 | Violence in women with psychosis in the community: prospective study. <i>British Journal of Psychiatry</i> , 2006 , 188, 264-70 | 5.4 | 63 |
| 557 | Antisaccade performance in monozygotic twins discordant for schizophrenia: the Maudsley twin study. <i>American Journal of Psychiatry</i> , 2006 , 163, 543-5 | 11.9 | 64 |
| 556 | The structural brain correlates of neurological soft signs in healthy individuals. <i>Cerebral Cortex</i> , 2006 , 16, 1225-31 | 5.1 | 76 |
| 555 | The Maudsley Family Study: premorbid and current general intellectual function levels in familial bipolar I disorder and schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006 , 28, 243-55 | 3.1 | 41 |
| 554 | Regional brain morphometry in patients with schizophrenia or bipolar disorder and their unaffected relatives. <i>American Journal of Psychiatry</i> , 2006 , 163, 478-87 | 11.9 | 236 |
| 553 | Personality in young adults who are born preterm. <i>Pediatrics</i> , 2006 , 117, 309-16 | 7.4 | 106 |
| 552 | Randomized controlled trial of the effect on Quality of Life of second- vs first-generation antipsychotic drugs in schizophrenia: Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUTLASS 1). <i>Archives of General Psychiatry</i> , 2006 , 63, 1079-87 | | 871 |
| 551 | Heterogeneity in incidence rates of schizophrenia and other psychotic syndromes: findings from the 3-center AeSOP study. <i>Archives of General Psychiatry</i> , 2006 , 63, 250-8 | | 375 |
| 550 | Clinical and social determinants of duration of untreated psychosis in the AESOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006 , 189, 446-52 | 5.4 | 145 |
| 549 | A dopamine transporter gene functional variant associated with cocaine abuse in a Brazilian sample. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4552-7 | 11.5 | 141 |

| | | | |
|-----|--|------|-----|
| 548 | Is there an association between the COMT gene and P300 endophenotypes?. <i>European Psychiatry</i> , 2006 , 21, 70-3 | 6 | 37 |
| 547 | Neurological abnormalities in schizophrenic twins. <i>Biological Psychiatry</i> , 2006 , 59, 341-8 | 7.9 | 26 |
| 546 | Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006 , 83, 145-53 | 3.6 | 73 |
| 545 | The incidence of schizophrenia in European immigrants to Canada. <i>Schizophrenia Research</i> , 2006 , 87, 205-11 | 3.6 | 39 |
| 544 | Intellectual asymmetry and genetic liability in first-degree relatives of probands with schizophrenia. <i>British Journal of Psychiatry</i> , 2006 , 188, 186-7 | 5.4 | 49 |
| 543 | Neuropsychological performance at the age of 13 years and adult schizophreniform disorder: prospective birth cohort study. <i>British Journal of Psychiatry</i> , 2006 , 189, 463-4 | 5.4 | 65 |
| 542 | Episodic memory performance predicted by the 2bp deletion in exon 6 of the "alpha 7-like" nicotinic receptor subunit gene. <i>American Journal of Psychiatry</i> , 2006 , 163, 1832-4 | 11.9 | 40 |
| 541 | The high-activity Val allele of the catechol-O-methyltransferase gene predicts greater cognitive deterioration in patients with psychosis. <i>Psychiatric Genetics</i> , 2006 , 16, 213-6 | 2.9 | 20 |
| 540 | Trends in cannabis use prior to first presentation with schizophrenia, in South-East London between 1965 and 1999. <i>Psychological Medicine</i> , 2006 , 36, 1441-6 | 6.9 | 56 |
| 539 | Duration of untreated psychosis and ethnicity in the AESOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006 , 36, 239-47 | 6.9 | 53 |
| 538 | Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006 , 36, 1541-50 | 6.9 | 365 |
| 537 | The relationship between prolactin levels and glucose homeostasis in antipsychotic-treated schizophrenic patients. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 629-31 | 1.7 | 8 |
| 536 | Grey matter correlates of minor physical anomalies in the AeSOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006 , 189, 221-8 | 5.4 | 29 |
| 535 | Distribution of symptom dimensions across Kraepelinian divisions. <i>British Journal of Psychiatry</i> , 2006 , 189, 346-53 | 5.4 | 80 |
| 534 | Exposure to obstetric complications and subsequent development of bipolar disorder: Systematic review. <i>British Journal of Psychiatry</i> , 2006 , 189, 3-11 | 5.4 | 53 |
| 533 | Altered functional neuroanatomy of response inhibition in adolescent males who were born very preterm. <i>Developmental Medicine and Child Neurology</i> , 2006 , 48, 265-71 | 3.3 | 62 |
| 532 | Effects of switching from conventional antipsychotics to risperidone in Japanese patients with chronic schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 751-7 | 6.2 | 4 |
| 531 | Heritability and reliability of P300, P50 and duration mismatch negativity. <i>Behavior Genetics</i> , 2006 , 36, 845-57 | 3.2 | 150 |

| | | | |
|-----|---|------|------|
| 530 | Randomized controlled trial of effect of prescription of clozapine versus other second-generation antipsychotic drugs in resistant schizophrenia. <i>Schizophrenia Bulletin</i> , 2006 , 32, 715-23 | 1.3 | 288 |
| 529 | First episode psychosis and ethnicity: initial findings from the AESOP study. <i>World Psychiatry</i> , 2006 , 5, 40-6 | 14.4 | 83 |
| 528 | Is the P300 wave an endophenotype for schizophrenia? A meta-analysis and a family study. <i>NeuroImage</i> , 2005 , 27, 960-8 | 7.9 | 174 |
| 527 | Obstetric complications in patients with schizophrenia and their unaffected siblings. <i>European Psychiatry</i> , 2005 , 20, 28-34 | 6 | 47 |
| 526 | Cannabis use and outcome of recent onset psychosis. <i>European Psychiatry</i> , 2005 , 20, 349-53 | 6 | 174 |
| 525 | Moderation of the effect of adolescent-onset cannabis use on adult psychosis by a functional polymorphism in the catechol-O-methyltransferase gene: longitudinal evidence of a gene X environment interaction. <i>Biological Psychiatry</i> , 2005 , 57, 1117-27 | 7.9 | 1020 |
| 524 | Eye tracking in schizophrenia: does the antisaccade task measure anything that the smooth pursuit task does not?. <i>Psychiatry Research</i> , 2005 , 136, 181-8 | 9.9 | 17 |
| 523 | Hyperactivity in adolescents born very preterm is associated with decreased caudate volume. <i>Biological Psychiatry</i> , 2005 , 57, 661-6 | 7.9 | 42 |
| 522 | Pituitary volume predicts future transition to psychosis in individuals at ultra-high risk of developing psychosis. <i>Biological Psychiatry</i> , 2005 , 58, 417-23 | 7.9 | 174 |
| 521 | Association of symptoms and executive function in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2005 , 74, 221-31 | 3.6 | 47 |
| 520 | Dermatoglyphics and Schizophrenia: a meta-analysis and investigation of the impact of obstetric complications upon a-b ridge count. <i>Schizophrenia Research</i> , 2005 , 75, 399-404 | 3.6 | 39 |
| 519 | What causes the onset of psychosis?. <i>Schizophrenia Research</i> , 2005 , 79, 23-34 | 3.6 | 137 |
| 518 | Schizophrenia and Substance Abuse Co-Morbidity. <i>Journal of Dual Diagnosis</i> , 2005 , 1, 11-40 | 2.4 | 10 |
| 517 | Bone mineral density and its relationship to prolactin levels in patients taking antipsychotic treatment. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 259-61 | 1.7 | 51 |
| 516 | Vermis and lateral lobes of the cerebellum in adolescents born very preterm. <i>NeuroReport</i> , 2005 , 16, 1821-4 | 1.7 | 53 |
| 515 | Cognitive performance in presumed obligate carriers for psychosis. <i>British Journal of Psychiatry</i> , 2005 , 187, 284-5 | 5.4 | 38 |
| 514 | Incidence of bipolar affective disorder in three UK cities: results from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 126-31 | 5.4 | 60 |
| 513 | Saccadic distractibility is elevated in schizophrenia patients, but not in their unaffected relatives. <i>Psychological Medicine</i> , 2005 , 35, 1727-36 | 6.9 | 15 |

| | | | |
|-----|---|------|-----|
| 512 | The environment and schizophrenia: the role of cannabis use. <i>Schizophrenia Bulletin</i> , 2005 , 31, 608-12 | 1.3 | 304 |
| 511 | Identifying potential risk haplotypes for schizophrenia at the DTNBP1 locus in Han Chinese and Scottish populations. <i>Molecular Psychiatry</i> , 2005 , 10, 1037-44 | 15.1 | 52 |
| 510 | Association analysis of the RGS4 gene in Han Chinese and Scottish populations with schizophrenia. <i>Genes, Brain and Behavior</i> , 2005 , 4, 444-8 | 3.6 | 36 |
| 509 | Schizophrenia. <i>Current Biology</i> , 2005 , 15, R980-4 | 6.3 | 15 |
| 508 | Association between BDNF val66 met genotype and episodic memory. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 73-5 | 3.5 | 143 |
| 507 | Morbid risk for psychiatric disorder among the relatives of methamphetamine users with and without psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 136B, 87-91 | 3.5 | 103 |
| 506 | Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. Report from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 281-9 | 5.4 | 136 |
| 505 | Pathways to care and ethnicity. 2: Source of referral and help-seeking. Report from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 290-6 | 5.4 | 112 |
| 504 | Frontal and anterior cingulate activation during overt verbal fluency in patients with first episode psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2005 , 27, 228-32 | 2.6 | 27 |
| 503 | Incidence and distribution of first-episode mania by age: results from a 35-year study. <i>Psychological Medicine</i> , 2005 , 35, 855-63 | 6.9 | 78 |
| 502 | Different effects of typical and atypical antipsychotics on grey matter in first episode psychosis: the AESOP study. <i>Neuropsychopharmacology</i> , 2005 , 30, 765-74 | 8.7 | 213 |
| 501 | Increased pituitary volume in antipsychotic-free and antipsychotic-treated patients of the AESOP first-onset psychosis study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1923-31 | 8.7 | 129 |
| 500 | Gender differences in incidence and age at onset of mania and bipolar disorder over a 35-year period in Camberwell, England. <i>American Journal of Psychiatry</i> , 2005 , 162, 257-62 | 11.9 | 112 |
| 499 | Regional volume deviations of brain structure in schizophrenia and psychotic bipolar disorder: computational morphometry study. <i>British Journal of Psychiatry</i> , 2005 , 186, 369-77 | 5.4 | 192 |
| 498 | Environmental risk factors for psychosis. <i>Dialogues in Clinical Neuroscience</i> , 2005 , 7, 69-80 | 5.7 | 94 |
| 497 | Have recent studies of the seasonality of birth in schizophrenia added to our knowledge of the disease? 2005 , 1-10 | | |
| 496 | Cannabinoid model of psychosis, dopamine-cannabinoid interactions and implications for schizophrenia 2004 , 142-165 | | 15 |
| 495 | How does drug abuse interact with familial and developmental factors in the etiology of schizophrenia? 2004 , 248-270 | | 2 |

| | | | |
|-----|---|------|-----|
| 494 | The cannabinoid system: from the point of view of a chemist 2004 , 1-18 | | 1 |
| 493 | Acute and subacute psychomimetic effects of cannabis in humans 2004 , 41-53 | | 3 |
| 492 | Cannabis and psychosis proneness 2004 , 75-88 | | 8 |
| 491 | The association between cannabis use and depression: a review of the evidence 2004 , 54-74 | | |
| 490 | Is there a specific cannabis psychosis? 2004 , 89-100 | | 12 |
| 489 | Cannabis as a potential causal factor in schizophrenia 2004 , 101-118 | | 8 |
| 488 | Cannabis abuse and the course of schizophrenia 2004 , 119-126 | | 4 |
| 487 | The endogenous cannabinoid system in schizophrenia 2004 , 127-141 | | 1 |
| 486 | Addressing cannabis abuse in people with psychosis 2004 , 186-197 | | 2 |
| 485 | Residual cognitive effects of long-term cannabis use 2004 , 198-210 | | 5 |
| 484 | Motives that maintain cannabis use among individuals with psychotic disorders 2004 , 166-185 | | |
| 483 | How cannabis works in the brain 2004 , 19-40 | | 2 |
| 482 | Effects of long-term prolactin-raising antipsychotic medication on bone mineral density in patients with schizophrenia. <i>British Journal of Psychiatry</i> , 2004 , 184, 503-8 | 5-4 | 159 |
| 481 | Association of genetic risks for schizophrenia and bipolar disorder with specific and generic brain structural endophenotypes. <i>Archives of General Psychiatry</i> , 2004 , 61, 974-84 | | 311 |
| 480 | Verbal memory deficit in patients with schizophrenia: an important future target for treatment. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4, 43-52 | 4-3 | 50 |
| 479 | Prevalence and correlates of self-reported psychotic symptoms in the British population. <i>British Journal of Psychiatry</i> , 2004 , 185, 298-305 | 5-4 | 412 |
| 478 | The structural brain correlates of neurological soft signs in AESOP first-episode psychoses study. <i>Brain</i> , 2004 , 127, 143-53 | 11.2 | 187 |
| 477 | Pathways to schizophrenia: the impact of environmental factors. <i>International Journal of Neuropsychopharmacology</i> , 2004 , 7 Suppl 1, S7-S13 | 5.8 | 128 |

| | | | |
|-----|---|------|-----|
| 476 | A functional MRI study of working memory task in euthymic bipolar disorder: evidence for task-specific dysfunction. <i>Bipolar Disorders</i> , 2004 , 6, 550-64 | 3.8 | 147 |
| 475 | Intellectual functioning in schizophrenia: a marker of neurodevelopmental damage?. <i>Journal of Intellectual Disability Research</i> , 2004 , 48, 519-23 | 3.2 | 14 |
| 474 | Ethnic differences in first clinical presentation of bipolar disorder: results from an epidemiological study. <i>Journal of Affective Disorders</i> , 2004 , 83, 161-8 | 6.6 | 49 |
| 473 | The cerebellum and decision making under uncertainty. <i>Cognitive Brain Research</i> , 2004 , 20, 46-53 | | 97 |
| 472 | The association of inequality with the incidence of schizophrenia--an ecological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 597-9 | 4.5 | 72 |
| 471 | Association analysis of the DRD4 and COMT genes in methamphetamine abuse. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 120-4 | | 85 |
| 470 | Evidence for association between novel polymorphisms in the PRODH gene and schizophrenia in a Chinese population. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 13-5 | | 68 |
| 469 | Reliability of brain volumes from multicenter MRI acquisition: a calibration study. <i>Human Brain Mapping</i> , 2004 , 22, 312-20 | 5.9 | 72 |
| 468 | Causal association between cannabis and psychosis: examination of the evidence. <i>British Journal of Psychiatry</i> , 2004 , 184, 110-7 | 5.4 | 694 |
| 467 | Corpus callosum size and very preterm birth: relationship to neuropsychological outcome. <i>Brain</i> , 2004 , 127, 2080-9 | 11.2 | 189 |
| 466 | Predictors of antisocial personality. Continuities from childhood to adult life. <i>British Journal of Psychiatry</i> , 2004 , 184, 118-27 | 5.4 | 170 |
| 465 | Predicting violence in schizophrenia: a prospective study. <i>Schizophrenia Research</i> , 2004 , 67, 247-52 | 3.6 | 72 |
| 464 | Normal cerebral asymmetry in familial and non-familial schizophrenic probands and their unaffected relatives. <i>Schizophrenia Research</i> , 2004 , 67, 33-40 | 3.6 | 18 |
| 463 | Mismatch negativity in schizophrenia: a family study. <i>Schizophrenia Research</i> , 2004 , 67, 1-10 | 3.6 | 75 |
| 462 | Meta-analysis of magnetic resonance imaging brain morphometry studies in bipolar disorder. <i>Biological Psychiatry</i> , 2004 , 56, 411-7 | 7.9 | 243 |
| 461 | The relationship between volumetric brain changes and cognitive function: a family study on schizophrenia. <i>Biological Psychiatry</i> , 2004 , 56, 447-53 | 7.9 | 69 |
| 460 | A controlled study of brain structure in monozygotic twins concordant and discordant for schizophrenia. <i>Biological Psychiatry</i> , 2004 , 56, 454-61 | 7.9 | 70 |
| 459 | Meta-analysis of the P300 and P50 waveforms in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 70, 315-29 | 3.6 | 448 |

| | | | |
|-----|--|------|-----|
| 458 | A developmental model for similarities and dissimilarities between schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2004 , 71, 405-16 | 3.6 | 374 |
| 457 | A prospective study of impairment in glucose control caused by clozapine without changes in insulin resistance. <i>American Journal of Psychiatry</i> , 2004 , 161, 361-3 | 11.9 | 59 |
| 456 | Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 5-10 | 5.4 | 147 |
| 455 | Effect of symptoms on executive function in bipolar illness. <i>Psychological Medicine</i> , 2004 , 34, 811-21 | 6.9 | 111 |
| 454 | Persecutory delusions and the determination of self-relevance: an fMRI investigation. <i>Psychological Medicine</i> , 2004 , 34, 591-6 | 6.9 | 75 |
| 453 | Association analysis of dopamine D2-like receptor genes and methamphetamine abuse. <i>Psychiatric Genetics</i> , 2004 , 14, 223-6 | 2.9 | 34 |
| 452 | Brain volumes in adult survivors of very low birth weight: a sibling-controlled study. <i>Pediatrics</i> , 2004 , 114, 367-71 | 7.4 | 83 |
| 451 | Temporal course of auditory hallucinations. <i>British Journal of Psychiatry</i> , 2004 , 185, 516-7 | 5.4 | 88 |
| 450 | Effects of very low birthweight on brain structure in adulthood. <i>Developmental Medicine and Child Neurology</i> , 2004 , 46, 46-53 | 3.3 | 39 |
| 449 | The effect of clozapine on factors controlling glucose homeostasis. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1352-5 | 4.6 | 12 |
| 448 | Velo-cardio-facial syndrome (deletion 22q11.2): a homogeneous neurodevelopmental model for schizophrenia 2004 , 121-137 | | |
| 447 | Nutritional factors and schizophrenia 2004 , 156-173 | | |
| 446 | Can one identify preschizophrenia children? 2004 , 415-431 | | |
| 445 | Do degenerative changes operate across diagnostic boundaries? The case for glucocorticoid involvement in major psychiatric disorders 2004 , 111-120 | | |
| 444 | Brain plasticity and long-term function after early cerebral insult: the example of very preterm birth 2004 , 89-108 | | |
| 443 | Neurodegenerative models of schizophrenia 2004 , 373-389 | | 1 |
| 442 | Cognitive development: functional magnetic resonance imaging studies 2004 , 45-68 | | 3 |
| 441 | Transcriptomes in schizophrenia: assessing altered gene expression with microarrays 2004 , 210-223 | | |

440 High-risk studies, brain development, and schizophrenia **2004**, 432-454

439 Genes and brain development **2004**, 3-34

438 Development of thalamocortical circuitry and the pathophysiology of schizophrenia **2004**, 310-329

437 X chromosome, estrogen, and brain development: implications for schizophrenia **2004**, 330-346 1

436 Is the Development of Schizophrenia Predictable? **2004**, 225-252 4

435 Neuroimaging Studies of Nonpsychotic First-Degree Relatives of People With Schizophrenia **2004**, 179-210 2

434 Cannabis as a causal factor for psychosis: a review of the evidence **2004**, 133-149 4

433 Brain development in healthy children and adolescents: magnetic resonance imaging studies **2004**, 35-44 5

432 Cognitive development in adolescence: cerebral underpinnings, neural trajectories, and the impact of aberrations **2004**, 69-88 10

431 Can structural magnetic resonance imaging provide an alternative phenotype for genetic studies of schizophrenia? **2004**, 138-155 1

430 Schizophrenia, neurodevelopment, and epigenetics **2004**, 174-190 2

429 Early environmental risk factors for schizophrenia **2004**, 191-209 1

428 Is there a role for social factors in a comprehensive development model for schizophrenia? **2004**, 224-247 2

427 Developmental dysregulation of the dopamine system and the pathophysiology of schizophrenia **2004**, 273-294 14

426 The development of this-wired limbic lobe circuitry in schizophrenia and bipolar disorder **2004**, 295-309 0

425 Premorbid structural abnormalities in schizophrenia **2004**, 347-372 5

424 Does disordered brain development occur across diagnostic boundaries? **2004**, 390-412 1

423 Developmental models and hypothesis-driven early interventions in schizophrenia **2004**, 455-472 1

| | | | |
|-----|--|------|-----|
| 422 | Engagement of brain areas implicated in processing inner speech in people with auditory hallucinations. <i>British Journal of Psychiatry</i> , 2003 , 182, 525-31 | 5.4 | 133 |
| 421 | Schizotypal personality traits in nonpsychotic relatives are associated with positive symptoms in psychotic probands. <i>Schizophrenia Bulletin</i> , 2003 , 29, 273-83 | 1.3 | 34 |
| 420 | Prevalence of violent victimisation in severe mental illness. <i>British Journal of Psychiatry</i> , 2003 , 183, 233-8 | 5.4 | 173 |
| 419 | A quantitative genetic analysis of schizotypal personality traits. <i>Psychological Medicine</i> , 2003 , 33, 803-16 | 6.9 | 136 |
| 418 | Does dopamine sensitization underlie the association between schizophrenia and drug abuse?. <i>Current Opinion in Psychiatry</i> , 2003 , 16, S45-S52 | 4.9 | 12 |
| 417 | The causes of schizophrenia: neurodevelopment and other risk factors. <i>Journal of Psychiatric Practice</i> , 2003 , 9, 442-54 | 1.3 | 19 |
| 416 | Schizophrenia: The New Evidence. <i>Mental Health Review Journal</i> , 2003 , 8, 31-34 | 0.9 | 0 |
| 415 | Incidence of schizophrenia in south-east London between 1965 and 1997. <i>British Journal of Psychiatry</i> , 2003 , 182, 45-9 | 5.4 | 79 |
| 414 | The Neurodevelopmental Consequences of Very Preterm Birth: Brain Plasticity and Its Limits 2003 , 34-61 | | |
| 413 | Childhood origins of violent behaviour in adults with schizophreniform disorder. <i>British Journal of Psychiatry</i> , 2003 , 183, 520-525 | 5.4 | 30 |
| 412 | Suicide and attempted suicide among people of Caribbean origin with psychosis living in the UK. <i>British Journal of Psychiatry</i> , 2003 , 183, 40-4 | 5.4 | 24 |
| 411 | Selectivity of verbal memory deficit in schizophrenic patients and their relatives. <i>American Journal of Medical Genetics Part A</i> , 2003 , 116B, 1-7 | | 44 |
| 410 | Prenatal underdevelopment and schizophrenia: a case report of monozygotic twins. <i>Psychiatry and Clinical Neurosciences</i> , 2003 , 57, 271-4 | 6.2 | 12 |
| 409 | beta-1,3-Glucuronyltransferase-1 gene implicated as a candidate for a schizophrenia-like psychosis through molecular analysis of a balanced translocation. <i>Molecular Psychiatry</i> , 2003 , 8, 654-63 | 15.1 | 30 |
| 408 | Hippocampal volume in familial and nonfamilial schizophrenic probands and their unaffected relatives. <i>Biological Psychiatry</i> , 2003 , 53, 562-70 | 7.9 | 67 |
| 407 | The Maudsley early onset schizophrenia study: cognitive function in adolescents with recent onset schizophrenia. <i>Schizophrenia Research</i> , 2003 , 61, 137-48 | 3.6 | 68 |
| 406 | Episodic memory in schizophrenic patients and their relatives. <i>Schizophrenia Research</i> , 2003 , 63, 261-71 | 3.6 | 91 |
| 405 | The Maudsley Early-Onset Schizophrenia Study: cognitive function in adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2003 , 65, 95-103 | 3.6 | 61 |

| | | | |
|-----|---|-----|-----|
| 404 | Self-responsibility and the self-serving bias: an fMRI investigation of causal attributions. <i>NeuroImage</i> , 2003 , 20, 1076-85 | 7.9 | 57 |
| 403 | Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis. <i>Psychological Medicine</i> , 2003 , 33, 1407-14 | 6.9 | 206 |
| 402 | Childhood origins of violent behaviour in adults with schizophreniform disorder. <i>British Journal of Psychiatry</i> , 2003 , 183, 520-5 | 5.4 | 18 |
| 401 | La relación entre factores predisponentes, función premórbida y dimensiones de síntomas en la psicosis: un enfoque integrado. <i>European Psychiatry (Ed Española)</i> , 2003 , 10, 81-91 | | |
| 400 | Psychosis in high-security and general psychiatric services: report from the UK700 and special hospitals' treatment resistant schizophrenia groups. <i>British Journal of Psychiatry</i> , 2002 , 180, 351-7 | 5.4 | 23 |
| 399 | Intellectual function and schizophrenia. <i>British Journal of Psychiatry</i> , 2002 , 181, 276-7 | 5.4 | 3 |
| 398 | Prenatal and perinatal risk factors for schizophrenia 2002 , 74-99 | | |
| 397 | Heritability of Schneider's first-rank symptoms. <i>British Journal of Psychiatry</i> , 2002 , 180, 35-8 | 5.4 | 36 |
| 396 | Urbanization, migration and risk of schizophrenia 2002 , 49-68 | | 1 |
| 395 | Investigating socioenvironmental influences in schizophrenia: conceptual and design issues 2002 , 5-17 | | 1 |
| 394 | Geographical variation in incidence, course and outcome of schizophrenia: a comparison of developing and developed countries 2002 , 18-33 | | 3 |
| 393 | Temporal variation in the incidence, course and outcome of schizophrenia 2002 , 34-48 | | |
| 392 | Childhood development and later schizophrenia: evidence from genetic high-risk and birth cohort studies 2002 , 100-123 | | |
| 391 | Prodrome, onset and early course of schizophrenia 2002 , 124-147 | | 0 |
| 390 | The value of first-episode studies in schizophrenia 2002 , 148-166 | | |
| 389 | Schizophrenia at the extremes of life 2002 , 167-190 | | |
| 388 | The classical genetic epidemiology of schizophrenia 2002 , 195-219 | | |
| 387 | Molecular genetics and epidemiology in schizophrenia: a necessary partnership 2002 , 220-234 | | |

| | | | |
|-----|---|-----|-----|
| 386 | Gene-Environment correlation and interaction in schizophrenia 2002 , 235-253 | | |
| 385 | Investigating gene-Environment interaction in schizophrenia using neuroimaging 2002 , 254-270 | | |
| 384 | Mortality and physical illness in schizophrenia 2002 , 275-287 | | |
| 383 | The clinical epidemiology of suicide in schizophrenia 2002 , 288-316 | | 1 |
| 382 | What is the relationship between substance abuse and schizophrenia? 2002 , 317-342 | | 8 |
| 381 | Criminal and violent behaviour in schizophrenia 2002 , 343-360 | | |
| 380 | Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease 2002 , 364-410 | | 7 |
| 379 | The implications of epidemiology for service planning in schizophrenia 2002 , 411-426 | | |
| 378 | Prevention of schizophrenia [not an impossible dream 2002 , 427-440 | | 1 |
| 377 | Glossary of epidemiological terms 2002 , 441-446 | | |
| 376 | Familiality of clinical characteristics in schizophrenia. <i>Journal of Psychiatric Research</i> , 2002 , 36, 325-9 | 5.2 | 21 |
| 375 | Brain volumes in familial and non-familial schizophrenic probands and their unaffected relatives. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 616-25 | | 92 |
| 374 | Some possible answers to questions about schizophrenia that have concerned John Gunn. <i>Criminal Behaviour and Mental Health</i> , 2002 , 12, S4-S9 | 1.4 | 1 |
| 373 | Modulation of activity in temporal cortex during generation of inner speech. <i>Human Brain Mapping</i> , 2002 , 16, 219-27 | 5.9 | 138 |
| 372 | Are the structural brain deviations associated with bipolar disorder related to susceptibility genes?. <i>Bipolar Disorders</i> , 2002 , 4, 35-35 | | 3.8 |
| 371 | IQ in childhood psychiatric attendees predicts outcome of later schizophrenia at 21 year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 139-42 | 6.5 | 27 |
| 370 | Schizophrenia and bipolar disorder are distinguished mainly by differences in neurodevelopment. <i>Neurotoxicity Research</i> , 2002 , 4, 427-436 | 4.3 | 17 |
| 369 | Reversed lateralization of temporal activation during speech production in thought disordered patients with schizophrenia. <i>Psychological Medicine</i> , 2002 , 32, 439-49 | 6.9 | 124 |

| | | | |
|-----|--|------|-----|
| 368 | Cannabis use in adolescence and risk for adult psychosis: longitudinal prospective study. <i>BMJ, The</i> , 2002 , 325, 1212-3 | 5.9 | 894 |
| 367 | Neurological soft signs in first-episode psychosis: a systematic review. <i>British Journal of Psychiatry</i> , 2002 , 43, s50-7 | 5.4 | 150 |
| 366 | Adolescents who were born very preterm have decreased brain volumes. <i>Brain</i> , 2002 , 125, 1616-23 | 11.2 | 300 |
| 365 | Further evidence that congenital dermatoglyphic abnormalities are associated with psychosis: a twin study. <i>Schizophrenia Bulletin</i> , 2002 , 28, 697-701 | 1.3 | 15 |
| 364 | Sexual dysfunction in patients taking conventional antipsychotic medication. <i>British Journal of Psychiatry</i> , 2002 , 181, 49-55 | 5.4 | 201 |
| 363 | Obstetric complications and schizophrenia: historical and meta-analytic review. <i>American Journal of Psychiatry</i> , 2002 , 159, 1080-92 | 11.9 | 839 |
| 362 | A twin study of genetic relationships between psychotic symptoms. <i>American Journal of Psychiatry</i> , 2002 , 159, 539-45 | 11.9 | 358 |
| 361 | Evidence for early-childhood, pan-developmental impairment specific to schizophreniform disorder: results from a longitudinal birth cohort. <i>Archives of General Psychiatry</i> , 2002 , 59, 449-56 | | 587 |
| 360 | The effects of antipsychotic-induced hyperprolactinaemia on the hypothalamic-pituitary-gonadal axis. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 109-14 | 1.7 | 135 |
| 359 | Do schizophrenic patients who managed to get to university have a non-developmental form of illness?. <i>Psychological Medicine</i> , 2002 , 32, 535-44 | 6.9 | 18 |
| 358 | Lower prevalence of pre-morbid neurological illness in African-Caribbean than White psychotic patients in England. <i>Psychological Medicine</i> , 2002 , 32, 1285-91 | 6.9 | 12 |
| 357 | Schizophrenia: a neurodevelopmental or neurodegenerative disorder?. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 9-15 | 4.9 | 25 |
| 356 | Perinatal and childhood risk factors for later criminality and violence in schizophrenia. Longitudinal, population-based study. <i>British Journal of Psychiatry</i> , 2002 , 180, 496-501 | 5.4 | 38 |
| 355 | Patients' perceptions of intensive case management. <i>Psychiatric Services</i> , 2002 , 53, 1432-7 | 3.3 | 2 |
| 354 | Personality dimensions and neuropsychological performance in first-degree relatives of patients with schizophrenia and affective psychosis. <i>Schizophrenia Research</i> , 2002 , 55, 239-48 | 3.6 | 16 |
| 353 | Women with schizophrenia: pregnancy outcome and infant death among their offspring. <i>Schizophrenia Research</i> , 2002 , 58, 221-9 | 3.6 | 141 |
| 352 | The relationship between predisposing factors, premorbid function and symptom dimensions in psychosis: an integrated approach. <i>European Psychiatry</i> , 2002 , 17, 311-20 | 6 | 26 |
| 351 | Developments in the pharmacological treatment of schizophrenia. <i>Expert Opinion on Investigational Drugs</i> , 2002 , 11, 1335-41 | 5.9 | 4 |

| | | | |
|-----|---|------|-----|
| 350 | Genetic contributions to regional variability in human brain structure: methods and preliminary results. <i>NeuroImage</i> , 2002 , 17, 256-71 | 7.9 | 176 |
| 349 | Neurodevelopmental impairment, dopamine sensitisation, and social adversity in schizophrenia. <i>World Psychiatry</i> , 2002 , 1, 137-45 | 14.4 | 15 |
| 348 | Behavior therapy attenuates clozapine-induced obsessions and compulsions. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 1179-80 | 4.6 | 12 |
| 347 | Testing hypotheses on specific environmental causal effects on behavior. <i>Psychological Bulletin</i> , 2001 , 127, 291-324 | 19.1 | 464 |
| 346 | Understanding the excess of psychosis among the African-Caribbean population in England. Review of current hypotheses. <i>British Journal of Psychiatry</i> , 2001 , 40, s60-8 | 5.4 | 195 |
| 345 | Comparison of the outcome and treatment of psychosis in people of Caribbean origin living in the UK and British Whites. Report from the UK700 trial. <i>British Journal of Psychiatry</i> , 2001 , 178, 160-5 | 5.4 | 60 |
| 344 | Predictors of later schizophrenia and affective psychosis among attendees at a child psychiatry department. <i>British Journal of Psychiatry</i> , 2001 , 178, 420-6 | 5.4 | 76 |
| 343 | Comparison of the incidence of schizophrenia in rural Dumfries and Galloway and urban Camberwell. <i>British Journal of Psychiatry</i> , 2001 , 179, 335-9 | 5.4 | 60 |
| 342 | Reducing violence in severe mental illness: randomised controlled trial of intensive case management compared with standard care. <i>BMJ: British Medical Journal</i> , 2001 , 323, 1093-6 | | 81 |
| 341 | Does socioeconomic status predict course and outcome in patients with psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 573-81 | 4.5 | 22 |
| 340 | Affected sibling pair linkage analysis of qualitative and quantitative traits for schizophrenia on chromosome 22 in a Chinese population. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 321-7 | | 9 |
| 339 | Differential frontal activation in schizophrenia and bipolar illness during verbal fluency. <i>Journal of Affective Disorders</i> , 2001 , 66, 111-21 | 6.6 | 94 |
| 338 | Olanzapine: concordant response in monozygotic twins with schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 178, 86 | 5.4 | 37 |
| 337 | A functional study of auditory verbal imagery. <i>Psychological Medicine</i> , 2001 , 31, 241-53 | 6.9 | 186 |
| 336 | Superior temporal gyrus abnormalities in early-onset schizophrenia: similarities and differences with adult-onset schizophrenia. <i>American Journal of Psychiatry</i> , 2001 , 158, 1299-304 | 11.9 | 111 |
| 335 | Neural correlates of formal thought disorder in schizophrenia: preliminary findings from a functional magnetic resonance imaging study. <i>Archives of General Psychiatry</i> , 2001 , 58, 769-74 | | 173 |
| 334 | Cognitive neuropsychiatric models of persecutory delusions. <i>American Journal of Psychiatry</i> , 2001 , 158, 527-39 | 11.9 | 260 |
| 333 | Schizophrenia and HLA: a review. <i>Schizophrenia Research</i> , 2001 , 47, 1-12 | 3.6 | 137 |

| | | | |
|-----|--|-----|-----|
| 332 | Differential activation of temporal cortex during sentence completion in schizophrenic patients with and without formal thought disorder. <i>Schizophrenia Research</i> , 2001 , 50, 27-40 | 3.6 | 78 |
| 331 | Familiality of symptom dimensions in schizophrenia. <i>Schizophrenia Research</i> , 2001 , 47, 223-32 | 3.6 | 67 |
| 330 | Transmission disequilibrium analysis of HLA class II DRB1, DQA1, DQB1 and DPB1 polymorphisms in schizophrenia using family trios from a Han Chinese population. <i>Schizophrenia Research</i> , 2001 , 49, 73-8 | 3.6 | 33 |
| 329 | Structural magnetic imaging of the hippocampus in early onset schizophrenia. <i>Biological Psychiatry</i> , 2001 , 49, 824-31 | 7.9 | 58 |
| 328 | Neuropsychological performance and spectrum personality traits in the relatives of patients with schizophrenia and affective psychosis. <i>Psychiatry Research</i> , 2001 , 101, 89-100 | 9.9 | 23 |
| 327 | No association between T102C polymorphism of serotonin-2A receptor gene and clinical phenotypes of Chinese schizophrenic patients. <i>Psychiatry Research</i> , 2001 , 105, 175-85 | 9.9 | 52 |
| 326 | Multilevel Modeling of Cognitive Function in Schizophrenic Patients and Their First Degree Relatives. <i>Multivariate Behavioral Research</i> , 2001 , 36, 279-98 | 2.3 | 19 |
| 325 | Modality specific neural correlates of auditory and somatic hallucinations. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 71, 688-90 | 5.5 | 87 |
| 324 | Twin study of symptom dimensions in psychoses. <i>British Journal of Psychiatry</i> , 2001 , 179, 39-45 | 5.4 | 110 |
| 323 | Verbal fluency in patients with schizophrenia and affective psychoses and their first-degree relatives. <i>Psychological Medicine</i> , 2001 , 31, 695-704 | 6.9 | 28 |
| 322 | Suicidal behaviour in psychosis: prevalence and predictors from a randomised controlled trial of case management: report from the UK700 trial. <i>British Journal of Psychiatry</i> , 2001 , 178, 255-60 | 5.4 | 40 |
| 321 | A Critique of the Idea and Science of Risk-Factor Research in Schizophrenia. <i>International Journal of Mental Health</i> , 2001 , 30, 82-90 | 1.4 | 2 |
| 320 | A plausible model of schizophrenia must incorporate psychological and social, as well as neuro developmental, risk factors. <i>Dialogues in Clinical Neuroscience</i> , 2001 , 3, 243-56 | 5.7 | 8 |
| 319 | Functional anatomy of verbal fluency in people with schizophrenia and those at genetic risk. Focal dysfunction and distributed disconnectivity reappraised. <i>British Journal of Psychiatry</i> , 2000 , 176, 52-60 | 5.4 | 174 |
| 318 | The Kraepelinian dichotomy: evidence from developmental and neuroimaging studies. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2000 , 12, 398-405 | 2.7 | 15 |
| 317 | Intra-uterine physical growth in schizophrenia: evidence confirming excess of premature birth. <i>Psychological Medicine</i> , 2000 , 30, 597-604 | 6.9 | 33 |
| 316 | Imaging attentional and attributional bias: an fMRI approach to the paranoid delusion. <i>Psychological Medicine</i> , 2000 , 30, 873-83 | 6.9 | 51 |
| 315 | Haplotype transmission disequilibrium and evidence for linkage of the CHRNA7 gene region to schizophrenia in Southern African Bantu families. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 196-201 | | 89 |

| | | | |
|-----|---|------|------|
| 314 | What risk factors tell us about the causes of schizophrenia and related psychoses. <i>Current Psychiatry Reports</i> , 2000 , 2, 378-85 | 9.1 | 16 |
| 313 | Trail making test performance in the first degree relatives of schizophrenic and affective psychotic patients. <i>Cognitive Neuropsychiatry</i> , 2000 , 5, 219-234 | 2 | 6 |
| 312 | Functional anatomy of auditory verbal imagery in schizophrenic patients with auditory hallucinations. <i>American Journal of Psychiatry</i> , 2000 , 157, 1691-3 | 11.9 | 166 |
| 311 | Meta-analysis of regional brain volumes in schizophrenia. <i>American Journal of Psychiatry</i> , 2000 , 157, 16-25 | 11.9 | 1323 |
| 310 | Children's self-reported psychotic symptoms and adult schizophreniform disorder: a 15-year longitudinal study. <i>Archives of General Psychiatry</i> , 2000 , 57, 1053-8 | | 802 |
| 309 | Early and late environmental risk factors for schizophrenia. <i>Brain Research Reviews</i> , 2000 , 31, 130-7 | | 112 |
| 308 | Association between cerebral structural abnormalities and dermatoglyphic ridge counts in schizophrenia. <i>Comprehensive Psychiatry</i> , 2000 , 41, 380-4 | 7.3 | 17 |
| 307 | Mapping auditory hallucinations in schizophrenia using functional magnetic resonance imaging. <i>Archives of General Psychiatry</i> , 2000 , 57, 1033-8 | | 488 |
| 306 | A magnetic resonance imaging study of corpus callosum size in familial schizophrenic subjects, their relatives, and normal controls. <i>Schizophrenia Research</i> , 2000 , 41, 397-403 | 3.6 | 34 |
| 305 | Premorbid IQ in patients with functional psychosis and their first-degree relatives. <i>Schizophrenia Research</i> , 2000 , 41, 417-29 | 3.6 | 56 |
| 304 | Childhood schizotypy and positive symptoms in schizophrenic patients predict schizotypy in relatives. <i>Schizophrenia Research</i> , 2000 , 44, 129-36 | 3.6 | 53 |
| 303 | HLA and Psychiatric Disease 2000 , 419-426 | | |
| 302 | School performance in Finnish children and later development of schizophrenia: a population-based longitudinal study. <i>Archives of General Psychiatry</i> , 1999 , 56, 457-63 | | 193 |
| 301 | Heritability estimates for psychotic disorders: the Maudsley twin psychosis series. <i>Archives of General Psychiatry</i> , 1999 , 56, 162-8 | | 577 |
| 300 | Supra-regional brain systems and the neuropathology of schizophrenia. <i>Cerebral Cortex</i> , 1999 , 9, 366-78 | 5.1 | 84 |
| 299 | Prenatal and perinatal risk factors for schizophrenia, affective psychosis, and reactive psychosis of early onset: case-control study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 421-6 | | 232 |
| 298 | Failure to respond to treatment with typical antipsychotics is not associated with CYP2D6 ultrarapid hydroxylation. <i>British Journal of Clinical Pharmacology</i> , 1999 , 48, 388-94 | 3.8 | 27 |
| 297 | The developmental 'risk factor' model of schizophrenia. <i>Journal of Psychiatric Research</i> , 1999 , 33, 497-9 | 5.2 | 54 |

| | | | |
|-----|--|-----|------|
| 296 | Functional MR imaging of confounded hypofrontality. <i>Human Brain Mapping</i> , 1999 , 8, 86-91 | 5.9 | 24 |
| 295 | Motor co-ordination deficits as predictors of schizophrenia among Finnish school children 1999 , 14, 491-497 | | 13 |
| 294 | Association analysis between dopamine receptor genes and bipolar affective disorder. <i>Psychiatry Research</i> , 1999 , 86, 193-201 | 9.9 | 45 |
| 293 | Brain structure and neurocognitive and behavioural function in adolescents who were born very preterm. <i>Lancet, The</i> , 1999 , 353, 1653-7 | 4.0 | 33.0 |
| 292 | Hippocampal volume reduction in schizophrenia: effects of genetic risk and pregnancy and birth complications. <i>Biological Psychiatry</i> , 1999 , 46, 697-702 | 7.9 | 112 |
| 291 | Mapping of grey matter changes in schizophrenia. <i>Schizophrenia Research</i> , 1999 , 35, 1-14 | 3.6 | 193 |
| 290 | Episodic memory and learning in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 1999 , 35, 85-96 | 3.6 | 94 |
| 289 | Problem-solving and spatial working memory in patients with schizophrenia and with focal frontal and temporal lobe lesions. <i>Schizophrenia Research</i> , 1999 , 37, 21-33 | 3.6 | 30 |
| 288 | Attenuated frontal activation in schizophrenia may be task dependent. <i>Schizophrenia Research</i> , 1999 , 37, 35-44 | 3.6 | 91 |
| 287 | Schizophrenic patients and their first-degree relatives show an excess of mixed-handedness. <i>Schizophrenia Research</i> , 1999 , 39, 167-76 | 3.6 | 68 |
| 286 | Lack of normal pattern of cerebral asymmetry in familial schizophrenic patients and their relatives--The Maudsley Family Study. <i>Schizophrenia Research</i> , 1999 , 40, 111-20 | 3.6 | 80 |
| 285 | Ethnic differences in the presentation of bipolar affective disorder. <i>European Psychiatry</i> , 1999 , 14, 199-204 | | 35 |
| 284 | Factor analysis of symptoms in schizophrenia: differences between White and Caribbean patients in Camberwell. <i>Psychological Medicine</i> , 1999 , 29, 607-12 | 6.9 | 34 |
| 283 | Comparison of intensive and standard case management for patients with psychosis. Rationale of the trial. UK700 Group. <i>British Journal of Psychiatry</i> , 1999 , 174, 74-8 | 5.4 | 70 |
| 282 | Functional MR imaging of confounded hypofrontality 1999 , 8, 86 | | 2 |
| 281 | Which characteristics of schizophrenia predate psychosis?. <i>Journal of Psychiatric Research</i> , 1998 , 32, 121-31 | 3.1 | 59 |
| 280 | Does the method of data collection affect the reporting of depression in the relatives of depressed probands?. <i>Journal of Affective Disorders</i> , 1998 , 47, 151-8 | 6.6 | 8 |
| 279 | Obstetric complications and familial morbid risk of psychiatric disorders. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 29-36 | | 49 |

| | | | |
|-----|---|------|-----|
| 278 | Risk factors for onset and persistence of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 596-605 | 4.5 | 77 |
| 277 | Analysis of CAG/CTG repeat size in Chinese subjects with schizophrenia and bipolar affective disorder using the repeat expansion detection method. <i>Biological Psychiatry</i> , 1998 , 44, 1160-5 | 7.9 | 32 |
| 276 | Serotonin transporter gene and risk for bipolar affective disorder: an association study in Spanish population. <i>Biological Psychiatry</i> , 1998 , 43, 843-7 | 7.9 | 79 |
| 275 | Assessment of serotonergic function in major depression using d-fenfluramine: relation to clinical variables and antidepressant response. <i>Biological Psychiatry</i> , 1998 , 44, 555-61 | 7.9 | 39 |
| 274 | Transmission disequilibrium analysis of a triplet repeat within the hKCa3 gene using family trios with schizophrenia. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 251, 662-5 | 3.4 | 30 |
| 273 | Does dysplasia cause anatomical dysconnectivity in schizophrenia?. <i>Schizophrenia Research</i> , 1998 , 30, 127-35 | 3.6 | 90 |
| 272 | Case-control, haplotype relative risk and transmission disequilibrium analysis of a dopamine D2 receptor functional promoter polymorphism in schizophrenia. <i>Schizophrenia Research</i> , 1998 , 32, 87-92 | 3.6 | 34 |
| 271 | Meta-analysis of studies on genetic variation in 5-HT2A receptors and clozapine response. <i>Schizophrenia Research</i> , 1998 , 32, 93-9 | 3.6 | 229 |
| 270 | A transmission/disequilibrium study of the DRB1*04 gene locus on chromosome 6p21.3 with schizophrenia. <i>Schizophrenia Research</i> , 1998 , 32, 75-80 | 3.6 | 22 |
| 269 | Auditory hallucinations: a review of psychological treatments. <i>Schizophrenia Research</i> , 1998 , 32, 137-50 | 3.6 | 217 |
| 268 | Differences in distribution of ages of onset in males and females with schizophrenia. <i>Schizophrenia Research</i> , 1998 , 33, 179-83 | 3.6 | 124 |
| 267 | Neurological abnormalities in familial and sporadic schizophrenia. <i>Brain</i> , 1998 , 121 (Pt 2), 191-203 | 11.2 | 80 |
| 266 | Pathophysiology of 'positive' thought disorder in schizophrenia. <i>British Journal of Psychiatry</i> , 1998 , 173, 231-5 | 5.4 | 122 |
| 265 | Predictors of outcome in schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 2S-4S | 1.7 | 48 |
| 264 | Attenuated frontal activation during a verbal fluency task in patients with schizophrenia. <i>American Journal of Psychiatry</i> , 1998 , 155, 1056-63 | 11.9 | 223 |
| 263 | Brain changes in schizophrenia. Volumetric MRI study of families multiply affected with schizophrenia--the Maudsley Family Study 5. <i>British Journal of Psychiatry</i> , 1998 , 173, 132-8 | 5.4 | 89 |
| 262 | Abnormal 5-HT1D receptor function in major depression: a neuropharmacological challenge study using sumatriptan. <i>Psychological Medicine</i> , 1998 , 28, 295-300 | 6.9 | 25 |
| 261 | The dexamethasone suppression test in schizophrenia. <i>Psychological Medicine</i> , 1998 , 28, 311-7 | 6.9 | 29 |

| | | | |
|-----|--|------|-----|
| 260 | First episodes of psychosis in Afro-Caribbean and White people. An 18-year follow-up population-based study. <i>British Journal of Psychiatry</i> , 1998 , 172, 147-53 | 5.4 | 67 |
| 259 | Family history as a predictor of poor long-term outcome in depression. <i>British Journal of Psychiatry</i> , 1998 , 173, 527-30 | 5.4 | 17 |
| 258 | Special feature: childhood personality characteristics of schizophrenia: manifestations of, or risk factors for, the disorder?. <i>Journal of Personality Disorders</i> , 1998 , 12, 247-61 | 2.6 | 52 |
| 257 | Auditory hallucinations and the temporal cortical response to speech in schizophrenia: a functional magnetic resonance imaging study. <i>American Journal of Psychiatry</i> , 1997 , 154, 1676-82 | 11.9 | 298 |
| 256 | Structural brain abnormalities in male schizophrenics reflect fronto-temporal dissociation. <i>Psychological Medicine</i> , 1997 , 27, 1257-66 | 6.9 | 100 |
| 255 | Future therapies for schizophrenia. <i>Expert Opinion on Therapeutic Patents</i> , 1997 , 7, 151-165 | 6.8 | 6 |
| 254 | Catechol-O-methyltransferase Val158Met polymorphism: frequency analysis in Han Chinese subjects and allelic association of the low activity allele with bipolar affective disorder. <i>Pharmacogenetics and Genomics</i> , 1997 , 7, 349-53 | | 85 |
| 253 | Can biological markers identify endophenotypes predisposing to schizophrenia?. <i>International Review of Psychiatry</i> , 1997 , 9, 355-364 | 3.6 | 26 |
| 252 | The Maudsley Family Study, II: Endogenous event-related potentials in familial schizophrenia. <i>Schizophrenia Research</i> , 1997 , 23, 45-53 | 3.6 | 127 |
| 251 | Seasonality of birth in schizophrenia: the effect of regional population density. <i>Schizophrenia Research</i> , 1997 , 23, 175-80 | 3.6 | 27 |
| 250 | Corpus callosum size and inter-hemispheric function in schizophrenia. <i>Schizophrenia Research</i> , 1997 , 23, 189-96 | 3.6 | 79 |
| 249 | Childhood laterality and later risk of schizophrenia in the 1946 British birth cohort. <i>Schizophrenia Research</i> , 1997 , 26, 117-20 | 3.6 | 19 |
| 248 | Maternal exposure to influenza and paranoid schizophrenia. <i>Schizophrenia Research</i> , 1997 , 26, 121-5 | 3.6 | 14 |
| 247 | Focal signal hyperintensities in schizophrenia. <i>Schizophrenia Research</i> , 1997 , 27, 55-64 | 3.6 | 36 |
| 246 | The dysplastic net hypothesis: an integration of developmental and dysconnectivity theories of schizophrenia. <i>Schizophrenia Research</i> , 1997 , 28, 143-56 | 3.6 | 218 |
| 245 | Evidence for a resistance locus for schizophrenia close to the HLA DQB1 and DRB1 gene loci on chromosome 6p21.3. <i>Schizophrenia Research</i> , 1997 , 24, 50-51 | 3.6 | 4 |
| 244 | Follow-up studies of schizophrenia I: Natural history and non-psychopathological predictors of outcome. <i>European Psychiatry</i> , 1997 , 12 Suppl 5, 327s-41s | 6 | 18 |
| 243 | No evidence for an association of affective disorders with high- or low-activity allele of catechol-o-methyltransferase gene. <i>Biological Psychiatry</i> , 1997 , 42, 282-5 | 7.9 | 97 |

| | | | |
|-----|--|-----|----|
| 242 | Dermatoglyphic abnormalities in psychosis: a twin study. <i>Biological Psychiatry</i> , 1997 , 41, 624-6 | 7.9 | 12 |
| 241 | A linkage study of schizophrenia to markers within Xp11 near the MAOB gene. <i>Psychiatry Research</i> , 1997 , 70, 131-43 | 9.9 | 55 |
| 240 | The Maudsley Family Study. I: Structural brain changes on magnetic resonance imaging in familial schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997 , 21, 1297-315 | 5.5 | 15 |
| 239 | 5-HT2A receptor and bipolar affective disorder: association studies in affected patients. <i>Neuroscience Letters</i> , 1997 , 224, 95-8 | 3.3 | 52 |
| 238 | Schizophrenia and Related Syndromes. By P. J. McKenna. Oxford: Oxford University Press. 1994. 418 pp. £50.00 (hb). <i>British Journal of Psychiatry</i> , 1997 , 170, 95-95 | 5.4 | |
| 237 | Psychopathological syndromes and familial morbid risk of psychosis. <i>British Journal of Psychiatry</i> , 1997 , 170, 241-6 | 5.4 | 78 |
| 236 | Serotonergic function and negative and depressive symptomatology in schizophrenia and major depression. <i>Psychoneuroendocrinology</i> , 1997 , 22, 539-48 | 5 | 20 |
| 235 | The molecular genetics of schizophrenia: progress so far. <i>Trends in Molecular Medicine</i> , 1997 , 3, 124-30 | | 10 |
| 234 | Suggestive evidence for linkage of schizophrenia to markers on chromosome 13 in Caucasian but not Oriental populations. <i>Human Genetics</i> , 1997 , 99, 417-20 | 6.3 | 81 |
| 233 | In vivo effects on striatal dopamine D2 receptor binding by the novel atypical antipsychotic drug sertindole--a 123I IBZM single photon emission tomography (SPET) study. <i>Psychopharmacology</i> , 1997 , 130, 152-8 | 4.7 | 29 |
| 232 | Do noradrenergic reuptake inhibitors affect serotonergic function in depression?. <i>Psychopharmacology</i> , 1997 , 134, 406-10 | 4.7 | 12 |
| 231 | SCHIZOPHRENIA WITH ONSET AT THE EXTREMES OF ADULT LIFE. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 712-717 | 3.9 | 40 |
| 230 | Autoimmune diseases in the pedigrees of schizophrenic and control subjects. <i>Schizophrenia Research</i> , 1996 , 20, 261-7 | 3.6 | 94 |
| 229 | Family history of autoimmune diseases in psychosis. <i>Schizophrenia Research</i> , 1996 , 19, 33-40 | 3.6 | 79 |
| 228 | Do obstetric complications cause the earlier age at onset in male than female schizophrenics?. <i>Schizophrenia Research</i> , 1996 , 20, 117-24 | 3.6 | 45 |
| 227 | Further exploration of a latent class typology of schizophrenia. <i>Schizophrenia Research</i> , 1996 , 20, 105-15 | 3.6 | 45 |
| 226 | Sporadic schizophrenia - another male preserve?. <i>European Psychiatry</i> , 1996 , 11, 286-8 | 6 | 4 |
| 225 | Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , 1996 , 21, 161-70 | 3.6 | 22 |

| | | | |
|-----|---|-----|-----|
| 224 | A linkage study of schizophrenia with DNA markers from chromosome 8p21-p22 in 25 multiplex families. <i>Schizophrenia Research</i> , 1996 , 22, 61-8 | 3.6 | 16 |
| 223 | Plasma homovanillic acid profile at different phases of the ovulatory cycle in healthy women. <i>Biological Psychiatry</i> , 1996 , 39, 1039-43 | 7.9 | 5 |
| 222 | Relationship between in utero exposure to influenza epidemics and risk of schizophrenia in Denmark. <i>Biological Psychiatry</i> , 1996 , 40, 817-24 | 7.9 | 77 |
| 221 | Relationship of birth season to clinical features, family history, and obstetric complication in schizophrenia. <i>Psychiatry Research</i> , 1996 , 64, 11-7 | 9.9 | 22 |
| 220 | Small head circumference at birth in schizophrenia. <i>Schizophrenia Research</i> , 1996 , 20, 165-70 | 3.6 | 56 |
| 219 | Dermatoglyphic a-b ridge count as a possible marker for developmental disturbance in schizophrenia: replication in two samples. <i>Schizophrenia Research</i> , 1996 , 20, 307-14 | 3.6 | 61 |
| 218 | Enhancement of the prolactin response to d-fenfluramine in drug-naïve schizophrenic patients. <i>British Journal of Psychiatry</i> , 1996 , 168, 57-60 | 5.4 | 47 |
| 217 | The serotonin transporter is a potential susceptibility factor for bipolar affective disorder. <i>NeuroReport</i> , 1996 , 7, 1675-9 | 1.7 | 170 |
| 216 | Age-period-cohort analysis of the incidence of schizophrenia in Scotland. <i>Psychological Medicine</i> , 1996 , 26, 963-73 | 6.9 | 36 |
| 215 | Perinatal complications and schizophrenia. Data from the Maternal and Child Health Handbook in Japan. <i>Journal of Nervous and Mental Disease</i> , 1996 , 184, 542-6 | 1.8 | 18 |
| 214 | Does familiarity predispose to both emergence and persistence of psychosis? A follow-up study. <i>British Journal of Psychiatry</i> , 1996 , 168, 620-6 | 5.4 | 72 |
| 213 | Reduced prolactin and cortisol responses to d-fenfluramine in depressed compared to healthy matched control subjects. <i>Neuropsychopharmacology</i> , 1996 , 14, 349-54 | 8.7 | 62 |
| 212 | Assessing the statistical power to detect linkage in a sample of 51 bipolar affective disorder pedigrees. <i>Behavior Genetics</i> , 1996 , 26, 113-22 | 3.2 | 2 |
| 211 | Linkage studies in bipolar affective disorder with markers on chromosome 21. <i>Journal of Affective Disorders</i> , 1996 , 41, 217-21 | 6.6 | 16 |
| 210 | Relationship between impairment of prenatal brain growth and family history of psychosis in schizophrenia. <i>Journal of Psychiatric Research</i> , 1996 , 30, 475-81 | 5.2 | 4 |
| 209 | A gene at 6p? Schizophrenia. <i>Current Biology</i> , 1996 , 6, 268-71 | 6.3 | 5 |
| 208 | A combined analysis of D22S278 marker alleles in affected sib-pairs: support for a susceptibility locus for schizophrenia at chromosome 22q12. Schizophrenia Collaborative Linkage Group (Chromosome 22). <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 40-5 | | 180 |
| 207 | Additional support for schizophrenia linkage on chromosomes 6 and 8: a multicenter study. Schizophrenia Linkage Collaborative Group for Chromosomes 3, 6 and 8. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 580-94 | | 147 |

| | | | |
|-----|--|-----|-----|
| 206 | The incidence of mania: time trends in relation to gender and ethnicity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 129-36 | 4.5 | 54 |
| 205 | The neurodevelopmental theory of schizophrenia: evidence concerning structure and neuropsychology. <i>Annals of Medicine</i> , 1996 , 28, 547-55 | 1.5 | 46 |
| 204 | Premorbid abnormalities in mania, schizomania, acute schizophrenia and chronic schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995 , 30, 274-8 | 4.5 | 27 |
| 203 | Maternal exposure to influenza and risk of schizophrenia: a 22 year study from The Netherlands. <i>Journal of Psychiatric Research</i> , 1995 , 29, 435-45 | 5.2 | 34 |
| 202 | Increased intracerebral cerebrospinal fluid spaces predict unemployment and negative symptoms in psychotic illness. A prospective study. <i>British Journal of Psychiatry</i> , 1995 , 166, 750-8 | 5.4 | 36 |
| 201 | Gender differences in schizophrenia: hormonal effect or subtypes?. <i>Schizophrenia Bulletin</i> , 1995 , 21, 1-12 | 1.3 | 92 |
| 200 | Neuroticism: a vulnerability marker for depression evidence from a family study. <i>Journal of Affective Disorders</i> , 1995 , 35, 139-43 | 6.6 | 144 |
| 199 | Contrasting neuroendocrine responses in depression and chronic fatigue syndrome. <i>Journal of Affective Disorders</i> , 1995 , 34, 283-9 | 6.6 | 184 |
| 198 | Abnormal monitoring of inner speech: a physiological basis for auditory hallucinations. <i>Lancet, The</i> , 1995 , 346, 596-600 | 4.0 | 320 |
| 197 | A voxel-based method for the statistical analysis of gray and white matter density applied to schizophrenia. <i>NeuroImage</i> , 1995 , 2, 244-52 | 7.9 | 434 |
| 196 | Problem solving in schizophrenia: a specific deficit in planning ability. <i>Schizophrenia Research</i> , 1995 , 14, 235-46 | 3.6 | 118 |
| 195 | Morbid risk of schizophrenia for relatives of patients with cannabis-associated psychosis. <i>Schizophrenia Research</i> , 1995 , 15, 277-81 | 3.6 | 135 |
| 194 | Does prenatal exposure to influenza in mice induce pyramidal cell disarray in the dorsal hippocampus?. <i>Schizophrenia Research</i> , 1995 , 16, 233-41 | 3.6 | 35 |
| 193 | Minor physical anomalies in psychoses: associations with clinical and putative aetiological variables. <i>Schizophrenia Research</i> , 1995 , 18, 9-20 | 3.6 | 84 |
| 192 | No association between the c2 allele at the cytochrome P450IIIE1 gene and alcohol induced liver disease, alcohol Korsakoff's syndrome or alcohol dependence syndrome. <i>Drug and Alcohol Dependence</i> , 1995 , 39, 181-4 | 4.9 | 14 |
| 191 | No association between prenatal exposure to influenza and autism. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 145-9 | 6.5 | 16 |
| 190 | Dysfunctional attitudes in depressed and recovered depressed patients and their first-degree relatives. <i>Psychological Medicine</i> , 1995 , 25, 87-93 | 6.9 | 30 |
| 189 | An association study of a neurotrophin-3 (NT-3) gene polymorphism with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 425-8 | 6.5 | 29 |

| | | | |
|-----|--|-----|-----|
| 188 | Linkage studies on chromosome 22 in familial schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1995 , 60, 139-46 | | 77 |
| 187 | Evidence for a genetic association between alleles of monoamine oxidase A gene and bipolar affective disorder. <i>American Journal of Medical Genetics Part A</i> , 1995 , 60, 325-31 | | 78 |
| 186 | Systematic search for major genes in schizophrenia: methodological issues and results from chromosome 12. <i>American Journal of Medical Genetics Part A</i> , 1995 , 60, 424-33 | | 5 |
| 185 | No evidence for linkage between the X-chromosome marker DXS7 and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1995 , 60, 461-4 | | 15 |
| 184 | Apolipoprotein e genotype and late paraphrenia. <i>International Journal of Geriatric Psychiatry</i> , 1995 , 10, 147-150 | 3.9 | 21 |
| 183 | Prenatal exposure to influenza epidemics and risk of mental retardation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995 , 245, 255-9 | 5.1 | 15 |
| 182 | Childhood Risk Factors for Adult Schizophrenia in a General Population Birth Cohort at Age 43 Years 1995 , 151-176 | | 11 |
| 181 | How Can We Judge Whether Or Not Prenatal Exposure to Influenza Causes Schizophrenia? 1995 , 203-214 | | 7 |
| 180 | Which patients with non-affective functional psychosis are not admitted at first psychiatric contact?. <i>British Journal of Psychiatry</i> , 1994 , 165, 101-6 | 5.4 | 52 |
| 179 | Neurodevelopmental Schizophrenia: The Rediscovery of Dementia Praecox. <i>British Journal of Psychiatry</i> , 1994 , 165, 6-12 | 5.4 | 184 |
| 178 | Prenatal influenza and schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 165, 833-4 | 5.4 | 10 |
| 177 | Age at onset, sex, and familial psychiatric morbidity in schizophrenia. Camberwell Collaborative Psychosis Study. <i>British Journal of Psychiatry</i> , 1994 , 165, 466-73 | 5.4 | 135 |
| 176 | Follow-up of a report of a potential linkage for schizophrenia on chromosome 22q12-q13.1: Part 2. <i>American Journal of Medical Genetics Part A</i> , 1994 , 54, 44-50 | | 124 |
| 175 | No evidence of association between dopamine D4 receptor variants and bipolar affective disorder. <i>American Journal of Medical Genetics Part A</i> , 1994 , 54, 259-63 | | 51 |
| 174 | Growth hormone responses to pyridostigmine in schizophrenia: evidence for cholinergic dysfunction. <i>Biological Psychiatry</i> , 1994 , 36, 582-8 | 7.9 | 15 |
| 173 | Cannabis and acute psychosis. <i>Schizophrenia Research</i> , 1994 , 13, 161-7 | 3.6 | 77 |
| 172 | Schizophrenia and the influenza epidemics of 1954, 1957 and 1959: a southern hemisphere study. <i>Schizophrenia Research</i> , 1994 , 14, 1-8 | 3.6 | 73 |
| 171 | The subtyping of schizophrenia in men and women: a latent class analysis. <i>Psychological Medicine</i> , 1994 , 24, 41-51 | 6.9 | 74 |

| | | | |
|-----|--|------|-----|
| 170 | Volumetric MRI measurements in bipolars compared with schizophrenics and healthy controls. <i>Psychological Medicine</i> , 1994 , 24, 689-99 | 6.9 | 171 |
| 169 | Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. <i>Psychological Medicine</i> , 1994 , 24, 995-1011 | 6.9 | 75 |
| 168 | Genetics of alcohol misuse. <i>British Medical Bulletin</i> , 1994 , 50, 18-35 | 5.4 | 22 |
| 167 | Low birth weight and schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 165, 357-62 | 5.4 | 99 |
| 166 | Twin concordance for congenital and adult-onset psychosis: a preliminary study of the validity of a novel classification of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 89, 142-5 | 6.5 | 10 |
| 165 | Families and twins with schizophrenia. <i>Psychiatric Bulletin</i> , 1994 , 18, 439-439 | | |
| 164 | Schizophrenia: prenatal influenza and autoimmunity. <i>Annals of Medicine</i> , 1993 , 25, 497-502 | 1.5 | 36 |
| 163 | Life events and psychosis. Initial results from the Camberwell Collaborative Psychosis Study. <i>British Journal of Psychiatry</i> , 1993 , 162, 72-9 | 5.4 | 206 |
| 162 | Puberty and the onset of psychosis. <i>Schizophrenia Research</i> , 1993 , 10, 7-14 | 3.6 | 67 |
| 161 | Do maternal HLA antigens predispose to schizophrenia?. <i>Lancet, The</i> , 1993 , 342, 117-8 | 4.0 | 4 |
| 160 | Increased blood flow in Broca's area during auditory hallucinations in schizophrenia. <i>Lancet, The</i> , 1993 , 342, 703-6 | 4.0 | 333 |
| 159 | Antipsychotic medication, D2 dopamine receptor blockade and clinical response: a 123I IBZM SPET (single photon emission tomography) study. <i>Psychological Medicine</i> , 1993 , 23, 791-7 | 6.9 | 86 |
| 158 | Does prenatal influenza divert susceptible females from later affective psychosis to schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 88, 328-36 | 6.5 | 40 |
| 157 | A comparative study of 470 cases of early-onset and late-onset schizophrenia. <i>British Journal of Psychiatry</i> , 1993 , 163, 352-7 | 5.4 | 93 |
| 156 | The epidemiology of late-onset schizophrenia. <i>Schizophrenia Bulletin</i> , 1993 , 19, 691-700 | 1.3 | 170 |
| 155 | Sex and schizophrenia: effects of diagnostic stringency, and associations with and premorbid variables. <i>British Journal of Psychiatry</i> , 1993 , 162, 658-64 | 5.4 | 151 |
| 154 | Differences in late- and early-onset schizophrenia. <i>American Journal of Psychiatry</i> , 1993 , 150, 846-7 | 11.9 | 5 |
| 153 | Psychiatric symptoms in cannabis users. <i>British Journal of Psychiatry</i> , 1993 , 163, 698 | 5.4 | 17 |

| | | | |
|-----|---|-----|-----|
| 152 | A case-control study of family history and cerebral cortical abnormalities in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 6-12 | 6.5 | 9 |
| 151 | Genetic influences on eating attitudes in a normal female twin population. <i>Psychological Medicine</i> , 1993 , 23, 425-36 | 6.9 | 89 |
| 150 | Small babies and schizophrenia. <i>British Journal of Psychiatry</i> , 1993 , 163, 553-4 | 5.4 | 5 |
| 149 | Familial psychiatric illness and obstetric complications in early-onset affective disorder. A case-control study. <i>British Journal of Psychiatry</i> , 1993 , 163, 492-8 | 5.4 | 31 |
| 148 | Schizophrenia: genetics and the maternal immune response to viral infection. <i>American Journal of Medical Genetics Part A</i> , 1993 , 48, 40-6 | | 73 |
| 147 | Does social deprivation during gestation and early life predispose to later schizophrenia?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993 , 28, 1-4 | 4.5 | 53 |
| 146 | ADH and ALDH genotype profiles in Caucasians with alcohol-related problems and controls. <i>Addiction</i> , 1993 , 88, 383-8 | 4.6 | 49 |
| 145 | The relationship of environmental temperature to the incidence and outcome of schizophrenia. <i>British Journal of Psychiatry</i> , 1992 , 160, 788-92 | 5.4 | 41 |
| 144 | A neurodevelopmental approach to the classification of schizophrenia. <i>Schizophrenia Bulletin</i> , 1992 , 18, 319-32 | 1.3 | 395 |
| 143 | Can one predict the long-term outcome of hospitalized depressives?. <i>Journal of Psychopharmacology</i> , 1992 , 6, 300-3 | 4.6 | 2 |
| 142 | Schizophrenia following pre-natal exposure to influenza epidemics between 1939 and 1960. <i>British Journal of Psychiatry</i> , 1992 , 160, 461-6 | 5.4 | 221 |
| 141 | Seasonality of admissions in the psychoses: effect of diagnosis, sex, and age at onset. <i>British Journal of Psychiatry</i> , 1992 , 161, 506-11 | 5.4 | 74 |
| 140 | Clozapine, single photon emission tomography, and the D2 dopamine receptor blockade hypothesis of schizophrenia. <i>Lancet, The</i> , 1992 , 340, 199-202 | 4.0 | 174 |
| 139 | Debrisoquine 4-hydroxylase (CYP2D) locus and possible susceptibility to schizophrenia. <i>Lancet, The</i> , 1992 , 340, 181-2 | 4.0 | 13 |
| 138 | A developmental perspective on the pathology and neurochemistry of the temporal lobe in schizophrenia. <i>Schizophrenia Research</i> , 1992 , 7, 1-12 | 3.6 | 42 |
| 137 | Cities, winter birth, and schizophrenia. <i>Lancet, The</i> , 1992 , 340, 558-9 | 4.0 | 20 |
| 136 | Genes, viruses and neurodevelopmental schizophrenia. <i>Journal of Psychiatric Research</i> , 1992 , 26, 225-35 | 5.2 | 67 |
| 135 | Assessing schizophrenia in adults with mental retardation. A comparative study. <i>British Journal of Psychiatry</i> , 1991 , 158, 103-5 | 5.4 | 49 |

| | | | |
|-----|--|-----|-----|
| 134 | Pre-morbid adjustment and personality in psychosis. Effects of sex and diagnosis. <i>British Journal of Psychiatry</i> , 1991 , 158, 171-6 | 5.4 | 168 |
| 133 | Does recurrent depression lead to a change in neuroticism?. <i>Psychological Medicine</i> , 1991 , 21, 985-90 | 6.9 | 50 |
| 132 | Why don't preschizophrenic children have delusions and hallucinations?. <i>Behavioral and Brain Sciences</i> , 1991 , 14, 41-42 | 0.9 | 6 |
| 131 | Tyrosine hydroxylase polymorphisms and bipolar affective disorder. <i>Journal of Psychiatric Research</i> , 1991 , 25, 179-84 | 5.2 | 40 |
| 130 | Psychological deficit from excessive alcohol consumption: evidence from a co-twin control study. <i>Addiction</i> , 1991 , 86, 151-5 | 4.6 | 8 |
| 129 | The genetics of schizophrenia is the genetics of neurodevelopment. <i>British Journal of Psychiatry</i> , 1991 , 158, 615-23 | 5.4 | 179 |
| 128 | Can future suicidal behaviour in depressed patients be predicted?. <i>Journal of Affective Disorders</i> , 1991 , 22, 111-8 | 6.6 | 45 |
| 127 | Low birth weight and a family history of schizophrenia predict poor premorbid functioning in psychosis. <i>Schizophrenia Research</i> , 1991 , 5, 13-20 | 3.6 | 85 |
| 126 | Schizophrenia after prenatal exposure to 1957 A2 influenza epidemic. <i>Lancet, The</i> , 1991 , 337, 1248-50 | 4.0 | 340 |
| 125 | The incidence of operationally defined schizophrenia in Camberwell, 1965-84. <i>British Journal of Psychiatry</i> , 1991 , 159, 790-4 | 5.4 | 191 |
| 124 | Aberrant neurodevelopment as the expression of the schizophrenia genotype 1991 , 112-129 | | 1 |
| 123 | Can brain damage protect against schizophrenia? A case report of twins. <i>British Journal of Psychiatry</i> , 1990 , 157, 600-3 | 5.4 | 8 |
| 122 | Trends in schizophrenia. <i>Lancet, The</i> , 1990 , 335, 1214 | 4.0 | 13 |
| 121 | Is schizophrenia disappearing?. <i>Lancet, The</i> , 1990 , 335, 513-6 | 4.0 | 188 |
| 120 | Does personality predict long-term outcome in depression?. <i>British Journal of Psychiatry</i> , 1990 , 157, 19-24 | 5.4 | 136 |
| 119 | Better to be depressed in Australia? <i>British Journal of Psychiatry</i> , 1989 , 155, 123-124 | 5.4 | 3 |
| 118 | The impact of molecular genetics on our understanding of the psychoses. <i>British Journal of Psychiatry</i> , 1989 , 154, 591-5 | 5.4 | 12 |
| 117 | Family history and cerebral ventricular enlargement in schizophrenia. A case control study. <i>British Journal of Psychiatry</i> , 1989 , 154, 629-34 | 5.4 | 27 |

| | | | |
|-----|--|-----|-----|
| 116 | What can the neurodevelopmental model explain?. <i>Schizophrenia Research</i> , 1989 , 2, 15 | 3.6 | |
| 115 | Schizophrenia Research: attempting to integrate genetics, neurodevelopment and nosology. <i>International Review of Psychiatry</i> , 1989 , 1, 277-286 | 3.6 | 2 |
| 114 | Better to be depressed in Australia. <i>British Journal of Psychiatry</i> , 1989 , 155, 123-124 | 5.4 | |
| 113 | The Congenital Origins of Schizophrenia. <i>Psychiatric Annals</i> , 1989 , 19, 525-529 | 0.5 | 5 |
| 112 | The long-term outcome of Maudsley depressives. <i>British Journal of Psychiatry</i> , 1988 , 153, 741-51 | 5.4 | 263 |
| 111 | Obstetric complications and schizophrenia: a computed tomographic study. <i>Psychological Medicine</i> , 1988 , 18, 331-9 | 6.9 | 82 |
| 110 | Response to drugs in schizophrenia: the influence of family history, obstetric complications and ventricular enlargement. <i>Psychological Medicine</i> , 1988 , 18, 583-92 | 6.9 | 33 |
| 109 | The Bethlem and Maudsley Hospital item sheets (B-MIS): The development and reliability of an instrument for routine collection of summary clinical data. <i>Bulletin of the Royal College of Psychiatrists</i> , 1988 , 12, 422-426 | | 2 |
| 108 | Schizophrenia: is the concept disintegrating?. <i>Journal of Psychopharmacology</i> , 1987 , 1, 133-9 | 4.6 | 7 |
| 107 | Familial aspects of obsessive-compulsive neurosis. <i>British Journal of Psychiatry</i> , 1987 , 151, 528-34 | 5.4 | 56 |
| 106 | Obstetric complications, neurodevelopmental deviance, and risk of schizophrenia. <i>Journal of Psychiatric Research</i> , 1987 , 21, 413-21 | 5.2 | 380 |
| 105 | Genetic influence on the psychoses. <i>British Medical Bulletin</i> , 1987 , 43, 531-56 | 5.4 | 22 |
| 104 | Schizophrenia and bulimia: Case report. <i>International Journal of Eating Disorders</i> , 1986 , 5, 771-775 | 6.3 | 5 |
| 103 | Schizophrenia with good and poor outcome. <i>British Journal of Psychiatry</i> , 1986 , 148, 343-4 | 5.4 | |
| 102 | Psychiatric disorder, drinking and alcoholism: what are the links?. <i>British Journal of Psychiatry</i> , 1986 , 148, 393-400 | 5.4 | 75 |
| 101 | Genetic Vulnerability to Schizophrenia. <i>Psychiatric Clinics of North America</i> , 1986 , 9, 3-16 | 3.1 | 26 |
| 100 | The Genetics of Schizophrenia and its Implications. <i>Adoption & Fostering</i> , 1985 , 9, 39-46 | 0.7 | 1 |
| 99 | Cerebral ventricular enlargement in non-genetic schizophrenia: a controlled twin study. <i>British Journal of Psychiatry</i> , 1984 , 144, 89-93 | 5.4 | 189 |

| | | | |
|----|--|-----|-----|
| 98 | A genetic and environmental analysis of a twin family study of alcohol use, anxiety, and depression. <i>Genetic Epidemiology</i> , 1984 , 1, 63-79 | 2.6 | 73 |
| 97 | Increased cerebral ventricular volume in monozygotic twins discordant for alcoholism. <i>Lancet, The</i> , 1984 , 1, 986-8 | 4.0 | 18 |
| 96 | Genetic and environmental influences on obsessional traits and symptoms. <i>Psychological Medicine</i> , 1984 , 14, 791-800 | 6.9 | 101 |
| 95 | Schizophrenia as an infection. <i>Lancet, The</i> , 1983 , 1, 583 | 4.0 | 9 |
| 94 | Ethanol preference in rats: increased consumption after intraventricular administration of tetrahydropapaveroline. <i>Neuropharmacology</i> , 1983 , 22, 563-5 | 5.5 | 15 |
| 93 | A family study of HLA antigens and other genetic markers in schizophrenia. <i>Psychological Medicine</i> , 1983 , 13, 31-43 | 6.9 | 74 |
| 92 | A psychotic episode following Erhard Seminars Training. <i>Acta Psychiatrica Scandinavica</i> , 1983 , 67, 436-9 | 6.5 | 2 |
| 91 | Genetics of platelet MAO activity in discordant schizophrenic and normal twins. <i>British Journal of Psychiatry</i> , 1983 , 142, 560-5 | 5.4 | 53 |
| 90 | Cerebral ventricular size in twins discordant for schizophrenia. <i>Lancet, The</i> , 1982 , 1, 540-1 | 4.0 | 214 |
| 89 | Comparison of questionnaire and laboratory tests in the detection of excessive drinking and alcoholism. <i>Lancet, The</i> , 1982 , 1, 325-8 | 4.0 | 296 |
| 88 | Human Behavior and Genetics. Edited by Werner Schmid and Johannes Nielsen. Amsterdam: Elsevier/North Holland. 1981. Pp 251. No price stated.. <i>British Journal of Psychiatry</i> , 1982 , 140, 546-547 | 5.4 | |
| 87 | Effects of neuroleptic drugs on MAO activity. <i>British Journal of Psychiatry</i> , 1981 , 139, 475-6 | 5.4 | 2 |
| 86 | The teaching of clinical skills at a postgraduate hospital. <i>Psychological Medicine</i> , 1981 , 11, 391-9 | 6.9 | 6 |
| 85 | Genes and the Mind. By Ming T. Tsuang and Randall Vandermeij. Oxford: Oxford University Press. 1980. Pp 143. £5.95. - Personality and Hereditary. By Brian W. P. Wells. London: Longman Group. 1980. Pp 201. £5.50.. <i>British Journal of Psychiatry</i> , 1981 , 138, 171-171 | 5.4 | |
| 84 | Minor analgesic abuse: the slow recognition of a public health problem. <i>Addiction</i> , 1980 , 75, 9-17 | 4.6 | 11 |
| 83 | The Care and Management of the Sick and Incompetent Physician. By Robert G. Green, Jr., George J. Carroll and William D. Buxton. 1978. Springfield, Illinois: Charles C. Thomas. Pp 95. \$8.50.. <i>British Journal of Psychiatry</i> , 1980 , 136, 98-98 | 5.4 | |
| 82 | Appeal for identical twins with alcoholism or schizophrenia. <i>Bulletin of the Royal College of Psychiatrists</i> , 1980 , 4, 124-124 | | |
| 81 | Turner's Syndrome. By Johannes Nielsen, Helmuth Nybory and Gudrun Dahl. Denmark: Acta Jutlandica. 1970. Pp 190. Kr 127.00.. <i>British Journal of Psychiatry</i> , 1980 , 136, 513-513 | 5.4 | |

| | | | |
|----|--|-----|----|
| 80 | Individual and Environment: Monozygotic Twins Reared Apart. By Niels Juel-Nielsen. New York: International Universities Press. 1980. Pp 454. £22.50.. <i>British Journal of Psychiatry</i> , 1980 , 137, 489-490 | 5.4 | |
| 79 | The Leyton Obsessional Inventory: an analysis of the responses of 73 obsessional patients. <i>Psychological Medicine</i> , 1979 , 9, 305-11 | 6.9 | 26 |
| 78 | Psychotropic Drugs: A Guide for the Practitioner. By H. M. van Praag. London: MacMillan. 1978. Pp 466. £12.00.. <i>British Journal of Psychiatry</i> , 1979 , 134, 441-441 | 5.4 | |
| 77 | Alcoholism: New Directions in Behavioral Research and Treatment. Edited by Peter E. Nathan, G. Alan Marlatt and Tor L?berg. New York: Plenum Publishing. 1978. Pp 403. \$22.05.. <i>British Journal of Psychiatry</i> , 1979 , 134, 643-643 | 5.4 | |
| 76 | Increased excretion of dimethyltryptamine and certain features of psychosis: a possible association. <i>Archives of General Psychiatry</i> , 1979 , 36, 644-9 | | 22 |
| 75 | Genesis of analgesic nephropathy in the United Kingdom. <i>Kidney International</i> , 1978 , 13, 50-7 | 9.9 | 36 |
| 74 | Drug response and psychiatric nosology. <i>Psychological Medicine</i> , 1978 , 8, 667-81 | 6.9 | 16 |
| 73 | Psychiatric illness in male doctors and controls: an analysis of Scottish hospitals in-patient data. <i>British Journal of Psychiatry</i> , 1977 , 131, 1-10 | 5.4 | 49 |
| 72 | Factors affecting the urinary excretion of endogenously formed dimethyltryptamine in normal human subjects. <i>Psychopharmacology</i> , 1977 , 54, 171-5 | 4.7 | 29 |
| 71 | Alcoholism amongst male doctors in Scotland. <i>Lancet, The</i> , 1976 , 2, 729-31 | 4.0 | 29 |
| 70 | Characteristics and prognosis of alcoholic doctors. <i>The BMJ</i> , 1976 , 2, 1537-9 | | 31 |
| 69 | Urinary dimethyltryptamine and psychiatric symptomatology and classification. <i>Psychological Medicine</i> , 1976 , 6, 649-57 | 6.9 | 24 |
| 68 | Personality factors in analgesic nephropathy. <i>Psychological Medicine</i> , 1974 , 4, 69-73 | 6.9 | 13 |
| 67 | Dependance on analgesics in analgesic nephropathy. <i>Addiction</i> , 1973 , 68, 265-72 | 4.6 | 12 |
| 66 | The origins of analgesic nephropathy. <i>British Journal of Psychiatry</i> , 1973 , 123, 99-106 | 5.4 | 23 |
| 65 | The use and abuse of analgesics. <i>Scottish Medical Journal</i> , 1972 , 17, 393-9 | 1.8 | 12 |
| 64 | Cognitive impairment and symptom dimensions in psychosis69-84 | | 1 |
| 63 | Cannabis, endocannabinoids and neurodevelopment66-81 | | 0 |

| | | |
|----|--|---|
| 62 | Cannabinoids and the cerebellum: a potential role in the development of psychosis144-159 | 1 |
| 61 | How cannabis works in the brain1-16 | 0 |
| 60 | Other cannabinoids17-22 | |
| 59 | The impact of pubertal exposure to cannabis on the brain: a focus on animal studies82-90 | |
| 58 | The neural basis for the acute effects of cannabis on learning and psychosis160-168 | |
| 57 | Cannabis abuse and the course of schizophrenia210-217 | |
| 56 | The function of the endocannabinoid system23-34 | |
| 55 | What are the policy implications of the evidence on cannabis and psychosis?55-65 | 1 |
| 54 | Which cannabis users develop psychosis?137-143 | |
| 53 | Does cannabis use cause schizophrenia? The epidemiological evidence169-183 | |
| 52 | Postmortem studies of the brain cannabinoid system in schizophrenia184-192 | |
| 51 | The endocannabinoid system in schizophrenia193-197 | |
| 50 | The acute effects of cannabinoids in patients with psychotic illness198-209 | |
| 49 | Understanding cannabis use in schizophrenia218-224 | 2 |
| 48 | Addressing cannabis use in people with psychosis225-233 | |
| 47 | Cannabis and cognition: short- and long-term effects91-102 | 8 |
| 46 | Does cannabis cause lasting brain damage?103-113 | |
| 45 | Is cannabis becoming more potent?35-54 | 1 |

| | | |
|----|--|---|
| 44 | The association between cannabis use and depression: a review of the evidence114-128 | 1 |
| 43 | Cannabis, cannabinoids and bipolar disorder129-136 | 2 |
| 42 | Integrative summary and future directions251-264 | |
| 41 | Clinical outcome: neurological sequelae following preterm birth30-38 | 2 |
| 40 | Epidemiology of preterm birth1-16 | 4 |
| 39 | The changing face of intensive care for preterm newborns17-29 | 1 |
| 38 | Imaging the preterm brain39-53 | |
| 37 | Structural magnetic resonance imaging54-67 | 1 |
| 36 | Magnetic resonance imaging findings from adolescence to adulthood68-75 | |
| 35 | Functional neuroimaging following very preterm birth76-96 | |
| 34 | Diffusion tensor imaging findings in preterm and low birth weight populations97-112 | 1 |
| 33 | Behavioral outcome of preterm birth in childhood and adolescence113-126 | |
| 32 | Preterm birth and fetal growth in relation to adult psychopathology127-140 | |
| 31 | Cognitive and functional outcomes of children born preterm141-163 | 5 |
| 30 | Methodological considerations in neurodevelopmental outcome studies of infants born prematurely164-175 | 4 |
| 29 | Language function after preterm birth176-184 | 1 |
| 28 | A cognitive neuroscience perspective on the development of memory in children born preterm185-194 | 1 |
| 27 | Executive function development in preterm children195-208 | 7 |

| | | |
|----|---|-------|
| 26 | Pathways of risk and resiliency after prematurity: role of socioeconomic status224-236 | 6 |
| 25 | Cognitive and behavioral interventions237-250 | 1 |
| 24 | Academic performance and learning disabilities209-223 | 1 |
| 23 | Sexual problems395-416 | |
| 22 | Genetic epidemiology80-94 | |
| 21 | Alcohol problems198-229 | 1 |
| 20 | Affective disorders250-283 | 3 |
| 19 | Neuropsychiatry320-349 | |
| 18 | General hospital psychiatry515-539 | |
| 17 | Schizophrenia and related disorders284-319 | 2 |
| 16 | Gender Issues in Schizophrenia679-684 | |
| 15 | The Developmental Epidemiology of Psychiatric Disorders239-255 | 2 |
| 14 | Aetiology, Genetics and Risk Factors503-508 | |
| 13 | Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study | 1 |
| 12 | Neuropsychological differences between treatment-resistant and treatment-responsive schizophrenia: a meta-analysis. <i>Psychological Medicine</i> ,1-13 | 6.9 1 |
| 11 | Rare schizophrenia risk variants are enriched in genes shared with neurodevelopmental disorders | 6 |
| 10 | Volumetric grey matter alterations in adolescents and adults born very preterm suggest accelerated brain maturation | 1 |
| 9 | A Dimensional Approach to Assessing Psychiatric Risk in Adults Born Very Preterm | 2 |

| | | |
|---|---|-------|
| 8 | Altered cortical gyrification in adults who were born very preterm and its associations with cognition and mental health | 2 |
| 7 | Large-scale analysis of DNA methylation identifies cellular alterations in blood from psychosis patients and molecular biomarkers of treatment-resistant schizophrenia | 1 |
| 6 | Psychiatric risk gene NT5C2 regulates protein translation in human neural progenitor cells | 1 |
| 5 | Investigating the role of behaviour in the genetic risk for schizophrenia | 2 |
| 4 | The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study. | 2 |
| 3 | Epidemiology of Migration and Serious Mental Illness: The Example of Migrants to Europe579-594 | |
| 2 | Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> ,1-9 | 6.9 1 |
| 1 | Environmental Risk Factors for Schizophrenia226-244 | 2 |