

Anne H. Cross

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7578183/anne-h-cross-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

15,470
citations

54
h-index

124
g-index

145
ext. papers

17,293
ext. citations

7.9
avg, IF

6.15
L-index

#	Paper	IF	Citations
139	Alterations of host-gut microbiome interactions in multiple sclerosis.. <i>EBioMedicine</i> , 2022 , 76, 103798	8.8	4
138	Stronger Microstructural Damage Revealed in Multiple Sclerosis Lesions With Central Vein Sign by Quantitative Gradient Echo MRI.. <i>Journal of Central Nervous System Disease</i> , 2022 , 14, 1179573522108484	4.4	4
137	Tissue damage detected by quantitative gradient echo MRI correlates with clinical progression in non-relapsing progressive MS.. <i>Multiple Sclerosis Journal</i> , 2022 , 13524585211073761	5	0
136	Safety experience with continued exposure to ofatumumab in patients with relapsing forms of multiple sclerosis for up to 3.5 years.. <i>Multiple Sclerosis Journal</i> , 2022 , 13524585221079731	5	0
135	Efficacy and safety of ofatumumab in recently diagnosed, treatment-naive patients with multiple sclerosis: Results from ASCLEPIOS I and II.. <i>Multiple Sclerosis Journal</i> , 2022 , 13524585221078825	5	1
134	Charting a global research strategy for progressive MS-An international progressive MS Alliance proposal. <i>Multiple Sclerosis Journal</i> , 2021 , 13524585211059766	5	1
133	Central vein sign and other radiographic features distinguishing myelin oligodendrocyte glycoprotein antibody disease from multiple sclerosis and aquaporin-4 antibody-positive neuromyelitis optica. <i>Multiple Sclerosis Journal</i> , 2021 , 13524585211007086	5	2
132	MS can be considered a primary progressive disease in all cases, but some patients have superimposed relapses - No. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1004-1005	5	1
131	Quantitative signal properties from standardized MRIs correlate with multiple sclerosis disability. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 1096-1109	5.3	1
130	Effects of dietary restriction on neuroinflammation in neurodegenerative diseases. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	12
129	CD11cCD88CD317 myeloid cells are critical mediators of persistent CNS autoimmunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
128	COVID-19 in Patients With Neuromyelitis Optica Spectrum Disorders and Myelin Oligodendrocyte Glycoprotein Antibody Disease in North America: From the COViMS Registry. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021 , 8,	9.1	6
127	Single-cell RNA-seq analysis of human CSF microglia and myeloid cells in neuroinflammation. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020 , 7,	9.1	26
126	Clinical and laboratory features distinguishing MOG antibody disease from multiple sclerosis and AQP4 antibody-positive neuromyelitis optica. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 45, 102399	4	15
125	Effects of MS disease-modifying therapies on responses to vaccinations: A review. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 45, 102439	4	72
124	Deep learning with diffusion basis spectrum imaging for classification of multiple sclerosis lesions. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 695-706	5.3	18
123	In vivo evolution of biopsy-proven inflammatory demyelination quantified by R2t* mapping. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 1055-1060	5.3	3

122	An overview of the current state of evidence for the role of specific diets in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 36, 101393	4	20
121	Diffusion basis spectrum imaging for identifying pathologies in MS subtypes. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 2323-2327	5.3	10
120	Clinical instrument to retrospectively capture levels of EDSS. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 39, 101884	4	1
119	Refining the use of MRI to predict multiple sclerosis. <i>Lancet Neurology, The</i> , 2018 , 17, 105-106	24.1	3
118	Intensity ratio to improve black hole assessment in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018 , 19, 140-147	4	8
117	Simultaneous multi-angular relaxometry of tissue with MRI (SMART MRI): Theoretical background and proof of concept. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1296-1306	4.4	2
116	Speaking out about gender imbalance in invited speakers improves diversity. <i>Nature Immunology</i> , 2017 , 18, 475-478	19.1	54
115	Limbic system damage in MS: MRI assessment and correlations with clinical testing. <i>PLoS ONE</i> , 2017 , 12, e0187915	3.7	9
114	"A new imaging modality to non-invasively assess multiple sclerosis pathology". <i>Journal of Neuroimmunology</i> , 2017 , 304, 81-85	3.5	27
113	Amelioration of EAE by a cryptic epitope of myelin oligodendrocyte glycoprotein. <i>Journal of Neuroimmunology</i> , 2016 , 300, 66-73	3.5	2
112	Estriol combined with glatiramer acetate for women with relapsing-remitting multiple sclerosis: a randomised, placebo-controlled, phase 2 trial. <i>Lancet Neurology, The</i> , 2016 , 15, 35-46	24.1	109
111	On the relationship between cellular and hemodynamic properties of the human brain cortex throughout adult lifespan. <i>NeuroImage</i> , 2016 , 133, 417-429	7.9	16
110	Effect of Multiple Sclerosis Disease-Modifying Therapies on B Cells and Humoral Immunity. <i>JAMA Neurology</i> , 2016 , 73, 219-25	17.2	31
109	Dimethyl fumarate selectively reduces memory T cells in multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1061-1070	5	88
108	Differentiation and quantification of inflammation, demyelination and axon injury or loss in multiple sclerosis. <i>Brain</i> , 2015 , 138, 1223-38	11.2	106
107	Enhancing our understanding of white matter changes in early multiple sclerosis. <i>Brain</i> , 2015 , 138, 2465-61.2		
106	Detection and quantification of regional cortical gray matter damage in multiple sclerosis utilizing gradient echo MRI. <i>NeuroImage: Clinical</i> , 2015 , 9, 164-75	5.3	18
105	On the role of physiological fluctuations in quantitative gradient echo MRI: implications for GEPCI, QSM, and SWI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 195-203	4.4	39

104	TREM2 regulates microglial cell activation in response to demyelination in vivo. <i>Acta Neuropathologica</i> , 2015 , 129, 429-47	14.3	136
103	MS and related disorders: groundbreaking news. <i>Lancet Neurology, The</i> , 2014 , 13, 11-3	24.1	7
102	Established and novel disease-modifying treatments in multiple sclerosis. <i>Journal of Internal Medicine</i> , 2014 , 275, 350-63	10.8	99
101	Quantifying white matter tract diffusion parameters in the presence of increased extra-fiber cellularity and vasogenic edema. <i>NeuroImage</i> , 2014 , 101, 310-9	7.9	77
100	Axonal transport rate decreased at the onset of optic neuritis in EAE mice. <i>NeuroImage</i> , 2014 , 100, 244-53	7.9	30
99	Apolipoprotein E mediation of neuro-inflammation in a murine model of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2014 , 271, 8-17	3.5	21
98	Gradient echo magnetic resonance imaging correlates with clinical measures and allows visualization of veins within multiple sclerosis lesions. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 349-55	5	25
97	Diffusion fMRI detects white-matter dysfunction in mice with acute optic neuritis. <i>Neurobiology of Disease</i> , 2014 , 67, 1-8	7.5	11
96	Interferon beta use and disability prevention in relapsing-remitting multiple sclerosis. <i>JAMA Neurology</i> , 2013 , 70, 248-51	17.2	11
95	Regulatory T cells suppress the late phase of the immune response in lymph nodes through P-selectin glycoprotein ligand-1. <i>Journal of Immunology</i> , 2013 , 191, 5489-500	5.3	29
94	Improved in vivo diffusion tensor imaging of human cervical spinal cord. <i>NeuroImage</i> , 2013 , 67, 64-76	7.9	54
93	Lack of adiponectin leads to increased lymphocyte activation and increased disease severity in a mouse model of multiple sclerosis. <i>European Journal of Immunology</i> , 2013 , 43, 2089-100	6.1	62
92	Decreased circulating miRNA levels in patients with primary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013 , 19, 1938-42	5	81
91	CXCL13 is a biomarker of inflammation in multiple sclerosis, neuromyelitis optica, and other neurological conditions. <i>Multiple Sclerosis Journal</i> , 2013 , 19, 1204-8	5	65
90	Association of neuromyelitis optica with severe and intractable pain. <i>Archives of Neurology</i> , 2012 , 69, 1482-7		65
89	Gradient echo plural contrast imaging--signal model and derived contrasts: T2*, T1, phase, SWI, T1f, FST2*and T2*-SWI. <i>NeuroImage</i> , 2012 , 60, 1073-82	7.9	42
88	Rituximab combination therapy in relapsing multiple sclerosis. <i>Therapeutic Advances in Neurological Disorders</i> , 2012 , 5, 311-9	6.6	31
87	Update on multiple sclerosis, its diagnosis and treatments. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1203-10	5.9	3

86	Biophysical mechanisms of MRI signal frequency contrast in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 14212-7	11.5	74
85	Increased radial diffusivity in spinal cord lesions in neuromyelitis optica compared with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012 , 18, 1259-68	5	42
84	Diffusion tensor imaging in acute optic neuropathies: predictor of clinical outcomes. <i>Archives of Neurology</i> , 2012 , 69, 65-71		45
83	Radial diffusivity predicts demyelination in ex vivo multiple sclerosis spinal cords. <i>NeuroImage</i> , 2011 , 55, 1454-60	7.9	260
82	MS and the B cell controversy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011 , 1812, 23168-9		28
81	Limited sufficiency of antigen presentation by dendritic cells in models of central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2011 , 36, 56-64	15.5	37
80	Rituximab therapy reduces organ-specific T cell responses and ameliorates experimental autoimmune encephalomyelitis. <i>PLoS ONE</i> , 2011 , 6, e17103	3.7	60
79	Lack of response to monoclonal antibody therapy in neuromyelitis optica. <i>Archives of Neurology</i> , 2011 , 68, 1207-9		10
78	Quantification of increased cellularity during inflammatory demyelination. <i>Brain</i> , 2011 , 134, 3590-601	11.2	254
77	Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. <i>Nature</i> , 2011 , 476, 214-9	50.4	1948
76	Multiple sclerosis susceptibility alleles in African Americans. <i>Genes and Immunity</i> , 2010 , 11, 343-50	4.4	80
75	Changes in B- and T-lymphocyte and chemokine levels with rituximab treatment in multiple sclerosis. <i>Archives of Neurology</i> , 2010 , 67, 707-14		175
74	In vivo quantitative evaluation of brain tissue damage in multiple sclerosis using gradient echo plural contrast imaging technique. <i>NeuroImage</i> , 2010 , 51, 1089-97	7.9	29
73	Cerebrospinal fluid progranulin levels in patients with different multiple sclerosis subtypes. <i>Neuroscience Letters</i> , 2010 , 469, 234-6	3.3	21
72	Elevated intrathecal myelin oligodendrocyte glycoprotein antibodies in multiple sclerosis. <i>Archives of Neurology</i> , 2010 , 67, 1102-8		27
71	Rostrocaudal analysis of corpus callosum demyelination and axon damage across disease stages refines diffusion tensor imaging correlations with pathological features. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010 , 69, 704-16	3.1	123
70	Spinal cord ring enhancement in multiple sclerosis. <i>Archives of Neurology</i> , 2010 , 67, 1395-8		24
69	Genetic variation in the IL7RA/IL7 pathway increases multiple sclerosis susceptibility. <i>Human Genetics</i> , 2010 , 127, 525-35	6.3	53

68	Dysmyelinated axons in shiverer mice are highly vulnerable to alpha-amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) receptor-mediated toxicity. <i>Brain Research</i> , 2010 , 1309, 146-54	3.7	16
67	Axial diffusivity is the primary correlate of axonal injury in the experimental autoimmune encephalomyelitis spinal cord: a quantitative pixelwise analysis. <i>Journal of Neuroscience</i> , 2009 , 29, 2805-13	6.6	369
66	Candidate gene analysis of selectin cluster in patients with multiple sclerosis. <i>Journal of Neurology</i> , 2009 , 256, 832-3	5.5	7
65	Meta-analysis of genome scans and replication identify CD6, IRF8 and TNFRSF1A as new multiple sclerosis susceptibility loci. <i>Nature Genetics</i> , 2009 , 41, 776-82	36.3	621
64	Acute and bilateral blindness due to optic neuropathy associated with copper deficiency. <i>Archives of Neurology</i> , 2009 , 66, 1025-7		58
63	Interleukin-10 overexpression promotes Fas-ligand-dependent chronic macrophage-mediated demyelinating polyneuropathy. <i>PLoS ONE</i> , 2009 , 4, e7121	3.7	29
62	B cells limit epitope spreading and reduce severity of EAE induced with PLP peptide in BALB/c mice. <i>Journal of Autoimmunity</i> , 2008 , 31, 149-55	15.5	22
61	Pathological expression of CXCL12 at the blood-brain barrier correlates with severity of multiple sclerosis. <i>American Journal of Pathology</i> , 2008 , 172, 799-808	5.8	152
60	Evolving Wallerian degeneration after transient retinal ischemia in mice characterized by diffusion tensor imaging. <i>NeuroImage</i> , 2008 , 40, 1-10	7.9	162
59	Chronic calorie restriction attenuates experimental autoimmune encephalomyelitis. <i>Journal of Leukocyte Biology</i> , 2008 , 84, 940-8	6.5	158
58	Identification of soluble TREM-2 in the cerebrospinal fluid and its association with multiple sclerosis and CNS inflammation. <i>Brain</i> , 2008 , 131, 3081-91	11.2	180
57	Blockade of TREM-2 exacerbates experimental autoimmune encephalomyelitis. <i>European Journal of Immunology</i> , 2007 , 37, 1290-301	6.1	196
56	Selective vulnerability of cerebral white matter in a murine model of multiple sclerosis detected using diffusion tensor imaging. <i>Neurobiology of Disease</i> , 2007 , 28, 30-8	7.5	85
55	B cells: no longer the nondominant arm of multiple sclerosis. <i>Current Neurology and Neuroscience Reports</i> , 2007 , 7, 231-8	6.6	11
54	MAGNETIC RESONANCE IMAGING OF MULTIPLE SCLEROSIS. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2007 , 13, 117-143	3	
53	Fampridine-SR in multiple sclerosis: a randomized, double-blind, placebo-controlled, dose-ranging study. <i>Multiple Sclerosis Journal</i> , 2007 , 13, 357-68	5	127
52	A little stress is good: IFN-gamma, demyelination, and multiple sclerosis. <i>Journal of Clinical Investigation</i> , 2007 , 117, 297-9	15.9	39
51	NOS2 regulates cytokine production and VLA-4 expression in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2006 , 173, 79-86	3.5	10

50	Rituximab reduces B cells and T cells in cerebrospinal fluid of multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2006 , 180, 63-70	3.5	335
49	Detecting axon damage in spinal cord from a mouse model of multiple sclerosis. <i>Neurobiology of Disease</i> , 2006 , 21, 626-32	7.5	206
48	Differential expression of suppressors of cytokine signaling-1 and -3 and related cytokines in central nervous system during remitting versus non-remitting forms of experimental autoimmune encephalomyelitis. <i>International Immunology</i> , 2006 , 18, 347-53	4.9	25
47	Differential sensitivity of in vivo and ex vivo diffusion tensor imaging to evolving optic nerve injury in mice with retinal ischemia. <i>NeuroImage</i> , 2006 , 32, 1195-204	7.9	187
46	Phenotype and prognosis in African-Americans with multiple sclerosis: a retrospective chart review. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 775-81	5	66
45	Demyelination increases radial diffusivity in corpus callosum of mouse brain. <i>NeuroImage</i> , 2005 , 26, 132-40	7.9	1298
44	Humoral immunity in multiple sclerosis and its animal model, experimental autoimmune encephalomyelitis. <i>Immunologic Research</i> , 2005 , 32, 85-97	4.3	17
43	Multiple sclerosis and black holes: connecting the pixels. <i>Archives of Neurology</i> , 2005 , 62, 1666-8		19
42	The relationship of sleep disturbances and fatigue in multiple sclerosis. <i>Archives of Neurology</i> , 2004 , 61, 525-8		156
41	Interferon-gamma produced by encephalitogenic cells induces suppressors of cytokine signaling in primary murine astrocytes. <i>Journal of Neuroimmunology</i> , 2004 , 151, 195-200	3.5	11
40	Rapid onset mitoxantrone-induced cardiotoxicity in secondary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2003 , 9, 59-62	5	54
39	Diffusion tensor imaging detects and differentiates axon and myelin degeneration in mouse optic nerve after retinal ischemia. <i>NeuroImage</i> , 2003 , 20, 1714-22	7.9	1402
38	Comparative assessment of Yale Single Question and Beck Depression Inventory Scale in screening for depression in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2003 , 9, 307-10	5	44
37	Identification of the encephalitogenic epitopes of CNS proteolipid protein in BALB/c mice. <i>Journal of Autoimmunity</i> , 2002 , 19, 195-201	15.5	19
36	Dysmyelination revealed through MRI as increased radial (but unchanged axial) diffusion of water. <i>NeuroImage</i> , 2002 , 17, 1429-36	7.9	2018
35	B cells and antibodies in CNS demyelinating disease. <i>Journal of Neuroimmunology</i> , 2001 , 112, 1-14	3.5	189
34	A catalyst of peroxynitrite decomposition inhibits murine experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2000 , 107, 21-8	3.5	37
33	Astrocytes and central nervous system endothelial cells do not express B7-1 (CD80) or B7-2 (CD86) immunoreactivity during experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2000 , 110, 76-82	3.5	32

32	Dual role for Fas ligand in the initiation of and recovery from experimental allergic encephalomyelitis. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1195-205	16.6	121
31	CTLA-4-Fc treatment of ongoing EAE improves recovery, but has no effect upon relapse rate. Implications for the mechanisms involved in disease perpetuation. <i>Journal of Neuroimmunology</i> , 1999 , 96, 144-7	3.5	12
30	Role of Fas-FasL interactions in the pathogenesis and regulation of autoimmune demyelinating disease. <i>Journal of Neuroimmunology</i> , 1999 , 100, 42-52	3.5	47
29	T cells are the main cell type expressing B7-1 and B7-2 in the central nervous system during acute, relapsing and chronic experimental autoimmune encephalomyelitis. <i>European Journal of Immunology</i> , 1999 , 29, 3140-7	6.1	25
28	Increased frequency of recognition of delipidated versus intact CNS myelin in multiple sclerosis and control subjects. <i>Journal of the Neurological Sciences</i> , 1999 , 166, 23-7	3.2	
27	Nitric oxide synthase inhibitor, aminoguanidine, reduces inflammation and demyelination produced by Theiler's virus infection. <i>Journal of Neuroimmunology</i> , 1998 , 81, 82-9	3.5	39
26	Peroxynitrite formation within the central nervous system in active multiple sclerosis. <i>Journal of Neuroimmunology</i> , 1998 , 88, 45-56	3.5	185
25	Regulation of experimental autoimmune encephalomyelitis with insulin-like growth factor (IGF-1) and IGF-1/IGF-binding protein-3 complex (IGF-1/IGFBP3). <i>Journal of Clinical Investigation</i> , 1998 , 101, 1797-804	15.8	65
24	Measurement of upregulation of inducible nitric oxide synthase in the experimental autoimmune encephalomyelitis model using a positron emitting radiopharmaceutical. <i>Nitric Oxide - Biology and Chemistry</i> , 1997 , 1, 263-7	5	14
23	HPRT mutant T-cell lines from multiple sclerosis patients recognize myelin proteolipid protein peptides. <i>Journal of Neuroimmunology</i> , 1997 , 75, 95-103	3.5	49
22	Evidence for the production of peroxynitrite in inflammatory CNS demyelination. <i>Journal of Neuroimmunology</i> , 1997 , 80, 121-30	3.5	153
21	Experimental allergic encephalomyelitis in the rat is inhibited by aminoguanidine, an inhibitor of nitric oxide synthase. <i>Journal of Neuroimmunology</i> , 1996 , 64, 123-33	3.5	135
20	Murine encephalitogenic lymphoid cells induce nitric oxide synthase in primary astrocytes. <i>Journal of Neuroimmunology</i> , 1996 , 64, 201-8	3.5	26
19	Inducible nitric oxide synthase gene expression and enzyme activity correlate with disease activity in murine experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 1996 , 71, 145-53	3.5	82
18	Postpartum cerebral vasospasm treated with hypervolemic therapy. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 1386-8	6.4	25
17	Mediation of inflammation by encephalitogenic cells: interferon gamma induction of nitric oxide synthase and cyclooxygenase 2. <i>Journal of Neuroimmunology</i> , 1995 , 61, 195-204	3.5	106
16	Long-term inhibition of murine experimental autoimmune encephalomyelitis using CTLA-4-Fc supports a key role for CD28 costimulation. <i>Journal of Clinical Investigation</i> , 1995 , 95, 2783-9	15.9	125
15	Aminoguanidine, an inhibitor of inducible nitric oxide synthase, ameliorates experimental autoimmune encephalomyelitis in SJL mice. <i>Journal of Clinical Investigation</i> , 1994 , 93, 2684-90	15.9	316

14	Anti-adhesion molecule therapy in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 1993 , 46, 43-55	3.5	96
13	Nitric oxide localized to spinal cords of mice with experimental allergic encephalomyelitis: an electron paramagnetic resonance study. <i>Journal of Experimental Medicine</i> , 1993 , 178, 643-8	16.6	140
12	Development of reactivity to new myelin antigens during chronic relapsing autoimmune demyelination. <i>Cellular Immunology</i> , 1993 , 146, 261-9	4.4	90
11	Multiple encephalitogenic peptides of myelin basic protein in A.CA mice. <i>Cellular Immunology</i> , 1993 , 147, 378-87	4.4	3
10	Immune cell traffic control and the central nervous system. <i>Seminars in Neuroscience</i> , 1992 , 4, 213-219		22
9	Adoptive transfer of experimental allergic encephalomyelitis and localization of the encephalitogenic epitope in the SWR mouse. <i>Journal of Neuroimmunology</i> , 1991 , 31, 59-66	3.5	16
8	Hypothesis: antigen-specific T cells prime central nervous system endothelium for recruitment of nonspecific inflammatory cells to effect autoimmune demyelination. <i>Journal of Neuroimmunology</i> , 1991 , 33, 237-44	3.5	39
7	Non-specific oligodendrocyte cytotoxicity mediated by soluble products of activated T cell lines. <i>Journal of Neuroimmunology</i> , 1991 , 35, 261-71	3.5	26
6	Relapsing autoimmune demyelination: a role for vascular addressins. <i>Journal of Neuroimmunology</i> , 1991 , 35, 295-300	3.5	35
5	Antigen processing of myelin basic protein is required prior to recognition by T cells inducing EAE. <i>Cellular Immunology</i> , 1990 , 129, 22-31	4.4	18
4	Upregulation and coexpression of adhesion molecules correlate with relapsing autoimmune demyelination in the central nervous system. <i>Journal of Experimental Medicine</i> , 1990 , 172, 1521-4	16.6	156
3	Serial adoptive transfer of murine experimental allergic encephalomyelitis: successful transfer is dependent on active disease in the donor. <i>Journal of Neuroimmunology</i> , 1990 , 28, 27-37	3.5	11
2	Adhesion molecules on endothelial cells in the central nervous system: an emerging area in the neuroimmunology of multiple sclerosis. <i>Clinical Immunology and Immunopathology</i> , 1990 , 57, 173-87		69
1	Confirming a Historical Diagnosis of Multiple Sclerosis: Challenges and Recommendations. <i>Neurology: Clinical Practice</i> , 10.1212/CPJ.0000000000001149	1.7	1