Yan-Jie Zhao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7579093/publications.pdf Version: 2024-02-01



<u> Υλημε Ζηλο</u>

#	Article	IF	CITATIONS
1	Dendritic Cell/Cytokine-Induced Killer Cell Immunotherapy Combined with S-1 in Patients with Advanced Pancreatic Cancer: A Prospective Study. Clinical Cancer Research, 2017, 23, 5066-5073.	7.0	62
2	Overexpression of an Immune Checkpoint (CD155) in Breast Cancer Associated with Prognostic Significance and Exhausted Tumor-Infiltrating Lymphocytes: A Cohort Study. Journal of Immunology Research, 2020, 2020, 1-9.	2.2	26
3	Immune correlates of clinical benefit in a phase I study of hyperthermia with adoptive T cell immunotherapy in patients with solid tumors. International Journal of Hyperthermia, 2019, 36, 74-82.	2.5	21
4	Prognostic significance of PD-L1 in advanced non-small cell lung carcinoma. Medicine (United States), 2020, 99, e23172.	1.0	15
5	Expression of PD-1 on CD4+ Tumor-Infiltrating Lymphocytes in Tumor Microenvironment Associated with Pathological Characteristics of Breast Cancer. Journal of Immunology Research, 2018, 2018, 1-8.	2.2	12
6	Increased risk of esophageal squamous cell carcinoma associated with frequent and long-term consumption of salted meat and salted fat. Journal of International Medical Research, 2019, 47, 3841-3849.	1.0	9
7	Continuous DC-CIK Infusions Restore CD8+Cellular Immunity, Physical Activity and Improve Clinical Efficacy in Advanced Cancer Patients Unresponsive to Conventional Treatments. Asian Pacific Journal of Cancer Prevention, 2015, 16, 2419-2423.	1.2	9
8	Enhanced antitumor effects and improved immune status of dendritic cell and cytokine-induced killer cell infusion in advanced cancer patients. Molecular and Clinical Oncology, 2017, 7, 903-910.	1.0	7
9	Distribution of CD4 ⁺ and CD8 ⁺ exhausted tumor-infiltrating lymphocytes in molecular subtypes of Chinese breast cancer patients. OncoTargets and Therapy, 2018, Volume 11, 6139-6145.	2.0	6
10	High expression of E-cadherin and Ki-67 associated with functional/dysfunctional phenotypes of tumor-infiltrating lymphocytes among Chinese patients with operable breast cancer. Journal of International Medical Research, 2018, 46, 5219-5227.	1.0	6
11	Cell Counts, rather than Proportion, of CD8/PD-1 Tumor-Infiltrating Lymphocytes in a Tumor Microenvironment Associated with Pathological Characteristics of Chinese Invasive Ductal Breast Cancer. Journal of Immunology Research, 2019, 2019, 1-8.	2.2	6
12	Overexpression of CD155 is associated with PD-1 and PD-L1 expression on immune cells, rather than tumor cells in the breast cancer microenvironment. World Journal of Clinical Cases, 2020, 8, 5935-5943.	0.8	6
13	Dysfunctional phagocytosis capacity, granulocyte recruitment and inflammatory factor secretion of Kupffer cells in diabetes mellitus reversed by Lidocaine. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2018, Volume 11, 827-834.	2.4	5
14	Prospective randomized comparative study on rivaroxaban and LMWH for prophylaxis of post-apheresis thrombosis in adoptive T cell immunotherapy cancer patients. Journal of Thrombosis and Thrombolysis, 2019, 47, 505-511.	2.1	5
15	Peanut consumption associated with a reduced risk of esophageal squamous cell carcinoma: <scp>A</scp> case–control study in a highâ€risk area in <scp>C</scp> hina. Thoracic Cancer, 2018, 9, 30-36.	1.9	4
16	Interactive Effects of PD-L1 Expression in Tumor and Immune Cells on Prognosis of Esophageal Squamous Cell Carcinoma: A One-Center Retrospective Cohort Study. OncoTargets and Therapy, 2020, Volume 13, 6565-6572.	2.0	4
17	A Survey Study Reveals the Positive Impact of Oncofertility Knowledge and Attitude on Oncofertility Practice Among Oncologists in China. Journal of Adolescent and Young Adult Oncology, 2020, 10, 606-613.	1.3	3
18	Evaluation of Factors Associated with Anxiety and Depression in Chinese Visiting Scholars in the United States During the COVID-19 Pandemic Assessed by Online Questionnaires. Medical Science Monitor, 2020, 26, e926602.	1.1	3

#	Article	IF	CITATIONS
19	The integration of proportion and cell counts of stromal, not intratumoral, PD-1+ tumor-infiltrating lymphocytes has prognostic significance in esophageal squamous cell carcinoma. Ecological Management and Restoration, 2021, 34, .	0.4	Ο
20	Overexpression of CD155 is associated with PD-1 and PD-L1 expression on immune cells, rather than tumor cells in the breast cancer microenvironment. World Journal of Clinical Cases, 2020, 8, 5932-5940.	0.8	0