

# Hiroyuki Suzuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7579170/publications.pdf>

Version: 2024-02-01

56  
papers

1,136  
citations

430874

18  
h-index

414414

32  
g-index

58  
all docs

58  
docs citations

58  
times ranked

1526  
citing authors

#	ARTICLE	IF	CITATIONS
1	Case Report: Ciclosporin A for Refractory Multisystem Inflammatory Syndrome in Children. <i>Frontiers in Pediatrics</i> , 2022, 10, .	1.9	2
2	Analysis of Age, Sex, Lack of Response to Intravenous Immunoglobulin, and Development of Coronary Artery Abnormalities in Children With Kawasaki Disease in Japan. <i>JAMA Network Open</i> , 2022, 5, e2216642.	5.9	3
3	<i>Candida guilliermondii</i> -induced chorioretinitis in a patient with eating disorder. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 642-646.	1.7	5
4	Lipidomics links oxidized phosphatidylcholines and coronary arteritis in Kawasaki disease. <i>Cardiovascular Research</i> , 2021, 117, 96-108.	3.8	21
5	Therapeutic Outcomes and Prognostic Factors of Unresectable Intrahepatic Cholangiocarcinoma: A Data Mining Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 987.	2.4	7
6	Z-score is a possible predictor of the risk of coronary artery lesion development in patients with Kawasaki disease in Japan. <i>European Journal of Pediatrics</i> , 2021, 180, 2797-2805.	2.7	6
7	Intimal thickening and disruption of the media occur in the arterial walls of coronary arteries not associated with coronary arterial aneurysms in patients with Kawasaki disease. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 278.	1.7	8
8	Glycoprotein non- $\alpha$ -metastatic melanoma protein B functions with growth factor signaling to induce tumorigenesis through its serine phosphorylation. <i>Cancer Science</i> , 2021, 112, 4187-4197.	3.9	7
9	Characteristics and outcomes of avoidant/restrictive food intake disorder in Japanese elementary-school students on total parenteral nutrition. <i>Pediatric Investigation</i> , 2021, 5, 293-298.	1.4	3
10	THG-1 suppresses SALL4 degradation to induce stemness genes and tumorsphere formation through antagonizing NRBP1 in squamous cell carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 307-314.	2.1	4
11	Promotion of cellular senescence by THG-1/TSC22D4 knockout through activation of JUNB. <i>Biochemical and Biophysical Research Communications</i> , 2020, 522, 897-902.	2.1	7
12	Tumor mutation burden and immunological, genomic, and clinicopathological factors as biomarkers for checkpoint inhibitor treatment of patients with non-small-cell lung cancer. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 127-134.	4.2	37
13	Association of the prognostic model iSEND with PD-1/L1 monotherapy outcome in non-small-cell lung cancer. <i>British Journal of Cancer</i> , 2020, 122, 340-347.	6.4	24
14	Promotion of liver regeneration and anti-fibrotic effects of the $\text{ATGF}\alpha^2$ receptor kinase inhibitor galunisertib in CCl <sub>4</sub> -treated mice. <i>International Journal of Molecular Medicine</i> , 2020, 46, 427-438.	4.0	13
15	Generation of non-standard macrocyclic peptides specifically binding TSC-22 homologous gene-1. <i>Biochemical and Biophysical Research Communications</i> , 2019, 516, 445-450.	2.1	4
16	Efficacy of primary treatment with immunoglobulin plus ciclosporin for prevention of coronary artery abnormalities in patients with Kawasaki disease predicted to be at increased risk of non-response to intravenous immunoglobulin (KAICA): a randomised controlled, open-label, blinded-endpoints, phase 3 trial. <i>Lancet, The</i> , 2019, 393, 1128-1137.	13.7	142
17	Investigation of novel variations of ORAI1 gene and their association with Kawasaki disease. <i>Journal of Human Genetics</i> , 2019, 64, 511-519.	2.3	9
18	The possible repositioning of an oral anti-arthritis drug, auranofin, for Nrf2-activating therapy: The demonstration of Nrf2-dependent anti-oxidative action using a zebrafish model. <i>Free Radical Biology and Medicine</i> , 2018, 115, 405-411.	2.9	9

#	ARTICLE	IF	CITATIONS
19	Quantitative T-cell repertoire analysis of peripheral blood mononuclear cells from lung cancer patients following long-term cancer peptide vaccination. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 949-964.	4.2	30
20	Significance of testing for TP53 gene mutations in lung adenocarcinoma using targeted gene sequencing. <i>Journal of Thoracic Disease</i> , 2018, 10, S4147-S4150.	1.4	2
21	Quantitative analysis and clonal characterization of T-cell receptor $\hat{I}^2$ repertoires in patients with advanced non-small cell lung cancer treated with cancer vaccine. <i>Oncology Letters</i> , 2017, 14, 283-292.	1.8	6
22	Matched-pair analysis of a multi-institutional cohort reveals that epidermal growth factor receptor mutation is not a risk factor for postoperative recurrence of lung adenocarcinoma. <i>Lung Cancer</i> , 2017, 114, 23-30.	2.0	12
23	Cyclosporin A for IVIG Nonresponders. , 2017, , 187-194.		0
24	$\hat{I}^2$ -Cell-Specific Mafk Overexpression Impairs Pancreatic Endocrine Cell Development. <i>PLoS ONE</i> , 2016, 11, e0150010.	2.5	4
25	FDG-PET in the evaluation of response to nivolumab in recurrent non-small-cell lung cancer. <i>World Journal of Surgical Oncology</i> , 2016, 14, 238.	1.9	25
26	Epidermal growth factor receptor gene mutation as risk factor for recurrence in patients with surgically resected lung adenocarcinoma: a matched-pair analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 216-222.	1.1	13
27	Ground-glass nodule in a patient with echinoderm microtubule-associated protein-like 4-anaplastic lymphoma kinase (EML4-ALK)-positive lung cancer: a case report. <i>World Journal of Surgical Oncology</i> , 2016, 14, 81.	1.9	0
28	Successful Management of Crizotinib-Induced Neutropenia in a Patient with Anaplastic Lymphoma Kinase-Positive Non-Small Cell Lung Cancer: A Case Report. <i>Case Reports in Oncology</i> , 2016, 9, 51-55.	0.7	6
29	Role of PET/Computed Tomography in Radiofrequency Ablation for Malignant Pulmonary Tumors. <i>PET Clinics</i> , 2016, 11, 47-55.	3.0	3
30	Prognostic impact of the high-sensitivity modified Glasgow prognostic score in patients with resectable non-small cell lung cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2016, 12, 945.	0.9	37
31	FAM83B is a novel biomarker for diagnosis and prognosis of lung squamous cell carcinoma. <i>International Journal of Oncology</i> , 2015, 46, 999-1006.	3.3	47
32	Prognostic Impact of Hypoxia-Inducible miRNA-210 in Patients with Lung Adenocarcinoma. <i>Journal of Oncology</i> , 2015, 2015, 1-8.	1.3	31
33	Study protocol for a phase III multicentre, randomised, open-label, blinded-end point trial to evaluate the efficacy and safety of immunoglobulin plus cyclosporin A in patients with severe Kawasaki disease (KAICA Trial). <i>BMJ Open</i> , 2015, 5, e009562.	1.9	27
34	Prognostic impact of the combination of glucose transporter 1 and ATP citrate lyase in node-negative patients with non-small lung cancer. <i>Lung Cancer</i> , 2015, 88, 310-318.	2.0	50
35	Recent advances in immunotherapy for non-small-cell lung cancer. <i>Human Vaccines and Immunotherapeutics</i> , 2014, 10, 352-357.	3.3	16
36	Evaluation of Coronary Arterial Lesions Due to Kawasaki Disease Using Optical Coherence Tomography. <i>Canadian Journal of Cardiology</i> , 2014, 30, 956.e7-956.e9.	1.7	10

#	ARTICLE	IF	CITATIONS
37	Prognostic value of peripheral and local forkhead box P3+ regulatory T cells in patients with non-small-cell lung cancer. <i>Molecular and Clinical Oncology</i> , 2014, 2, 685-694.	1.0	44
38	Inflammatory cytokine profiles during Cyclosporin treatment for immunoglobulin-resistant Kawasaki disease. <i>Cytokine</i> , 2012, 60, 681-685.	3.2	38
39	Cyclosporin A Treatment for Kawasaki Disease Refractory to Initial and Additional Intravenous Immunoglobulin. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 871-876.	2.0	121
40	Marker of T cell activation is elevated in refractory Kawasaki disease. <i>Pediatrics International</i> , 2010, 52, 785-789.	0.5	16
41	Detection of Multiple Superantigen Genes in Stools of Patients with Kawasaki Disease. <i>Journal of Pediatrics</i> , 2009, 155, 266-270.	1.8	26
42	Prognostic impact of p53 protein overexpression in patients with node-negative lung adenocarcinoma. <i>Cancer Letters</i> , 2006, 237, 242-247.	7.2	9
43	A case of syndrome of inappropriate antidiuretic hormone (SIADH) after the resection of lung cancer. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2006, 20, 180-183.	0.0	0
44	A 5-year survival case of so-called pulmonary carcinosarcoma with metastatic gastric tumor. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2006, 20, 161-165.	0.0	1
45	Neoplasms in three patients following Kawasaki disease. <i>Pediatrics International</i> , 2005, 47, 217-219.	0.5	7
46	T Cell-Dependent Antibody Responses against Aberrantly Expressed Cyclin B1 Protein in Patients with Cancer and Premalignant Disease. <i>Clinical Cancer Research</i> , 2005, 11, 1521-1526.	7.0	92
47	Water retention in the acute phase of Kawasaki disease: relationship between oedema and the development of coronary arterial lesions. <i>European Journal of Pediatrics</i> , 2003, 162, 856-859.	2.7	10
48	Relation of Streptococcal Pyrogenic Exotoxin C as a Causative Superantigen for Kawasaki Disease. <i>Pediatric Research</i> , 2003, 53, 403-410.	2.3	42
49	Expression of peanut agglutinin-binding carbohydrates correlates with nodal involvement in human lung adenocarcinoma. <i>Cancer Letters</i> , 2002, 187, 215-221.	7.2	10
50	Detection of auto-antibodies against a 70 kDa protein derived from vascular smooth muscle cells in patients with Kawasaki disease. <i>European Journal of Pediatrics</i> , 2002, 161, 324-329.	2.7	5
51	Serum levels of neutrophil activation cytokines in Kawasaki disease. <i>Pediatrics International</i> , 2001, 43, 115-119.	0.5	36
52	A case of thoracoscopic resection of pulmonary alveolar soft part sarcoma.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2000, 14, 631-636.	0.0	0
53	Analysis of results of surgery performed over a 20-year period on 500 patients with cancer of the thoracic esophagus. <i>Surgery Today</i> , 1996, 26, 77-82.	1.5	32
54	Double Cancer of the Stomach and the Papilla of Vater. <i>Progress of Digestive Endoscopy(1972)</i> , 1995, 47, 194-195.	0.0	0

#	ARTICLE	IF	CITATIONS
55	CLINICAL CONSIDERATION CONCERNING SURGICAL TREATMENT FOR MALIGNANT TUMORS EXTENDING INTO THE HEPATIC INFERIOR VENA CAVA. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1990, 51, 2405-2411.	0.0	0
56	Changes in nuclear DNA and RNA during epidermal keratinization. <i>Cell and Tissue Research</i> , 1977, 184, 155-67.	2.9	17