

Andrew J Mackinnon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7579248/publications.pdf>

Version: 2024-02-01

268
papers

19,265
citations

9784

73
h-index

15730

125
g-index

281
all docs

281
docs citations

281
times ranked

20722
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Development of the Mental Health Support Scale: A New Measure of Mental Health First Aid Behaviors. Assessment, 2023, 30, 1486-1498. | 3.1 | 8 |
| 2 | Preventing depression using a smartphone app: a randomized controlled trial. Psychological Medicine, 2022, 52, 457-466. | 4.5 | 47 |
| 3 | A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): â%¥15â€%year followâ€up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp>. Microbial Biotechnology, 2022, 16, 715-723. | 1.7 | 3 |
| 4 | The Building Educatorsâ€™ Skills in Adolescent Mental Health Training Program for Secondary School Educators: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e25870. | 1.0 | 7 |
| 5 | Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361. | 11.0 | 398 |
| 6 | Effects of the Mental Health First Aid for the suicidal person course on beliefs about suicide, stigmatising attitudes, confidence to help, and intended and actual helping actions: an evaluation. International Journal of Mental Health Systems, 2021, 15, 36. | 2.7 | 9 |
| 7 | Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511. | 7.4 | 105 |
| 8 | A cluster randomised controlled trial of a web-based youth mental health service in Australian schools. The Lancet Regional Health - Western Pacific, 2021, 12, 100178. | 2.9 | 15 |
| 9 | Mental Health Screening in General Practices as a Means for Enhancing Uptake of Digital Mental Health Interventions: Observational Cohort Study. Journal of Medical Internet Research, 2021, 23, e28369. | 4.3 | 13 |
| 10 | Suicide prevention among young people: A study protocol for evaluating Youth Aware of Mental Health in Australian secondary schools.. Mental Health and Prevention, 2020, 17, 200178. | 1.3 | 2 |
| 11 | A trial protocol for the effectiveness of digital interventions for preventing depression in adolescents: The Future Proofing Study. Trials, 2020, 21, 2. | 1.6 | 23 |
| 12 | Dynamic prediction systems of transition to psychosis using joint modelling: extensions to the base system. Schizophrenia Research, 2020, 216, 207-212. | 2.0 | 3 |
| 13 | Stigmatizing attitudes of Swiss youth towards peers with mental disorders. PLoS ONE, 2020, 15, e0235034. | 2.5 | 11 |
| 14 | Factors associated with engagement in online self-help programs among people with suicidal thoughts. Journal of Affective Disorders, 2020, 265, 402-409. | 4.1 | 4 |
| 15 | Talking about suicide: An uncontrolled trial of the effects of an Aboriginal and Torres Strait Islander mental health first aid program on knowledge, attitudes and intended and actual assisting actions. PLoS ONE, 2020, 15, e0244091. | 2.5 | 11 |
| 16 | Usage and Acceptability of the iBobbly App: Pilot Trial for Suicide Prevention in Aboriginal and Torres Strait Islander Youth. JMIR Mental Health, 2020, 7, e14296. | 3.3 | 30 |
| 17 | Long-term Associations Between Physical Frailty and Performance in Specific Cognitive Domains. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2019, 74, 919-926. | 3.9 | 33 |
| 18 | The iBobbly Aboriginal and Torres Strait Islander app project: Study protocol for a randomised controlled trial. Trials, 2019, 20, 198. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Cluster Randomized Controlled Trial to Evaluate HeadCoach. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 545-551. | 1.7 | 20 |
| 20 | Acquired Hearing Loss, Anger, and Emotional Distress. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 459-466. | 1.0 | 7 |
| 21 | Loneliness in psychotic illness and its association with cardiometabolic disorders. <i>Schizophrenia Research</i> , 2019, 204, 90-95. | 2.0 | 20 |
| 22 | Consistency of trajectories of suicidal ideation and depression symptoms: Evidence from a randomized controlled trial. <i>Depression and Anxiety</i> , 2019, 36, 321-329. | 4.1 | 46 |
| 23 | Evaluating a Web-Based Mental Health Service for Secondary School Students in Australia: Protocol for a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e12892. | 1.0 | 5 |
| 24 | Medium-Term Effects of a Tailored Web-Based Parenting Intervention to Reduce Adolescent Risk of Depression and Anxiety: 12-Month Findings From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e13628. | 4.3 | 23 |
| 25 | Helping adolescents to better support their peers with a mental health problem: A cluster-randomised crossover trial of teen Mental Health First Aid. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 638-651. | 2.3 | 67 |
| 26 | Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 2456-2466. | 4.5 | 106 |
| 27 | Counting up the risks: How common are risk factors for morbidity and mortality in young people with psychosis?. <i>Microbial Biotechnology</i> , 2018, 12, 1045-1051. | 1.7 | 7 |
| 28 | Comorbid Diabetes and Depression in a National Sample of Adults With Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 84-92. | 4.3 | 10 |
| 29 | A new method for analysing transition to psychosis: Joint modelling of time-to-event outcome with time-dependent predictors. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, . | 2.1 | 19 |
| 30 | Recovery for Carers of People with Psychosis: A Longitudinal Population-Based Study with Implications for Social Work. <i>British Journal of Social Work</i> , 2018, 48, 1754-1773. | 1.4 | 9 |
| 31 | Smartphone application for preventing depression: study protocol for a workplace randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020510. | 1.9 | 11 |
| 32 | Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018, 202, 333-340. | 2.0 | 18 |
| 33 | Online insomnia treatment and the reduction of anxiety symptoms as a secondary outcome in a randomised controlled trial: The role of cognitive-behavioural factors. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1183-1193. | 2.3 | 24 |
| 34 | Health-Related Quality of Life in People Living with Psychotic Illness and Factors Associated with Its Variation. <i>Value in Health</i> , 2018, 21, 1002-1009. | 0.3 | 21 |
| 35 | A smartphone application for treating depressive symptoms: study protocol for a randomised controlled trial. <i>BMC Psychiatry</i> , 2018, 18, 166. | 2.6 | 16 |
| 36 | Effectiveness of a Web-Based Self-Help Program for Suicidal Thinking in an Australian Community Sample: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e15. | 4.3 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | A Tailored Web-Based Intervention to Improve Parenting Risk and Protective Factors for Adolescent Depression and Anxiety Problems: Postintervention Findings From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e17. | 4.3 | 40 |
| 38 | A Single-Session, Web-Based Parenting Intervention to Prevent Adolescent Depression and Anxiety Disorders: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e148. | 4.3 | 44 |
| 39 | Community-Based Validation of the Social Phobia Screener (SOPHS). <i>Assessment</i> , 2017, 24, 958-969. | 3.1 | 11 |
| 40 | Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. <i>JAMA Psychiatry</i> , 2017, 74, 351. | 11.0 | 560 |
| 41 | Ibobbly mobile health intervention for suicide prevention in Australian Indigenous youth: a pilot randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e013518. | 1.9 | 158 |
| 42 | Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 124-140. | 2.3 | 81 |
| 43 | The role of arterial elasticity and cardiovascular peripheral resistance as clinically relevant indices of health status in people with psychosis. <i>Schizophrenia Research</i> , 2017, 184, 88-95. | 2.0 | 2 |
| 44 | A longitudinal population-based study of carers of people with psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 265-275. | 3.9 | 47 |
| 45 | Trajectories of change and long-term outcomes in a randomised controlled trial of internet-based insomnia treatment to prevent depression. <i>BJPsych Open</i> , 2017, 3, 228-235. | 0.7 | 60 |
| 46 | The value of counting WHO-defined cardiovascular risk factors for death and disability in a national sample of adults with psychosis. <i>Schizophrenia Research</i> , 2017, 182, 13-18. | 2.0 | 3 |
| 47 | Preventing Depression in Final Year Secondary Students: School-Based Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e369. | 4.3 | 72 |
| 48 | The Parenting to Reduce Adolescent Depression and Anxiety Scale: Assessing parental concordance with parenting guidelines for the prevention of adolescent depression and anxiety disorders. <i>PeerJ</i> , 2017, 5, e3825. | 2.0 | 20 |
| 49 | Youth depression alleviation: the Fish Oil Youth Depression Study (<scp>YoDA</scp>â€œ): A randomized, double-blind, placebo-controlled treatment trial. <i>Microbial Biotechnology</i> , 2016, 10, 290-299. | 1.7 | 16 |
| 50 | Risk Factors for Obstructive Sleep Apnea Are Prevalent in People with Psychosis and Correlate with Impaired Social Functioning and Poor Physical Health. <i>Frontiers in Psychiatry</i> , 2016, 7, 139. | 2.6 | 15 |
| 51 | Posturographic destabilization in eating disorders in female patients exposed to body image related phobic stimuli. <i>Neuroscience Letters</i> , 2016, 629, 155-159. | 2.1 | 7 |
| 52 | Combining the Rowland Universal Dementia Assessment Scale and the Informant Questionnaire on Cognitive Decline in the Elderly to Improve Detection of Dementia in an Arabic-Speaking Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 41, 46-54. | 1.5 | 21 |
| 53 | Risk of bias in observational studies of interventions: the case of antipsychotic-induced diabetes â€œAuthors' reply. <i>Lancet Psychiatry</i> , 2016, 3, 104-105. | 7.4 | 11 |
| 54 | The Distress Questionnaire-5: Population screener for psychological distress was more accurate than the K6/K10. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 35-42. | 5.0 | 110 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Awareness of Pre-diabetes or Diabetes and Associated Factors in People With Psychosis. Schizophrenia Bulletin, 2016, 42, 1280-1289. | 4.3 | 9 |
| 56 | A pilot randomized controlled trial of the e-couch anxiety and worry program in schools. Internet Interventions, 2016, 6, 1-5. | 2.7 | 19 |
| 57 | The Sources of Strength Australia Project: study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 349. | 1.6 | 18 |
| 58 | Evidence or ideology? Let the Debate Continue â€¦ More evaluation please!. Australian and New Zealand Journal of Psychiatry, 2016, 50, 495-496. | 2.3 | 2 |
| 59 | Effectiveness of an online insomnia program (SHUTi) for prevention of depressive episodes (the Tj ETQq1 1 0.784314 rgBT /Overlock 107.4 280 | 7.4 | 280 |
| 60 | The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209. | 4.1 | 54 |
| 61 | Cluster randomised controlled trial of the e-couch Anxiety and Worry program in schools. Journal of Affective Disorders, 2016, 196, 210-217. | 4.1 | 39 |
| 62 | Common familial risk factors for schizophrenia and diabetes mellitus. Australian and New Zealand Journal of Psychiatry, 2016, 50, 488-494. | 2.3 | 21 |
| 63 | Performance of joint modelling of time-to-event data with time-dependent predictors: an assessment based on transition to psychosis data. PeerJ, 2016, 4, e2582. | 2.0 | 25 |
| 64 | Predictors of treatment dropout in self-guided web-based interventions for depression: an â€œindividual patient dataâ€™ meta-analysis. Psychological Medicine, 2015, 45, 2717-2726. | 4.5 | 281 |
| 65 | The Beyond Ageing Project Phase 2 - a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. Trials, 2015, 16, 247. | 1.6 | 14 |
| 66 | Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 451. | 1.6 | 16 |
| 67 | Building the Capacity of Family Day Care Educators to Promote Children's Social and Emotional Wellbeing: Results of an Exploratory Cluster Randomised-Controlled Trial. Australasian Journal of Early Childhood, 2015, 40, 57-67. | 1.0 | 2 |
| 68 | Depression and anxiety in expectant and new fathers: longitudinal findings in Australian men. British Journal of Psychiatry, 2015, 206, 471-478. | 2.8 | 11 |
| 69 | Consorting with scoundrels? The perils of trials by checklist. Australian and New Zealand Journal of Psychiatry, 2015, 49, 586-590. | 2.3 | 0 |
| 70 | Cardiovascular risk factor associations in adults with psychosis and adults in a national comparator sample. Australian and New Zealand Journal of Psychiatry, 2015, 49, 714-723. | 2.3 | 11 |
| 71 | The panic disorder screener (PADIS): Development of an accurate and brief population screening tool. Psychiatry Research, 2015, 228, 72-76. | 3.3 | 19 |
| 72 | Reducing suicidal thoughts in the Australian general population through web-based self-help: study protocol for a randomized controlled trial. Trials, 2015, 16, 62. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | A short form of the National Adult Reading Test for use in epidemiological surveys. <i>Personality and Individual Differences</i> , 2015, 86, 101-107. | 2.9 | 0 |
| 74 | Loneliness in psychotic disorders and its association with cognitive function and symptom profile. <i>Schizophrenia Research</i> , 2015, 169, 268-273. | 2.0 | 109 |
| 75 | Effect of age, family history of diabetes, and antipsychotic drug treatment on risk of diabetes in people with psychosis: a population-based cross-sectional study. <i>Lancet Psychiatry</i> , 2015, 2, 1092-1098. | 7.4 | 22 |
| 76 | Transitions & study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , 2015, 9, 38-47. | 1.7 | 32 |
| 77 | Stigmatising attitudes of undergraduates towards their peers with depression: a cross-sectional study in Sri Lanka. <i>BMC Psychiatry</i> , 2015, 15, 129. | 2.6 | 12 |
| 78 | The mental health of Australian elite athletes. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 255-261. | 1.3 | 266 |
| 79 | Stigmatising attitudes towards people with mental disorders: A comparison of Australian health professionals with the general community. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 433-441. | 2.3 | 115 |
| 80 | A systematic review of antipsychotic drug effects on human gene expression related to risk factors for cardiovascular disease. <i>Pharmacogenomics Journal</i> , 2014, 14, 446-451. | 2.0 | 6 |
| 81 | Predictors of type 2 diabetes in a nationally representative sample of adults with psychosis. <i>World Psychiatry</i> , 2014, 13, 176-183. | 10.4 | 30 |
| 82 | The measurement properties of stigmatizing attitudes towards mental disorders: results from two community surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 49-61. | 2.1 | 94 |
| 83 | Pregnancy and levels of depression and anxiety: A prospective cohort study of Australian women. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 944-951. | 2.3 | 16 |
| 84 | The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. <i>Trials</i> , 2014, 15, 425. | 1.6 | 11 |
| 85 | Inadequate fruit and vegetable intake in people with psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1025-1035. | 2.3 | 40 |
| 86 | Intra-individual reaction time variability and all-cause mortality over 17 years: a community-based cohort study. <i>Age and Ageing</i> , 2014, 43, 84-90. | 1.6 | 34 |
| 87 | Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. <i>Psychological Medicine</i> , 2014, 44, 2163-2176. | 4.5 | 155 |
| 88 | The effectiveness of an online e-health application compared to attention placebo or Sertraline in the treatment of Generalised Anxiety Disorder. <i>Internet Interventions</i> , 2014, 1, 169-174. | 2.7 | 26 |
| 89 | A randomised group comparison controlled trial of 3-year preschoolers with autism: A parent education and skills training intervention for young children with autistic disorder. <i>Autism</i> , 2014, 18, 166-177. | 4.1 | 74 |
| 90 | The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study. <i>Lancet</i> , 2014, 383, 1404-1411. | 13.7 | 379 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | An online intervention for reducing depressive symptoms: Secondary benefits for self-esteem, empowerment and quality of life. <i>Psychiatry Research</i> , 2014, 216, 60-66. | 3.3 | 49 |
| 92 | The GoodNight studyâ€”online CBT for insomnia for the indicated prevention of depression: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 56. | 1.6 | 41 |
| 93 | Predictors of Adherence and Outcome in Internet-Based Cognitive Behavior Therapy Delivered in a Telephone Counseling Setting. <i>Cognitive Therapy and Research</i> , 2014, 38, 358-367. | 1.9 | 47 |
| 94 | What difference a decade? The costs of psychosis in Australia in 2000 and 2010: Comparative results from the first and second Australian national surveys of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 237-248. | 2.3 | 21 |
| 95 | A New Phenomenological Survey of Auditory Hallucinations: Evidence for Subtypes and Implications for Theory and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 231-235. | 4.3 | 209 |
| 96 | Costs of psychosis in 2010: Findings from the second Australian National Survey of Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 169-182. | 2.3 | 53 |
| 97 | Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75. | 2.0 | 18 |
| 98 | Temporal effects of separation on suicidal thoughts and behaviours. <i>Social Science and Medicine</i> , 2014, 111, 58-63. | 3.8 | 25 |
| 99 | Prevalence and impact of childhood abuse in people with a psychotic illness. Data from the second Australian national survey of psychosis. <i>Schizophrenia Research</i> , 2014, 159, 20-26. | 2.0 | 32 |
| 100 | Causal Associations Between Depression Symptoms and Cognition in a Community-Based Cohort of Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1583-1591. | 1.2 | 46 |
| 101 | Stigmatising attitudes towards people with mental disorders: Results from a survey of Japanese high school students. <i>Psychiatry Research</i> , 2014, 215, 229-236. | 3.3 | 33 |
| 102 | Predictors of the risk factors for suicide identified by the interpersonal-psychological theory of suicidal behaviour. <i>Psychiatry Research</i> , 2014, 219, 290-297. | 3.3 | 82 |
| 103 | Information-seeking in family day care: access, quality and personal cost. <i>European Early Childhood Education Research Journal</i> , 2014, 22, 698-710. | 1.9 | 4 |
| 104 | Prevention of Generalized Anxiety Disorder Using a Web Intervention, iChill: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e199. | 4.3 | 55 |
| 105 | The Y-Worri Project: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 76. | 1.6 | 10 |
| 106 | Relationship quality and levels of depression and anxiety in a large population-based survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 417-425. | 3.1 | 113 |
| 107 | The association between suicidal ideation and increased mortality from natural causes. <i>Journal of Affective Disorders</i> , 2013, 150, 855-860. | 4.1 | 25 |
| 108 | Description and psychometric properties of the CP QOL-Teen: A quality of life questionnaire for adolescents with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 344-352. | 2.2 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | A test of the Interpersonal Theory of Suicide in a large community-based cohort. <i>Journal of Affective Disorders</i> , 2013, 144, 225-234. | 4.1 | 124 |
| 110 | Behavior change through automated e-mails: Mediation analysis of self-help strategy use for depressive symptoms. <i>Behaviour Research and Therapy</i> , 2013, 51, 57-62. | 3.1 | 20 |
| 111 | Adherence to the MoodGYM program: Outcomes and predictors for an adolescent school-based population. <i>Journal of Affective Disorders</i> , 2013, 147, 338-344. | 4.1 | 91 |
| 112 | Hierarchical screening for multiple mental disorders. <i>Journal of Affective Disorders</i> , 2013, 151, 229-236. | 4.1 | 9 |
| 113 | The Getting of Wisdom: Fluid Intelligence Does Not Drive Knowledge Acquisition. <i>Journal of Cognition and Development</i> , 2013, 14, 321-331. | 1.3 | 3 |
| 114 | Differences between first episode schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2013, 147, 169-174. | 2.0 | 18 |
| 115 | The effect of a web-based depression intervention on suicide ideation: secondary outcome from a randomised controlled trial in a helpline. <i>BMJ Open</i> , 2013, 3, e002886. | 1.9 | 46 |
| 116 | Coordinated Analysis of Age, Sex, and Education Effects on Change in MMSE Scores. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2013, 68, 374-390. | 3.9 | 95 |
| 117 | Review: computerised CBT improves adult depression in the short-term, but its effect may have been overestimated previously. <i>Evidence-Based Mental Health</i> , 2013, 16, 119-119. | 4.5 | 2 |
| 118 | Internet-Delivered Cognitive Behavioural Therapy for Adults with Mild to Moderate Depression and High Cardiovascular Disease Risks: A Randomised Attention-Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e59139. | 2.5 | 97 |
| 119 | Cardiometabolic Risk Indicators That Distinguish Adults with Psychosis from the General Population, by Age and Gender. <i>PLoS ONE</i> , 2013, 8, e82606. | 2.5 | 41 |
| 120 | Self-Help for Depression via E-mail: A Randomised Controlled Trial of Effects on Depression and Self-Help Behaviour. <i>PLoS ONE</i> , 2013, 8, e66537. | 2.5 | 12 |
| 121 | Internet-Delivered Interpersonal Psychotherapy Versus Internet-Delivered Cognitive Behavioral Therapy for Adults With Depressive Symptoms: Randomized Controlled Noninferiority Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e82. | 4.3 | 124 |
| 122 | The association between change in cognitive ability and cause-specific mortality in a community sample of older adults.. <i>Psychology and Aging</i> , 2012, 27, 229-236. | 1.6 | 19 |
| 123 | Cohort Profile: The PATH through life project. <i>International Journal of Epidemiology</i> , 2012, 41, 951-960. | 1.9 | 195 |
| 124 | Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms—the Beyond Ageing Project: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 194-203. | 4.7 | 139 |
| 125 | Cardiometabolic risk factors in people with psychotic disorders: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 753-761. | 2.3 | 166 |
| 126 | Email-based promotion of self-help for subthreshold depression: Mood Memos randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012, 200, 412-418. | 2.8 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Depression, anxiety and cognition in community-dwelling adults aged 70 years and over. Journal of Psychiatric Research, 2012, 46, 1662-1666. | 3.1 | 77 |
| 128 | What mediates psychopathology in stalking victims? The role of individual-vulnerability and stalking-related factors. Journal of Forensic Psychiatry and Psychology, 2012, 23, 361-370. | 1.0 | 15 |
| 129 | People living with psychotic illness in 2010: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 735-752. | 2.3 | 405 |
| 130 | A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. Behaviour Research and Therapy, 2012, 50, 110-121. | 3.1 | 115 |
| 131 | Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26. | 2.0 | 71 |
| 132 | Muscarinic M1 receptor sequence: Preliminary studies on its effects on cognition and expression. Schizophrenia Research, 2012, 138, 94-98. | 2.0 | 20 |
| 133 | Labels used by young people to describe mental disorders: which ones predict effective help-seeking choices?. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 917-926. | 3.1 | 37 |
| 134 | Parent proxy-reported quality of life for children with cerebral palsy: is it related to parental psychosocial distress?. Child: Care, Health and Development, 2012, 38, 553-560. | 1.7 | 48 |
| 135 | Usage and reported helpfulness of self-help strategies by adults with sub-threshold depression. Journal of Affective Disorders, 2012, 136, 393-397. | 4.1 | 25 |
| 136 | Mental health symptoms associated with morbidity, not mortality, in an elderly community sample. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 79-85. | 3.1 | 16 |
| 137 | The Effectiveness of an Online Support Group for Members of the Community with Depression: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e53244. | 2.5 | 103 |
| 138 | Web-Based Cognitive Behavior Therapy for Depression With and Without Telephone Tracking in a National Helpline: Secondary Outcomes From a Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e68. | 4.3 | 46 |
| 139 | Internet-Based Interventions to Promote Mental Health Help-Seeking in Elite Athletes: An Exploratory Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e69. | 4.3 | 166 |
| 140 | The longitudinal relationship between behavior and emotional disturbance in young people with intellectual disability and maternal mental health. Research in Developmental Disabilities, 2011, 32, 1194-1204. | 2.2 | 54 |
| 141 | Internet-Based CBT for Depression with and without Telephone Tracking in a National Helpline: Randomised Controlled Trial. PLoS ONE, 2011, 6, e28099. | 2.5 | 126 |
| 142 | The effect of education on the onset and rate of terminal decline.. Psychology and Aging, 2011, 26, 339-350. | 1.6 | 29 |
| 143 | Cannabis use and cognitive function: 8-year trajectory in a young adult cohort. Addiction, 2011, 106, 2195-2203. | 3.3 | 113 |
| 144 | Labeling of mental disorders and stigma in young people. Social Science and Medicine, 2011, 73, 498-506. | 3.8 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Building the capacity of family day care educators to promote children's social and emotional wellbeing: an exploratory cluster randomised controlled trial. BMC Public Health, 2011, 11, 842. | 2.9 | 9 |
| 146 | The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76. | 1.6 | 17 |
| 147 | No clear potentiation of antidepressant medication effects by folic acid+vitamin B12 in a large community sample. Journal of Affective Disorders, 2011, 130, 37-45. | 4.1 | 24 |
| 148 | Predicting future depression in adolescents using the Short Mood and Feelings Questionnaire: A two-nation study. Journal of Affective Disorders, 2011, 134, 151-159. | 4.1 | 44 |
| 149 | A population study comparing screening performance of prototypes for depression and anxiety with standard scales. BMC Medical Research Methodology, 2011, 11, 154. | 3.1 | 35 |
| 150 | Protocol for a randomised controlled trial investigating self-help email messages for sub-threshold depression: the Mood Memos study. Trials, 2011, 12, 11. | 1.6 | 17 |
| 151 | National Depression and Anxiety Indices for Australia. Australian and New Zealand Journal of Psychiatry, 2011, 45, 780-787. | 2.3 | 27 |
| 152 | Comparison of age and time-to-death in the dedifferentiation of late-life cognitive abilities.. Psychology and Aging, 2011, 26, 844-851. | 1.6 | 19 |
| 153 | Mental health literacy, folic acid and vitamin B ₁₂ , and physical activity for the prevention of depression in older adults: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 45-54. | 2.8 | 70 |
| 154 | The ANU WellBeing study: a protocol for a quasi-factorial randomised controlled trial of the effectiveness of an Internet support group and an automated Internet intervention for depression. BMC Psychiatry, 2010, 10, 20. | 2.6 | 40 |
| 155 | Protocol for a randomised controlled trial investigating the effectiveness of an online e health application for the prevention of Generalised Anxiety Disorder. BMC Psychiatry, 2010, 10, 25. | 2.6 | 22 |
| 156 | Protocol for a randomised controlled trial investigating the effectiveness of an online e-health application compared to attention placebo or sertraline in the treatment of generalised anxiety disorder. Trials, 2010, 11, 48. | 1.6 | 22 |
| 157 | The use and reporting of multiple imputation in medical research – a review. Journal of Internal Medicine, 2010, 268, 586-593. | 6.0 | 170 |
| 158 | Long-Chain ω -3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146. | 12.3 | 800 |
| 159 | Cognition in pregnancy and motherhood: prospective cohort study. British Journal of Psychiatry, 2010, 196, 126-132. | 2.8 | 73 |
| 160 | Is Suicidality Distinguishable from Depression? Evidence from a Community-Based Sample. Australian and New Zealand Journal of Psychiatry, 2009, 43, 208-215. | 2.3 | 16 |
| 161 | Is my patient suffering clinically significant emotional distress? Demonstration of a probabilities approach to evaluating algorithms for screening for distress. Supportive Care in Cancer, 2009, 17, 1455-1462. | 2.2 | 36 |
| 162 | Modifiable risk factors predicting major depressive disorder at four year follow-up: a decision tree approach. BMC Psychiatry, 2009, 9, 75. | 2.6 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Quality of life of adolescents with cerebral palsy: perspectives of adolescents and parents. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 193-199. | 2.1 | 75 |
| 164 | Response to White et al. Letter to Editor. <i>Psychiatry Research</i> , 2009, 168, 269. | 3.3 | 0 |
| 165 | Fluid intelligence is independently associated with all-cause mortality over 17Âyears in an elderly community sample: An investigation of potential mechanisms. <i>Intelligence</i> , 2009, 37, 551-560. | 3.0 | 16 |
| 166 | Pituitary volume and early treatment response in drug-naÃve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009, 113, 65-71. | 2.0 | 32 |
| 167 | Education, Atrophy, and Cognitive Change in an Epidemiological Sample in Early Old Age. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 218-226. | 1.2 | 39 |
| 168 | The YouthMood Project: A cluster randomized controlled trial of an online cognitive behavioral program with adolescents.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 1021-1032. | 2.0 | 274 |
| 169 | Correlated and Coupled Within-Person Change in Emotional and Behavioral Disturbance in Individuals With Intellectual Disability. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2009, 114, 307-321. | 1.6 | 12 |
| 170 | Health e-Cards as a Means of Encouraging Help Seeking for Depression Among Young Adults: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e42. | 4.3 | 55 |
| 171 | Gender differences in depression and anxiety across the adult lifespan: the role of psychosocial mediators. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 983-998. | 3.1 | 285 |
| 172 | The association of APOE genotype and cognitive decline in interaction with risk factors in a 65â€“69 year old community sample. <i>BMC Geriatrics</i> , 2008, 8, 14. | 2.7 | 53 |
| 173 | Sensitivity analysis of intentionâ€“toâ€“treat estimates when withdrawals are related to unobserved compliance status. <i>Statistics in Medicine</i> , 2008, 27, 1164-1179. | 1.6 | 11 |
| 174 | No evidence for interaction between <i>MAOA</i> and childhood adversity for antisocial behavior. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 228-232. | 1.7 | 45 |
| 175 | Quality of life of children with CP: conditionâ€“specific instrument and proxy reports. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 167-167. | 2.1 | 7 |
| 176 | The relationship between quality of life and functioning for children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 199-203. | 2.1 | 93 |
| 177 | Comparison of data analysis strategies for intent-to-treat analysis in pre-testâ€“post-test designs with substantial dropout rates. <i>Psychiatry Research</i> , 2008, 160, 335-345. | 3.3 | 157 |
| 178 | Statistical treatment of withdrawal in trials of anti-dementia drugs. <i>Lancet, The</i> , 2008, 372, 1382-1383. | 13.7 | 4 |
| 179 | Frequent Attenders in Primary Care: Impact of Medical, Psychiatric and Psychosomatic Diagnoses. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 306-314. | 8.8 | 66 |
| 180 | Comparative randomised trial of online cognitiveâ€“behavioural therapy and an information website for depression: 12-month outcomes. <i>British Journal of Psychiatry</i> , 2008, 192, 130-134. | 2.8 | 152 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Gender Differences in the Endorsement of Symptoms for Depression and Anxiety. Journal of Nervous and Mental Disease, 2008, 196, 128-135. | 1.0 | 20 |
| 182 | Acting on Harmful Command Hallucinations in Psychotic Disorders. Journal of Nervous and Mental Disease, 2008, 196, 390-398. | 1.0 | 28 |
| 183 | Factor structure of the developmental behavior checklist using confirmatory factor analysis of polytomous items. Journal of Applied Measurement, 2008, 9, 265-80. | 0.3 | 6 |
| 184 | Psychometric properties of the quality of life questionnaire for children with CP. Developmental Medicine and Child Neurology, 2007, 49, 49-55. | 2.1 | 162 |
| 185 | The Brain Reserve Hypothesis, Brain Atrophy and Aging. Gerontology, 2007, 53, 82-95. | 2.8 | 81 |
| 186 | An investigation of the measurement properties of the Spot-the-Word test in a community sample.. Psychological Assessment, 2007, 19, 459-468. | 1.5 | 6 |
| 187 | Association analysis of 15 polymorphisms within 10 candidate genes for antisocial behavioural traits. Psychiatric Genetics, 2007, 17, 299-303. | 1.1 | 38 |
| 188 | Validity of the mental health component scale of the 12-item Short-Form Health Survey (MCS-12) as measure of common mental disorders in the general population. Psychiatry Research, 2007, 152, 63-71. | 3.3 | 241 |
| 189 | CNS 14-3-3 σ : Changes with sex but not psychiatric diagnoses or psychotropic drug treatment. Schizophrenia Research, 2007, 93, 51-57. | 2.0 | 9 |
| 190 | The voices acceptance and action scale (VAAS): Pilot data. Journal of Clinical Psychology, 2007, 63, 593-606. | 1.9 | 101 |
| 191 | Websites as a mode of delivering mental health information: perceptions from the Australian public. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 167-172. | 3.1 | 61 |
| 192 | Constraints Perceived by Psychiatrists Working in Community Mental Health Services. Development and Pilot Study of a Novel Instrument. Community Mental Health Journal, 2007, 43, 609-618. | 2.0 | 10 |
| 193 | Effects on Parental Mental Health of an Education and Skills Training Program for Parents of Young Children With Autism: A Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 561-569. | 0.5 | 215 |
| 194 | Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes. Developmental Medicine and Child Neurology, 2006, 48, 311-318. | 2.1 | 199 |
| 195 | Development and validation of the Beliefs and Behaviour Questionnaire (BBQ). Patient Education and Counseling, 2006, 64, 50-60. | 2.2 | 80 |
| 196 | The effect of web based depression interventions on self reported help seeking: randomised controlled trial [ISRCTN77824516]. BMC Psychiatry, 2006, 6, 13. | 2.6 | 76 |
| 197 | An Instrument to Measure Engagement in Life: Factor Analysis and Associations with Sociodemographic, Health and Cognition Measures. Gerontology, 2006, 52, 188-198. | 2.8 | 32 |
| 198 | Search for a Common Cause Factor amongst Cognitive, Speed and Biological Variables Using Narrow Age Cohorts. Gerontology, 2006, 52, 243-257. | 2.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Psychopathology in Young People With Intellectual Disability. JAMA - Journal of the American Medical Association, 2006, 296, 1981. | 7.4 | 313 |
| 200 | The Law of Attrition Revisited. Journal of Medical Internet Research, 2006, 8, e20. | 4.3 | 136 |
| 201 | Structure of beliefs about the helpfulness of interventions for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 877-883. | 3.1 | 30 |
| 202 | Psychiatric disorders and depression in multiple sclerosis outpatients: impact of disability and interferon beta therapy. Neurological Sciences, 2005, 26, 255-262. | 1.9 | 111 |
| 203 | A National Depression Index for Australia. Medical Journal of Australia, 2004, 181, S52-6. | 1.7 | 17 |
| 204 | The Canberra Longitudinal Study: Design, Aims, Methodology, Outcomes and Recent Empirical Investigations. Aging, Neuropsychology, and Cognition, 2004, 11, 169-195. | 1.3 | 43 |
| 205 | Correlates of the Affective Impact of Auditory Hallucinations in Psychotic Disorders. Schizophrenia Bulletin, 2004, 30, 163-171. | 4.3 | 49 |
| 206 | On the non-significance of internal versus external auditory hallucinations. Schizophrenia Research, 2004, 69, 1-6. | 2.0 | 93 |
| 207 | Interrater Reliability, Prevalence, and Relation to ICD-10 Diagnoses of the Diagnostic Criteria for Psychosomatic Research in Consultation-Liaison Psychiatry Patients. Psychosomatics, 2004, 45, 386-393. | 2.5 | 88 |
| 208 | Factors Associated With Compliance and Resistance to Command Hallucinations. Journal of Nervous and Mental Disease, 2004, 192, 357-362. | 1.0 | 24 |
| 209 | Exploring the relationships between sensory, physiological, genetic and health measures in relation to the common cause hypothesis. , 2004, , 217-234. | | 3 |
| 210 | Assessment of change with the Developmental Behaviour Checklist. Journal of Intellectual Disability Research, 2003, 47, 210-212. | 2.0 | 18 |
| 211 | Decreased hippocampal NMDA, but not kainate or AMPA receptors in bipolar disorder. Bipolar Disorders, 2003, 5, 257-264. | 1.9 | 116 |
| 212 | Command Hallucinations and Violence: Implications for Detention and Treatment. Psychiatry, Psychology and Law, 2003, 10, 97-107. | 1.2 | 44 |
| 213 | Improving screening accuracy for dementia in a community sample by augmenting cognitive testing with informant report. Journal of Clinical Epidemiology, 2003, 56, 358-366. | 5.0 | 71 |
| 214 | Use It and Still Lose It? The Association Between Activity and Cognitive Performance Established Using Latent Growth Techniques in a Community Sample. Aging, Neuropsychology, and Cognition, 2003, 10, 215-229. | 1.3 | 56 |
| 215 | The combination of cognitive testing and an informant questionnaire in screening for dementia. Age and Ageing, 2003, 32, 541-547. | 1.6 | 57 |
| 216 | Metal-Protein Attenuation With Iodochlorhydroxyquin (Clioquinol) Targeting A β Amyloid Deposition and Toxicity in Alzheimer Disease. Archives of Neurology, 2003, 60, 1685. | 4.5 | 951 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Change in cognitive functioning associated with ApoE genotype in a community sample of older adults.. Psychology and Aging, 2002, 17, 194-208. | 1.6 | 68 |
| 218 | Screening Young People for Autism With the Developmental Behavior Checklist. Journal of the American Academy of Child and Adolescent Psychiatry, 2002, 41, 1369-1375. | 0.5 | 77 |
| 219 | Change in cognitive functioning associated with apoE genotype in a community sample of older adults. Psychology and Aging, 2002, 17, 194-208. | 1.6 | 22 |
| 220 | The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis.. Psychology and Aging, 2001, 16, 588-599. | 1.6 | 179 |
| 221 | The Psychogeriatric Assessment Scales (PAS): psychometric properties in French and German speaking populations. International Journal of Geriatric Psychiatry, 2001, 16, 892-899. | 2.7 | 8 |
| 222 | Why are we weighting? The role of importance ratings in quality of life measurement. Quality of Life Research, 2001, 10, 579-585. | 3.1 | 119 |
| 223 | Psychometric evaluation of the Hospital Anxiety and Depression Scale (HADS) among female cardiac patients. British Journal of Health Psychology, 2001, 6, 373-383. | 3.5 | 75 |
| 224 | A spreadsheet for the calculation of comprehensive statistics for the assessment of diagnostic tests and inter-rater agreement. Computers in Biology and Medicine, 2000, 30, 127-134. | 7.0 | 317 |
| 225 | Dimensions of Psychopathology in the Medically Ill. Psychosomatics, 2000, 41, 418-425. | 2.5 | 67 |
| 226 | The measurement properties of a French language adaptation of the National Adult Reading Test. International Journal of Methods in Psychiatric Research, 1999, 8, 27-38. | 2.1 | 62 |
| 227 | Detecting Patterns by One-Sample Runs Test: Paradox, Explanation, and a New Omnibus Procedure. Journal of Experimental Education, 1999, 67, 167-179. | 2.6 | 3 |
| 228 | A short form of the Positive and Negative Affect Schedule: evaluation of factorial validity and invariance across demographic variables in a community sample. Personality and Individual Differences, 1999, 27, 405-416. | 2.9 | 575 |
| 229 | Detecting anxiety and depression in hospitalised elderly patients using a brief inventory. European Psychiatry, 1999, 14, 11-16. | 0.2 | 12 |
| 230 | An analysis of diversity in the cognitive performance of elderly community dwellers: Individual differences in change scores as a function of age.. Psychology and Aging, 1999, 14, 365-379. | 1.6 | 167 |
| 231 | Methodological Pitfalls in Evaluating Clinical Tests. Archives of Neurology, 1999, 56, 123-124. | 4.5 | 0 |
| 232 | Detección de la ansiedad y la depresión en pacientes mayores hospitalizados utilizando un inventario breve. European Psychiatry (Ed Española), 1999, 6, 362-368. | 0.0 | 0 |
| 233 | Modelling the frequency of psychiatric admissions. International Journal of Methods in Psychiatric Research, 1998, 7, 136-141. | 2.1 | 3 |
| 234 | Occupation type as a predictor of cognitive decline and dementia in old age. Age and Ageing, 1998, 27, 477-483. | 1.6 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Combining Cognitive Testing and Informant Report to Increase Accuracy in Screening for Dementia. American Journal of Psychiatry, 1998, 155, 1529-1535. | 7.2 | 177 |
| 236 | Factors Associated with Successful Ageing. Australasian Journal on Ageing, 1998, 17, 33-37. | 0.9 | 32 |
| 237 | Kapcom: A Program for the Comparison of Kappa Coefficients Obtained from the Same Sample of Observations. Perceptual and Motor Skills, 1997, 85, 899-902. | 1.3 | 8 |
| 238 | Do cognitive complaints either predict future cognitive decline or reflect past cognitive decline? A longitudinal study of an elderly community sample. Psychological Medicine, 1997, 27, 91-98. | 4.5 | 212 |
| 239 | Accurate confidence intervals for measures of test performance. Psychiatry Research, 1997, 69, 207-209. | 3.3 | 21 |
| 240 | A quantitative review of cognitive deficits in depression and Alzheimer-type dementia. Journal of the International Neuropsychological Society, 1997, 3, 631-651. | 1.8 | 266 |
| 241 | A Comparison of Alternative Methods of Screening for Dementia in Clinical Settings. Archives of Neurology, 1996, 53, 532-536. | 4.5 | 68 |
| 242 | Use of the Transparent Bipolar Inventory to measure the big-five personality factors in an epidemiological survey of the elderly. Personality and Individual Differences, 1996, 21, 1051-1054. | 2.9 | 3 |
| 243 | Informant Ratings of Cognitive Decline of Elderly People: Relationship to Longitudinal Change on Cognitive Tests. Age and Ageing, 1996, 25, 125-129. | 1.6 | 70 |
| 244 | Patients' Strategies for Coping with Auditory Hallucinations. Journal of Nervous and Mental Disease, 1996, 184, 159-164. | 1.0 | 79 |
| 245 | Problem of diagnosis in postmortem brain studies of schizophrenia. American Journal of Psychiatry, 1996, 153, 533-537. | 7.2 | 112 |
| 246 | Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492. | 3.1 | 83 |
| 247 | Insomnia in the elderly: its prevalence and correlates in the general population. Medical Journal of Australia, 1995, 162, 22-24. | 1.7 | 75 |
| 248 | A latent trait analysis of the eysenck personality questionnaire in an elderly community sample. Personality and Individual Differences, 1995, 18, 739-747. | 2.9 | 16 |
| 249 | The development and reliability of the Mental Health Research Institute Unusual Perceptions Schedule (MUPS) : an instrument to record auditory hallucinatory experience. Schizophrenia Research, 1995, 16, 157-165. | 2.0 | 84 |
| 250 | Personality changes in normal and cognitively impaired elderly: Informant reports in a community sample. International Journal of Geriatric Psychiatry, 1994, 9, 313-320. | 2.7 | 7 |
| 251 | A survey of dementia in the Canberra population: experience with ICD-10 and DSM-III-R criteria. Psychological Medicine, 1994, 24, 473-482. | 4.5 | 75 |
| 252 | A latent trait analysis of an inventory designed to detect symptoms of anxiety and depression using an elderly community sample. Psychological Medicine, 1994, 24, 977-986. | 4.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Age differences and interindividual variation in cognition in community-dwelling elderly.. Psychology and Aging, 1994, 9, 381-390. | 1.6 | 105 |
| 254 | The reliability and validity of the French version of the Canberra Interview for the Elderly. Acta Psychiatrica Scandinavica, 1994, 89, 268-273. | 4.5 | 10 |
| 255 | Cognitive functioning and neuroticism in an elderly community sample. Personality and Individual Differences, 1993, 15, 721-723. | 2.9 | 35 |
| 256 | Neuroticism and self-reported health in an elderly community sample. Personality and Individual Differences, 1993, 15, 515-521. | 2.9 | 54 |
| 257 | The Association between Mental, Social and Physical Activity and Cognitive Performance in Young and Old Subjects. Age and Ageing, 1993, 22, 175-182. | 1.6 | 85 |
| 258 | Interethnic Variations in the Presence of Schneiderian First Rank Symptoms. Australian and New Zealand Journal of Psychiatry, 1993, 27, 219-227. | 2.3 | 8 |
| 259 | The Genetics of Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 1993, 27, 560-580. | 2.3 | 14 |
| 260 | The Canberra Interview for the Elderly: assessment of its validity in the diagnosis of dementia and depression. Acta Psychiatrica Scandinavica, 1993, 87, 146-151. | 4.5 | 43 |
| 261 | The prevalence of depressive disorders and the distribution of depressive symptoms in later life: a survey using Draft ICD-10 and DSM-III-R. Psychological Medicine, 1993, 23, 719-729. | 4.5 | 192 |
| 262 | Parental "affectionless control"™ as an antecedent to adult depression: a risk factor refined. Psychological Medicine, 1993, 23, 135-141. | 4.5 | 118 |
| 263 | The disabled elderly living in the community: care received from family and formal services. Medical Journal of Australia, 1993, 158, 383-388. | 1.7 | 25 |
| 264 | Wechsler intelligence scale profiles in Alzheimer type dementia and healthy ageing. International Journal of Geriatric Psychiatry, 1992, 7, 241-246. | 2.7 | 5 |
| 265 | General practitioner services under Medicare. Australian Journal of Public Health, 1992, 16, 419-426. | 0.2 | 6 |
| 266 | Feedback and the forecasting of exponential change. Acta Psychologica, 1991, 76, 177-191. | 1.5 | 29 |
| 267 | Systems analysis and dynamic decision making. Acta Psychologica, 1985, 58, 159-172. | 1.5 | 38 |
| 268 | Complexity and decision making. Systems Research and Behavioral Science, 1980, 25, 285-296. | 0.2 | 33 |