Andrew J Mackinnon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7579248/publications.pdf

Version: 2024-02-01

268 papers

19,265 citations

73 h-index 125 g-index

281 all docs

281 docs citations

times ranked

281

22613 citing authors

#	Article	IF	CITATIONS
1	Development of the Mental Health Support Scale: A New Measure of Mental Health First Aid Behaviors. Assessment, 2023, 30, 1486-1498.	1.9	8
2	Preventing depression using a smartphone app: a randomized controlled trial. Psychological Medicine, 2022, 52, 457-466.	2.7	47
3	A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): ≥15 year followâ€up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp> . Microbial Biotechnology, 2022, 16, 715-723.	0.9	3
4	The Building Educators' Skills in Adolescent Mental Health Training Program for Secondary School Educators: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e25870.	0.5	7
5	Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361.	6.0	398
6	Effects of the Mental Health First Aid for the suicidal person course on beliefs about suicide, stigmatising attitudes, confidence to help, and intended and actual helping actions: an evaluation. International Journal of Mental Health Systems, 2021, 15, 36.	1.1	9
7	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511.	3.7	105
8	A cluster randomised controlled trial of a web-based youth mental health service in Australian schools. The Lancet Regional Health - Western Pacific, 2021, 12, 100178.	1.3	15
9	Mental Health Screening in General Practices as a Means for Enhancing Uptake of Digital Mental Health Interventions: Observational Cohort Study. Journal of Medical Internet Research, 2021, 23, e28369.	2.1	13
10	Suicide prevention among young people: A study protocol for evaluating Youth Aware of Mental Health in Australian secondary schools Mental Health and Prevention, 2020, 17, 200178.	0.7	2
11	A trial protocol for the effectiveness of digital interventions for preventing depression in adolescents: The Future Proofing Study. Trials, 2020, 21, 2.	0.7	23
12	Dynamic prediction systems of transition to psychosis using joint modelling: extensions to the base system. Schizophrenia Research, 2020, 216, 207-212.	1.1	3
13	Stigmatizing attitudes of Swiss youth towards peers with mental disorders. PLoS ONE, 2020, 15, e0235034.	1.1	11
14	Factors associated with engagement in online self-help programs among people with suicidal thoughts. Journal of Affective Disorders, 2020, 265, 402-409.	2.0	4
15	Talking about suicide: An uncontrolled trial of the effects of an Aboriginal and Torres Strait Islander mental health first aid program on knowledge, attitudes and intended and actual assisting actions. PLoS ONE, 2020, 15, e0244091.	1.1	11
16	Usage and Acceptability of the iBobbly App: Pilot Trial for Suicide Prevention in Aboriginal and Torres Strait Islander Youth. JMIR Mental Health, 2020, 7, e14296.	1.7	30
17	Long-term Associations Between Physical Frailty and Performance in Specific Cognitive Domains. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2019, 74, 919-926.	2.4	33
18	The iBobbly Aboriginal and Torres Strait Islander app project: Study protocol for a randomised controlled trial. Trials, 2019, 20, 198.	0.7	14

#	Article	IF	Citations
19	A Cluster Randomized Controlled Trial to Evaluate HeadCoach. Journal of Occupational and Environmental Medicine, 2019, 61, 545-551.	0.9	20
20	Acquired Hearing Loss, Anger, and Emotional Distress. Journal of Nervous and Mental Disease, 2019, 207, 459-466.	0.5	7
21	Loneliness in psychotic illness and its association with cardiometabolic disorders. Schizophrenia Research, 2019, 204, 90-95.	1.1	20
22	Consistency of trajectories of suicidal ideation and depression symptoms: Evidence from a randomized controlled trial. Depression and Anxiety, 2019, 36, 321-329.	2.0	46
23	Evaluating a Web-Based Mental Health Service for Secondary School Students in Australia: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e12892.	0.5	5
24	Medium-Term Effects of a Tailored Web-Based Parenting Intervention to Reduce Adolescent Risk of Depression and Anxiety: 12-Month Findings From a Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e13628.	2.1	23
25	Helping adolescents to better support their peers with a mental health problem: A cluster-randomised crossover trial of teen Mental Health First Aid. Australian and New Zealand Journal of Psychiatry, 2018, 52, 638-651.	1.3	67
26	ls self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. Psychological Medicine, 2018, 48, 2456-2466.	2.7	106
27	Counting up the risks: How common are risk factors for morbidity and mortality in young people with psychosis?. Microbial Biotechnology, 2018, 12, 1045-1051.	0.9	7
28	Comorbid Diabetes and Depression in a National Sample of Adults With Psychosis. Schizophrenia Bulletin, 2018, 44, 84-92.	2.3	10
29	A new method for analysing transition to psychosis: Joint modelling of timeâ€toâ€event outcome with timeâ€dependent predictors. International Journal of Methods in Psychiatric Research, 2018, 27, .	1.1	19
30	Recovery for Carers of People with Psychosis: A Longitudinal Population-Based Study with Implications for Social Work. British Journal of Social Work, 2018, 48, 1754-1773.	0.9	9
31	Smartphone application for preventing depression: study protocol for a workplace randomised controlled trial. BMJ Open, 2018, 8, e020510.	0.8	11
32	Dynamic prediction of transition to psychosis using joint modelling. Schizophrenia Research, 2018, 202, 333-340.	1.1	18
33	Online insomnia treatment and the reduction of anxiety symptoms as a secondary outcome in a randomised controlled trial: The role of cognitive-behavioural factors. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1183-1193.	1.3	24
34	Health-Related Quality of Life in People Living with Psychotic Illness and Factors Associated with Its Variation. Value in Health, 2018, 21, 1002-1009.	0.1	21
35	A smartphone application for treating depressive symptoms: study protocol for a randomised controlled trial. BMC Psychiatry, 2018, 18, 166.	1.1	16
36	Effectiveness of a Web-Based Self-Help Program for Suicidal Thinking in an Australian Community Sample: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e15.	2.1	59

3

#	Article	IF	CITATIONS
37	A Tailored Web-Based Intervention to Improve Parenting Risk and Protective Factors for Adolescent Depression and Anxiety Problems: Postintervention Findings From a Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e17.	2.1	40
38	A Single-Session, Web-Based Parenting Intervention to Prevent Adolescent Depression and Anxiety Disorders: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e148.	2.1	44
39	Community-Based Validation of the Social Phobia Screener (SOPHS). Assessment, 2017, 24, 958-969.	1.9	11
40	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. JAMA Psychiatry, 2017, 74, 351.	6.0	560
41	Ibobbly mobile health intervention for suicide prevention in Australian Indigenous youth: a pilot randomised controlled trial. BMJ Open, 2017, 7, e013518.	0.8	158
42	Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. Australian and New Zealand Journal of Psychiatry, 2017, 51, 124-140.	1.3	81
43	The role of arterial elasticity and cardiovascular peripheral resistance as clinically relevant indices of health status in people with psychosis. Schizophrenia Research, 2017, 184, 88-95.	1.1	2
44	A longitudinal population-based study of carers of people with psychosis. Epidemiology and Psychiatric Sciences, 2017, 26, 265-275.	1.8	47
45	Trajectories of change and long-term outcomes in a randomised controlled trial of internet-based insomnia treatment to prevent depression. BJPsych Open, 2017, 3, 228-235.	0.3	60
46	The value of counting WHO-defined cardiovascular risk factors for death and disability in a national sample of adults with psychosis. Schizophrenia Research, 2017, 182, 13-18.	1.1	3
47	Preventing Depression in Final Year Secondary Students: School-Based Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e369.	2.1	72
48	The Parenting to Reduce Adolescent Depression and Anxiety Scale: Assessing parental concordance with parenting guidelines for the prevention of adolescent depression and anxiety disorders. Peerl, 2017, 5, e3825.	0.9	20
49	Youth depression alleviation: the Fish Oil Youth Depression Study (<scp>YoDA</scp> â€F): A randomized, doubleâ€blind, placeboâ€controlled treatment trial. Microbial Biotechnology, 2016, 10, 290-299.	0.9	16
50	Risk Factors for Obstructive Sleep Apnea Are Prevalent in People with Psychosis and Correlate with Impaired Social Functioning and Poor Physical Health. Frontiers in Psychiatry, 2016, 7, 139.	1.3	15
51	Posturographic destabilization in eating disorders in female patients exposed to body image related phobic stimuli. Neuroscience Letters, 2016, 629, 155-159.	1.0	7
52	Combining the Rowland Universal Dementia Assessment Scale and the Informant Questionnaire on Cognitive Decline in the Elderly to Improve Detection of Dementia in an Arabic-Speaking Population. Dementia and Geriatric Cognitive Disorders, 2016, 41, 46-54.	0.7	21
53	Risk of bias in observational studies of interventions: the case of antipsychotic-induced diabetes – Authors' reply. Lancet Psychiatry,the, 2016, 3, 104-105.	3.7	11
54	The Distress Questionnaire-5: Population screener for psychological distress was more accurate than the K6/K10. Journal of Clinical Epidemiology, 2016, 71, 35-42.	2.4	110

#	Article	IF	CITATIONS
55	Awareness of Pre-diabetes or Diabetes and Associated Factors in People With Psychosis. Schizophrenia Bulletin, 2016, 42, 1280-1289.	2.3	9
56	A pilot randomized controlled trial of the e-couch anxiety and worry program in schools. Internet Interventions, 2016, 6, 1-5.	1.4	19
57	The Sources of Strength Australia Project: study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 349.	0.7	18
58	Evidence or ideology? Let the Debate Continue … More evaluation please!. Australian and New Zealand Journal of Psychiatry, 2016, 50, 495-496.	1.3	2
59	Effectiveness of an online insomnia program (SHUTi) for prevention of depressive episodes (the) Tj ETQq $1\ 1\ 0.78$	4314 rgBT	/Overlock 1
60	The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209.	2.0	54
61	Cluster randomised controlled trial of the e-couch Anxiety and Worry program in schools. Journal of Affective Disorders, 2016, 196, 210-217.	2.0	39
62	Common familial risk factors for schizophrenia and diabetes mellitus. Australian and New Zealand Journal of Psychiatry, 2016, 50, 488-494.	1.3	21
63	Performance of joint modelling of time-to-event data with time-dependent predictors: an assessment based on transition to psychosis data. PeerJ, 2016, 4, e2582.	0.9	25
64	Predictors of treatment dropout in self-guided web-based interventions for depression: an  individual patient data' meta-analysis. Psychological Medicine, 2015, 45, 2717-2726.	2.7	281
65	The Beyond Ageing Project Phase 2 - a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. Trials, 2015, 16, 247.	0.7	14
66	Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 451.	0.7	16
67	Building the Capacity of Family Day Care Educators to Promote Children's Social and Emotional Wellbeing: Results of an Exploratory Cluster Randomised-Controlled Trial. Australasian Journal of Early Childhood, 2015, 40, 57-67.	0.8	2
68	Depression and anxiety in expectant and new fathers: longitudinal findings in Australian men. British Journal of Psychiatry, 2015, 206, 471-478.	1.7	11
69	Consorting with scoundrels? The perils of trials by checklist. Australian and New Zealand Journal of Psychiatry, 2015, 49, 586-590.	1.3	O
70	Cardiovascular risk factor associations in adults with psychosis and adults in a national comparator sample. Australian and New Zealand Journal of Psychiatry, 2015, 49, 714-723.	1.3	11
71	The panic disorder screener (PADIS): Development of an accurate and brief population screening tool. Psychiatry Research, 2015, 228, 72-76.	1.7	19
72	Reducing suicidal thoughts in the Australian general population through web-based self-help: study protocol for a randomized controlled trial. Trials, 2015, 16, 62.	0.7	27

#	Article	IF	CITATIONS
73	A short form of the National Adult Reading Test for use in epidemiological surveys. Personality and Individual Differences, 2015, 86, 101-107.	1.6	O
74	Loneliness in psychotic disorders and its association with cognitive function and symptom profile. Schizophrenia Research, 2015, 169, 268-273.	1.1	109
75	Effect of age, family history of diabetes, and antipsychotic drug treatment on risk of diabetes in people with psychosis: a population-based cross-sectional study. Lancet Psychiatry,the, 2015, 2, 1092-1098.	3.7	22
76	<scp>T</scp> ransitions <scp>S</scp> tudy of predictors of illness progression in young people with mental ill health: study methodology. Microbial Biotechnology, 2015, 9, 38-47.	0.9	32
77	Stigmatising attitudes of undergraduates towards their peers with depression: a cross-sectional study in Sri Lanka. BMC Psychiatry, 2015, 15, 129.	1.1	12
78	The mental health of Australian elite athletes. Journal of Science and Medicine in Sport, 2015, 18, 255-261.	0.6	266
79	Stigmatising attitudes towards people with mental disorders: A comparison of Australian health professionals with the general community. Australian and New Zealand Journal of Psychiatry, 2014, 48, 433-441.	1.3	115
80	A systematic review of antipsychotic drug effects on human gene expression related to risk factors for cardiovascular disease. Pharmacogenomics Journal, 2014, 14, 446-451.	0.9	6
81	Predictors of type 2 diabetes in a nationally representative sample of adults with psychosis. World Psychiatry, 2014, 13, 176-183.	4.8	30
82	The measurement properties of stigmatizing attitudes towards mental disorders: results from two community surveys. International Journal of Methods in Psychiatric Research, 2014, 23, 49-61.	1.1	94
83	Pregnancy and levels of depression and anxiety: A prospective cohort study of Australian women. Australian and New Zealand Journal of Psychiatry, 2014, 48, 944-951.	1.3	16
84	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. Trials, 2014, 15, 425.	0.7	11
85	Inadequate fruit and vegetable intake in people with psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1025-1035.	1.3	40
86	Intra-individual reaction time variability and all-cause mortality over 17 years: a community-based cohort study. Age and Ageing, 2014, 43, 84-90.	0.7	34
87	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. Psychological Medicine, 2014, 44, 2163-2176.	2.7	155
88	The effectiveness of an online e-health application compared to attention placebo or Sertraline in the treatment of Generalised Anxiety Disorder. Internet Interventions, 2014, 1, 169-174.	1.4	26
89	A randomised group comparison controlled trial of  preschoolers with autism': A parent education and skills training intervention for young children with autistic disorder. Autism, 2014, 18, 166-177.	2.4	74
90	The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study. Lancet, The, 2014, 383, 1404-1411.	6.3	379

#	Article	IF	Citations
91	An online intervention for reducing depressive symptoms: Secondary benefits for self-esteem, empowerment and quality of life. Psychiatry Research, 2014, 216, 60-66.	1.7	49
92	The GoodNight studyâ€"online CBT for insomnia for the indicated prevention of depression: study protocol for a randomised controlled trial. Trials, 2014, 15, 56.	0.7	41
93	Predictors of Adherence and Outcome in Internet-Based Cognitive Behavior Therapy Delivered in a Telephone Counseling Setting. Cognitive Therapy and Research, 2014, 38, 358-367.	1.2	47
94	What difference a decade? The costs of psychosis in Australia in 2000 and 2010: Comparative results from the first and second Australian national surveys of psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 237-248.	1.3	21
95	A New Phenomenological Survey of Auditory Hallucinations: Evidence for Subtypes and Implications for Theory and Practice. Schizophrenia Bulletin, 2014, 40, 231-235.	2.3	209
96	Costs of psychosis in 2010: Findings from the second Australian National Survey of Psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 169-182.	1.3	53
97	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. Schizophrenia Research, 2014, 159, 70-75.	1.1	18
98	Temporal effects of separation on suicidal thoughts and behaviours. Social Science and Medicine, 2014, 111, 58-63.	1.8	25
99	Prevalence and impact of childhood abuse in people with a psychotic illness. Data from the second Australian national survey of psychosis. Schizophrenia Research, 2014, 159, 20-26.	1.1	32
100	Causal Associations Between Depression Symptoms and Cognition in a Community-Based Cohort of Older Adults. American Journal of Geriatric Psychiatry, 2014, 22, 1583-1591.	0.6	46
101	Stigmatising attitudes towards people with mental disorders: Results from a survey of Japanese high school students. Psychiatry Research, 2014, 215, 229-236.	1.7	33
102	Predictors of the risk factors for suicide identified by the interpersonal-psychological theory of suicidal behaviour. Psychiatry Research, 2014, 219, 290-297.	1.7	82
103	Information-seeking in family day care: access, quality and personal cost. European Early Childhood Education Research Journal, 2014, 22, 698-710.	1.2	4
104	Prevention of Generalized Anxiety Disorder Using a Web Intervention, iChill: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e199.	2.1	55
105	The Y-Worri Project: study protocol for a randomised controlled trial. Trials, 2013, 14, 76.	0.7	10
106	Relationship quality and levels of depression and anxiety in a large population-based survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 417-425.	1.6	113
107	The association between suicidal ideation and increased mortality from natural causes. Journal of Affective Disorders, 2013, 150, 855-860.	2.0	25
108	Description and psychometric properties of the CP QOL-Teen: A quality of life questionnaire for adolescents with cerebral palsy. Research in Developmental Disabilities, 2013, 34, 344-352.	1.2	62

7

#	Article	IF	CITATIONS
109	A test of the Interpersonal Theory of Suicide in a large community-based cohort. Journal of Affective Disorders, 2013, 144, 225-234.	2.0	124
110	Behavior change through automated e-mails: Mediation analysis of self-help strategy use for depressive symptoms. Behaviour Research and Therapy, 2013, 51, 57-62.	1.6	20
111	Adherence to the MoodGYM program: Outcomes and predictors for an adolescent school-based population. Journal of Affective Disorders, 2013, 147, 338-344.	2.0	91
112	Hierarchical screening for multiple mental disorders. Journal of Affective Disorders, 2013, 151, 229-236.	2.0	9
113	The Getting of Wisdom: Fluid Intelligence Does Not Drive Knowledge Acquisition. Journal of Cognition and Development, 2013, 14, 321-331.	0.6	3
114	Differences between first episode schizophrenia and schizoaffective disorder. Schizophrenia Research, 2013, 147, 169-174.	1.1	18
115	The effect of a web-based depression intervention on suicide ideation: secondary outcome from a randomised controlled trial in a helpline. BMJ Open, 2013, 3, e002886.	0.8	46
116	Coordinated Analysis of Age, Sex, and Education Effects on Change in MMSE Scores. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2013, 68, 374-390.	2.4	95
117	Review: computerised CBT improves adult depression in the short-term, but its effect may have been overestimated previously. Evidence-Based Mental Health, 2013, 16, 119-119.	2.2	2
118	Internet-Delivered Cognitive Behavioural Therapy for Adults with Mild to Moderate Depression and High Cardiovascular Disease Risks: A Randomised Attention-Controlled Trial. PLoS ONE, 2013, 8, e59139.	1.1	97
119	Cardiometabolic Risk Indicators That Distinguish Adults with Psychosis from the General Population, by Age and Gender. PLoS ONE, 2013, 8, e82606.	1.1	41
120	Self-Help for Depression via E-mail: A Randomised Controlled Trial of Effects on Depression and Self-Help Behaviour. PLoS ONE, 2013, 8, e66537.	1.1	12
121	Internet-Delivered Interpersonal Psychotherapy Versus Internet-Delivered Cognitive Behavioral Therapy for Adults With Depressive Symptoms: Randomized Controlled Noninferiority Trial. Journal of Medical Internet Research, 2013, 15, e82.	2.1	124
122	The association between change in cognitive ability and cause-specific mortality in a community sample of older adults Psychology and Aging, 2012, 27, 229-236.	1.4	19
123	Cohort Profile: The PATH through life project. International Journal of Epidemiology, 2012, 41, 951-960.	0.9	195
124	Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptomsâ€"the Beyond Ageing Project: a randomized controlled trial. American Journal of Clinical Nutrition, 2012, 95, 194-203.	2,2	139
125	Cardiometabolic risk factors in people with psychotic disorders: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 753-761.	1.3	166
126	Email-based promotion of self-help for subthreshold depression: Mood Memos randomised controlled trial. British Journal of Psychiatry, 2012, 200, 412-418.	1.7	65

#	Article	IF	CITATIONS
127	Depression, anxiety and cognition in community-dwelling adults aged 70 years and over. Journal of Psychiatric Research, 2012, 46, 1662-1666.	1.5	77
128	What mediates psychopathology in stalking victims? The role of individual-vulnerability and stalking-related factors. Journal of Forensic Psychiatry and Psychology, 2012, 23, 361-370.	0.6	15
129	People living with psychotic illness in 2010: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 735-752.	1.3	405
130	A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. Behaviour Research and Therapy, 2012, 50, 110-121.	1.6	115
131	Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.	1.1	71
132	Muscarinic M1 receptor sequence: Preliminary studies on its effects on cognition and expression. Schizophrenia Research, 2012, 138, 94-98.	1.1	20
133	Labels used by young people to describe mental disorders: which ones predict effective help-seeking choices?. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 917-926.	1.6	37
134	Parent proxyâ€reported quality of life for children with cerebral palsy: is it related to parental psychosocial distress?. Child: Care, Health and Development, 2012, 38, 553-560.	0.8	48
135	Usage and reported helpfulness of self-help strategies by adults with sub-threshold depression. Journal of Affective Disorders, 2012, 136, 393-397.	2.0	25
136	Mental health symptoms associated with morbidity, not mortality, in an elderly community sample. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 79-85.	1.6	16
137	The Effectiveness of an Online Support Group for Members of the Community with Depression: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e53244.	1.1	103
138	Web-Based Cognitive Behavior Therapy for Depression With and Without Telephone Tracking in a National Helpline: Secondary Outcomes From a Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e68.	2.1	46
139	Internet-Based Interventions to Promote Mental Health Help-Seeking in Elite Athletes: An Exploratory Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e69.	2.1	166
140	The longitudinal relationship between behavior and emotional disturbance in young people with intellectual disability and maternal mental health. Research in Developmental Disabilities, 2011, 32, 1194-1204.	1.2	54
141	Internet-Based CBT for Depression with and without Telephone Tracking in a National Helpline: Randomised Controlled Trial. PLoS ONE, 2011, 6, e28099.	1.1	126
142	The effect of education on the onset and rate of terminal decline Psychology and Aging, 2011, 26, 339-350.	1.4	29
143	Cannabis use and cognitive function: 8â€year trajectory in a young adult cohort. Addiction, 2011, 106, 2195-2203.	1.7	113
144	Labeling of mental disorders and stigma in young people. Social Science and Medicine, 2011, 73, 498-506.	1.8	104

#	Article	IF	Citations
145	Building the capacity of family day care educators to promote children's social and emotional wellbeing: an exploratory cluster randomised controlled trial. BMC Public Health, 2011, 11, 842.	1.2	9
146	The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76.	0.7	17
147	No clear potentiation of antidepressant medication effects by folic acid+vitamin B12 in a large community sample. Journal of Affective Disorders, 2011, 130, 37-45.	2.0	24
148	Predicting future depression in adolescents using the Short Mood and Feelings Questionnaire: A two-nation study. Journal of Affective Disorders, 2011, 134, 151-159.	2.0	44
149	A population study comparing screening performance of prototypes for depression and anxiety with standard scales. BMC Medical Research Methodology, 2011, 11, 154.	1.4	35
150	Protocol for a randomised controlled trial investigating self-help email messages for sub-threshold depression: the Mood Memos study. Trials, 2011, 12, 11.	0.7	17
151	National Depression and Anxiety Indices for Australia. Australian and New Zealand Journal of Psychiatry, 2011, 45, 780-787.	1.3	27
152	Comparison of age and time-to-death in the dedifferentiation of late-life cognitive abilities Psychology and Aging, 2011, 26, 844-851.	1.4	19
153	Mental health literacy, folic acid and vitamin B ₁₂ , and physical activity for the prevention of depression in older adults: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 45-54.	1.7	70
154	The ANU WellBeing study: a protocol for a quasi-factorial randomised controlled trial of the effectiveness of an Internet support group and an automated Internet intervention for depression. BMC Psychiatry, 2010, 10, 20.	1.1	40
155	Protocol for a randomised controlled trial investigating the effectiveness of an online e health application for the prevention of Generalised Anxiety Disorder. BMC Psychiatry, 2010, 10, 25.	1.1	22
156	Protocol for a randomised controlled trial investigating the effectiveness of an online e-health application compared to attention placebo or sertraline in the treatment of generalised anxiety disorder. Trials, $2010,11,48.$	0.7	22
157	The use and reporting of multiple imputation in medical research – a review. Journal of Internal Medicine, 2010, 268, 586-593.	2.7	170
158	Long-Chain ω-3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.	13.8	800
159	Cognition in pregnancy and motherhood: prospective cohort study. British Journal of Psychiatry, 2010, 196, 126-132.	1.7	7 3
160	Is Suicidality Distinguishable from Depression? Evidence from a Community-Based Sample. Australian and New Zealand Journal of Psychiatry, 2009, 43, 208-215.	1.3	16
161	Is my patient suffering clinically significant emotional distress? Demonstration of a probabilities approach to evaluating algorithms for screening for distress. Supportive Care in Cancer, 2009, 17, 1455-1462.	1.0	36
162	Modifiable risk factors predicting major depressive disorder at four year follow-up: a decision tree approach. BMC Psychiatry, 2009, 9, 75.	1.1	44

#	Article	IF	CITATIONS
163	Quality of life of adolescents with cerebral palsy: perspectives of adolescents and parents. Developmental Medicine and Child Neurology, 2009, 51, 193-199.	1.1	75
164	Response to White et al. Letter to Editor. Psychiatry Research, 2009, 168, 269.	1.7	0
165	Fluid intelligence is independently associated with all-cause mortality over 17Âyears in an elderly community sample: An investigation of potential mechanisms. Intelligence, 2009, 37, 551-560.	1.6	16
166	Pituitary volume and early treatment response in drug-na \tilde{A} ve first-episode psychosis patients. Schizophrenia Research, 2009, 113, 65-71.	1.1	32
167	Education, Atrophy, and Cognitive Change in an Epidemiological Sample in Early Old Age. American Journal of Geriatric Psychiatry, 2009, 17, 218-226.	0.6	39
168	The YouthMood Project: A cluster randomized controlled trial of an online cognitive behavioral program with adolescents Journal of Consulting and Clinical Psychology, 2009, 77, 1021-1032.	1.6	274
169	Correlated and Coupled Within-Person Change in Emotional and Behavioral Disturbance in Individuals With Intellectual Disability. American Journal on Intellectual and Developmental Disabilities, 2009, 114, 307-321.	0.8	12
170	Health e-Cards as a Means of Encouraging Help Seeking for Depression Among Young Adults: Randomized Controlled Trial. Journal of Medical Internet Research, 2009, 11, e42.	2.1	55
171	Gender differences in depression and anxiety across the adult lifespan: the role of psychosocial mediators. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 983-998.	1.6	285
172	The association of APOE genotype and cognitive decline in interaction with risk factors in a 65–69 year old community sample. BMC Geriatrics, 2008, 8, 14.	1.1	53
173	Sensitivity analysis of intentionâ€toâ€treat estimates when withdrawals are related to unobserved compliance status. Statistics in Medicine, 2008, 27, 1164-1179.	0.8	11
174	No evidence for interaction between <i>MAOA</i> and childhood adversity for antisocial behavior. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 228-232.	1.1	45
175	Quality of life of children with CP: conditionâ€specific instrument and proxy reports. Developmental Medicine and Child Neurology, 2008, 50, 167-167.	1.1	7
176	The relationship between quality of life and functioning for children with cerebral palsy. Developmental Medicine and Child Neurology, 2008, 50, 199-203.	1.1	93
177	Comparison of data analysis strategies for intent-to-treat analysis in pre-test–post-test designs with substantial dropout rates. Psychiatry Research, 2008, 160, 335-345.	1.7	157
178	Statistical treatment of withdrawal in trials of anti-dementia drugs. Lancet, The, 2008, 372, 1382-1383.	6.3	4
179	Frequent Attenders in Primary Care: Impact of Medical, Psychiatric and Psychosomatic Diagnoses. Psychotherapy and Psychosomatics, 2008, 77, 306-314.	4.0	66
180	Comparative randomised trial of online cognitive–behavioural therapy and an information website for depression: 12-month outcomes. British Journal of Psychiatry, 2008, 192, 130-134.	1.7	152

#	Article	IF	Citations
181	Gender Differences in the Endorsement of Symptoms for Depression and Anxiety. Journal of Nervous and Mental Disease, 2008, 196, 128-135.	0.5	20
182	Acting on Harmful Command Hallucinations in Psychotic Disorders. Journal of Nervous and Mental Disease, 2008, 196, 390-398.	0.5	28
183	Factor structure of the developmental behavior checklist using confirmatory factor analysis of polytomous items. Journal of Applied Measurement, 2008, 9, 265-80.	0.3	6
184	Psychometric properties of the quality of life questionnaire for children with CP. Developmental Medicine and Child Neurology, 2007, 49, 49-55.	1.1	162
185	The Brain Reserve Hypothesis, Brain Atrophy and Aging. Gerontology, 2007, 53, 82-95.	1.4	81
186	An investigation of the measurement properties of the Spot-the-Word test in a community sample Psychological Assessment, 2007, 19, 459-468.	1.2	6
187	Association analysis of 15 polymorphisms within 10 candidate genes for antisocial behavioural traits. Psychiatric Genetics, 2007, 17, 299-303.	0.6	38
188	Validity of the mental health component scale of the 12-item Short-Form Health Survey (MCS-12) as measure of common mental disorders in the general population. Psychiatry Research, 2007, 152, 63-71.	1.7	241
189	CNS 14-3-3ζ: Changes with sex but not psychiatric diagnoses or psychotropic drug treatment. Schizophrenia Research, 2007, 93, 51-57.	1.1	9
190	The voices acceptance and action scale (VAAS): Pilot data. Journal of Clinical Psychology, 2007, 63, 593-606.	1.0	101
191	Websites as a mode of delivering mental health information: perceptions from the Australian public. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 167-172.	1.6	61
192	Constraints Perceived by Psychiatrists Working in Community Mental Health Services. Development and Pilot Study of a Novel Instrument. Community Mental Health Journal, 2007, 43, 609-618.	1.1	10
193	Effects on Parental Mental Health of an Education and Skills Training Program for Parents of Young Children With Autism: A Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 561-569.	0.3	215
194	Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes. Developmental Medicine and Child Neurology, 2006, 48, 311-318.	1.1	199
195	Development and validation of the Beliefs and Behaviour Questionnaire (BBQ). Patient Education and Counseling, 2006, 64, 50-60.	1.0	80
196	The effect of web based depression interventions on self reported help seeking: randomised controlled trial [ISRCTN77824516]. BMC Psychiatry, 2006, 6, 13.	1.1	76
197	An Instrument to Measure Engagement in Life: Factor Analysis and Associations with Sociodemographic, Health and Cognition Measures. Gerontology, 2006, 52, 188-198.	1.4	32
198	Search for a Common Cause Factor amongst Cognitive, Speed and Biological Variables Using Narrow Age Cohorts. Gerontology, 2006, 52, 243-257.	1.4	6

#	Article	IF	CITATIONS
199	Psychopathology in Young People With Intellectual Disability. JAMA - Journal of the American Medical Association, 2006, 296, 1981.	3.8	313
200	The Law of Attrition Revisited. Journal of Medical Internet Research, 2006, 8, e20.	2.1	136
201	Structure of beliefs about the helpfulness of interventions for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 877-883.	1.6	30
202	Psychiatric disorders and depression in multiple sclerosis outpatients: impact of disability and interferon beta therapy. Neurological Sciences, 2005, 26, 255-262.	0.9	111
203	A National Depression Index for Australia. Medical Journal of Australia, 2004, 181, S52-6.	0.8	17
204	The Canberra Longitudinal Study: Design, Aims, Methodology, Outcomes and Recent Empirical Investigations. Aging, Neuropsychology, and Cognition, 2004, 11, 169-195.	0.7	43
205	Correlates of the Affective Impact of Auditory Hallucinations in Psychotic Disorders. Schizophrenia Bulletin, 2004, 30, 163-171.	2.3	49
206	On the non-significance of internal versus external auditory hallucinations. Schizophrenia Research, 2004, 69, 1-6.	1.1	93
207	Interrater Reliability, Prevalence, and Relation to ICD-10 Diagnoses of the Diagnostic Criteria for Psychosomatic Research in Consultation-Liaison Psychiatry Patients. Psychosomatics, 2004, 45, 386-393.	2.5	88
208	Factors Associated With Compliance and Resistance to Command Hallucinations. Journal of Nervous and Mental Disease, 2004, 192, 357-362.	0.5	24
209	Exploring the relationships between sensory, physiological, genetic and health measures in relation to the common cause hypothesis. , 2004, , 217-234.		3
210	Assessment of change with the Developmental Behaviour Checklist. Journal of Intellectual Disability Research, 2003, 47, 210-212.	1.2	18
211	Decreased hippocampal NMDA, but not kainate or AMPA receptors in bipolar disorder. Bipolar Disorders, 2003, 5, 257-264.	1.1	116
212	Command Hallucinations and Violence: Implications for Detention and Treatment. Psychiatry, Psychology and Law, 2003, 10, 97-107.	0.9	44
213	Improving screening accuracy for dementia in a community sample by augmenting cognitive testing with informant report. Journal of Clinical Epidemiology, 2003, 56, 358-366.	2.4	71
214	Use It and Still Lose It? The Association Between Activity and Cognitive Performance Established Using Latent Growth Techniques in a Community Sample. Aging, Neuropsychology, and Cognition, 2003, 10, 215-229.	0.7	56
215	The combination of cognitive testing and an informant questionnaire in screening for dementia. Age and Ageing, 2003, 32, 541-547.	0.7	57
216	Metal-Protein Attenuation With Iodochlorhydroxyquin (Clioquinol) Targeting A \hat{l}^2 Amyloid Deposition and Toxicity in Alzheimer Disease. Archives of Neurology, 2003, 60, 1685.	4.9	951

#	Article	IF	Citations
217	Change in cognitive functioning associated with ApoE genotype in a community sample of older adults Psychology and Aging, 2002, 17, 194-208.	1.4	68
218	Screening Young People for Autism With the Developmental Behavior Checklist. Journal of the American Academy of Child and Adolescent Psychiatry, 2002, 41, 1369-1375.	0.3	77
219	Change in cognitive functioning associated with apoE genotype in a community sample of older adults. Psychology and Aging, 2002, 17, 194-208.	1.4	22
220	The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis Psychology and Aging, 2001, 16, 588-599.	1.4	179
221	The Psychogeriatric Assessment Scales (PAS): psychometric properties in French and German speaking populations. International Journal of Geriatric Psychiatry, 2001, 16, 892-899.	1.3	8
222	Why are we weighting? The role of importance ratings in quality of life measurement. Quality of Life Research, 2001, 10, 579-585.	1.5	119
223	Psychometric evaluation of the Hospital Anxiety and Depression Scale (HADS) among female cardiac patients. British Journal of Health Psychology, 2001, 6, 373-383.	1.9	75
224	A spreadsheet for the calculation of comprehensive statistics for the assessment of diagnostic tests and inter-rater agreement. Computers in Biology and Medicine, 2000, 30, 127-134.	3.9	317
225	Dimensions of Psychopathology in the Medically Ill. Psychosomatics, 2000, 41, 418-425.	2.5	67
226	The measurement properties of a French language adaptation of the National Adult Reading Test. International Journal of Methods in Psychiatric Research, 1999, 8, 27-38.	1.1	62
227	Detecting Patterns by One-Sample Runs Test: Paradox, Explanation, and a New Omnibus Procedure. Journal of Experimental Education, 1999, 67, 167-179.	1.6	3
228	A short form of the Positive and Negative Affect Schedule: evaluation of factorial validity and invariance across demographic variables in a community sample. Personality and Individual Differences, 1999, 27, 405-416.	1.6	575
229	Detecting anxiety and depression in hospitalised elderly patients using a brief inventory. European Psychiatry, 1999, 14, 11-16.	0.1	12
230	An analysis of diversity in the cognitive performance of elderly community dwellers: Individual differences in change scores as a function of age Psychology and Aging, 1999, 14, 365-379.	1.4	167
231	Methodological Pitfalls in Evaluating Clinical Tests. Archives of Neurology, 1999, 56, 123-124.	4.9	0
232	Detecci \tilde{A}^3 n de la ansiedad y la depresi \tilde{A}^3 n en pacientes mayores hospitalizados utilizando un inventario breve. European Psychiatry (Ed Espa $\tilde{A}\pm$ ola), 1999, 6, 362-368.	0.0	0
233	Modelling the frequency of psychiatric admissions. International Journal of Methods in Psychiatric Research, 1998, 7, 136-141.	1.1	3
234	Occupation type as a predictor of cognitive decline and dementia in old age. Age and Ageing, 1998, 27, 477-483.	0.7	77

#	Article	IF	Citations
235	Combining Cognitive Testing and Informant Report to Increase Accuracy in Screening for Dementia. American Journal of Psychiatry, 1998, 155, 1529-1535.	4.0	177
236	Factors Associated with Successful Ageing. Australasian Journal on Ageing, 1998, 17, 33-37.	0.4	32
237	Kapcom: A Program for the Comparison of Kappa Coefficients Obtained from the Same Sample of Observations. Perceptual and Motor Skills, 1997, 85, 899-902.	0.6	8
238	Do cognitive complaints either predict future cognitive decline or reflect past cognitive decline? A longitudinal study of an elderly community sample. Psychological Medicine, 1997, 27, 91-98.	2.7	212
239	Accurate confidence intervals for measures of test performance. Psychiatry Research, 1997, 69, 207-209.	1.7	21
240	A quantitative review of cognitive deficits in depression and Alzheimer-type dementia. Journal of the International Neuropsychological Society, 1997, 3, 631-651.	1.2	266
241	A Comparison of Alternative Methods of Screening for Dementia in Clinical Settings. Archives of Neurology, 1996, 53, 532-536.	4.9	68
242	Use of the Transparent Bipolar Inventory to measure the big-five personality factors in an epidemiological survey of the elderly. Personality and Individual Differences, 1996, 21, 1051-1054.	1.6	3
243	Informant Ratings of Cognitive Decline of Elderly People: Relationship to Longitudinal Change on Cognitive Tests. Age and Ageing, 1996, 25, 125-129.	0.7	70
244	Patients \hat{E} \(\frac{1}{4} \) Strategies for Coping with Auditory Hallucinations. Journal of Nervous and Mental Disease, 1996, 184, 159-164.	0.5	79
245	Problem of diagnosis in postmortem brain studies of schizophrenia. American Journal of Psychiatry, 1996, 153, 533-537.	4.0	112
246	Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492.	1.5	83
247	Insomnia in the elderly: its prevalence and correlates in the general population. Medical Journal of Australia, 1995, 162, 22-24.	0.8	75
248	A latent trait analysis of the eysenck personality questionnaire in an elderly community sample. Personality and Individual Differences, 1995, 18, 739-747.	1.6	16
249	The development and reliability of the Mental Health Research Institute Unusual Perceptions Schedule (MUPS): an instrument to record auditory hallucinatory experience. Schizophrenia Research, 1995, 16, 157-165.	1.1	84
250	Personality changes in normal and cognitively impaired elderly: Informant reports in a community sample. International Journal of Geriatric Psychiatry, 1994, 9, 313-320.	1.3	7
251	A survey of dementia in the Canberra population: experience with ICD-10 and DSM-III-R criteria. Psychological Medicine, 1994, 24, 473-482.	2.7	75
252	A latent trait analysis of an inventory designed to detect symptoms of anxiety and depression using an elderly community sample. Psychological Medicine, 1994, 24, 977-986.	2.7	62

#	Article	IF	Citations
253	Age differences and interindividual variation in cognition in community-dwelling elderly Psychology and Aging, 1994, 9, 381-390.	1.4	105
254	The reliability and validity of the French version of the Canberra Interview for the Elderly. Acta Psychiatrica Scandinavica, 1994, 89, 268-273.	2.2	10
255	Cognitive functioning and neuroticism in an elderly community sample. Personality and Individual Differences, 1993, 15, 721-723.	1.6	35
256	Neuroticism and self-reported health in an elderly community sample. Personality and Individual Differences, 1993, 15, 515-521.	1.6	54
257	The Association between Mental, Social and Physical Activity and Cognitive Performance in Young and Old Subjects. Age and Ageing, 1993, 22, 175-182.	0.7	85
258	Interethnic Variations in the Presence of Schneiderian First Rank Symptoms. Australian and New Zealand Journal of Psychiatry, 1993, 27, 219-227.	1.3	8
259	The Genetics of Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 1993, 27, 560-580.	1.3	14
260	The Canberra Interview for the Elderly: assessment of its validity in the diagnosis of dementia and depression. Acta Psychiatrica Scandinavica, 1993, 87, 146-151.	2.2	43
261	The prevalence of depressive disorders and the distribution of depressive symptoms in later life: a survey using Draft ICD-10 and DSM-III-R. Psychological Medicine, 1993, 23, 719-729.	2.7	192
262	Parental â€~affectionless control' as an antecedent to adult depression: a risk factor refined. Psychological Medicine, 1993, 23, 135-141.	2.7	118
263	The disabled elderly living in the community: care received from family and formal services. Medical Journal of Australia, 1993, 158, 383-388.	0.8	25
264	Wechsler intelligence scale profiles in Alzheimer type dementia and healthy ageing. International Journal of Geriatric Psychiatry, 1992, 7, 241-246.	1.3	5
265	General practitioner services under Medicare. Australian Journal of Public Health, 1992, 16, 419-426.	0.2	6
266	Feedback and the forecasting of exponential change. Acta Psychologica, 1991, 76, 177-191.	0.7	29
267	Systems analysis and dynamic decision making. Acta Psychologica, 1985, 58, 159-172.	0.7	38
268	Complexity and decision making. Systems Research and Behavioral Science, 1980, 25, 285-296.	0.2	33