# Sailesh Kumar

## List of Publications by Year in Descending Order

**Source:** https://exaly.com/author-pdf/7579509/sailesh-kumar-publications-by-year.pdf
**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|---|---|---|---|
| 211 papers | 4,670 citations | 33 h-index | 62 g-index |
| 223 ext. papers | 5,485 ext. citations | 3 avg, IF | 5.88 L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 211 | Present and future of ultrasound in labor.. *American Journal of Obstetrics & Gynecology MFM*, **2022**, 100629 | 7.4 | |
| 210 | Relationship between placental elastography, maternal pre-pregnancy body mass index and gestational weight gain.. *Placenta*, **2022**, 121, 1-6 | 3.4 | 2 |
| 209 | Factors Associated with Increased Risk of Early Severe Neonatal Morbidity in Late Preterm and Early Term Infants. *Journal of Clinical Medicine*, **2021**, 10, | 5.1 | 2 |
| 208 | Intra-System Reliability Assessment of 2-Dimensional Shear Wave Elastography. *Applied Sciences (Switzerland)*, **2021**, 11, 2992 | 2.6 | 3 |
| 207 | The risk of recurrent small-for-gestational-age infants at term is dependent on the number of previously affected births. *American Journal of Obstetrics and Gynecology*, **2021**, 225, 415.e1-415.e9 | 6.4 | 0 |
| 206 | Evaluation of Pregnancy Outcomes Among Women With Decreased Fetal Movements. *JAMA Network Open*, **2021**, 4, e215071 | 10.4 | 2 |
| 205 | Closed incision negative pressure wound therapy versus standard dressings in obese women undergoing caesarean section: multicentre parallel group randomised controlled trial. *BMJ, The*, **2021**, 373, n893 | 5.9 | 6 |
| 204 | Measuring the impact of cardiotocograph decision support software on neonatal outcomes: A propensity score-matched observational study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 876-881 | 1.7 | 0 |
| 203 | Queensland Family Cohort: a study protocol. *BMJ Open*, **2021**, 11, e044463 | 3 | 4 |
| 202 | Screening for primary aldosteronism in pregnancy. *Pregnancy Hypertension*, **2021**, 25, 171-174 | 2.6 | 4 |
| 201 | A decline in planned, but not spontaneous, preterm birth rates in a large Australian tertiary maternity centre during COVID-19 mitigation measures. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, | 1.7 | 4 |
| 200 | The fetal cerebroplacental ratio in pregnancies complicated by hypertensive disorders of pregnancy. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 898-904 | 1.7 | 0 |
| 199 | Cerebroplacental ratio in predicting adverse perinatal outcome: a meta-analysis of individual participant data. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 226-235 | 3.7 | 11 |
| 198 | Severe neonatal outcomes associated with emergency cesarean section at term. *Journal of Maternal-Fetal and Neonatal Medicine*, **2021**, 34, 629-633 | 2 | 3 |
| 197 | Caesarean section improves neonatal outcomes only from 24 + 0 weeks for periviable breech but not for cephalic infants. *Journal of Maternal-Fetal and Neonatal Medicine*, **2021**, 34, 599-605 | 2 | 2 |
| 196 | Neurodevelopmental outcomes in infants following intrapartum maternal oral sildenafil citrate treatment. *American Journal of Obstetrics and Gynecology*, **2021**, 224, 316-317 | 6.4 | 1 |
| 195 | Longitudinal assessment of ventricular strain, tricuspid and mitral annular plane systolic excursion (TAPSE and MAPSE) in fetuses from pregnancies complicated by diabetes mellitus. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 256, 364-371 | 2.4 | 2 |

| | | | |
|---|---|---|---|
| 194 | Alagille syndrome and pregnancy. *Obstetric Medicine*, **2021**, 14, 39-41 | 1.5 | 1 |
| 193 | Associations between malaria in pregnancy and neonatal neurological outcomes. *International Journal of Infectious Diseases*, **2021**, 112, 144-151 | 10.5 | 0 |
| 192 | Differences in biomarkers of cardiac dysfunction in cord blood between normal pregnancies and pregnancies complicated by maternal diabetes. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, | 1.7 | 1 |
| 191 | Prelabor and intrapartum Doppler ultrasound to predict fetal compromise. *American Journal of Obstetrics & Gynecology MFM*, **2021**, 3, 100479 | 7.4 | 3 |
| 190 | Changes in placental elastography in the third trimester - Analysis using a linear mixed effect model. *Placenta*, **2021**, 114, 83-89 | 3.4 | 2 |
| 189 | WomenR and clinicianR acceptability of participation in a hypothetical obstetric randomized controlled trial: a qualitative survey.. *Journal of Maternal-Fetal and Neonatal Medicine*, **2021**, 1-7 | 2 | 0 |
| 188 | Oral sildenafil citrate during labor mitigates the intrapartum decline in placental growth factor in term pregnancies. *American Journal of Obstetrics and Gynecology*, **2020**, 223, 588-590 | 6.4 | 2 |
| 187 | Feto-placental Dopplers are not altered in women with obstructive sleep apnoea symptoms. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2020**, 60, 877-883 | 1.7 | |
| 186 | Maternal sleep disordered breathing assessed by Epworth Sleepiness Scale and abnormal feto-placental Dopplers. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 1-7 | 2 | 2 |
| 185 | Sleep in the Supine Position during Pregnancy Is Associated with Fetal Cerebral Redistribution. *Journal of Clinical Medicine*, **2020**, 9, | 5.1 | 1 |
| 184 | Reply. *American Journal of Obstetrics and Gynecology*, **2020**, 223, 303 | 6.4 | |
| 183 | The Impact of Severe Maternal Morbidity on Perinatal Outcomes in High Income Countries: Systematic Review and Meta-Analysis. *Journal of Clinical Medicine*, **2020**, 9, | 5.1 | 6 |
| 182 | Prelabor screening at term using the cerebroplacental ratio and placental growth factor: a pragmatic randomized open-label phase 2 trial. *American Journal of Obstetrics and Gynecology*, **2020**, 223, 429.e1-429.e9 | 6.4 | 4 |
| 181 | Safety and efficacy of sildenafil citrate to reduce operative birth for intrapartum fetal compromise at term: a phase 2 randomized controlled trial. *American Journal of Obstetrics and Gynecology*, **2020**, 222, 401-414 | 6.4 | 14 |
| 180 | Global longitudinal reference ranges for fetal myocardial deformation in the second half of pregnancy. *Journal of Clinical Ultrasound*, **2020**, 48, 396-404 | 1 | 3 |
| 179 | Protocol for the development and validation of a risk prediction model for stillbirths from 35 weeks gestation in Australia. *Diagnostic and Prognostic Research*, **2020**, 4, 21 | 5.5 | 1 |
| 178 | Reply. *American Journal of Obstetrics and Gynecology*, **2020**, 222, 283-284 | 6.4 | |
| 177 | Development of a cross-validated model for predicting emergency cesarean for intrapartum fetal compromise at term. *International Journal of Gynecology and Obstetrics*, **2020**, 148, 41-47 | 4 | 2 |

| | | | |
|---|---|---|---|
| 176 | Epidural use in labour is not associated with an increased risk of maternal or neonatal morbidity when the second stage is prolonged. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2020**, 60, 336-343 | 1.7 | 9 |
| 175 | Association between the fetal cerebroplacental ratio and biomarkers of hypoxia and angiogenesis in the maternal circulation at term. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 245, 198-204 | 2.4 | 2 |
| 174 | Induction of labour using prostaglandin E as an inpatient versus balloon catheter as an outpatient: a multicentre randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 571-579 | 3.7 | 11 |
| 173 | Longitudinal Reference Ranges for Tricuspid Annular Plane Systolic Excursion and Mitral Annular Plane Systolic Excursion in Normally Grown Fetuses. *Journal of Ultrasound in Medicine*, **2020**, 39, 929-937 | 2.9 | 7 |
| 172 | Stillbirth in Australia 1: The road to now: Two decades of stillbirth research and advocacy in Australia. *Women and Birth*, **2020**, 33, 506-513 | 3.3 | 8 |
| 171 | The use of elastography in placental research - A literature review. *Placenta*, **2020**, 99, 78-88 | 3.4 | 10 |
| 170 | Changes in fetoplacental Doppler indices following intrapartum maternal sildenafil citrate treatment. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 254, 302-307 | 2.4 | 2 |
| 169 | Maternal demographic and intrapartum antecedents of severe neonatal outcomes at term. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 33, 2103-2108 | 2 | 6 |
| 168 | Emergency caesarean for intrapartum fetal compromise and admission to the neonatal intensive care unit at term is more influenced by fetal weight than the cerebroplacental ratio. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 33, 1664-1669 | 2 | 0 |
| 167 | An Epworth Sleep Score 11 is associated with emergency operative birth and poor neonatal composite outcome at term. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2020**, 60, 49-54 | 1.7 | 3 |
| 166 | Maternal age potentiates the impact of operative birth on serious neonatal outcomes. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 33, 598-605 | 2 | 5 |
| 165 | The physiology of intrapartum fetal compromise at term. *American Journal of Obstetrics and Gynecology*, **2020**, 222, 17-26 | 6.4 | 43 |
| 164 | Impact of low-dose aspirin on adverse perinatal outcome: meta-analysis and meta-regression. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 157-169 | 5.8 | 7 |
| 163 | Experimental drugs for the inhibition of preterm labor. *Expert Opinion on Investigational Drugs*, **2020**, 29, 507-523 | 5.9 | 4 |
| 162 | Impact of severe maternal morbidity on adverse perinatal outcomes in high-income countries: systematic review and meta-analysis protocol. *BMJ Open*, **2019**, 9, e027100 | 3 | 3 |
| 161 | Cross-validated prediction model for severe adverse neonatal outcomes in a term, non-anomalous, singleton cohort. *BMJ Paediatrics Open*, **2019**, 3, e000424 | 2.4 | 5 |
| 160 | Pathophysiological changes associated with sleep disordered breathing and supine sleep position in pregnancy. *Sleep Medicine Reviews*, **2019**, 46, 1-8 | 10.2 | 13 |
| 159 | In reply. *International Journal of Obstetric Anesthesia*, **2019**, 37, 138 | 2.1 | |

| | | | |
|---|---|---|---|
| 158 | Antenatal therapy with sildenafil: don't throw the baby out with the bathwater. *Ultrasound in Obstetrics and Gynecology*, **2019**, 53, 274-275 | 5.8 | 5 |
| 157 | The burden of adverse obstetric and perinatal outcomes from maternal smoking in an Australian cohort. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 356-361 | 1.7 | 7 |
| 156 | Prenatal therapy for fetal cardiac disorders. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 3871-3881 | 2 | 6 |
| 155 | Establishing a conceptual framework of the impact of placental malaria on infant neurodevelopment. *International Journal of Infectious Diseases*, **2019**, 84, 54-65 | 10.5 | 8 |
| 154 | Reduced growth velocity at term is associated with adverse neonatal outcomes in non-small for gestational age infants. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2019**, 240, 125-129 | 2.4 | 4 |
| 153 | Reference centiles for maternal placental growth factor levels at term from a low-risk population. *Placenta*, **2019**, 86, 15-19 | 3.4 | 3 |
| 152 | Prolonged second stage of labour increases maternal morbidity but not neonatal morbidity. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 555-560 | 1.7 | 4 |
| 151 | The risk of preterm birth associated with a low cerebroplacental ratio. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 610-616 | 2 | 1 |
| 150 | Assessment of left ventricular function using the Myocardial Performance Index in term fetuses that develop intrapartum compromise. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 1285-1291 | 2 | 1 |
| 149 | Obstetric and perinatal outcomes in pregnancies with isolated foetal congenital heart abnormalities. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 2985-2992 | 2 | 4 |
| 148 | Reference centiles for the middle cerebral artery and umbilical artery pulsatility index and cerebro-placental ratio from a low-risk population - a Generalised Additive Model for Location, Shape and Scale (GAMLSS) approach. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 2338-2345 | 2 | 13 |
| 147 | Is the fetal cerebroplacental ratio better that the estimated fetal weight in predicting adverse perinatal outcomes in a low risk cohort?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 2380-2386 | 2 | 10 |
| 146 | Correlation between fetoplacental Doppler indices and measurements of cardiac function in term fetuses. *Ultrasound in Obstetrics and Gynecology*, **2019**, 53, 358-366 | 5.8 | 5 |
| 145 | Prelabour myocardial deformation and cardiac output in fetuses that develop intrapartum compromise at term: a prospective observational study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 3618-3626 | 2 | 2 |
| 144 | The intrapartum and perinatal risks of sleep-disordered breathing in pregnancy: a systematic review and metaanalysis. *American Journal of Obstetrics and Gynecology*, **2018**, 219, 147-161.e1 | 6.4 | 36 |
| 143 | Term small-for-gestational-age infants from low-risk women are at significantly greater risk of adverse neonatal outcomes. *American Journal of Obstetrics and Gynecology*, **2018**, 218, 525.e1-525.e9 | 6.4 | 46 |
| 142 | Systematic review of maternal Placental Growth Factor levels in late pregnancy as a predictor of adverse intrapartum and perinatal outcomes. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 225, 26-34 | 2.4 | 26 |
| 141 | Birth-weight centiles and the risk of serious adverse neonatal outcomes at term. *Journal of Perinatal Medicine*, **2018**, 46, 1048-1056 | 2.7 | 17 |

| | | | |
|---|---|---|---|
| 140 | A review of blood pressure measurement in obese pregnant women. *International Journal of Obstetric Anesthesia*, **2018**, 35, 64-74 | 2.1 | 8 |
| 139 | The relationship between the five minute Apgar score, mode of birth and neonatal outcomes. *Journal of Maternal-Fetal and Neonatal Medicine*, **2018**, 31, 1335-1341 | 2 | 25 |
| 138 | Relationship of prelabor fetal cardiac function with intrapartum fetal compromise and neonatal status at term. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 799-805 | 5.8 | 7 |
| 137 | Myocardial strain assessment using velocity vector imaging in normally grown fetuses at term. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 352-358 | 5.8 | 11 |
| 136 | Cerebroplacental ratio thresholds measured within 2 weeks before birth and risk of Cesarean section for intrapartum fetal compromise and adverse neonatal outcome. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 340-346 | 5.8 | 34 |
| 135 | Screening Performance of Placental Growth Factor for the Prediction of Low Birth Weight and Adverse Intrapartum and Neonatal Outcomes in a Term Low-Risk Population. *Fetal Diagnosis and Therapy*, **2018**, 44, 194-201 | 2.4 | 13 |
| 134 | Screening for adverse perinatal outcomes: uterine artery Doppler, cerebroplacental ratio and estimated fetal weight in low-risk women at term. *Journal of Maternal-Fetal and Neonatal Medicine*, **2018**, 31, 3301-3307 | 2 | 9 |
| 133 | Impact of shoulder dystocia, stratified by type of manoeuvre, on severe neonatal outcome and maternal morbidity. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2018**, 58, 298-305 | 1.7 | 7 |
| 132 | Using cerebroplacental ratio in non-SGA fetuses to predict adverse perinatal outcome: caution is required. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 427-429 | 5.8 | 15 |
| 131 | Maternal demographic factors associated with emergency caesarean section for non-reassuring foetal status. *Journal of Perinatal Medicine*, **2018**, 46, 641-647 | 2.7 | 5 |
| 130 | Prelabor screening for intrapartum fetal compromise in low-risk pregnancies at term: cerebroplacental ratio and placental growth factor. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 750-756 | 5.8 | 29 |
| 129 | Changes in maternal placental growth factor levels during term labour. *Placenta*, **2018**, 61, 11-16 | 3.4 | 6 |
| 128 | Diagnostic Performance of Cerebroplacental Ratio Thresholds at Term for Prediction of Low Birthweight and Adverse Intrapartum and Neonatal Outcomes in a Term, Low-Risk Population. *Fetal Diagnosis and Therapy*, **2018**, 43, 191-198 | 2.4 | 14 |
| 127 | Predicting intrapartum fetal compromise at term using the cerebroplacental ratio and placental growth factor levels (PROMISE) study: randomised controlled trial protocol. *BMJ Open*, **2018**, 8, e022567 | 2 | 8 |
| 126 | Obstetric and perinatal outcomes for twin pregnancies in adolescent girls. *Scientific Reports*, **2018**, 8, 18072 | 4.9 | 1 |
| 125 | Changes in intrapartum maternal placental growth factor levels in pregnancies complicated by fetal compromise at term. *Placenta*, **2018**, 74, 9-13 | 3.4 | 4 |
| 124 | A low fetal cerebroplacental ratio confers a greater risk of intrapartum fetal compromise and adverse neonatal outcomes in low risk multiparous women at term. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 230, 15-21 | 2.4 | 3 |
| 123 | Maternal vitamin D levels and the risk of perinatal death. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017**, 30, 1544-1548 | 2 | 1 |

| | | | |
|---|---|---|---|
| 122 | Sildenafil in Pregnancy: A Systematic Review of Maternal Tolerance and Obstetric and Perinatal Outcomes. *Fetal Diagnosis and Therapy*, **2017**, 41, 81-88 | 2.4 | 29 |
| 121 | Perinatal risk factors for low and moderate five-minute Apgar scores at term. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2017**, 210, 251-256 | 2.4 | 25 |
| 120 | Measuring women's experience of induction of labor using prostaglandin vaginal gel. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2017**, 210, 189-195 | 2.4 | 6 |
| 119 | Review: Systematic review of the utility of the fetal cerebroplacental ratio measured at term for the prediction of adverse perinatal outcome. *Placenta*, **2017**, 54, 68-75 | 3.4 | 60 |
| 118 | The fetal cerebro-placental ratio in diabetic pregnancies is influenced more by the umbilical artery rather than middle cerebral artery pulsatility index. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2017**, 211, 56-61 | 2.4 | 2 |
| 117 | Birth weight centiles, risk of intrapartum compromise, and adverse perinatal outcomes in term infants. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017**, 30, 2126-2132 | 2 | 9 |
| 116 | Intrapartum intervention rates and perinatal outcomes following induction of labour compared to expectant management at term from an Australian perinatal centre. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 40-48 | 1.7 | 14 |
| 115 | Demographic characteristics and pregnancy outcomes in adolescents - Experience from an Australian perinatal centre. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017** , 57, 630-635 | 1.7 | 2 |
| 114 | Intrapartum and neonatal outcomes in singleton pregnancies following conception by assisted reproduction techniques. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 588-592 | 1.7 | 3 |
| 113 | Maternal age is a risk factor for caesarean section following induction of labour. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 426-431 | 1.7 | 10 |
| 112 | Predictors of mode of birth and duration of labour following induction using prostaglandin vaginal gel. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 168-175 | 1.7 | 5 |
| 111 | Review: The role of multiple placental glucocorticoid receptor isoforms in adapting to the maternal environment and regulating fetal growth. *Placenta*, **2017**, 54, 24-29 | 3.4 | 20 |
| 110 | Comparison between public and private sectors of care and disparities in adverse neonatal outcomes following emergency intrapartum cesarean at term - A retrospective cohort study. *PLoS ONE*, **2017**, 12, e0187040 | 3.7 | 4 |
| 109 | Intrapartum intervention rates and perinatal outcomes following induction of labour after 41 + 0 weeks compared to expectant management. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017** , 30, 2517-2520 | 2 | 3 |
| 108 | Cerebroplacental ratio in pregnancies complicated by gestational diabetes mellitus. *Ultrasound in Obstetrics and Gynecology*, **2017**, 50, 200-206 | 5.8 | 6 |
| 107 | The impact of maternal hyper-oxygenation on foeto-placental blood flow. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017**, 30, 1563-1568 | 2 | 5 |
| 106 | Magnitude of change in fetal cerebroplacental ratio in third trimester and risk of adverse pregnancy outcome. *Ultrasound in Obstetrics and Gynecology*, **2017**, 50, 514-519 | 5.8 | 18 |
| 105 | Response to Re: Intrapartum intervention rates and perinatal outcomes following induction of labour compared to expectant management at term from an Australian perinatal centre. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, E10 | 1.7 | |

| | | | |
|---|---|---|---|
| 104 | The relationship between maternal placental growth factor levels and intrapartum fetal compromise. *Placenta*, **2016**, 48, 63-67 | 3.4 | 22 |
| 103 | Tracheal Atresia with Segmental Esophageal Duplication: An Unusual Anatomic Arrangement. *Pediatric and Developmental Pathology*, **2016**, 19, 154-8 | 2.2 | 1 |
| 102 | Guidelines on transfusion for fetuses, neonates and older children. *British Journal of Haematology*, **2016**, 175, 784-828 | 4.5 | 152 |
| 101 | Impact of a high Edinburgh Postnatal Depression Scale score on obstetric and perinatal outcomes. *Scientific Reports*, **2016**, 6, 33544 | 4.9 | 18 |
| 100 | The association between a low cerebro-umbilical ratio at 30-34 weeks gestation, increased intrapartum operative intervention and adverse perinatal outcomes. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 203, 89-93 | 2.4 | 8 |
| 99 | Reducing the risk of fetal distress with sildenafil study (RIDSTRESS): a double-blind randomised control trial. *Journal of Translational Medicine*, **2016**, 14, 15 | 8.5 | 14 |
| 98 | Iatrogenic Congenital Diaphragmatic Hernia following Prenatal Pleuroamniotic Shunting. *Fetal Diagnosis and Therapy*, **2016**, 40, 310-312 | 2.4 | |
| 97 | Induction of labor using prostaglandin vaginal gel: cost analysis comparing early amniotomy with repeat prostaglandin gel. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016** , 199, 96-101 | 2.4 | 4 |
| 96 | Intrapartum intervention rates and perinatal outcomes following successful external cephalic version. *Journal of Perinatology*, **2016**, 36, 439-42 | 3.1 | 9 |
| 95 | Impact of mode of delivery after 32 weeks gestation on neonatal outcome in dichorionic diamniotic twins. *Journal of Obstetrics and Gynaecology Research*, **2016**, 42, 392-8 | 1.9 | 4 |
| 94 | Future Directions in the Management of Twin-to-Twin Transfusion Syndrome. *Twin Research and Human Genetics*, **2016**, 19, 285-91 | 2.2 | 3 |
| 93 | Impact of Maternal Body Mass Index on Intrapartum and Neonatal Outcomes in Brisbane, Australia, 2007 to 2013. *Birth*, **2016**, 43, 358-365 | 3.1 | 17 |
| 92 | Prenatal extra-abdominal bowel dilatation is a risk factor for intrapartum fetal compromise for fetuses with gastroschisis. *Prenatal Diagnosis*, **2015**, 35, 529-33 | 3.2 | 10 |
| 91 | Expert review--identification of intra-partum fetal compromise. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 190, 1-6 | 2.4 | 8 |
| 90 | Survival of pregnancies with small for gestational age detected before 24 weeks gestation. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 188, 100-3 | 2.4 | 14 |
| 89 | Predicting intrapartum fetal compromise using the fetal cerebro-umbilical ratio. *Placenta*, **2015**, 36, 594-8 | 3.4 | 24 |
| 88 | Prostaglandin vaginal gel induction of labor comparing amniotomy with repeat prostaglandin gel. *American Journal of Obstetrics and Gynecology*, **2015**, 213, 859.e1-9 | 6.4 | 12 |
| 87 | Gender specific intrapartum and neonatal outcomes for term babies. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 185, 19-22 | 2.4 | 28 |

| | | | |
|---|---|---|---|
| 86 | Cyclo-oxygenase (COX) inhibitors for treating preterm labour. *The Cochrane Library*, **2015**, CD001992 | 5.2 | 27 |
| 85 | Are fetuses that fail to achieve their growth potential at increased risk of intrapartum compromise?. *Ultrasound in Obstetrics and Gynecology*, **2015**, 46, 460-4 | 5.8 | 57 |
| 84 | Reply. *Ultrasound in Obstetrics and Gynecology*, **2015**, 46, 511-2 | 5.8 | |
| 83 | Systematic review and metaanalysis of perinatal outcomes after radiofrequency ablation and bipolar cord occlusion in monochorionic pregnancies. *American Journal of Obstetrics and Gynecology* , **2015**, 213, 637-43 | 6.4 | 41 |
| 82 | Perinatal consequences of a category 1 caesarean section at term. *BMJ Open*, **2015**, 5, e007248 | 3 | 26 |
| 81 | Umbilical venous flow rate in term fetuses: can variations in flow predict intrapartum compromise?. *American Journal of Obstetrics and Gynecology*, **2014**, 210, 61.e1-8 | 6.4 | 23 |
| 80 | Are 1st-trimester human chorionic gonadotrophin and pregnancy-associated plasma protein A levels predictive of intrapartum fetal compromise in a selected normal population?. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2014**, 54, 418-23 | 1.7 | 4 |
| 79 | Evolution of fetal ventricular dilatation in relation to severity at first presentation. *Journal of Clinical Ultrasound*, **2014**, 42, 193-8 | 1 | 8 |
| 78 | Mode of delivery has an independent impact on neonatal condition at birth. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2014**, 181, 135-9 | 2.4 | 15 |
| 77 | Perinatal- and procedure-related outcomes following radiofrequency ablation in monochorionic pregnancy. *American Journal of Obstetrics and Gynecology*, **2014**, 210, 454.e1-6 | 6.4 | 34 |
| 76 | The impact of fibroid characteristics on pregnancy outcome. *American Journal of Obstetrics and Gynecology*, **2014**, 211, 395.e1-5 | 6.4 | 37 |
| 75 | Influence of parity on fetal hemodynamics and amniotic fluid volume at term. *Ultrasound in Obstetrics and Gynecology*, **2014**, 44, 688-92 | 5.8 | 18 |
| 74 | Prediction of fetal compromise in labor. *Obstetrics and Gynecology*, **2014**, 123, 1263-1271 | 4.9 | 30 |
| 73 | Re: are 1st-trimester beta-human chorionic gonadotrophin and pregnancy-associated plasma protein A levels predictive of intrapartum fetal compromise in a selected normal population?. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2014**, 54, 600-1 | 1.7 | |
| 72 | Myo-inositol metabolism in appropriately grown and growth-restricted fetuses: a proton magnetic resonance spectroscopy study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2013**, 170, 77-81 | 2.4 | 17 |
| 71 | Prediction of intrapartum fetal compromise using the cerebroumbilical ratio: a prospective observational study. *American Journal of Obstetrics and Gynecology*, **2013**, 208, 124.e1-6 | 6.4 | 121 |
| 70 | Outcome following selective fetal reduction in monochorionic and dichorionic twin pregnancies discordant for structural, chromosomal and genetic disorders. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2013**, 53, 114-8 | 1.7 | 19 |
| 69 | Changes in the fetal and neonatal cytokine profile in pregnancies complicated by fetal growth restriction. *American Journal of Reproductive Immunology*, **2013**, 69, 441-8 | 3.8 | 6 |

| | | | |
|---|---|---|---|
| 68 | Maternal and perinatal outcomes following peripartum hysterectomy from a single tertiary centre. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2013**, 53, 561-5 | 1.7 | 10 |
| 67 | Assessment of alcohol histories obtained from patients with liver disease: opportunities to improve early intervention. *Internal Medicine Journal*, **2013**, 43, 1096-102 | 1.6 | 7 |
| 66 | Sex specific differences in fetal middle cerebral artery and umbilical venous Doppler. *PLoS ONE*, **2013**, 8, e56933 | 3.7 | 21 |
| 65 | Foetal volumetry using magnetic resonance imaging in intrauterine growth restriction. *Early Human Development*, **2012**, 88 Suppl 1, S35-40 | 2.2 | 33 |
| 64 | Changes in the maternal cytokine profile in pregnancies complicated by fetal growth restriction. *American Journal of Reproductive Immunology*, **2012**, 68, 1-7 | 3.8 | 16 |
| 63 | Early procedure-related complications of fetal blood sampling and intrauterine transfusion for fetal anemia. *Acta Obstetricia Et Gynecologica Scandinavica*, **2012**, 91, 458-62 | 3.8 | 22 |
| 62 | Fetal Anomalies **2012**, 219-229 | | |
| 61 | Postnatal outcome of prenatally diagnosed severe fetal renal pelvic dilatation. *Prenatal Diagnosis*, **2012**, 32, 519-22 | 3.2 | 14 |
| 60 | Perinatal outcomes of fetal echogenic bowel. *Prenatal Diagnosis*, **2012**, 32, 758-64 | 3.2 | 13 |
| 59 | Older mothers do not confer greater perinatal risk to dichorionic diamniotic twins. *Acta Obstetricia Et Gynecologica Scandinavica*, **2012**, 91, 152-4 | 3.8 | 7 |
| 58 | Perturbation of fetal liver hematopoietic stem and progenitor cell development by trisomy 21. *Proceedings of the National Academy of Sciences of the United States of America*, **2012**, 109, 17579-84 | 11.5 | 106 |
| 57 | Proton magnetic resonance spectroscopy in the fetus. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2011**, 158, 3-8 | 2.4 | 27 |
| 56 | Early adverse perinatal complications in preterm growth-restricted fetuses. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2011**, 51, 204-9 | 1.7 | 52 |
| 55 | Brain metabolism in fetal intrauterine growth restriction: a proton magnetic resonance spectroscopy study. *American Journal of Obstetrics and Gynecology*, **2011**, 205, 483.e1-8 | 6.4 | 39 |
| 54 | Perinatal outcome of prenatally diagnosed congenital talipes equinovarus. *Prenatal Diagnosis*, **2011** , 31, 142-5 | 3.2 | 15 |
| 53 | Accuracy of prenatal diagnosis and prediction of lethality for fetal skeletal dysplasias. *Prenatal Diagnosis*, **2011**, 31, 515-8 | 3.2 | 16 |
| 52 | Fetal transverse limb defects: case series and literature review. *Journal of Clinical Ultrasound*, **2011**, 39, 454-7 | 1 | 5 |
| 51 | Managing the difficult case of fetal anemia. *Journal of Maternal-Fetal and Neonatal Medicine*, **2011**, 24, 1498-503 | 2 | 5 |

| | | | |
|---|---|---|---|
| 50 | The effects of kisspeptin-54 on blood pressure in humans and plasma kisspeptin concentrations in hypertensive diseases of pregnancy. *British Journal of Clinical Pharmacology*, **2010**, 70, 674-81 | 3.8 | 22 |
| 49 | Identification of the hormone kisspeptin in amniotic fluid. *Clinical Chemistry*, **2010**, 56, 1029-31 | 5.5 | 3 |
| 48 | Handbook of Fetal Medicine **2010**, | | 3 |
| 47 | Perinatal variables and neonatal outcomes in severely growth restricted preterm fetuses. *Acta Obstetricia Et Gynecologica Scandinavica*, **2010**, 89, 1174-81 | 3.8 | 33 |
| 46 | Placental MRI in intrauterine fetal growth restriction. *Placenta*, **2010**, 31, 491-8 | 3.4 | 57 |
| 45 | Obstetric aspects of hypoxic ischemic encephalopathy. *Early Human Development*, **2010**, 86, 339-44 | 2.2 | 26 |
| 44 | Ectopia cordis in a fetus with mosaic trisomy 16. *Journal of Clinical Ultrasound*, **2010**, 38, 386-8 | 1 | 1 |
| 43 | Radiofrequency ablation for selective reduction in complex monochorionic pregnancies. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2010**, 117, 1294-8 | 3.7 | 49 |
| 42 | Intracardiac injection of potassium chloride as method for feticide: experience from a single UK tertiary centre. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 528-31 | 3.7 | 37 |
| 41 | Outcome of antenatally diagnosed fetal anterior abdominal wall defects from a single tertiary centre. *Fetal Diagnosis and Therapy*, **2008**, 24, 416-9 | 2.4 | 21 |
| 40 | First trimester embryo-fetoscopic and ultrasound-guided fetal blood sampling for ex vivo viral transduction of cultured human fetal mesenchymal stem cells. *Human Reproduction*, **2008**, 23, 2427-37 | 5.7 | 37 |
| 39 | Universal RHD genotyping in fetuses. *BMJ, The*, **2008**, 336, 783-4 | 5.9 | 4 |
| 38 | Exploring cortical subplate evolution using magnetic resonance imaging of the fetal brain. *Developmental Neuroscience*, **2008**, 30, 211-20 | 2.2 | 43 |
| 37 | MR imaging methods for assessing fetal brain development. *Developmental Neurobiology*, **2008**, 68, 700-11 | 3.1 | 57 |
| 36 | Amniocentesis in the third trimester of pregnancy. *Prenatal Diagnosis*, **2007**, 27, 1000-4 | 3.2 | 21 |
| 35 | PLUTO trial protocol: percutaneous shunting for lower urinary tract obstruction randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 904-5, e1-4 | 3.7 | 43 |
| 34 | Fetal cardiac interventions. *Clinical Obstetrics and Gynecology*, **2005**, 48, 956-63 | 1.7 | 9 |
| 33 | Advances in fetal therapy. *The Obstetrician and Gynaecologist*, **2005**, 7, 183-189 | 0.9 | 1 |

| | | | |
|---|---|---|---|
| 32 | Human fetal mesenchymal stem cells as vehicles for gene delivery. *Stem Cells*, **2005**, 23, 93-102 | 5.8 | 160 |
| 31 | Management of pregnancies with RhD alloimmunisation. *BMJ, The*, **2005**, 330, 1255-8 | 5.9 | 44 |
| 30 | PARVOVIRUS B19 INFECTION IN PREGNANCY. *Fetal and Maternal Medicine Review*, **2005**, 16, 123-150 | | 8 |
| 29 | Recent developments in fetal medicine. *BMJ, The*, **2004**, 328, 1002-6 | 5.9 | 28 |
| 28 | Antenatal and postnatal brain magnetic resonance imaging in muscle-eye-brain disease. *Archives of Neurology*, **2004**, 61, 1301-6 | | 22 |
| 27 | Fetomaternal trafficking of fetal mesenchymal stem cells (MSC). *Journal of Obstetrics and Gynaecology*, **2003**, 23, S10-S10 | 1.3 | |
| 26 | Test amnioinfusion to determine suitability for serial therapeutic amnioinfusion in midtrimester premature rupture of membranes. *Fetal Diagnosis and Therapy*, **2003**, 18, 183-9 | 2.4 | 22 |
| 25 | CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors. *American Journal of Obstetrics and Gynecology*, **2003**, 188, 1002-10 | 6.4 | 9 |
| 24 | Trophoblast deportation and the maternal inflammatory response in pre-eclampsia. *Journal of Reproductive Immunology*, **2003**, 59, 153-60 | 4.2 | 168 |
| 23 | Fetal cystoscopy in the management of fetal obstructive uropathy: experience in a single European centre. *Prenatal Diagnosis*, **2003**, 23, 1033-41 | 3.2 | 80 |
| 22 | Fetal renal impairment. *Seminars in Fetal and Neonatal Medicine*, **2003**, 8, 279-89 | | 61 |
| 21 | Distal urinary obstruction. *Clinics in Perinatology*, **2003**, 30, 507-19 | 2.8 | 17 |
| 20 | Perinatal survival in monoamniotic twin pregnancies managed with transplacental prophylactic sulindac. *Journal of Obstetrics and Gynaecology*, **2003**, 23, S43-S43 | 1.3 | |
| 19 | Successful in-utero fetal cardiac valvuloplasties for aortic and pulmonary stenosis. *Journal of Obstetrics and Gynaecology*, **2003**, 23, S11-S11 | 1.3 | |
| 18 | Posterior fossa pathology: high-resolution US vs. fetal MRI. *Journal of Obstetrics and Gynaecology*, **2003**, 23, S41-S41 | 1.3 | |
| 17 | Identification of fetal mesenchymal stem cells in maternal blood: implications for non-invasive prenatal diagnosis. *Molecular Human Reproduction*, **2003**, 9, 497-502 | 4.4 | 102 |
| 16 | Characterization of first trimester fetal erythroblasts for non-invasive prenatal diagnosis. *Molecular Human Reproduction*, **2003**, 9, 227-35 | 4.4 | 40 |
| 15 | Fetal MRI for CNS anomalies: an audit of 74 fetuses. *Journal of Obstetrics and Gynaecology*, **2003**, 23, S41-S41 | 1.3 | |

| | | | |
|---|---|---|---|
| 14 | ED(27) trophoblast-like cells isolated from first-trimester chorionic villi are genetically identical to HeLa cells yet exhibit a distinct phenotype. *Placenta*, **2002**, 23, 32-43 | 3.4 | 38 |
| 13 | Ultrasound-guided umbilical cord occlusion using bipolar diathermy for Stage III/IV twin-twin transfusion syndrome. *Prenatal Diagnosis*, **2002**, 22, 70-6 | 3.2 | 93 |
| 12 | Expandability of haemopoietic progenitors in first trimester fetal and maternal blood: implications for non-invasive prenatal diagnosis. *Prenatal Diagnosis*, **2002**, 22, 463-9 | 3.2 | 15 |
| 11 | High transduction efficiency of circulating first trimester fetal mesenchymal stem cells: potential targets for in utero ex vivo gene therapy. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2002**, 109, 952-4 | 3.7 | 20 |
| 10 | Simultaneous fetal cell identification and diagnosis by epsilon-globin chain immunophenotyping and chromosomal fluorescence in situ hybridization. *Blood*, **2001**, 98, 554-7 | 2.2 | 45 |
| 9 | Identification of mesenchymal stem/progenitor cells in human first-trimester fetal blood, liver, and bone marrow. *Blood*, **2001**, 98, 2396-402 | 2.2 | 1079 |
| 8 | Clonal culture of fetal cells from maternal blood. *Lancet, The*, **2001**, 357, 962 | 40 | 8 |
| 7 | Pregnancy and its outcome in patients with noncirrhotic portal hypertension. *Digestive Diseases and Sciences*, **1999**, 44, 1356-61 | 4 | 38 |
| 6 | Induction of labour for trial of vaginal birth after caesarean section in a remote district hospital. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **1996**, 36, 417-20 | 1.7 | 3 |
| 5 | Acute massive haemoperitoneum due to mild pelvic endometriosis. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **1996**, 36, 490-1 | 1.7 | 4 |
| 4 | Prelabour rupture of membranes to delivery interval related to the incidence of maternal and neonatal infection. *Journal of Obstetrics and Gynaecology (Tokyo, Japan)*, **1995**, 21, 367-72 | | 7 |
| 3 | Intrapartum care for high-risk pregnancies100-109 | | |
| 2 | Preterm birth rates in a large tertiary Australian maternity centre during COVID-19 mitigation measures | | 2 |
| 1 | Disorders of the Liver, Biliary System and Exocrine Pancreas in Pregnancy223-255 | | |