Sohel M Julovi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7580331/publications.pdf

Version: 2024-02-01

516215 525886 29 827 16 citations h-index papers

g-index 29 29 29 1061 docs citations times ranked citing authors all docs

27

#	Article	IF	CITATIONS
1	Inhibition of interleukin-1?-stimulated production of matrix metalloproteinases by hyaluronan via CD44 in human articular cartilage. Arthritis and Rheumatism, 2004, 50, 516-525.	6.7	150
2	Hyaluronan inhibits matrix metalloproteinaseâ€13 in human arthritic chondrocytes via CD44 and P38. Journal of Orthopaedic Research, 2011, 29, 258-264.	1.2	84
3	Intercellular adhesion molecule-1 mediates the inhibitory effects of hyaluronan on interleukin-1β-induced matrix metalloproteinase production in rheumatoid synovial fibroblasts via down-regulation of NF-κB and p38. Rheumatology, 2006, 45, 824-832.	0.9	69
4	Hyaluronan inhibits matrix metalloproteinase-1 production by rheumatoid synovial fibroblasts stimulated by proinflammatory cytokines. Journal of Rheumatology, 2003, 30, 1164-72.	1.0	56
5	Activated Protein C Enhances Human Keratinocyte Barrier Integrity via Sequential Activation of Epidermal Growth Factor Receptor and Tie2. Journal of Biological Chemistry, 2011, 286, 6742-6750.	1.6	46
6	Involvement of CD44 in induction of matrix metalloproteinases by a COOH-terminal heparin-binding fragment of fibronectin in human articular cartilage in culture. Arthritis and Rheumatism, 2003, 48, 1271-1280.	6.7	44
7	Protease Activated Receptor-2 Mediates Activated Protein C–Induced Cutaneous Wound Healing via Inhibition of p38. American Journal of Pathology, 2011, 179, 2233-2242.	1.9	37
8	COOH-terminal heparin-binding fibronectin fragment induces nitric oxide production in rheumatoid cartilage through CD44. Rheumatology, 2004, 43, 1116-1120.	0.9	34
9	Cotargeting of Epidermal Growth Factor Receptor and PI3K Overcomes PI3K–Akt Oncogenic Dependence in Pancreatic Ductal Adenocarcinoma. Clinical Cancer Research, 2014, 20, 4047-4058.	3.2	34
10	CD47 Promotes Age-Associated Deterioration in Angiogenesis, Blood Flow and Glucose Homeostasis. Cells, 2020, 9, 1695.	1.8	34
11	Matrix Metalloproteinase Production by COOH-Terminal Heparin-Binding Fibronectin Fragment in Rheumatoid Synovial Cells. Laboratory Investigation, 2003, 83, 153-162.	1.7	29
12	Inhibition of basal-like breast cancer growth by FTY720 in combination with epidermal growth factor receptor kinase blockade. Breast Cancer Research, 2017, 19, 90.	2.2	23
13	Blocking thrombospondin-1 signaling via CD47 mitigates renal interstitial fibrosis. Laboratory Investigation, 2020, 100, 1184-1196.	1.7	20
14	Apolipoprotein A-II Plus Lipid Emulsion Enhance Cell Growth via SR-B1 and Target Pancreatic Cancer In Vitro and In Vivo. PLoS ONE, 2016, 11, e0151475.	1.1	20
15	Nuclear Insulin-Like Growth Factor Binding Protein-3 As a Biomarker in Triple-Negative Breast Cancer Xenograft Tumors: Effect of Targeted Therapy and Comparison With Chemotherapy. Frontiers in Endocrinology, 2018, 9, 120.	1.5	19
16	Pharmacologic targeting of renal ischemia-reperfusion injury using a normothermic machine perfusion platform. Scientific Reports, 2020, 10, 6930.	1.6	18
17	Requirement of mitogen-activated protein kinase for collagenase production by the fibronectin fragment in human articular chondrocytes in culture. Modern Rheumatology, 2004, 14, 54-60.	0.9	17
18	Hyaluronan inhibits IL-1Î ² -stimulated collagenase production via down-regulation of phosphorylated p38 in SW-1353 human chondrosarcoma cells. Modern Rheumatology, 2008, 18, 263-270.	0.9	17

#	Article	IF	CITATIONS
19	Biomimetic Gemcitabine–Lipid Prodrug Nanoparticles for Pancreatic Cancer. ChemPlusChem, 2020, 85, 1283-1291.	1.3	12
20	Hyaluronan inhibits IL- $1\hat{l}^2$ -stimulated collagenase production via down-regulation of phosphorylated p38 in SW-1353 human chondrosarcoma cells. Modern Rheumatology, 2008, 18, 263-270.	0.9	11
21	Activated Protein C Inhibits Proliferation and Tumor Necrosis Factor α-Stimulated Activation of p38, c-Jun NH2-Terminal Kinase (JNK) and Akt in Rheumatoid Synovial Fibroblasts. Molecular Medicine, 2013, 19, 324-331.	1.9	9
22	A patient-derived subrenal capsule xenograft model can predict response to adjuvant therapy for cancers in the head of the pancreas. Pancreatology, 2015, 15, 397-404.	0.5	9
23	Repurposing of metformin and colchicine reveals differential modulation of acute and chronic kidney injury. Scientific Reports, 2020, 10, 21968.	1.6	9
24	The Role of Matrix Proteins in Cardiac Pathology. International Journal of Molecular Sciences, 2022, 23, 1338.	1.8	9
25	Using patient-derived xenograft models of colorectal liver metastases to predict chemosensitivity. Journal of Surgical Research, 2018, 227, 158-167.	0.8	8
26	Requirement of mitogen-activated protein kinase for collagenase production by the fibronectin fragment in human articular chondrocytes in culture. Modern Rheumatology, 2004, 14, 54-60.	0.9	7
27	Pancreatic adenocarcinoma preferentially takes up and is suppressed by synthetic nanoparticles carrying apolipoprotein A-II and a lipid gemcitabine prodrug in mice. Cancer Letters, 2020, 495, 112-122.	3.2	2
28	PO693THE MATRIX PROTEIN THROMBOSPONDIN-1 CONTRIBUTES TO THE DEVELOPMENT OF CARDIOVASCULAR PATHOLOGY IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
29	Abstract 789: Nuclear IGFBP-3 is a potential biomarker for response to EGFR-sphingosine kinase targeted therapy in basal-like triple-negative breast cancer (TNBC). , 2018, , .		0