

# Sohel M Julovi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7580331/publications.pdf>

Version: 2024-02-01

29  
papers

827  
citations

516215

16  
h-index

525886

27  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1061  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Matrix Proteins in Cardiac Pathology. International Journal of Molecular Sciences, 2022, 23, 1338.	1.8	9
2	Pancreatic adenocarcinoma preferentially takes up and is suppressed by synthetic nanoparticles carrying apolipoprotein A-II and a lipid gemcitabine prodrug in mice. Cancer Letters, 2020, 495, 112-122.	3.2	2
3	CD47 Promotes Age-Associated Deterioration in Angiogenesis, Blood Flow and Glucose Homeostasis. Cells, 2020, 9, 1695.	1.8	34
4	Repurposing of metformin and colchicine reveals differential modulation of acute and chronic kidney injury. Scientific Reports, 2020, 10, 21968.	1.6	9
5	P0693THE MATRIX PROTEIN THROMBOSPONDIN-1 CONTRIBUTES TO THE DEVELOPMENT OF CARDIOVASCULAR PATHOLOGY IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
6	Blocking thrombospondin-1 signaling via CD47 mitigates renal interstitial fibrosis. Laboratory Investigation, 2020, 100, 1184-1196.	1.7	20
7	Biomimetic Gemcitabine-Lipid Prodrug Nanoparticles for Pancreatic Cancer. ChemPlusChem, 2020, 85, 1283-1291.	1.3	12
8	Pharmacologic targeting of renal ischemia-reperfusion injury using a normothermic machine perfusion platform. Scientific Reports, 2020, 10, 6930.	1.6	18
9	Nuclear Insulin-Like Growth Factor Binding Protein-3 As a Biomarker in Triple-Negative Breast Cancer Xenograft Tumors: Effect of Targeted Therapy and Comparison With Chemotherapy. Frontiers in Endocrinology, 2018, 9, 120.	1.5	19
10	Using patient-derived xenograft models of colorectal liver metastases to predict chemosensitivity. Journal of Surgical Research, 2018, 227, 158-167.	0.8	8
11	Abstract 789: Nuclear IGFBP-3 is a potential biomarker for response to EGFR-sphingosine kinase targeted therapy in basal-like triple-negative breast cancer (TNBC). , 2018, , .		0
12	Inhibition of basal-like breast cancer growth by FTY720 in combination with epidermal growth factor receptor kinase blockade. Breast Cancer Research, 2017, 19, 90.	2.2	23
13	Apolipoprotein A-II Plus Lipid Emulsion Enhance Cell Growth via SR-B1 and Target Pancreatic Cancer In Vitro and In Vivo. PLoS ONE, 2016, 11, e0151475.	1.1	20
14	A patient-derived subrenal capsule xenograft model can predict response to adjuvant therapy for cancers in the head of the pancreas. Pancreatology, 2015, 15, 397-404.	0.5	9
15	Cotargeting of Epidermal Growth Factor Receptor and PI3K Overcomes PI3K-Akt Oncogenic Dependence in Pancreatic Ductal Adenocarcinoma. Clinical Cancer Research, 2014, 20, 4047-4058.	3.2	34
16	Activated Protein C Inhibits Proliferation and Tumor Necrosis Factor $\alpha$ -Stimulated Activation of p38, c-Jun NH2-Terminal Kinase (JNK) and Akt in Rheumatoid Synovial Fibroblasts. Molecular Medicine, 2013, 19, 324-331.	1.9	9
17	Protease Activated Receptor-2 Mediates Activated Protein C-Induced Cutaneous Wound Healing via Inhibition of p38. American Journal of Pathology, 2011, 179, 2233-2242.	1.9	37
18	Hyaluronan inhibits matrix metalloproteinase-13 in human arthritic chondrocytes via CD44 and P38. Journal of Orthopaedic Research, 2011, 29, 258-264.	1.2	84

#	ARTICLE	IF	CITATIONS
19	Activated Protein C Enhances Human Keratinocyte Barrier Integrity via Sequential Activation of Epidermal Growth Factor Receptor and Tie2. <i>Journal of Biological Chemistry</i> , 2011, 286, 6742-6750.	1.6	46
20	Hyaluronan inhibits IL-1 $\beta$ -stimulated collagenase production via down-regulation of phosphorylated p38 in SW-1353 human chondrosarcoma cells. <i>Modern Rheumatology</i> , 2008, 18, 263-270.	0.9	17
21	Hyaluronan inhibits IL-1 $\beta$ -stimulated collagenase production via down-regulation of phosphorylated p38 in SW-1353 human chondrosarcoma cells. <i>Modern Rheumatology</i> , 2008, 18, 263-270.	0.9	11
22	Intercellular adhesion molecule-1 mediates the inhibitory effects of hyaluronan on interleukin-1 $\beta$ -induced matrix metalloproteinase production in rheumatoid synovial fibroblasts via down-regulation of NF- $\kappa$ B and p38. <i>Rheumatology</i> , 2006, 45, 824-832.	0.9	69
23	COOH-terminal heparin-binding fibronectin fragment induces nitric oxide production in rheumatoid cartilage through CD44. <i>Rheumatology</i> , 2004, 43, 1116-1120.	0.9	34
24	Inhibition of interleukin-1 $\beta$ -stimulated production of matrix metalloproteinases by hyaluronan via CD44 in human articular cartilage. <i>Arthritis and Rheumatism</i> , 2004, 50, 516-525.	6.7	150
25	Requirement of mitogen-activated protein kinase for collagenase production by the fibronectin fragment in human articular chondrocytes in culture. <i>Modern Rheumatology</i> , 2004, 14, 54-60.	0.9	17
26	Requirement of mitogen-activated protein kinase for collagenase production by the fibronectin fragment in human articular chondrocytes in culture. <i>Modern Rheumatology</i> , 2004, 14, 54-60.	0.9	7
27	Involvement of CD44 in induction of matrix metalloproteinases by a COOH-terminal heparin-binding fragment of fibronectin in human articular cartilage in culture. <i>Arthritis and Rheumatism</i> , 2003, 48, 1271-1280.	6.7	44
28	Matrix Metalloproteinase Production by COOH-Terminal Heparin-Binding Fibronectin Fragment in Rheumatoid Synovial Cells. <i>Laboratory Investigation</i> , 2003, 83, 153-162.	1.7	29
29	Hyaluronan inhibits matrix metalloproteinase-1 production by rheumatoid synovial fibroblasts stimulated by proinflammatory cytokines. <i>Journal of Rheumatology</i> , 2003, 30, 1164-72.	1.0	56