

# Brian G Jones

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7581062/publications.pdf>

Version: 2024-02-01

157  
papers

3,804  
citations

126907

33  
h-index

161849

54  
g-index

158  
all docs

158  
docs citations

158  
times ranked

3400  
citing authors

#	ARTICLE	IF	CITATIONS
1	Middle to Late Quaternary palaeolandscapes of the central Azraq Basin, Jordan: Deciphering discontinuous records of human-environment dynamics at the arid margin of the Levant. <i>Quaternary International</i> , 2022, 635, 31-52.	1.5	5
2	Reassessing the chronostratigraphy and tempo of climate change in the Lower-Middle Permian of the southern Sydney Basin, Australia: Integrating evidence from U-Pb zircon geochronology and biostratigraphy. <i>Lithos</i> , 2022, 410-411, 106570.	1.4	3
3	Distribution of Benthic Foraminifera in Intertidal Sabkha of Al-Kharrar Lagoon, Saudi Arabia: Tools to Study Past Sea-Level Changes. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	1
4	The early Eocene (48Ma) Qaladeza trondhjemite formed by wet partial remelting of mafic crust in the arc-related Bulfat Igneous Complex (Kurdistan, Iraq): constraints on the timing of Neotethys closure. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1.	1.3	2
5	Holocene heavy mineral assemblages in a coastal compartment in eastern Australia. <i>Regional Studies in Marine Science</i> , 2022, 52, 102288.	0.7	0
6	Sequence stratigraphy and depositional evolution of the north-eastern shelf (33.9–10.5Ma) of the Pearl River Mouth basin, South China Sea. <i>Marine and Petroleum Geology</i> , 2022, 141, 105697.	3.3	6
7	An extensive dust storm impact on air quality on 22 November 2018 in Sydney, Australia, using satellite remote sensing and ground data. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 432.	2.7	9
8	Accounting for DEM Error in Sea Level Rise Assessment within Riverine Regions; Case Study from the Shatt Al-Arab River Region. <i>Environments - MDPI</i> , 2021, 8, 46.	3.3	6
9	Mid-Late Holocene Paleoenvironmental and Sea Level Reconstruction on the Al Lith Red Sea Coast, Saudi Arabia. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	5
10	Composite grains from volcanic terranes: Internal dose rates of supposed <sup>40</sup> K-rich feldspar grains used for optical dating at Liang Bua, Indonesia. <i>Quaternary Geochronology</i> , 2021, 64, 101182.	1.4	9
11	Geomatic freshwater discharge estimations and their effect on saltwater intrusion in alluvial systems: a case study in Shatt Al-Arab estuary. <i>Environmental Earth Sciences</i> , 2021, 80, 1.	2.7	6
12	Depositional Setting and Cementation Pattern of Al-Mejarma Beachrocks, Saudi Arabia: A Proxy for the Late Quaternary Red Sea Coastal Evolution. <i>Journal of Marine Science and Engineering</i> , 2021, 9, 1012.	2.6	3
13	Geochemistry, spatial distribution, and sources of trace element pollution in the surface sediments of Port Hacking, southern Sydney, Australia. <i>Anthropocene Coasts</i> , 2021, 4, 1-16.	1.5	2
14	The chronological, sedimentary and environmental context for the archaeological deposits at Blombos Cave, South Africa. <i>Quaternary Science Reviews</i> , 2020, 235, 105850.	3.0	35
15	Holocene delta progradation into an epeiric sea in northeastern Australia. <i>Marine Geology</i> , 2020, 422, 106114.	2.1	1
16	Tectono-sedimentary signature of the second rift phase in multiphase rifts: A case study in the Lufeng Depression (38–33.9Ma), Pearl River Mouth Basin, south China sea. <i>Marine and Petroleum Geology</i> , 2020, 114, 104218.	3.3	17
17	Water quality considerations. , 2020, , 33-59.		1
18	Trace element soil contamination from smelters in the Illawarra region, New South Wales, Australia. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	2.7	5

#	ARTICLE	IF	CITATIONS
19	Assessment of mineralogical and chemical properties of airborne dust in Iraq. SN Applied Sciences, 2020, 2, 1.	2.9	24
20	Provenance of Tanjero and Red Bed clastic sedimentary rocks revealed by detrital zircon SHRIMP dating, Kurdistan region, NE Iraq: Constraints on ocean closure and unroofing of Neo-Tethyan allochthons. Journal of African Earth Sciences, 2020, 172, 103981.	2.0	3
21	Assessment of the controls on (234U/238U) activity ratios recorded in detrital lacustrine sediments. Chemical Geology, 2020, 550, 119698.	3.3	12
22	Evaluating erosional impacts on open-air archaeological sites along the Doring River, South Africa: methods and implications for research prioritization. Archaeological and Anthropological Sciences, 2020, 12, 1.	1.8	14
23	Climatology of Iraqi dust events during 1980â€“2015. SN Applied Sciences, 2020, 2, 1.	2.9	25
24	Short-term Geoinformatics Evaluation in the Shatt Al-Arab Delta (Northwestern Arabian/Persian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	0.3	6
25	Chronostratigraphy, Site Formation, and Palaeoenvironmental Context of Late Pleistocene and Holocene Occupations at Grassridge Rock Shelter (Eastern Cape, South Africa). Open Quaternary, 2020, 6, 5.	1.0	16
26	Redating the earliest evidence of the mid-Holocene relative sea-level highstand in Australia and implications for global sea-level rise. PLoS ONE, 2019, 14, e0218430.	2.5	29
27	Distribution and sources of trace element pollutants in the sediments of the industrialised Port Kembla Harbour, New South Wales, Australia. Environmental Earth Sciences, 2019, 78, 1.	2.7	17
28	A methodological framework for reconstructing historical delta front morphology: case study at Macquarie rivulet delta within Lake Illawarra, Australia. Journal of Coastal Conservation, 2019, 23, 717-726.	1.6	2
29	The geomorphological evolution of a saline coastal lagoon on the southeast coast of Australia: Swan Lake, New South Wales. Estuarine, Coastal and Shelf Science, 2019, 224, 301-313.	2.1	7
30	Stratigraphic and igneous relationships west of Yass, eastern Lachlan Orogen, southeastern Australia: subsurface structure related to caldera collapse?. Australian Journal of Earth Sciences, 2019, 66, 991-1006.	1.0	0
31	Overview of the tectonic evolution of the Iraqi Zagros thrust zone: Sixty million years of Neotethyan ocean subduction. Journal of Geodynamics, 2019, 129, 162-177.	1.6	22
32	Controls of faulting on synrift infill patterns in the Eocene PY4 Sag, Pearl River Mouth Basin, South China Sea. Australian Journal of Earth Sciences, 2019, 66, 111-132.	1.0	9
33	Spatialâ€“temporal analysis of Aerosol Index (AI) distribution and some climatic factors: case study from Iraq, 1980â€“2015. Modeling Earth Systems and Environment, 2019, 5, 203-216.	3.4	11
34	Reprint of 'Elemental and mineralogical analysis of marine and coastal sediments from Phra Thong Island, Thailand: Insights into the provenance of coastal hazard deposits'. Marine Geology, 2018, 396, 79-99.	2.1	5
35	Tectono-sedimentary evolution and hydrocarbon reservoirs in the Early Cretaceous Tanan Depression, Tamtsag Basin, Mongolia. Marine and Petroleum Geology, 2018, 94, 43-64.	3.3	31
36	Facies delineation and sandstone prediction using seismic sedimentology and seismic inversion in the Eocene Huizhou Depression, Pearl River Mouth Basin, China. Interpretation, 2018, 6, SD71-SD87.	1.1	3

#	ARTICLE	IF	CITATIONS
37	Geoinformatics vulnerability predictions of coastal ecosystems to sea-level rise in southeastern Australia. <i>Geomatics, Natural Hazards and Risk</i> , 2018, 9, 645-661.	4.3	13
38	An assessment of anthropogenic and climatic stressors on estuaries using a spatio-temporal GIS-modelling approach for sustainability: Towamba estuary, southeastern Australia. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 375.	2.7	11
39	Wind influence on the orientation of estuarine landforms: An example from Lake Illawarra in southeastern Australia. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 2915-2925.	2.5	7
40	A reassessment of the early archaeological record at Leang Burung 2, a Late Pleistocene rock-shelter site on the Indonesian island of Sulawesi. <i>PLoS ONE</i> , 2018, 13, e0193025.	2.5	27
41	SALINITY MODELLING AND MANAGEMENT OF THE LOWER LAKES OF THE MURRAY-DARLING BASIN, AUSTRALIA. , 2018, , .		4
42	Geoinformatic analysis of vegetation and climate change on intertidal sedimentary landforms in southeastern Australian estuaries from 1975-2015. <i>AIMS Geosciences</i> , 2018, 4, 36-65.	1.0	4
43	Elemental and mineralogical analysis of marine and coastal sediments from Phra Thong Island, Thailand: Insights into the provenance of coastal hazard deposits. <i>Marine Geology</i> , 2017, 385, 274-292.	2.1	18
44	The Pushtashan juvenile suprasubduction zone assemblage of Kurdistan (northeastern Iraq): A Cretaceous (Cenomanian) Neo-Tethys missing link. <i>Geoscience Frontiers</i> , 2017, 8, 1073-1087.	8.4	8
45	Geochemical Assessment of Trace Element Pollution in Surface Sediments from the Georges River, Southern Sydney, Australia. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 72, 247-259.	4.1	37
46	Tectono-stratigraphic evolution and hydrocarbon exploration in the Eocene Southern Lufeng Depression, Pearl River Mouth Basin, South China Sea. <i>Australian Journal of Earth Sciences</i> , 2017, 64, 931-956.	1.0	33
47	The interplay between massive volcanism and the local environment: Geochemistry of the Late Permian mass extinction across the Sydney Basin, Australia. <i>Gondwana Research</i> , 2017, 51, 149-169.	6.0	10
48	Provenance of the Walash-Naopurdan back-arc clastic sequences in the Iraqi Zagros Suture Zone. <i>Journal of African Earth Sciences</i> , 2017, 125, 73-87.	2.0	12
49	A Spatio-Temporal Assessment of Landcover and Coastal Changes at Wandandian Delta System, Southeastern Australia. <i>Journal of Marine Science and Engineering</i> , 2017, 5, 55.	2.6	8
50	Civil-GIS incorporated approach for water resource management in a developed catchment for urban-geomorphic sustainability: Tallowa Dam, southeastern Australia. <i>International Soil and Water Conservation Research</i> , 2016, 4, 304-313.	6.5	14
51	Lead isotope fingerprinting used as a tracer of lead pollution in marine sediments from Botany Bay and Port Hacking estuaries, southern Sydney, Australia. <i>Regional Studies in Marine Science</i> , 2016, 7, 136-141.	0.7	13
52	40 Ar/ 39 Ar hornblende and biotite geochronology of the Bulfat Igneous Complex, Zagros Suture Zone, NE Iraq: New insights on complexities of Paleogene arc magmatism during closure of the Neotethys Ocean. <i>Lithos</i> , 2016, 266-267, 406-413.	1.4	8
53	GIS-based modelling of vulnerability of coastal wetland ecosystems to environmental changes: Comerong Island, southeastern Australia. <i>Journal of Coastal Research</i> , 2016, 75, 33-37.	0.3	7
54	Dating Quaternary raised coral terraces along the Saudi Arabian Red Sea coast. <i>Marine Geology</i> , 2016, 374, 59-72.	2.1	26

#	ARTICLE	IF	CITATIONS
55	The intra-oceanic Cretaceous (~ 108 Ma) Kataâ€Rash arc fragment in the Kurdistan segment of Iraqi Zagros suture zone: Implications for Neotethys evolution and closure. <i>Lithos</i> , 2016, 260, 154-163.	1.4	25
56	Removal of volatile organic compounds (VOCs) from groundwater by reverse osmosis and nanofiltration. <i>Journal of Water Process Engineering</i> , 2016, 9, 9-21.	5.6	30
57	Lithostratigraphic and sequence stratigraphic architecture of the Winduck Interval, central Darling Basin, Australia, based on integration of wireline logs, cores and cuttings data. <i>International Journal of Earth Sciences</i> , 2016, 105, 1109-1126.	1.8	2
58	Spatial distribution of sediment particles and trace element pollution within Gunnamatta Bay, Port Hacking, NSW, Australia. <i>Regional Studies in Marine Science</i> , 2015, 2, 124-131.	0.7	15
59	Hydrological transformation coincided with megafaunal extinction in central Australia. <i>Geology</i> , 2015, 43, 195-198.	4.4	76
60	Source area and tectonic provenance of Paleoceneâ€Eocene red bed clastics from the Kurdistan area NE Iraq: Bulk-rock geochemistry constraints. <i>Journal of African Earth Sciences</i> , 2015, 109, 68-86.	2.0	11
61	Source identification and assessment of sediment contamination of trace metals in Kogarah Bay, NSW, Australia. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 20.	2.7	28
62	Late Quaternary evolution of a playa margin at Lake Frome, South Australia. <i>Journal of Arid Environments</i> , 2015, 122, 93-108.	2.4	12
63	Spatial and Temporal Distribution and Pollution Assessment of Trace Metals in Marine Sediments in Oyster Bay, NSW, Australia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 94, 52-57.	2.7	17
64	Modern depositional processes in a confined, flood-prone setting: Benches on the Shoalhaven River, NSW, Australia. <i>Geomorphology</i> , 2015, 228, 470-485.	2.6	4
65	Spatial distribution of heavy metal contaminations in Yowie Bay sediments and their environmental impacts. <i>WIT Transactions on Ecology and the Environment</i> , 2015, , .	0.0	0
66	Provenance of Paleoceneâ€Eocene red beds from NE Iraq: constraints from framework petrography. <i>Geological Magazine</i> , 2014, 151, 1034-1050.	1.5	5
67	GEOCHEMISTRY OF PALEOGENE RED BEDS IN THE NORTHERN IRAQ FORELAND BASIN: EVIDENCE FOR PROVENANCE. <i>International Journal of GEOMATE</i> , 2014, , .	0.3	0
68	The tectonic evolution of a <sc>N</sc>eoâ€T</sc>ethyan (<sc>E</sc>oceneâ€O</sc>ligocene) islandâ€arc (<sc>W</sc>alash and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (<sc>I</sc>raqi <sc>Z</sc>agros <sc>S</sc>uture <sc>Z</sc>one. <i>Island Arc</i> , 2013, 22, 104-125.	1.1	60
69	A raised OIS 3 sea level recorded in coastal sediments, southern Changjiang delta plain, China. <i>Quaternary Research</i> , 2013, 79, 424-438.	1.7	29
70	Determining the impact of the Holocene highstand at the coastalâ€fluvial interface, Shoalhaven River, southâ€eastern Australia. <i>Earth Surface Processes and Landforms</i> , 2013, 38, 1481-1495.	2.5	2
71	Recognition of Late Cretaceous Hasanbag ophiolite-arc rocks in the Kurdistan Region of the Iraqi Zagros suture zone: A missing link in the paleogeography of the closing Neotethys Ocean. <i>Lithosphere</i> , 2012, 4, 395-410.	1.4	45
72	Geochemical consequences of the Permianâ€Triassic mass extinction in a nonâ€marine succession, Sydney Basin, Australia. <i>Chemical Geology</i> , 2012, 326-327, 174-188.	3.3	16

#	ARTICLE	IF	CITATIONS
73	Late Quaternary mega-lakes fed by the northern and southern river systems of central Australia: Varying moisture sources and increased continental aridity. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 356-357, 89-108.	2.3	56
74	The geomorphology of the flanks of the Lord Howe Island volcano, Tasman Sea, Australia. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 899-908.	1.4	14
75	Multiple Early Triassic greenhouse crises impeded recovery from Late Permian mass extinction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 233-251.	2.3	124
76	On the Possible Origins of an Unusual (Mid to Late Holocene) Coastal Deposit, Old Punt Bay, South-East Australia. <i>Geographical Research</i> , 2011, 49, 408-430.	1.8	12
77	Contrasting sedimentation rates in Lake Illawarra and St Georges Basin, two large barrier estuaries on the southeast coast of Australia. <i>Journal of Paleolimnology</i> , 2011, 46, 561-577.	1.6	23
78	Reconstructing recent sedimentation in two urbanised coastal lagoons (NSW, Australia) using radioisotopes and geochemistry. <i>Journal of Paleolimnology</i> , 2011, 46, 579-596.	1.6	24
79	Continental aridification and the vanishing of Australia's megalakes. <i>Geology</i> , 2011, 39, 167-170.	4.4	78
80	Holocene evolution of the Minnamurra River estuary, southeast Australia: foraminiferal evidence. <i>Zeitschrift für Geomorphologie</i> , 2010, 54, 79-98.	0.8	12
81	Freshwater recharge into a shallow saline groundwater system, Cooper Creek floodplain, Queensland, Australia. <i>Journal of Hydrology</i> , 2010, 392, 150-163.	5.4	71
82	Response of coral reefs to climate change: Expansion and demise of the southernmost Pacific coral reef. <i>Geophysical Research Letters</i> , 2010, 37, .	4.0	48
83	The Holocene infill of Lake Conjola, a narrow incised valley system on the southeast coast of Australia. <i>Quaternary International</i> , 2010, 221, 23-35.	1.5	23
84	Geomorphic evidence for mid- to late Holocene higher sea level from southeastern Australia. <i>Quaternary International</i> , 2010, 221, 13-22.	1.5	19
85	Late Quaternary aeolian and fluvial interactions on the Cooper Creek Fan and the association between linear and source-bordering dunes, Strzelecki Desert, Australia. <i>Quaternary Science Reviews</i> , 2010, 29, 455-471.	3.0	72
86	Trace metal distributions in two saltmarsh substrates, Illawarra region, New South Wales. <i>Wetlands Australia</i> , 2010, 14, 19.	0.5	5
87	Mobility of sediment grain size distributions on a wave dominated continental shelf, southeastern Australia. <i>Marine Geology</i> , 2008, 252, 13-23.	2.1	19
88	Use of <sup>210</sup> Pb and <sup>137</sup> Cs to simultaneously constrain ages and sources of post-dam sediments in the Cordeaux reservoir, Sydney, Australia. <i>Journal of Environmental Radioactivity</i> , 2008, 99, 1111-1120.	1.7	27
89	The sedimentary record of palaeoenvironments and sea-level change in the Gulf of Carpentaria, Australia, through the last glacial cycle. <i>Quaternary International</i> , 2008, 183, 3-22.	1.5	73
90	Alluvial evidence for major climate and flow regime changes during the middle and late Quaternary in eastern central Australia. <i>Geomorphology</i> , 2008, 101, 109-129.	2.6	106

#	ARTICLE	IF	CITATIONS
91	Setup, Deposition, and Sedimentary Characteristics of Two Storm Overwash Deposits, Abrahams Bosom Beach, Southeastern Australia. <i>Journal of Coastal Research</i> , 2008, 1, 189-200.	0.3	42
92	Large-scale washover sedimentation in a freshwater lagoon from the southeast Australian coast: sea-level change, tsunami or exceptionally large storm?. <i>Holocene</i> , 2008, 18, 787-803.	1.7	167
93	Assessing Soil Remobilisation in Catchments using a $^{137}\text{Cs}$ -sediment Hillslope Model. <i>Australian Geographer</i> , 2008, 39, 445-465.	1.7	7
94	Ichnological and Sedimentologic Signatures of Mixed Wave- and Storm-Dominated Deltaic Deposits: Examples from the Early Permian Sydney Basin, Australia. , 2008, , 293-332.		35
95	GPR surveys of vegetated linear dune stratigraphy in central Australia: Evidence for linear dune extension with vertical and lateral accretion. , 2007, , 19-33.		12
96	Holocene sea-level change on the southeast coast of Australia: a review. <i>Holocene</i> , 2007, 17, 999-1014.	1.7	206
97	Assessing the recent (1834-2002) morphological evolution of a rapidly prograding delta within a GIS framework: Macquarie Rivulet delta, Lake Illawarra, New South Wales. <i>Australian Journal of Earth Sciences</i> , 2007, 54, 1047-1056.	1.0	13
98	A Review and Synthesis of Glendonites (Pseudomorphs after Ikaite) with New Data: Assessing Applicability as Recorders of Ancient Coldwater Conditions. <i>Journal of Sedimentary Research</i> , 2007, 77, 980-991.	1.6	93
99	Late Quaternary marginal marine palaeoenvironments of northern Australia as inferred from cluster analysis of coccolith assemblages. <i>Marine Micropaleontology</i> , 2007, 65, 213-231.	1.2	8
100	Holocene stratigraphic and morphological evolution of the Wandandian Creek delta, St Georges Basin, New South Wales. <i>Australian Journal of Earth Sciences</i> , 2006, 53, 991-1000.	1.0	10
101	Aeolian-fluvial interaction: evidence for Late Quaternary channel change and wind-rift linear dune formation in the northwestern Simpson Desert, Australia. <i>Quaternary Science Reviews</i> , 2006, 25, 142-162.	3.0	87
102	Cyclicality in the nearshore marine to coastal, Lower Permian, Pebbley Beach Formation, southern Sydney Basin, Australia: a record of relative sea-level fluctuations at the close of the Late Palaeozoic Gondwanan ice age. <i>Sedimentology</i> , 2006, 53, 435-463.	3.1	78
103	Investigation of large-scale washover of a small barrier system on the southeast Australian coast using ground penetrating radar. <i>Sedimentary Geology</i> , 2006, 183, 145-156.	2.1	74
104	The geomorphological evolution of a wave-dominated barrier estuary: Burrill Lake, New South Wales, Australia. <i>Sedimentary Geology</i> , 2006, 187, 229-249.	2.1	34
105	Aminostratigraphy of Two Holocene Wave-Dominated Barrier Estuaries in Southeastern Australia. <i>Journal of Coastal Research</i> , 2006, 221, 113-136.	0.3	31
106	Trace metals in sediments from Lake Illawarra, New South Wales, Australia. <i>Wetlands Australia</i> , 2006, 21, 217.	0.5	4
107	Sea Level, Storm, or Tsunami: Enigmatic Sand Sheet Deposits in a Sheltered Coastal Embayment from Southeastern New South Wales, Australia. <i>Journal of Coastal Research</i> , 2005, 214, 655-663.	0.3	80
108	Rivers turned to rock: Late Quaternary alluvial induration influencing the behaviour and morphology of an anabranching river in the Australian monsoon tropics. <i>Geomorphology</i> , 2005, 70, 398-420.	2.6	44

#	ARTICLE	IF	CITATIONS
109	Holocene Sea Level Fluctuations and the Sedimentary Evolution of a Barrier Estuary: Lake Illawarra, New South Wales, Australia. <i>Journal of Coastal Research</i> , 2005, 215, 943-959.	0.3	50
110	Geomorphology and Late Quaternary development of Middleton and Elizabeth Reefs. <i>Coral Reefs</i> , 2004, 23, 249.	2.2	35
111	Aspartic acid racemisation dating of mid-Holocene to recent estuarine sedimentation in New South Wales, Australia: a pilot study. <i>Marine Geology</i> , 2004, 212, 45-59.	2.1	32
112	Geochemical comparisons between estuaries with non-industrialised and industrialised catchments: the Huon and Derwent River estuaries, Tasmania*. <i>Australian Journal of Earth Sciences</i> , 2003, 50, 653-667.	1.0	32
113	Quaternary calcarenite stratigraphy on Lord Howe Island, southwestern Pacific Ocean and the record of coastal carbonate deposition. <i>Quaternary Science Reviews</i> , 2003, 22, 859-880.	3.0	28
114	Fluvial Architecture of the Hawkesbury Sandstone (Triassic), Near Sydney, Australia. <i>Journal of Sedimentary Research</i> , 2003, 73, 531-545.	1.6	111
115	DELTA IN THE GULF OF CARPENTARIA, AUSTRALIA: FORMS, PROCESSES, AND PRODUCTS. , 2003, , 21-43.		17
116	The charophyte <i>Lamprothamnium succinctum</i> as an environmental indicator: a Holocene example from Tom Thumbs Lagoon, eastern Australia. <i>Alcheringa</i> , 2002, 26, 507-518.	1.2	12
117	Thermoluminescence ages for a reworked coastal barrier, southeastern Vietnam: a preliminary report. <i>Journal of Asian Earth Sciences</i> , 2002, 20, 535-548.	2.3	15
118	Carbonate sedimentation on subtropical shelves around Lord Howe Island and Balls Pyramid, Southwest Pacific. <i>Marine Geology</i> , 2002, 188, 333-349.	2.1	36
119	The influence of palaeoenvironment and lava flux on the emplacement of submarine, near-shore Late Permian basalt lavas, Sydney Basin (Australia). <i>Journal of Volcanology and Geothermal Research</i> , 2001, 112, 247-266.	2.1	16
120	Report of the Editors. <i>Sedimentology</i> , 1999, 46, 211-213.	3.1	1
121	Evolution of the early devonian bindook volcanic complex, wollondilly basin, eastern lachlan fold belt. <i>Australian Journal of Earth Sciences</i> , 1997, 44, 711-726.	1.0	3
122	Identification of historical lead sources in roof dusts and recent lake sediments from an industrialized area: indications from lead isotopes. <i>Science of the Total Environment</i> , 1997, 205, 107-128.	8.0	80
123	COMPUTER GRAPHICS AND MANUSCRIPT LENGTH IN SEDIMENTOLOGY. <i>Sedimentology</i> , 1996, 43, 609-610.	3.1	3
124	Stratigraphy and sedimentology of the Permian Talaterang and Shoalhaven Groups in the southernmost Sydney Basin, New South Wales. <i>Australian Journal of Earth Sciences</i> , 1996, 43, 57-69.	1.0	48
125	Ostracod fauna associated with sublittoral kelp forest vegetation at Windang Island, New South Wales, Australia. <i>Marine and Freshwater Research</i> , 1995, 46, 1181.	1.3	6
126	Anthropogenic marker evidence for accelerated sedimentation in Lake Illawarra, New South Wales, Australia. <i>Environmental Geology</i> , 1995, 26, 124-135.	1.2	32

#	ARTICLE	IF	CITATIONS
127	Statement by Incoming Editors. <i>Sedimentology</i> , 1995, 42, 1-1.	3.1	2
128	Ash distribution and metal contents of Lake Illawarra bottom sediments. <i>Marine and Freshwater Research</i> , 1994, 45, 977.	1.3	22
129	Lithostratigraphy and depositional environment of the Permian Nowra Sandstone in the southwestern Sydney Basin, Australia. <i>Australian Journal of Earth Sciences</i> , 1994, 41, 191-203.	1.0	16
130	Ordovician contourites in the Lachlan Fold Belt, eastern Australia. <i>Sedimentary Geology</i> , 1993, 82, 257-270.	2.1	20
131	Riverine tidal interactions in the monsoonal Gilbert River fandelta, northern Australia. <i>Sedimentary Geology</i> , 1993, 83, 319-337.	2.1	36
132	Heavy metal concentrations in lagoonal saltmarsh species, Illawarra region, southeastern Australia. <i>Science of the Total Environment</i> , 1992, 125, 203-225.	8.0	35
133	Comparative Uranium-Thorium and Thermoluminescence Dating of Weathered Quaternary Alluvium in the Tropics of Northern Australia. <i>Quaternary Research</i> , 1991, 35, 347-366.	1.7	106
134	Cretaceous and Tertiary sedimentation on the western margin of the Eucla Basin. <i>Australian Journal of Earth Sciences</i> , 1990, 37, 317-329.	1.0	22
135	Channel formation and migration by mass-flow processes in the Lower Carboniferous fluvial Fell Sandstone Group, NE England. <i>Sedimentology</i> , 1989, 36, 159-161.	3.1	0
136	Contact metamorphism of pelitic, psammitic and calcareous sediments in the Southern Highlands of New South Wales. <i>Australian Journal of Earth Sciences</i> , 1988, 35, 389-401.	1.0	2
137	Silurian evaporitic strata from New South Wales, Australia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1987, 59, 215-225.	2.3	5
138	Weathering of late pleistocene alluvium under a humid temperate climate: Cranebrook Terrace, southeastern Australia. <i>Catena</i> , 1987, 14, 469-484.	5.0	5
139	The early devonian tangerang formation of the marulan windellama region, nsw definition and palaeoenvironmental significance. <i>Australian Journal of Earth Sciences</i> , 1984, 31, 75-90.	1.0	4
140	Toward an objective Phanerozoic time scale. <i>Geology</i> , 1984, 12, 274.	4.4	3
141	Massive Sandstone Facies in The Hawkesbury Sandstone, A Triassic Fluvial Deposit Near Sydney, Australia. <i>Journal of Sedimentary Research</i> , 1983, Vol. 53, .	1.6	13
142	Discussion: A radiometric time scale of the Triassic. <i>Journal of the Geological Society of Australia</i> , 1982, 29, 247-249.	0.6	1
143	CORRMAT/PROB, a program to create and test a correlation coefficient matrix from data with missing values. <i>Computers and Geosciences</i> , 1982, 8, 191-198.	4.2	7
144	Aeolian oriented clasts in beach sediments. <i>Sedimentology</i> , 1981, 28, 419-422.	3.1	1

#	ARTICLE	IF	CITATIONS
145	Ferrian tourmaline from Bungonia, New South Wales. <i>Journal of the Geological Society of Australia</i> , 1981, 28, 13-17.	0.6	3
146	Silurian and Early Devonian geochronology – a reappraisal, with new evidence from the Bungonia Limestone. <i>Alcheringa</i> , 1981, 5, 197-207.	1.2	13
147	Stratigraphy and chronology of receding barrier-beach deposits on the northern Illawarra coast of New South Wales. <i>Journal of the Geological Society of Australia</i> , 1979, 26, 255-264.	0.6	35
148	Palynological evidence for the age of the synorogenic Brewer Conglomerate, Amadeus Basin, central Australia. <i>Alcheringa</i> , 1976, 1, 235-243.	1.2	9
149	Sedimentology of the Upper Devonian to Lower Carboniferous Finke Group, Amadeus and Warburton Basins, central Australia. <i>Journal of the Geological Society of Australia</i> , 1973, 20, 273-293.	0.6	4
150	Upper Devonian to lower Carboniferous stratigraphy of the Pertnjara Group, Amadeus Basin, central Australia. <i>Journal of the Geological Society of Australia</i> , 1972, 19, 229-249.	0.6	37
151	Sedimentology of the Waitemata Group (Lower Miocene) at Pakaurangi Point, Kaipara, New Zealand. <i>Journal of the Royal Society of New Zealand</i> , 1972, 2, 187-209.	1.9	11
152	Bidirectional Current Ripple Marks in an Upper Devonian Internal Drainage Basin. <i>Journal of Sedimentary Research</i> , 1972, Vol. 42, .	1.6	0
153	Sedimentology of the Waitemata Group in the Stanley Point - Devonport area, Auckland, New Zealand. <i>New Zealand Journal of Geology, and Geophysics</i> , 1969, 12, 215-247.	1.8	8
154	Sedimentary facies analysis and paleogeographic significance of the latest Silurian to Early Devonian Winduck Interval in the Darling Basin, western New South Wales, Australia. <i>Australian Journal of Earth Sciences</i> , 0, , 1-24.	1.0	3
155	Clay Minerals and Organic Matter from Deeply Buried Ordovician-Silurian Shale in Western Iraq: Implications for Maturity and Hydrocarbon Generation. <i>Iraqi Journal of Science</i> , 0, , 3017-3034.	0.3	0
156	Holocene evolution and depositional model of a bayhead delta, Lake Illawarra, Australia. <i>Sedimentology</i> , 0, , .	3.1	1
157	A mid-Permian mafic intrusion into wet marine sediments of the lower Shoalhaven Group and its significance in the volcanic history of the southern Sydney Basin. <i>Australian Journal of Earth Sciences</i> , 0, , 1-17.	1.0	1