

List of Publications by Citations

Source: <https://exaly.com/author-pdf/758306/lucio-vegni-publications-by-citations.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 papers	2,158 citations	22 h-index	44 g-index
107 ext. papers	2,528 ext. citations	2 avg, IF	5.1 L-index

#	Paper	IF	Citations
93	. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 2258-2267	4.9	225
92	Equivalent-Circuit Models for the Design of Metamaterials Based on Artificial Magnetic Inclusions. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 2865-2873	4.1	174
91	. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 13-25	4.9	160
90	. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 1640-1647	4.9	141
89	Overcoming Mutual Blockage Between Neighboring Dipole Antennas Using a Low-Profile Patterned Metasurface. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 1414-1417	3.8	93
88	Split-ring-resonator-coupled enhanced transmission through a single subwavelength aperture. <i>Physical Review Letters</i> , 2009 , 102, 013904	7.4	91
87	An SRR based microwave absorber. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 2171-2175	1.2	82
86	Electromagnetic Nanoparticles for Sensing and Medical Diagnostic Applications. <i>Materials</i> , 2018 , 11,	3.5	78
85	Metamaterial-based wideband electromagnetic wave absorber. <i>Optics Express</i> , 2016 , 24, 5763-72	3.3	73
84	. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2011 , 53, 63-72	2	62
83	Near-zero-index wires. <i>Optics Express</i> , 2017 , 25, 23699-23708	3.3	61
82	Experimental verification of metamaterial based subwavelength microwave absorbers. <i>Journal of Applied Physics</i> , 2010 , 108, 083113	2.5	58
81	. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 1698-1708	4.9	51
80	Electromagnetic cloaking devices for TE and TM polarizations. <i>New Journal of Physics</i> , 2008 , 10, 115035	2.9	48
79	Possible implementation of epsilon-near-zero metamaterials working at optical frequencies. <i>Optics Communications</i> , 2012 , 285, 3412-3418	2	43
78	Miniaturized negative permeability materials. <i>Applied Physics Letters</i> , 2007 , 91, 071121	3.4	41
77	Cloaking apertureless near-field scanning optical microscopy tips. <i>Optics Letters</i> , 2011 , 36, 211-3	3	35

76	Dynamic LOS/NLOS Statistical Discrimination of Wireless Mobile Channels. <i>IEEE Vehicular Technology Conference</i> , 2007 ,	0.1	35
75	. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 882-891	4.9	32
74	Optimization and tunability of deep subwavelength resonators for metamaterial applications: complete enhanced transmission through a subwavelength aperture. <i>Optics Express</i> , 2009 , 17, 5933-43	3.3	31
73	A new efficient method of analysis for inhomogeneous media shields and filters. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2001 , 43, 394-399	2	30
72	Enhanced transmission through a subwavelength aperture using metamaterials. <i>Applied Physics Letters</i> , 2009 , 95, 052103	3.4	28
71	Very fast design formulas for microwave nonhomogeneous media filters. <i>Microwave and Optical Technology Letters</i> , 1999 , 22, 218-221	1.2	22
70	Enhanced transmission through a sub-wavelength aperture: resonant approaches employing metamaterials. <i>Journal of Optics</i> , 2009 , 11, 114029		20
69	Optical Properties of Modified Nanorod Particles for Biomedical Sensing. <i>IEEE Transactions on Magnetics</i> , 2014 , 50, 169-172	2	19
68	ANOMALOUS PROPERTIES OF SCATTERING FROM CAVITIES PARTIALLY LOADED WITH DOUBLE-NEGATIVE OR SINGLE-NEGATIVE METAMATERIALS. <i>Progress in Electromagnetics Research</i> , 2005 , 51, 49-63	3.8	19
67	Design of a Waveguide Diplexer Based on Connected Bi-Omega Particles. <i>IEEE Microwave and Wireless Components Letters</i> , 2012 , 22, 126-128	2.6	18
66	METAMATERIAL-BASED SENSOR DESIGN WORKING IN INFRARED FREQUENCY RANGE. <i>Progress in Electromagnetics Research B</i> , 2011 , 34, 205-223	0.7	18
65	Surface plasmon resonance of nanoshell particles with PMMA-graphene core. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2014 , 33, 2016-2029	0.7	17
64	Metamaterial biosensor for cancer detection 2011 ,		17
63	Nanoparticle device for biomedical and optoelectronics applications. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2013 , 32, 1596-1608	0.7	16
62	Electromagnetic modeling of ellipsoidal nanoparticles for sensing applications. <i>Optical Engineering</i> , 2013 , 52, 051205	1.1	16
61	Multi-functional dipole antennas based on artificial magnetic metamaterials. <i>IET Microwaves, Antennas and Propagation</i> , 2010 , 4, 1026	1.6	16
60	Dielectric-free multi-band frequency selective surface for antenna applications. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2013 , 32, 1868-1875	0.7	14
59	Fast ray-tracing technique for electromagnetic field prediction in mobile communications. <i>IEEE Transactions on Magnetics</i> , 2003 , 39, 1238-1241	2	14

58	. <i>IEEE Transactions on Antennas and Propagation</i> , 2012 , 60, 3583-3593	4.9	13
57	Characteristic impedance of a microstrip line with a dielectric overlay. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2013 , 32, 1855-1867	0.7	13
56	Reduction of optical forces exerted on nanoparticles covered by scattering cancellation based plasmonic cloaks. <i>Physical Review B</i> , 2010 , 82,	3.3	13
55	Scattering cancellation by metamaterial cylindrical multilayers. <i>Journal of the European Optical Society-Rapid Publications</i> , 2009 , 4,	2.5	13
54	Conical Nanoparticles for Blood Disease Detection. <i>Advances in Nanoparticles</i> , 2013 , 02, 259-265	1.4	13
53	Employment of metamaterial cloaks to enhance the resolution of near-field scanning optical microscopy systems based on aperture tips. <i>Metamaterials</i> , 2011 , 5, 119-124		11
52	. <i>IEEE Transactions on Vehicular Technology</i> , 2004 , 53, 1434-1440	6.8	11
51	Modified Bow-Tie Nanoparticles Operating in the Visible and Near Infrared Frequency Regime. <i>Advances in Nanoparticles</i> , 2013 , 02, 21-27	1.4	11
50	Nanoparticle Electromagnetic Properties for Sensing Applications. <i>Advances in Nanoparticles</i> , 2012 , 01, 9-14	1.4	10
49	Achieving Power Transmission Enhancement by Using Nano-Rings Made of Silver Spheres. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 1595-1597	2.2	8
48	Analysis of $\text{L}\Pi$ transmission line metamaterials with coupled inductances. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 94-97	1.2	8
47	Symmetrical Coupled Microstrip Lines With Epsilon Negative Metamaterial Loading. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 1182-1185	2	7
46	Efficient Modeling of the Crosstalk Between Two Coupled Microstrip Lines Over Nonconventional Materials Using an Hybrid Technique. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 1482-1485	2	7
45	A two-step model to optimise transcutaneous electrical stimulation of the human upper arm. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2014 , 33, 1329-1345	0.7	6
44	Metamaterial resonator arrays for organic and inorganic compound sensing 2011 ,		6
43	Polygonal Patch Antennas with Reactive Impedance Surfaces. <i>Journal of Electromagnetic Waves and Applications</i> , 2006 , 20, 169-182	1.3	6
42	Effects of chirality admittance on the propagating modes in a parallel-plate waveguide partially filled with a chiral slab. <i>Microwave and Optical Technology Letters</i> , 1993 , 6, 806-809	1.2	6
41	Design of a waveguide power splitter based on the employment of bi-omega resonators. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 2091-2095	1.2	5

40	Experimental verification of metamaterial loaded small patch antennas. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2013 , 32, 1834-1844	0.7	5
39	Design of a meta-screen for near-zone field focalization at optical frequencies. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2718-2721	1.2	5
38	Rome 2006: Third Workshop on "Metamaterials and Special Materials for Electromagnetic Applications and TLC". <i>IEEE Antennas and Propagation Magazine</i> , 2006 , 48, 130-132	1.7	5
37	Efficient numerical evaluation of superconducting microstrip structures with bianisotropic layers. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2004 , 19, 15-18	0.4	5
36	On EBG Structures for Cellular Phone Applications. <i>AEU - International Journal of Electronics and Communications</i> , 2003 , 57, 403-408	2.8	5
35	Design of Metamaterial-Based Resonant Microwave Absorbers with Reduced Thickness and Absence of a Metallic Backing. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2009 , 165-174	0.2	5
34	BROAD-BAND TUNING OF AN AIA AMPLIFIER USING 1-D PBG TRANSMISSION LINES. <i>Journal of Electromagnetic Waves and Applications</i> , 2003 , 17, 571-584	1.3	4
33	Analysis of cavity backed rectangular patch antennas with inhomogeneous chiral substrates via a FEM-BEM formulation. <i>IEEE Transactions on Magnetics</i> , 2001 , 37, 3260-3263	2	4
32	Achieving PMC boundary conditions through metamaterials. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2013 , 32, 1876-1890	0.7	3
31	FSS-based approach for the power transmission enhancement through electrically small apertures. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 103, 927-931	2.6	3
30	New metamaterial-inspired antenna concepts based on enhanced microwave transmission through sub-wavelength apertures 2011 ,		3
29	Miniaturization and Characterization of Metamaterial Resonant Particles 2008 ,		3
28	Miniaturized circular patch antenna with metamaterial loading 2006 ,		3
27	DESIGN OF BROAD-BAND POLYGONAL PATCH ANTENNAS FOR MOBILE COMMUNICATIONS. <i>Journal of Electromagnetic Waves and Applications</i> , 2004 , 18, 61-72	1.3	3
26	U-patch antenna loaded by complex substrates for multifrequency operation. <i>Microwave and Optical Technology Letters</i> , 2002 , 32, 3-5	1.2	3
25	Asymptotic Evaluation of the Mom Excitation Vector for Probe-fed Microstrip Antennas. <i>Journal of Electromagnetic Waves and Applications</i> , 2005 , 19, 1639-1654	1.3	3
24	Tapered stripline embedded in inhomogeneous media as microwave matching line. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2001 , 49, 970-978	4.1	3
23	Extracting power from sub-wavelength apertures by using electrically small resonators: Phenomenology, modeling, and applications 2012 ,		2

22	Sensor design for cancer tissue diagnostics 2012 ,		2
21	Plasmonic and non-plasmonic layered structures for cloaking applications at visible frequencies. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2713-2717	1.2	2
20	Metamaterial-inspired antennas for telecommunication applications 2012 ,		2
19	SPECTRAL DYADIC GREEN'S FUNCTION OF INTEGRATED STRUCTURES WITH HIGH IMPEDANCE GROUND PLANES. <i>Journal of Electromagnetic Waves and Applications</i> , 2003 , 17, 1461-1484	1.3	2
18	ELECTROMAGNETIC FIELD SOLUTION IN CONFORMAL STRUCTURES: THEORETICAL AND NUMERICAL ANALYSIS. <i>Progress in Electromagnetics Research</i> , 2004 , 47, 1-25	3.8	2
17	Multi-frequency patch antenna design via the method of moment and genetic algorithm. <i>Microwave and Optical Technology Letters</i> , 2002 , 35, 184-186	1.2	2
16	Synthesis of patch antennas loaded by inhomogeneous substrates via a combined spectral domain: Genetic algorithm approach. <i>Microwave and Optical Technology Letters</i> , 2003 , 39, 464-468	1.2	2
15	A novel design method for tapered strip lines as microwave filters. <i>Microwave and Optical Technology Letters</i> , 2000 , 24, 67-71	1.2	2
14	A genetic algorithm based procedure to retrieve effective parameters of planar metamaterial samples 2009 ,		1
13	Metamaterial-based sensor for hemoglobin measurements 2012 ,		1
12	Scattering and radiation analysis of cavity-backed microstrip patch antennae with anisotropic slabs via a variational formulation. <i>Journal of Modern Optics</i> , 1997 , 44, 1651-1660	1.1	1
11	Design of chiral planar integrated antennas with cover via the method of lines. <i>Microwave and Optical Technology Letters</i> , 2002 , 32, 143-145	1.2	1
10	Numerical analysis of uniform rectangular waveguides filled by inhomogeneous dielectrics. <i>Microwave and Optical Technology Letters</i> , 2002 , 34, 313-316	1.2	1
9	Radiating features of capacitive and inductive impedance surfaces. <i>Microwave and Optical Technology Letters</i> , 2003 , 39, 117-121	1.2	1
8	Mutual coupling between two circular patch antennas integrated in an inhomogeneous grounded slab. <i>Microwave and Optical Technology Letters</i> , 2000 , 25, 294-297	1.2	1
7	Efficient moment-method analysis of a magnetic dipole. <i>Microwave and Optical Technology Letters</i> , 1996 , 13, 335-339	1.2	1
6	Polarization properties for the electromagnetic field in an unbounded n-type semiconductor medium. <i>Microwave and Optical Technology Letters</i> , 1998 , 17, 332-335	1.2	
5	BEM analysis of electromagnetic components filled with unconventional materials. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2008 , 27, 1273-1285	0.7	

- | | | |
|---|--|-----|
| 4 | Exploring the possibility of enhancing the bandwidth of Negative metamaterials by employing tunable varactors. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 55-59 | 1.2 |
| 3 | Electromagnetic wave propagation in rectangular waveguides filled with Omega-medium. <i>Journal of Modern Optics</i> , 2005 , 52, 1293-1308 | 1.1 |
| 2 | Propagation characteristics of a plane wave in an unbounded nonlocal omega medium. <i>Microwave and Optical Technology Letters</i> , 2002 , 32, 183-186 | 1.2 |
| 1 | VCO active integrated antenna with reactive impedance surfaces. <i>Microwave and Optical Technology Letters</i> , 2005 , 47, 82-86 | 1.2 |