

# Nawawi Chouw

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/758320/nawawi-chouw-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

4,019  
citations

31  
h-index

61  
g-index

131  
ext. papers

4,606  
ext. citations

3.6  
avg, IF

6.23  
L-index

#	Paper	IF	Citations
126	Effect of earthquake-induced transverse poundings on a 32 m span railway bridge isolated by friction pendulum bearings. <i>Engineering Structures</i> , <b>2022</b> , 251, 113538	4.7	2
125	Indentation and puncture response characteristics of flax fibre-reinforced polymer pipes. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2022</b> , 106996	8.4	
124	Renovation Effect of Flax FRP-Reinforced Cracked Concrete Slabs under Impact Loadings. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
123	Dynamic response of stand-alone and adjacent footing on saturated sand. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2021</b> , 143, 106584	3.5	4
122	Influence of Transient and Partial Footing Separation on the Seismic Response of Skewed Bridges with Soil Support. <i>International Journal of Structural Stability and Dynamics</i> , <b>2021</b> , 21, 2150132	1.9	1
121	Shear strength of stiffened steel shear walls with considering the gravity load effect through a three-segment distribution. <i>Structures</i> , <b>2021</b> , 29, 265-272	3.4	2
120	Experimental and Finite-Element Study of Buried Pipes Connected by Bellow Joint under Axial Cyclic Loading. <i>Journal of Pipeline Systems Engineering and Practice</i> , <b>2021</b> , 12, 04020069	1.5	1
119	Experimental Study on Dynamic Amplification Factor of Simple-Supported Reinforced Concrete Beams Under Impact Loading Generated by an Impulse Hammer. <i>International Journal of Structural Stability and Dynamics</i> , <b>2021</b> , 21, 2150036	1.9	1
118	Experimental Study of the Effect of Proximity between Adjacent Buildings on their Dynamic Response. <i>International Journal of Structural Stability and Dynamics</i> , <b>2021</b> , 21, 2150048	1.9	1
117	Evaluation of the adequacy of a spring-mass model in analyses of liquid sloshing in anchored storage tanks. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2021</b> , 50, 3916	4	0
116	Resilient Civil Infrastructure under Dynamic Loadings 2020. <i>Shock and Vibration</i> , <b>2021</b> , 2021, 1-1	1.1	
115	Experimental study of the seismic response of a structure set amongst closely adjacent structures. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2021</b> , 50, 3771	4	2
114	Impact of the excitation frequencies on wall stresses in a storage tank. <i>Engineering Structures</i> , <b>2021</b> , 244, 112775	4.7	2
113	Shake table investigation of nonlinear soil-structure-fluid interaction of a thin-walled storage tank under earthquake load. <i>Thin-Walled Structures</i> , <b>2021</b> , 167, 108143	4.7	4
112	Abaqus Simulation on Basalt Fibre Reinforced Polymer Epoxy Tube Subjected to Axial Compression for Energy Absorption. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2129, 012034	0.3	
111	A Stress Distribution of Thin Rectangular Steel Wall Under a Uniform Compression. <i>International Journal of Structural Stability and Dynamics</i> , <b>2020</b> , 20, 2050037	1.9	5
110	Experimental findings of the suppression of rotary sloshing on the dynamic response of a liquid storage tank. <i>Journal of Fluids and Structures</i> , <b>2020</b> , 96, 103007	3.1	9

109	A comparative study of impact behaviour between natural flax and glass FRP confined concrete composites. <i>Construction and Building Materials</i> , <b>2020</b> , 241, 117997	6.7	11
108	Flax fabric-reinforced epoxy pipes subjected to lateral compression. <i>Composite Structures</i> , <b>2020</b> , 244, 112307	5.3	9
107	Determination of shear strength of steel shear walls with three different vertical stress distributions for considering the gravity load effect. <i>Journal of Constructional Steel Research</i> , <b>2020</b> , 170, 106113	3.8	4
106	Rocking Response of Free-Standing Rigid Blocks on Slopes. <i>International Journal of Structural Stability and Dynamics</i> , <b>2020</b> , 20, 2050111	1.9	
105	Influence of shallow footings on the dynamic response of saturated sand with low confining pressure. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2020</b> , 128, 105872	3.5	8
104	Dynamic compressive behaviour of coconut fibre-reinforced concrete composite. <i>Magazine of Concrete Research</i> , <b>2020</b> , 72, 1125-1134	2	1
103	Shear-displacement diagram of steel plate shear walls with precompression from adjacent frame columns. <i>Structural Design of Tall and Special Buildings</i> , <b>2019</b> , 28, e1585	1.8	4
102	Effects of Slenderness and Fundamental Frequency on the Dynamic Response of Adjacent Structures. <i>International Journal of Structural Stability and Dynamics</i> , <b>2019</b> , 19, 1950105	1.9	5
101	Experimental Investigation of Steel Plate Shear Walls under Shear-Compression Interaction. <i>Shock and Vibration</i> , <b>2019</b> , 2019, 1-11	1.1	1
100	Experimental study of the effect of a flexible base on the seismic response of a liquid storage tank. <i>Thin-Walled Structures</i> , <b>2019</b> , 139, 334-346	4.7	16
99	Estimation of response of skewed bridges considering pounding and supporting soil. <i>Engineering Structures</i> , <b>2019</b> , 184, 469-479	4.7	5
98	Influence of ground motion characteristics on seismic response of skewed bridges. <i>Structure and Infrastructure Engineering</i> , <b>2019</b> , 15, 798-811	2.9	3
97	Experimental Evaluation of the Seismic Response of Skewed Bridges with Emphasis on Poundings between Girder and Abutments. <i>Shock and Vibration</i> , <b>2019</b> , 2019, 1-15	1.1	12
96	Flexural behaviour of flax FRP double tube confined coconut fibre reinforced concrete beams with interlocking interface. <i>Composite Structures</i> , <b>2018</b> , 192, 217-224	5.3	13
95	Effect of the interface condition on the bond between flax FRP tube and coconut fibre reinforced concrete composites. <i>Construction and Building Materials</i> , <b>2018</b> , 167, 597-604	6.7	10
94	Prediction of the response of secondary structures under dynamic loading considering primary-secondary structure interaction. <i>Advances in Structural Engineering</i> , <b>2018</b> , 21, 2143-2153	1.9	5
93	Experimental and theoretical studies of flax FRP strengthened coconut fibre reinforced concrete slabs under impact loadings. <i>Construction and Building Materials</i> , <b>2018</b> , 171, 546-557	6.7	13
92	Flexural behaviour of FFRP wrapped CFRC beams under static and impact loadings. <i>International Journal of Impact Engineering</i> , <b>2018</b> , 111, 46-54	4	13

91	Seismic performance of skewed bridges with simultaneous effects of pounding and supporting soil. <i>Engineering Structures</i> , <b>2018</b> , 174, 26-38	4.7	9
90	Influence of simultaneous multi-axial ground excitation and a compliant base on the response of a non-structural component with multiple supports. <i>Engineering Structures</i> , <b>2018</b> , 174, 618-628	4.7	3
89	Resilient Civil Infrastructure under Dynamic Loadings. <i>Shock and Vibration</i> , <b>2018</b> , 2018, 1-1	1.1	
88	Strain rate effect on the dynamic tensile behaviour of flax fibre reinforced polymer. <i>Composite Structures</i> , <b>2018</b> , 200, 135-143	5.3	19
87	Vibration-based damage identification of an unreinforced masonry house model. <i>Advances in Structural Engineering</i> , <b>2017</b> , 20, 331-351	1.9	5
86	Experimental assessment of contact forces on a rigid base following footing uplift. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2017</b> , 46, 1835-1854	4	19
85	Experimental study and numerical simulation on bond between FFRP and CFRC components. <i>Journal of Reinforced Plastics and Composites</i> , <b>2017</b> , 36, 305-320	2.9	6
84	The behaviour of coconut fibre reinforced concrete (CFRC) under impact loading. <i>Construction and Building Materials</i> , <b>2017</b> , 134, 452-461	6.7	57
83	Behaviour of CFRC beams strengthened by FFRP laminates under static and impact loadings. <i>Construction and Building Materials</i> , <b>2017</b> , 155, 956-964	6.7	11
82	The influence of surface preparation and the lubricating effect of mill scale on the performance of slip-friction connectors. <i>Construction and Building Materials</i> , <b>2017</b> , 155, 1025-1038	6.7	8
81	Shake Table Study on the Effect of Mainshock-Aftershock Sequences on Structures with SFSI. <i>Shock and Vibration</i> , <b>2017</b> , 2017, 1-12	1.1	6
80	Damage Identification of Unreinforced Masonry Panels Using Vibration-Based Techniques. <i>Shock and Vibration</i> , <b>2017</b> , 2017, 1-14	1.1	3
79	Influence of pounding and skew angle on seismic response of bridges. <i>Engineering Structures</i> , <b>2017</b> , 148, 890-906	4.7	22
78	Dynamic response of a non-structural component with three supports in multi-directional earthquakes. <i>Engineering Structures</i> , <b>2017</b> , 150, 143-152	4.7	10
77	Low-Damage Design Philosophy for Future Earthquake-Resistant Structures <b>2017</b> ,		3
76	Influence of base plate bending stiffness on the seismic performance of liquid storage tanks. <i>Procedia Engineering</i> , <b>2017</b> , 199, 170-175		1
75	Rocking Timber Structure with Slip-Friction Connectors Conceptualized As a Plastically Deformable Hinge within a Multistory Shear Wall. <i>Journal of Structural Engineering</i> , <b>2016</b> , 142,	3	15
74	Effect of alkali treatment on microstructure and mechanical properties of coir fibres, coir fibre reinforced-polymer composites and reinforced-cementitious composites. <i>Construction and Building Materials</i> , <b>2016</b> , 112, 168-182	6.7	192

73	Compressive behaviour of flax FRP double tube confined coconut fibre reinforced concrete. <i>Construction and Building Materials</i> , <b>2016</b> , 112, 666-673	6.7	17
72	Nonlinear flexural behaviour of flax FRP double tube confined coconut fibre reinforced concrete. <i>Materials and Design</i> , <b>2016</b> , 93, 247-254	8.1	12
71	Field Tests on Total Gap of Modular Expansion Joints to Avoid Bridge Pounding. <i>Frontiers in Built Environment</i> , <b>2016</b> , 2,	2.2	2
70	Effect of thickness on the impact resistance of flax fibre-reinforced polymer. <i>Journal of Reinforced Plastics and Composites</i> , <b>2016</b> , 35, 1277-1289	2.9	27
69	Impact of Vertical Ground Excitation on a Bridge with Footing Uplift. <i>Journal of Earthquake Engineering</i> , <b>2016</b> , 20, 1035-1053	1.8	12
68	The effect of seismic uplift on the shell stresses of liquid-storage tanks. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2015</b> , 44, 1979-1996	4	20
67	Microstructure, flexural properties and durability of coir fibre reinforced concrete beams externally strengthened with flax FRP composites. <i>Composites Part B: Engineering</i> , <b>2015</b> , 80, 343-354	10	86
66	Effect of water, seawater and alkaline solution ageing on mechanical properties of flax fabric/epoxy composites used for civil engineering applications. <i>Construction and Building Materials</i> , <b>2015</b> , 99, 118-127	6.7	116
65	Experimental study of slip-friction connectors for controlling the maximum seismic demand on a liquid storage tank. <i>Engineering Structures</i> , <b>2015</b> , 103, 134-146	4.7	9
64	Evaluation of seismic ground motion scaling procedures for linear time-history analysis of liquid storage tanks. <i>Engineering Structures</i> , <b>2015</b> , 102, 266-277	4.7	11
63	Discussion on Relaxation method for pounding action between adjacent buildings at expansion joint By H. Takabatake, M. Yasui, Y. Nakagawa and A. Kishida. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2015</b> , 44, 159-162	4	1
62	Review of Approaches for Analysing Secondary Structures in Earthquakes and Evaluation of Floor Response Spectrum Approach. <i>International Journal of Protective Structures</i> , <b>2015</b> , 6, 237-257	1.5	10
61	Structural Damage Modelling and Assessment 2014. <i>Mathematical Problems in Engineering</i> , <b>2015</b> , 2015, 1-2	1.1	1
60	Seismic Performance of Natural Fibre Reinforced Polymer-Concrete Bridge Piers. <i>Advanced Materials Research</i> , <b>2015</b> , 1120-1121, 1480-1484	0.5	2
59	Effect of UV and water spraying on the mechanical properties of flax fabric reinforced polymer composites used for civil engineering applications. <i>Materials &amp; Design</i> , <b>2015</b> , 71, 17-25		105
58	Seismic fragility analysis of bridge response due to spatially varying ground motions. <i>Coupled Systems Mechanics</i> , <b>2015</b> , 4, 297-316		2
57	A low damage and ductile rocking timber wall with passive energy dissipation devices. <i>Earthquake and Structures</i> , <b>2015</b> , 9, 127-143		1
56	Flax fibre and its composites A review. <i>Composites Part B: Engineering</i> , <b>2014</b> , 56, 296-317	10	733

55	Lateral crushing of empty and polyurethane-foam filled natural flax fabric reinforced epoxy composite tubes. <i>Composites Part B: Engineering</i> , <b>2014</b> , 63, 15-26	10	83
54	Experimental investigation of inelastic bridge response under spatially varying excitations with pounding. <i>Engineering Structures</i> , <b>2014</b> , 79, 106-116	4-7	19
53	On energy absorption capacity, flexural and dynamic properties of flax/epoxy composite tubes. <i>Fibers and Polymers</i> , <b>2014</b> , 15, 1270-1277	2	27
52	Experimental testing of a rocking timber shear wall with slip-friction connectors. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2014</b> , 43, 1621-1639	4	58
51	Dynamic and static properties of flax fibre reinforced polymer tube confined coir fibre reinforced concrete. <i>Journal of Composite Materials</i> , <b>2014</b> , 48, 1595-1610	2-7	48
50	A new type of symmetric slip-friction connector. <i>Journal of Constructional Steel Research</i> , <b>2014</b> , 94, 11-23,8		44
49	Residual compressive and shear strengths of novel coconut-fibre-reinforced-concrete interlocking blocks. <i>Construction and Building Materials</i> , <b>2014</b> , 66, 533-540	6-7	15
48	Natural FRP tube confined fibre reinforced concrete under pure axial compression: A comparison with glass/carbon FRP. <i>Thin-Walled Structures</i> , <b>2014</b> , 82, 159-169	4-7	70
47	Limitations in Simulation of Building Pounding in Earthquakes. <i>International Journal of Protective Structures</i> , <b>2014</b> , 5, 123-150	1-5	12
46	Experimental investigations of the seismic performance of bridge piers with rounded rectangular cross-sections. <i>Earthquake and Structures</i> , <b>2014</b> , 7, 463-484		28
45	Structural Damage Modelling and Assessment. <i>Mathematical Problems in Engineering</i> , <b>2014</b> , 2014, 1-2	1-1	
44	Effect of column parameters on flax FRP confined coir fibre reinforced concrete. <i>Construction and Building Materials</i> , <b>2014</b> , 55, 299-312	6-7	57
43	Effect of triggering and polyurethane foam-filler on axial crushing of natural flax/epoxy composite tubes. <i>Materials &amp; Design</i> , <b>2014</b> , 56, 528-541		87
42	A generic structural pounding model using numerically exact displacement proportional damping. <i>Engineering Structures</i> , <b>2014</b> , 62-63, 33-41	4-7	29
41	Influence of mass and contact surface on pounding response of RC structures. <i>Earthquake and Structures</i> , <b>2014</b> , 7, 385-400		5
40	Effect of soil flexibility on bridges subjected to spatially varying excitations. <i>Coupled Systems Mechanics</i> , <b>2014</b> , 3, 213-232		
39	Crashworthiness characteristics of flax fibre reinforced epoxy tubes for energy absorption application. <i>Materials &amp; Design</i> , <b>2013</b> , 51, 629-640		149
38	Compressive and flexural behaviour and theoretical analysis of flax fibre reinforced polymer tube encased coir fibre reinforced concrete composite. <i>Materials &amp; Design</i> , <b>2013</b> , 52, 801-811		52

37	Effect of Uplift and Soil Nonlinearity on Plastic Hinge Development and Induced Vibrations in Structures. <i>Advances in Structural Engineering</i> , <b>2013</b> , 16, 135-147	1.9	30
36	Dynamic response of mortar-free interlocking structures. <i>Construction and Building Materials</i> , <b>2013</b> , 42, 168-189	6.7	33
35	Experimental study of flax FRP tube encased coir fibre reinforced concrete composite column. <i>Construction and Building Materials</i> , <b>2013</b> , 40, 1118-1127	6.7	84
34	Experimental investigations on coconut-fibre rope tensile strength and pullout from coconut fibre reinforced concrete. <i>Construction and Building Materials</i> , <b>2013</b> , 41, 681-690	6.7	46
33	Effect of abutment excitation on bridge pounding. <i>Engineering Structures</i> , <b>2013</b> , 54, 57-68	4.7	32
32	Experimental investigations on bond strength between coconut fibre and concrete. <i>Materials &amp; Design</i> , <b>2013</b> , 44, 596-605		66
31	3D FEM Analysis of Pounding Response of Bridge Structures at a Canyon Site to Spatially Varying Ground Motions. <i>Advances in Structural Engineering</i> , <b>2013</b> , 16, 619-640	1.9	25
30	Behavior and analytical modeling of natural flax fibre-reinforced polymer tube confined plain concrete and coir fibre-reinforced concrete. <i>Journal of Composite Materials</i> , <b>2013</b> , 47, 2133-2148	2.7	65
29	A comparative study of steel reinforced concrete and flax fibre reinforced polymer tube confined coconut fibre reinforced concrete beams. <i>Journal of Reinforced Plastics and Composites</i> , <b>2013</b> , 32, 1155-1184	2.9	21
28	Experimental Investigation of Flax FRP Tube Confined Coconut Fibre Reinforced Concrete. <i>Key Engineering Materials</i> , <b>2013</b> , 594-595, 416-420	0.4	3
27	Effect of bond on compressive behaviour of flax fibre reinforced polymer tube confined coir fibre reinforced concrete. <i>Journal of Reinforced Plastics and Composites</i> , <b>2013</b> , 32, 273-285	2.9	29
26	STATE-OF-THE-ART REVIEW ON SEISMIC INDUCED POUNDING RESPONSE OF BRIDGE STRUCTURES. <i>Journal of Earthquake and Tsunami</i> , <b>2013</b> , 07, 1350019	1.1	26
25	A shake table investigation on interaction between buildings in a row. <i>Coupled Systems Mechanics</i> , <b>2013</b> , 2, 175-190		3
24	Evaluation of numerical pounding models with experimental validation. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2013</b> , 46, 117-130	0.5	8
23	Mechanical and dynamic properties of coconut fibre reinforced concrete. <i>Construction and Building Materials</i> , <b>2012</b> , 30, 814-825	6.7	214
22	A numerical study of the seismic behaviour of timber shear walls with slip-friction connectors. <i>Engineering Structures</i> , <b>2012</b> , 34, 233-243	4.7	42
21	Capacity of innovative interlocking blocks under monotonic loading. <i>Construction and Building Materials</i> , <b>2012</b> , 37, 812-821	6.7	33
20	Improving the mechanical properties of natural fibre fabric reinforced epoxy composites by alkali treatment. <i>Journal of Reinforced Plastics and Composites</i> , <b>2012</b> , 31, 425-437	2.9	251

19	Experimental investigation of spatially varying effect of ground motions on bridge pounding. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2012</b> , 41, 1959-1976	4	48
18	Pounding Damage to Buildings and Bridges in the 22 February 2011 Christchurch Earthquake. <i>International Journal of Protective Structures</i> , <b>2012</b> , 3, 123-139	1.5	68
17	Influence of uplift on liquid storage tanks during earthquakes. <i>Coupled Systems Mechanics</i> , <b>2012</b> , 1, 311-324		10
16	A numerical approach for simulating the behaviour of timber shear walls. <i>Structural Engineering and Mechanics</i> , <b>2012</b> , 42, 383-407		10
15	Comparison between standards for seismic design of liquid storage tanks with respect to soil-foundation-structure interaction and uplift. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2012</b> , 45, 40-46	0.5	10
14	Influence of ground motion spatial variation, site condition and SSI on the required separation distances of bridge structures to avoid seismic pounding. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2011</b> , 40, 1027-1043	4	54
13	Lessons learnt from 2011 Christchurch earthquakes. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2011</b> , 44, 319-333	0.5	16
12	Building and bridge pounding damage observed in the 2011 Christchurch earthquake. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2011</b> , 44, 334-341	0.5	1
11	Required separation distance between decks and at abutments of a bridge crossing a canyon site to avoid seismic pounding. <i>Earthquake Engineering and Structural Dynamics</i> , <b>2009</b> , 39, n/a-n/a	4	8
10	Seismic design of bridge structures with allowance for large relative girder movements to avoid pounding. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , <b>2009</b> , 42, 75-85	0.5	15
9	Response of a Rc Bridge in WA to Simulated Spatially Varying Seismic Ground Motions. <i>Australian Journal of Structural Engineering</i> , <b>2008</b> , 8, 85-98	1.4	6
8	Significance of SSI and nonuniform near-fault ground motions in bridge response I: Effect on response with conventional expansion joint. <i>Engineering Structures</i> , <b>2008</b> , 30, 141-153	4.7	66
7	Significance of SSI and non-uniform near-fault ground motions in bridge response II: Effect on response with modular expansion joint. <i>Engineering Structures</i> , <b>2008</b> , 30, 154-162	4.7	44
6	Multi-Sided Pounding Response of Bridge Structures with Non-Linear Bearings to Spatially Varying Ground Excitation. <i>Advances in Structural Engineering</i> , <b>2006</b> , 9, 55-66	1.9	18
5	Study of SSI and non-uniform ground motion effect on pounding between bridge girders. <i>Soil Dynamics and Earthquake Engineering</i> , <b>2005</b> , 25, 717-728	3.5	70
4	Effect of simultaneous spatial near-source ground excitation and soil on the pounding response of bridge girders. <i>Journal of Applied Mechanics</i> , <b>2003</b> , 6, 779-788		6
3	Influence of soil-structure interaction on pounding response of adjacent buildings due to near-source earthquakes. <i>Journal of Applied Mechanics</i> , <b>2002</b> , 5, 543-553		26
2	Propagation of vibration in a soil layer over bedrock. <i>Engineering Analysis With Boundary Elements</i> , <b>1991</b> , 8, 125-131	2.6	24



1 Influence of Excess Pore-pressure on the Seismic Response of Single and Closely Adjacent Structures on Saturated Sand. *Journal of Earthquake Engineering*,1-25 1.8 1