

Ola winqvist

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7584362/ola-winqvist-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

5,122
citations

40
h-index

67
g-index

140
ext. papers

5,903
ext. citations

6.7
avg, IF

5.06
L-index

#	Paper	IF	Citations
135	Humoral and cellular response to SARS-CoV-2 BNT162b2 mRNA vaccine in hemodialysis patients. <i>BMC Immunology</i> , 2021 , 22, 70	3.7	1
134	Integration of whole genome sequencing into a healthcare setting: high diagnostic rates across multiple clinical entities in 3219 rare disease patients. <i>Genome Medicine</i> , 2021 , 13, 40	14.4	22
133	Proteomic Profiling of Tissue Exosomes Indicates Continuous Release of Malignant Exosomes in Urinary Bladder Cancer Patients, Even with Pathologically Undetectable Tumour. <i>Cancers</i> , 2021 , 13,	6.6	2
132	The intratumoral CXCR3 chemokine system is predictive of chemotherapy response in human bladder cancer. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	9
131	Immune responses against autologous tumor and human papilloma virus in lymph nodes from patients with penile cancer. <i>Investigative and Clinical Urology</i> , 2021 , 62, 39-46	1.9	
130	An intronic deletion in megakaryoblastic leukemia 1 is associated with hyperproliferation of B cells in triplets with Hodgkin lymphoma. <i>Haematologica</i> , 2020 , 105, 1339-1350	6.6	6
129	Urinary Exosomes from Bladder Cancer Patients Show a Residual Cancer Phenotype despite Complete Pathological Downstaging. <i>Scientific Reports</i> , 2020 , 10, 5960	4.9	16
128	Blood transfusions during neoadjuvant chemotherapy for muscle-invasive urinary bladder cancer may have a negative impact on overall survival. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 46-51	1.6	2
127	Activation of T helper cells in sentinel node predicts poor prognosis in oral squamous cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 22352	4.9	0
126	Tumour-associated B cells in urothelial urinary bladder cancer. <i>Scandinavian Journal of Immunology</i> , 2020 , 91, e12830	3.4	12
125	Fewer tumour draining sentinel nodes in patients with progressing muscle invasive bladder cancer, after neoadjuvant chemotherapy and radical cystectomy. <i>World Journal of Urology</i> , 2020 , 38, 2207-2213 ⁴		2
124	Comprehensive flow cytometric reference intervals of leukocyte subsets from six study centers across Europe. <i>Clinical and Experimental Immunology</i> , 2020 , 202, 363-378	6.2	5
123	IL-16 processing in sentinel node regulatory T cells is a factor in bladder cancer immunity. <i>Scandinavian Journal of Immunology</i> , 2020 , 92, e12926	3.4	2
122	Hodgkin Lymphoma Monozygotic Triplets Reveal Divergences in DNA Methylation Signatures. <i>Frontiers in Oncology</i> , 2020 , 10, 598872	5.3	0
121	Subsetting reveals CD16 CD62L neutrophils in chronic rhinosinusitis with nasal polyps. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 2499-2501	9.3	12
120	A novel tool for clinical diagnosis of allergy operating a microfluidic immunoaffinity basophil activation test technique. <i>Clinical Immunology</i> , 2019 , 209, 108268	9	8
119	Maintained thymic output of conventional and regulatory T cells during human pregnancy. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 771-775.e7	11.5	5

118	Cytokine Autoantibody Screening in the Swedish Addison Registry Identifies Patients With Undiagnosed APS1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 179-186	5.6	12
117	Urinary Bladder Cancer Tregs Suppress MMP2 and Potentially Regulate Invasiveness. <i>Cancer Immunology Research</i> , 2018 , 6, 528-538	12.5	25
116	Immune Responses to Neoadjuvant Chemotherapy in Muscle Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2018 , 4, 1-7	1	4
115	Increased CD4 T cell lineage commitment determined by CpG methylation correlates with better prognosis in urinary bladder cancer patients. <i>Clinical Epigenetics</i> , 2018 , 10, 102	7.7	14
114	Tissue-resident memory T cells are epigenetically cytotoxic with signs of exhaustion in human urinary bladder cancer. <i>Clinical and Experimental Immunology</i> , 2018 , 194, 39-53	6.2	30
113	Neoadjuvant Chemotherapy Reinforces Antitumour T cell Response in Urothelial Urinary Bladder Cancer. <i>European Urology</i> , 2018 , 74, 688-692	10.2	19
112	Rapid nodal staging of head and neck cancer surgical specimens with flow cytometric analysis. <i>British Journal of Cancer</i> , 2018 , 118, 421-427	8.7	12
111	CCR2 upregulated on peripheral T cells in osteoarthritis but not in bone marrow. <i>Scandinavian Journal of Immunology</i> , 2018 , 88, e12722	3.4	4
110	Detection of micro-metastases by flow cytometry in lymph nodes from patients with penile cancer. <i>BMC Urology</i> , 2018 , 18, 86	2.2	1
109	Intralymphatic immunotherapy with 2 concomitant allergens, birch and grass: A randomized, double-blind, placebo-controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1338-1341.e9	11.5	24
108	Urothelial bladder cancer may suppress perforin expression in CD8+ T cells by an ICAM-1/TGFβ mediated pathway. <i>PLoS ONE</i> , 2018 , 13, e0200079	3.7	11
107	CD4 regulatory T cells in gastric cancer mucosa are proliferating and express high levels of IL-10 but little TGFβ. <i>Gastric Cancer</i> , 2017 , 20, 116-125	7.6	45
106	Doxorubicin enhances the capacity of B cells to activate T cells in urothelial urinary bladder cancer. <i>Clinical Immunology</i> , 2017 , 176, 63-70	9	19
105	NET-producing CD16 CD62L neutrophils migrate to tumor sites and predict improved survival in patients with HNSCC. <i>International Journal of Cancer</i> , 2017 , 140, 2557-2567	7.5	39
104	A possible role for neutrophils in allergic rhinitis revealed after cellular subclassification. <i>Scientific Reports</i> , 2017 , 7, 43568	4.9	30
103	Clinical and Immunological Characteristics of Autoimmune Addison Disease: A Nationwide Swedish Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 379-389	5.6	42
102	Randomised, Double-blind, Placebo-controlled Trial of CCR9-targeted Leukapheresis Treatment of Ulcerative Colitis Patients. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 534-542	1.5	8
101	Sentinel node detection in muscle-invasive urothelial bladder cancer is feasible after neoadjuvant chemotherapy in all pT stages, a prospective multicenter report. <i>World Journal of Urology</i> , 2017 , 35, 921-927	4.927	10

100	Single Dose Caffeine Protects the Neonatal Mouse Brain against Hypoxia Ischemia. <i>PLoS ONE</i> , 2017 , 12, e0170545	3.7	16
99	Altered basophil function in patients with chronic kidney disease on hemodialysis?. <i>Clinical Nephrology</i> , 2017 , 88, 86-96	2.1	6
98	Selective Memory to Apoptotic Cell-Derived Self-Antigens with Implications for Systemic Lupus Erythematosus Development. <i>Journal of Immunology</i> , 2016 , 197, 2618-26	5.3	10
97	Secondary immunodeficiency in lymphoproliferative malignancies. <i>Hematological Oncology</i> , 2016 , 34, 121-32	1.3	43
96	Intralymphatic immunotherapy of pollen-induced rhinoconjunctivitis: a double-blind placebo-controlled trial. <i>Respiratory Research</i> , 2016 , 17, 10	7.3	49
95	Adenosine A1 receptors contribute to immune regulation after neonatal hypoxic ischemic brain injury. <i>Purinergic Signalling</i> , 2016 , 12, 89-101	3.8	18
94	Antigen-presenting epithelial cells can play a pivotal role in airway allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 957-60.e7	11.5	8
93	Detection of micrometastases by flow cytometry in sentinel lymph nodes from patients with renal tumours. <i>British Journal of Cancer</i> , 2016 , 115, 957-966	8.7	17
92	Genetic Abrogation of Adenosine A3 Receptor Prevents Uninephrectomy and High Salt-Induced Hypertension. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	22
91	Pilot study of adoptive immunotherapy with sentinel node-derived T cells in muscle-invasive urinary bladder cancer. <i>Scandinavian Journal of Urology</i> , 2015 , 49, 453-462	1.6	10
90	Autologous Peripheral Blood Mononuclear Cells as Treatment in Refractory Acute Respiratory Distress Syndrome. <i>Respiration</i> , 2015 , 90, 481-92	3.7	9
89	Antigen presenting epithelial cells play a pivotal role in airway allergy. <i>Clinical and Translational Allergy</i> , 2015 , 5, O8	5.2	78
88	Intralymphatic Immunotherapy (ILIT) with both grass and birch allergen- a randomized controlled trial. <i>Clinical and Translational Allergy</i> , 2015 , 5, P29	5.2	1
87	B cells in tumor draining lymph nodes act as efficient antigen presenting cells in cancer patients 2015 , 3,		78
86	Phase I/II study of adjuvant immunotherapy with sentinel lymph node T lymphocytes in patients with colorectal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 1083-93	7.4	35
85	Chemokine receptor expression on monocytes from healthy individuals. <i>Clinical Immunology</i> , 2015 , 161, 348-53	9	18
84	Dynamic Toll-like receptor expression predicts outcome of sclerotherapy for lymphatic malformations with OK-432 in children. <i>Journal of Surgical Research</i> , 2014 , 187, 197-201	2.5	7
83	Peripheral and site-specific CD4(+) CD28(null) T cells from rheumatoid arthritis patients show distinct characteristics. <i>Scandinavian Journal of Immunology</i> , 2014 , 79, 149-55	3.4	31

82	Evaluation of T and B lymphocyte function in clinical practice using a flow cytometry based proliferation assay. <i>Clinical Immunology</i> , 2014 , 153, 332-42	9	32
81	Naïve T cells correlate with mucosal healing in patients with inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 66-74	2.4	9
80	Deprived TLR9 expression in apparently healthy nasal mucosa might trigger polyp-growth in chronic rhinosinusitis patients. <i>PLoS ONE</i> , 2014 , 9, e105618	3.7	10
79	Naïve T cells in the gut: how to really find them?. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 518	2.4	
78	Activation of basophils is a new and sensitive marker of biocompatibility in hemodialysis. <i>Artificial Organs</i> , 2014 , 38, 945-53	2.6	6
77	Inverse immunological responses induced by allergic rhinitis and head and neck squamous cell carcinoma. <i>PLoS ONE</i> , 2014 , 9, e86796	3.7	4
76	Downregulation of epithelial MHC II expression in chronic rhinosinusitis with polyps. <i>Clinical and Translational Allergy</i> , 2013 , 3, 09	5.2	78
75	Multiplex B cell characterization in blood, lymph nodes, and tumors from patients with malignancies. <i>Journal of Immunology</i> , 2013 , 190, 5847-55	5.3	42
74	AIRE expressing marginal zone dendritic cells balances adaptive immunity and T-follicular helper cell recruitment. <i>Journal of Autoimmunity</i> , 2013 , 42, 62-70	15.5	21
73	Treatment of inflammatory bowel disease by chemokine receptor-targeted leukapheresis. <i>Clinical Immunology</i> , 2013 , 149, 73-82	9	14
72	Activated monocytes augment TRAIL-mediated cytotoxicity by human NK cells through release of IFN- γ . <i>European Journal of Immunology</i> , 2013 , 43, 249-57	6.1	20
71	Autoimmunity and cystatin SA1 deficiency behind chronic mucocutaneous candidiasis in autoimmune polyendocrine syndrome type 1. <i>Journal of Autoimmunity</i> , 2013 , 42, 1-6	15.5	21
70	The effects of chemotherapeutic drugs on human monocyte-derived dendritic cell differentiation and antigen presentation. <i>Clinical and Experimental Immunology</i> , 2013 , 172, 490-9	6.2	36
69	The many flavors of tumor-associated B cells. <i>Oncot Immunology</i> , 2013 , 2, e25237	7.2	4
68	Response to comment on "multiplex B cell characterization in blood, lymph nodes, and tumors from patients with malignancies". <i>Journal of Immunology</i> , 2013 , 191, 4471-2	5.3	1
67	HLA-DR(hi) and CCR9 Define a Pro-Inflammatory Monocyte Subset in IBD. <i>Clinical and Translational Gastroenterology</i> , 2012 , 3, e29	4.2	23
66	Development of heart block in children of SSA/SSB-autoantibody-positive women is associated with maternal age and displays a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 334-40	2.4	49
65	LPS regulates SOCS2 transcription in a type I interferon dependent autocrine-paracrine loop. <i>PLoS ONE</i> , 2012 , 7, e30166	3.7	13

64	Long lasting local and systemic inflammation after cerebral hypoxic ischemia in newborn mice. <i>PLoS ONE</i> , 2012 , 7, e36422	3.7	63
63	FOXP3 and survival in urinary bladder cancer. <i>BJU International</i> , 2011 , 108, 1672-8	5.6	102
62	A population-based investigation of the autoantibody profile in mothers of children with atrioventricular block. <i>Scandinavian Journal of Immunology</i> , 2011 , 74, 511-7	3.4	35
61	The mode of actions of the Adacolumn therapeutic leucocytapheresis in patients with inflammatory bowel disease: a concise review. <i>Clinical and Experimental Immunology</i> , 2011 , 163, 50-8	6.2	65
60	Epigenetics--the key to understand immune responses in health and disease. <i>American Journal of Reproductive Immunology</i> , 2011 , 66 Suppl 1, 72-4	3.8	8
59	Immunostimulatory effects on B cells by the chemotherapeutic drug Doxorubicin. <i>Journal of Translational Medicine</i> , 2011 , 9,	8.5	78
58	CD4+CD28null T cells in RA show distinctive proinflammatory features and IFN- γ promoter demethylation. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A46-A46	2.4	2
57	Development and independent validation of a prognostic assay for stage II colon cancer using formalin-fixed paraffin-embedded tissue. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4620-6	2.2	131
56	Profiling of CD4+ T cells with epigenetic immune lineage analysis. <i>Journal of Immunology</i> , 2011 , 186, 92-102	5.3	82
55	Evidence for immunosurveillance in intestinal premalignant lesions. <i>Scandinavian Journal of Immunology</i> , 2010 , 71, 362-8	3.4	14
54	Maternal MHC regulates generation of pathogenic antibodies and fetal MHC-encoded genes determine susceptibility in congenital heart block. <i>Journal of Immunology</i> , 2010 , 185, 3574-82	5.3	25
53	MiR-155 is overexpressed in patients with atopic dermatitis and modulates T-cell proliferative responses by targeting cytotoxic T lymphocyte-associated antigen 4. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 581-9.e1-20	11.5	208
52	AIRE deficiency leads to impaired iNKT cell development. <i>Journal of Autoimmunity</i> , 2010 , 34, 66-72	15.5	12
51	Pilot study of sentinel-node-based adoptive immunotherapy in advanced colorectal cancer. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1747-57	3.1	52
50	Feasibility of T-cell-based adoptive immunotherapy in the first 12 patients with advanced urothelial urinary bladder cancer. Preliminary data on a new immunologic treatment based on the sentinel node concept. <i>European Urology</i> , 2010 , 58, 105-11	10.2	24
49	SOCS2 influences LPS induced human monocyte-derived dendritic cell maturation. <i>PLoS ONE</i> , 2009 , 4, e7178	3.7	28
48	Loss of the lupus autoantigen Ro52/Trim21 induces tissue inflammation and systemic autoimmunity by dysregulating the IL-23-Th17 pathway. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1661-71	16.6	222
47	Autoimmune T cell responses to antigenic peptides presented by bronchoalveolar lavage cell HLA-DR molecules in sarcoidosis. <i>Clinical Immunology</i> , 2009 , 133, 353-63	9	48

46	IL-18 skews the invariant NKT-cell population via autoreactive activation in atopic eczema. <i>European Journal of Immunology</i> , 2009 , 39, 2293-301	6.1	29
45	At the crossroads of T helper lineage commitment-Epigenetics points the way. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2009 , 1790, 906-19	4	54
44	Serologic follow-up of children born to mothers with Ro/SSA autoantibodies. <i>Lupus</i> , 2009 , 18, 792-8	2.6	22
43	Expression of RANK-ligand in prostate cancer cell lines. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 151-5	2	9
42	Sentinel Node-Based Immunotherapy of Colon Cancer 2009 , 291-312		
41	Antibodies to amino acid 200-239 (p200) of Ro52 as serological markers for the risk of developing congenital heart block. <i>Clinical and Experimental Immunology</i> , 2008 , 154, 30-7	6.2	52
40	Aire deficiency causes increased susceptibility to streptozotocin-induced murine type 1 diabetes. <i>Scandinavian Journal of Immunology</i> , 2008 , 67, 569-80	3.4	3
39	Detection of metastatic colon cancer cells in sentinel nodes by flow cytometry. <i>Journal of Immunological Methods</i> , 2008 , 334, 122-33	2.5	13
38	Different regulation of eosinophil activity in Crohn's disease compared with ulcerative colitis. <i>Journal of Leukocyte Biology</i> , 2008 , 84, 1392-9	6.5	39
37	CpG methylation of the IFNG gene as a mechanism to induce immunosuppression [correction of immunosuppression] in tumor-infiltrating lymphocytes. <i>Journal of Immunology</i> , 2008 , 181, 2878-86	5.3	51
36	AIRE regulates T-cell-independent B-cell responses through BAFF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18466-71	11.5	42
35	The sentinel node technique is useful for studies of intestinal immunology in inflammatory bowel disease patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 985-8	2.2	5
34	FOXP3 promoter demethylation reveals the committed Treg population in humans. <i>PLoS ONE</i> , 2008 , 3, e1612	3.7	179
33	Decreased numbers of FoxP3-positive and TLR-2-positive cells in intestinal mucosa are associated with improvement in patients with active inflammatory bowel disease following selective leukocyte apheresis. <i>Journal of Gastroenterology</i> , 2008 , 43, 277-82	6.9	12
32	Metinell node--the first lymph node draining a metastasis--contains tumor-reactive lymphocytes. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1454-63	3.1	13
31	Class A scavenger receptors regulate tolerance against apoptotic cells, and autoantibodies against these receptors are predictive of systemic lupus. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2259-65	16.6	98
30	Defect internalization and tyrosine kinase activation in Aire deficient antigen presenting cells exposed to <i>Candida albicans</i> antigens. <i>Clinical Immunology</i> , 2006 , 121, 265-73	9	13
29	Detection of immune responses against urinary bladder cancer in sentinel lymph nodes. <i>European Urology</i> , 2006 , 49, 59-70	10.2	34

28	Increased antigen presenting cell-mediated T cell activation in mice and patients without the autoimmune regulator. <i>European Journal of Immunology</i> , 2006 , 36, 305-17	6.1	65
27	Autoimmune diseases, asthma and risk of haematological malignancies: a nationwide case-control study in Sweden. <i>European Journal of Cancer</i> , 2006 , 42, 3028-33	7.5	97
26	Aire-deficient mice develop hematopoietic irregularities and marginal zone B-cell lymphoma. <i>Blood</i> , 2006 , 108, 1941-8	2.2	40
25	Sentinel node lymphocytes: tumour reactive lymphocytes identified intraoperatively for the use in immunotherapy of colon cancer. <i>British Journal of Cancer</i> , 2006 , 94, 1478-84	8.7	27
24	Eosinophil granulocytes are activated during the remission phase of ulcerative colitis. <i>Gut</i> , 2005 , 54, 1714-20	4.2	94
23	Analysis of T-cell receptor V beta gene repertoires after immune stimulation and in malignancy by use of padlock probes and microarrays. <i>Clinical Chemistry</i> , 2005 , 51, 768-75	5.5	22
22	Autoantibodies against 21-hydroxylase and side-chain cleavage enzyme in autoimmune Addison's disease are mainly immunoglobulin G1. <i>European Journal of Endocrinology</i> , 2004 , 150, 49-56	6.5	22
21	RELPL, a novel human REG-like protein with up-regulated expression in inflammatory and metaplastic gastrointestinal mucosa. <i>American Journal of Pathology</i> , 2003 , 163, 11-20	5.8	45
20	Analysis of H2-O influence on antigen presentation by B cells. <i>Journal of Immunology</i> , 2003 , 171, 2331-7	5.3	35
19	Aire deficient mice develop multiple features of APECED phenotype and show altered immune response. <i>Human Molecular Genetics</i> , 2002 , 11, 397-409	5.6	360
18	Autoimmune adrenal insufficiency: recognition and management. <i>BioDrugs</i> , 2000 , 13, 107-14	7.9	4
17	Intercellular adhesion molecule-1 inhibits interleukin 4 production by naive T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 3023-8	11.5	67
16	The role of H2-O and HLA-DO in major histocompatibility complex class II-restricted antigen processing and presentation. <i>Immunological Reviews</i> , 1999 , 172, 255-66	11.3	28
15	Impaired immunoproteasome assembly and immune responses in PA28 ^{-/-} mice. <i>Science</i> , 1999 , 286, 2162-5	35.3	155
14	A family with hereditary extra-adrenal paragangliomas without evidence for mutations in the von Hippel-Lindau disease or ret genes. <i>Clinical Endocrinology</i> , 1998 , 48, 11-6	3.4	12
13	Altered antigen presentation in mice lacking H2-O. <i>Immunity</i> , 1998 , 8, 233-43	32.3	152
12	Growth hormone deficiency in autoimmune polyglandular syndrome. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1997 , 10, 69-72	1.6	5
11	Cytochrome P450IA2 and aromatic L-amino acid decarboxylase are hepatic autoantigens in autoimmune polyendocrine syndrome type I. <i>FEBS Letters</i> , 1997 , 412, 439-45	3.8	59

10	The autoimmune basis of adrenocortical destruction in Addison's disease. <i>Trends in Molecular Medicine</i> , 1996 , 2, 282-9		27
9	Adrenal autoantibodies and organ-specific autoimmunity in patients with Addison's disease. <i>Clinical Endocrinology</i> , 1996 , 45, 453-60	3-4	42
8	Autoantibodies against adrenal medulla in type 1 and type 2 diabetes mellitus: no evidence for an association with autonomic neuropathy. <i>Journal of Internal Medicine</i> , 1996 , 239, 139-46	10-8	12
7	Differentiation of Chlamydia spp. by sequence determination and restriction endonuclease cleavage of RNase P RNA genes. <i>Journal of Clinical Microbiology</i> , 1996 , 34, 1897-902	9-7	18
6	Aromatic-L-amino-acid decarboxylase, a pyridoxal phosphate-dependent enzyme, is a beta-cell autoantigen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 8626-9	11-5	74
5	Autoantibodies against a novel 51 kDa islet antigen and glutamate decarboxylase isoforms in autoimmune polyendocrine syndrome type I. <i>Diabetologia</i> , 1994 , 37, 61-9	10-3	46
4	Autoimmune disease of the adrenal cortex, pituitary, parathyroid glands and gastric mucosa. <i>Journal of Internal Medicine</i> , 1993 , 234, 379-86	10-8	8
3	Two different cytochrome P450 enzymes are the adrenal antigens in autoimmune polyendocrine syndrome type I and Addison's disease. <i>Journal of Clinical Investigation</i> , 1993 , 92, 2377-85	15-9	124
2	21-Hydroxylase, a major autoantigen in idiopathic Addison's disease. <i>Lancet, The</i> , 1992 , 339, 1559-62	40	308
1	Monitoring of the SARS-CoV-2 Omicron BA.1/BA.2 variant transition in the Swedish population reveals higher viral quantity in BA.2 cases		1