

Jos I Lopez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7584402/jose-i-lopez-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

205
papers

4,370
citations

32
h-index

56
g-index

234
ext. papers

5,707
ext. citations

4.8
avg, IF

5.38
L-index

#	Paper	IF	Citations
205	Tracking Cancer Evolution Reveals Constrained Routes to Metastases: TRACERx Renal. <i>Cell</i> , 2018 , 173, 581-594.e12	56.2	350
204	Deterministic Evolutionary Trajectories Influence Primary Tumor Growth: TRACERx Renal. <i>Cell</i> , 2018 , 173, 595-610.e11	56.2	268
203	Timing the Landmark Events in the Evolution of Clear Cell Renal Cell Cancer: TRACERx Renal. <i>Cell</i> , 2018 , 173, 611-623.e17	56.2	228
202	Renal angiomyolipoma: clinicopathologic study of 194 cases with emphasis on the epithelioid histology and tuberous sclerosis association. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 289-97	6.7	173
201	Tubulocystic carcinoma of the kidney: clinicopathologic and molecular characterization. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 177-87	6.7	127
200	Muscularis mucosa differentiates two populations with different prognosis in stage T1 bladder cancer. <i>Urology</i> , 1995 , 45, 47-53	1.6	115
199	Renal tubulocystic carcinoma is closely related to papillary renal cell carcinoma: implications for pathologic classification. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1840-9	6.7	101
198	Cumulative rate of relapse of lupus nephritis after successful treatment with cyclophosphamide. <i>Arthritis and Rheumatism</i> , 1996 , 39, 2028-34		79
197	Eosinophilic, Solid, and Cystic Renal Cell Carcinoma: Clinicopathologic Study of 16 Unique, Sporadic Neoplasms Occurring in Women. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 60-71	6.7	77
196	Basaloid squamous cell carcinoma of the head and neck: a clinicopathological and follow-up study of 40 cases and review of the literature. <i>Head and Neck Pathology</i> , 2008 , 2, 83-91	3.3	69
195	Eosinophilic Solid and Cystic Renal Cell Carcinoma (ESC RCC): Further Morphologic and Molecular Characterization of ESC RCC as a Distinct Entity. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 1299-1308	6.7	63
194	Autocrine regulation of human prostate carcinoma cell proliferation by somatostatin through the modulation of the SH2 domain containing protein tyrosine phosphatase (SHP)-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 915-26	5.6	60
193	Pulmonary hypertension due to toxic oil syndrome. A clinicopathologic study. <i>Chest</i> , 1989 , 95, 325-31	5.3	56
192	Ultrasound-guided core-needle biopsy in thyroid nodules. A study of 676 consecutive cases with surgical correlation. <i>European Radiology</i> , 2016 , 26, 1-8	8	55
191	Dose escalation to dominant intraprostatic lesions with MRI-transrectal ultrasound fusion High-Dose-Rate prostate brachytherapy. Prospective phase II trial. <i>Radiotherapy and Oncology</i> , 2016 , 119, 91-6	5.3	55
190	Small cell carcinoma of the urinary bladder. A clinicopathological study of six cases. <i>British Journal of Urology</i> , 1994 , 73, 43-9		51
189	The prognostic significance of vascular invasion in stage T1 bladder cancer. <i>Histopathology</i> , 1995 , 27, 27-33	7.3	50

188	A DNA hypermethylation profile reveals new potential biomarkers for prostate cancer diagnosis and prognosis. <i>Prostate</i> , 2014 , 74, 1171-82	4.2	49
187	Value of ultrasound-guided core biopsy in the diagnosis of malignant lymphoma. <i>Journal of Clinical Ultrasound</i> , 2007 , 35, 295-301	1	43
186	Outcome of silent lupus nephritis. <i>Seminars in Arthritis and Rheumatism</i> , 1996 , 26, 468-76	5.3	43
185	"High-grade oncocytic renal tumor": morphologic, immunohistochemical, and molecular genetic study of 14 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 725-738	5.1	43
184	Renal tumors with clear cells. A review. <i>Pathology Research and Practice</i> , 2013 , 209, 137-46	3.4	42
183	Histopathology of diaphragm disease of the small intestine: a study of 10 cases from a single institution. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 518-25	1.9	42
182	Clinicopathological study of regressed testicular tumors (apparent extragonadal germ cell neoplasms). <i>Journal of Urology</i> , 2009 , 182, 2303-10	2.5	40
181	Targeted next-generation sequencing and non-coding RNA expression analysis of clear cell papillary renal cell carcinoma suggests distinct pathological mechanisms from other renal tumour subtypes. <i>Journal of Pathology</i> , 2014 , 232, 32-42	9.4	39
180	Altered levels of acid, basic, and neutral peptidase activity and expression in human clear cell renal cell carcinoma. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F780-8	4.3	39
179	Expression and activity profiles of DPP IV/CD26 and NEP/CD10 glycoproteins in the human renal cancer are tumor-type dependent. <i>BMC Cancer</i> , 2010 , 10, 193	4.8	35
178	Kaposi's sarcoma of the penis as an initial urological manifestation of AIDS. A report of two cases. <i>Urologia Internationalis</i> , 1991 , 46, 235-7	1.9	35
177	Expression of cannabinoid receptors in human kidney. <i>Histology and Histopathology</i> , 2010 , 25, 1133-8	1.4	34
176	New developments in existing WHO entities and evolving molecular concepts: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021 , 34, 1392-1424	9.8	34
175	The impact of peptidase activity on clear cell renal cell carcinoma survival. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, F1584-91	4.3	33
174	Primary Cisplatin, Methotrexate and Vinblastine Aiming at Bladder Preservation in Invasive Bladder Cancer: Multivariate Analysis on Prognostic Factors. <i>Journal of Urology</i> , 1996 , 155, 1897-1902	2.5	32
173	Usefulness and limitations of ultrasound-guided core biopsy in the diagnosis of musculoskeletal tumours. <i>Apmis</i> , 2005 , 113, 353-60	3.4	31
172	Burned-out tumour of the testis presenting as retroperitoneal choriocarcinoma. <i>International Urology and Nephrology</i> , 1994 , 26, 549-53	2.3	30
171	Pseudosarcomatous myofibroblastic proliferation of the bladder: report of 2 cases and literature review. <i>Journal of Urology</i> , 1994 , 151, 1008-12	2.5	30

170	Biphasic Squamoid Alveolar Renal Cell Carcinoma: A Distinctive Subtype of Papillary Renal Cell Carcinoma?. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 664-75	6.7	30
169	Novel, emerging and provisional renal entities: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021 , 34, 1167-1184	9.8	30
168	Development of Castration Resistant Prostate Cancer can be Predicted by a DNA Hypermethylation Profile. <i>Journal of Urology</i> , 2016 , 195, 619-26	2.5	29
167	Fibroblast activation protein predicts prognosis in clear cell renal cell carcinoma. <i>Human Pathology</i> , 2016 , 54, 100-5	3.7	29
166	Phyllodes tumor of the breast. An immunohistochemical study of 28 cases with special attention to the role of myofibroblasts. <i>Pathology Research and Practice</i> , 1994 , 190, 474-81	3.4	28
165	Increased prolyl endopeptidase activity in human neoplasia. <i>Regulatory Peptides</i> , 2010 , 163, 102-6		27
164	Role of ultrasound-guided core biopsy in the evaluation of spleen pathology. <i>Apmis</i> , 2006 , 114, 492-9	3.4	25
163	Expression and activity of angiotensin-regulating enzymes is associated with prognostic outcome in clear cell renal cell carcinoma patients. <i>PLoS ONE</i> , 2017 , 12, e0181711	3.7	25
162	The Expression of Fibroblast Activation Protein in Clear Cell Renal Cell Carcinomas Is Associated with Synchronous Lymph Node Metastases. <i>PLoS ONE</i> , 2016 , 11, e0169105	3.7	25
161	Cannabinoid CB ₁ receptor is downregulated in clear cell renal cell carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2010 , 58, 1129-34	3.4	24
160	Dipeptidyl-peptidase IV activity is correlated with colorectal cancer prognosis. <i>PLoS ONE</i> , 2015 , 10, e0119436	3.7	24
159	A Critical Insight into the Clinical Translation of PD-1/PD-L1 Blockade Therapy in Clear Cell Renal Cell Carcinoma. <i>Current Urology Reports</i> , 2019 , 20, 1	2.9	24
158	Orbital giant cell angiofibroma. <i>Apmis</i> , 2006 , 114, 663-5	3.4	23
157	Clear cell papillary renal cell carcinoma: a review. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 7312-8	1.4	22
156	Multisite tumor sampling: a new tumor selection method to enhance intratumor heterogeneity detection. <i>Human Pathology</i> , 2017 , 64, 1-6	3.7	21
155	A DNA hypermethylation profile reveals new potential biomarkers for the evaluation of prognosis in urothelial bladder cancer. <i>Apmis</i> , 2017 , 125, 787-796	3.4	21
154	The coexpression of fibroblast activation protein (FAP) and basal-type markers (CK 5/6 and CD44) predicts prognosis in high-grade invasive urothelial carcinoma of the bladder. <i>Human Pathology</i> , 2019 , 91, 61-68	3.7	21
153	Potential impact of PD-L1 (SP-142) immunohistochemical heterogeneity in clear cell renal cell carcinoma immunotherapy. <i>Pathology Research and Practice</i> , 2018 , 214, 1110-1114	3.4	20

152	Prostate adenocarcinoma detected after high-grade prostatic intraepithelial neoplasia or atypical small acinar proliferation. <i>BJU International</i> , 2007 , 100, 1272-6	5.6	20
151	Primary malignant melanoma mimicking urethral caruncle. Case report. <i>Scandinavian Journal of Urology and Nephrology</i> , 1993 , 27, 125-6		20
150	Biphasic papillary renal cell carcinoma is a rare morphological variant with frequent multifocality: a study of 28 cases. <i>Histopathology</i> , 2018 , 72, 777-785	7.3	20
149	Chromophobe renal cell carcinoma with neuroendocrine and neuroendocrine-like features. Morphologic, immunohistochemical, ultrastructural, and array comparative genomic hybridization analysis of 18 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2015 , 19, 261-8	2.2	19
148	Angiotensin-converting enzymes (ACE and ACE2) are downregulated in renal tumors. <i>Regulatory Peptides</i> , 2010 , 165, 218-23		19
147	Intrathoracic kidney and vertebral fusion: a model of combined misdevelopment. <i>Journal of Urology</i> , 1992 , 147, 1351-3	2.5	19
146	Nephrogenic adenoma of the urinary tract: clinical, histological, and immunohistochemical characteristics. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 819-25	5.1	18
145	Aminopeptidase N activity predicts 5-year survival in colorectal cancer patients. <i>Journal of Investigative Medicine</i> , 2015 , 63, 740-6	2.9	18
144	Atypical carcinoid of larynx: presentation with scalp metastases. <i>Journal of Laryngology and Otology</i> , 1997 , 111, 89-91	1.8	18
143	Papillary squamous cell carcinoma of the larynx. <i>Journal of Laryngology and Otology</i> , 2001 , 115, 164-6	1.8	18
142	Extrarenal retroperitoneal angiomyolipoma. <i>Urologia Internationalis</i> , 1994 , 52, 58-60	1.9	18
141	Large (>3.8 cm) clear cell renal cell carcinomas are morphologically and immunohistochemically heterogeneous. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 61-6	5.1	17
140	The combination of millimetres of cancer and Gleason index in core biopsy is a predictor of extraprostatic disease. <i>Histopathology</i> , 2006 , 48, 663-7	7.3	17
139	Metastasising carcinoma of the urinary bladder presenting as a retro-orbital mass. Case report. <i>Scandinavian Journal of Urology and Nephrology</i> , 1991 , 25, 83-4		17
138	A pathogenic role for germline PTEN variants which accumulate into the nucleus. <i>European Journal of Human Genetics</i> , 2018 , 26, 1180-1187	5.3	16
137	Noncoding RNA Expression and Targeted Next-Generation Sequencing Distinguish Tubulocystic Renal Cell Carcinoma (TC-RCC) from Other Renal Neoplasms. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 34-45	5.1	16
136	Prolyl endopeptidase activity is correlated with colorectal cancer prognosis. <i>International Journal of Medical Sciences</i> , 2014 , 11, 199-208	3.7	16
135	Report of a case with immunohistochemical study*. <i>Apmis</i> , 1996 , 104, 99-102	3.4	16

134	Intestinal-Type Adenocarcinoma of the Nasal Cavity and Paranasal Sinuses. A Clinicopathologic Study of 6 Cases. <i>Tumori</i> , 1990 , 76, 250-254	1.7	16
133	A divide-and-conquer strategy in tumor sampling enhances detection of intratumor heterogeneity in routine pathology: A modeling approach in clear cell renal cell carcinoma. <i>F1000Research</i> , 2016 , 5, 385	3.6	16
132	Intratumor heterogeneity in clear cell renal cell carcinoma: a review for the practicing pathologist. <i>Apmis</i> , 2016 , 124, 153-9	3.4	16
131	Morphological, immunohistochemical, and chromosomal analysis of multicystic chromophobe renal cell carcinoma, an architecturally unusual challenging variant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 669-678	5.1	15
130	Challenges in Pathologic Staging of Renal Cell Carcinoma: A Study of Interobserver Variability Among Urologic Pathologists. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 1253-1261	6.7	15
129	Cell heterogeneity in clear cell renal cell carcinoma. <i>Apmis</i> , 2013 , 121, 1187-91	3.4	15
128	Plasmacytoid myoepithelioma of the soft palate. Report of a case with cytologic, immunohistochemical and electron microscopic studies. <i>Acta Cytologica</i> , 2000 , 44, 647-52	3	15
127	Micropapillary transitional cell carcinoma of the urinary bladder. <i>Histopathology</i> , 1999 , 34, 561-2	7.3	15
126	Pseudomelanosis of the duodenum. Endoscopic, histologic, and ultrastructural study of a case. <i>Journal of Clinical Gastroenterology</i> , 1988 , 10, 150-4	3	15
125	The role of cancer-associated fibroblasts in renal cell carcinoma. An example of tumor modulation through tumor/non-tumor cell interactions. <i>Journal of Advanced Research</i> , 2020 , 21, 103-108	13	15
124	Acid, basic, and neutral peptidases present different profiles in chromophobe renal cell carcinoma and in oncocytoma. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, F850-8	4.3	14
123	Determinants of anti-PD-1 response and resistance in clear cell renal cell carcinoma. <i>Cancer Cell</i> , 2021 , 39, 1497-1518.e11	24.3	14
122	Core-needle biopsy in thyroid nodules: performance, accuracy, and complications. <i>European Radiology</i> , 2019 , 29, 4889-4896	8	14
121	High PD-1/PD-L1 Checkpoint Interaction Infers Tumor Selection and Therapeutic Sensitivity to Anti-PD-1/PD-L1 Treatment. <i>Cancer Research</i> , 2020 , 80, 4244-4257	10.1	13
120	Selection of metastasis competent subclones in the tumour interior. <i>Nature Ecology and Evolution</i> , 2021 , 5, 1033-1045	12.3	13
119	Pathological Bases and Clinical Impact of Intratumor Heterogeneity in Clear Cell Renal Cell Carcinoma. <i>Current Urology Reports</i> , 2018 , 19, 3	2.9	12
118	Evidence of conditioned behavior in amoebae. <i>Nature Communications</i> , 2019 , 10, 3690	17.4	12
117	Fine-needle aspiration cytology of a membranous basal cell adenoma arising in an intraparotid lymph node. <i>Diagnostic Cytopathology</i> , 1993 , 9, 668-72	1.4	12

116	A case of Whipple disease presenting as supraclavicular lymphadenopathy. A case report. <i>Apmis</i> , 1993 , 101, 865-8	3.4	12
115	Giant cell ependymoma-report of three cases and review of the literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2012 , 5, 458-62	1.4	12
114	Review of renal cell carcinoma with rhabdoid features with focus on clinical and pathobiological aspects. <i>Polish Journal of Pathology</i> , 2015 , 66, 3-8	0.9	11
113	Collision tumour involving a rectal gastrointestinal stromal tumour with invasion of the prostate and a prostatic adenocarcinoma. <i>Diagnostic Pathology</i> , 2012 , 7, 150	3	11
112	Renal cell carcinoma in young adults: a study of 130 cases and a review of previous series. <i>Urologia Internationalis</i> , 2010 , 84, 292-300	1.9	11
111	Primary sinonasal ameloblastoma. <i>Apmis</i> , 2005 , 113, 148-50	3.4	11
110	Combined therapy in a case of malignant mesothelioma of the tunica vaginalis testis. <i>Scandinavian Journal of Urology and Nephrology</i> , 1995 , 29, 361-4		11
109	Angiolymphoid hyperplasia with eosinophilia of the lower lip. <i>International Journal of Dermatology</i> , 1993 , 32, 361-2	1.7	11
108	A divide-and-conquer strategy in tumor sampling enhances detection of intratumor heterogeneity in routine pathology: A modeling approach in clear cell renal cell carcinoma. <i>F1000Research</i> , 2016 , 5, 385	3.6	11
107	Soluble PD-L1 Is an Independent Prognostic Factor in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	11
106	CD34 immunostaining enhances a distinct pattern of intratumor angiogenesis with prognostic implications in clear cell renal cell carcinoma. <i>Apmis</i> , 2017 , 125, 128-133	3.4	10
105	Precise definition of PTEN C-terminal epitopes and its implications in clinical oncology. <i>Npj Precision Oncology</i> , 2019 , 3, 11	9.8	10
104	Cannabinoid CB1 receptor is expressed in chromophobe renal cell carcinoma and renal oncocytoma. <i>Clinical Biochemistry</i> , 2013 , 46, 638-41	3.5	10
103	Lymphangioliomyomatosis Biomarkers Linked to Lung Metastatic Potential and Cell Stemness. <i>PLoS ONE</i> , 2015 , 10, e0132546	3.7	10
102	Histological diagnosis of thyroid disease using ultrasound-guided core biopsies. <i>European Thyroid Journal</i> , 2013 , 2, 29-36	4.2	10
101	Prostatic remnants in mature cystic teratoma of the ovary. <i>Annals of Diagnostic Pathology</i> , 2008 , 12, 378-80		10
100	Adult-Type Granulosa Cell Tumor of the Testis. Report of a Case. <i>Tumori</i> , 2007 , 93, 223-224	1.7	10
99	Pre-implantation kidney biopsy: value of the expertise in determining histological score and comparison with the whole organ on a series of discarded kidneys. <i>Journal of Nephrology</i> , 2020 , 33, 167-176	4.8	10

98	Loss of PD-L1 (SP-142) expression characterizes renal vein tumor thrombus microenvironment in clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2018 , 34, 89-93	2.2	9
97	Clinical impact of aspartyl aminopeptidase expression and activity in colorectal cancer. <i>Translational Research</i> , 2013 , 162, 297-308	11	9
96	Cystinyl aminopeptidase activity is decreased in renal cell carcinomas. <i>Regulatory Peptides</i> , 2007 , 144, 56-61		9
95	Inflammatory pseudotumor of the liver. <i>Apmis</i> , 1990 , 98, 1022-1026	3.4	9
94	Multi-site tumor sampling (MSTS) improves the performance of histological detection of intratumor heterogeneity in clear cell renal cell carcinoma (CCRCC). <i>F1000Research</i> , 2016 , 5, 2020	3.6	9
93	Cell Motility and Cancer. <i>Cancers</i> , 2020 , 12,	6.6	9
92	The Urinary Transcriptome as a Source of Biomarkers for Prostate Cancer. <i>Cancers</i> , 2020 , 12,	6.6	8
91	Multisite tumor sampling enhances the detection of intratumor heterogeneity at all different temporal stages of tumor evolution. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 472, 187-194	5.1	8
90	Snail heterogeneity in clear cell renal cell carcinoma. <i>BMC Cancer</i> , 2016 , 16, 194	4.8	8
89	DNA repair genes and prognosis in sporadic forms of urothelial carcinoma of the upper urinary tract. <i>Actas Urológicas Españolas</i> , 2014 , 38, 600-7	0.7	8
88	Impact of p53, MIB-1 and PECAM-1 expression on the prognosis of urothelial carcinoma of the renal pelvis. <i>Actas Urológicas Españolas</i> , 2014 , 38, 506-14	0.7	8
87	Altered peptidase activities in thyroid neoplasia and hyperplasia. <i>Disease Markers</i> , 2013 , 35, 825-32	3.2	8
86	Re: The importance of the depth of invasion in stage T1 bladder carcinoma: a prospective cohort study. <i>Journal of Urology</i> , 1997 , 158, 1922	2.5	8
85	Temporal bone secretory meningioma presenting as a middle ear mass. <i>Pathology Research and Practice</i> , 2006 , 202, 481-4	3.4	8
84	Central mucoepidermoid carcinoma. Report of a case and review of the literature. <i>Pathology Research and Practice</i> , 1993 , 189, 365-7; discussion 368-70	3.4	8
83	A multi-site cutting device implements efficiently the divide-and-conquer strategy in tumor sampling. <i>F1000Research</i> , 2016 , 5, 1587	3.6	8
82	The Impact of Tumor Eco-Evolution in Renal Cell Carcinoma Sampling. <i>Cancers</i> , 2018 , 10,	6.6	8
81	High levels of intratumor heterogeneity characterize the expression of epithelial-mesenchymal transition markers in high-grade clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2018 , 34, 27-30	2.2	7

80	Study of breast cancer incidence in patients of lymphangioliomyomatosis. <i>Breast Cancer Research and Treatment</i> , 2016 , 156, 195-201	4.4	7
79	Assessing PTEN Subcellular Localization. <i>Methods in Molecular Biology</i> , 2016 , 1388, 169-86	1.4	7
78	The role of protein tyrosine phosphatases in prostate cancer biology. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019 , 1866, 102-113	4.9	7
77	Detection of Intratumor Heterogeneity in Modern Pathology: A Multisite Tumor Sampling Perspective. <i>Frontiers in Medicine</i> , 2017 , 4, 25	4.9	7
76	Middle-ear carcinoid tumor with distant metastasis and fatal outcome. <i>Hematology/Oncology and Stem Cell Therapy</i> , 2008 , 1, 53-6	2.7	7
75	The biphasic pattern of laryngeal and hypopharyngeal adenosquamous carcinoma is retained in lymph node metastases. <i>Histopathology</i> , 2005 , 46, 715-6	7.3	7
74	Malignant fibrous histiocytoma of the renal capsule and synchronous transitional cell carcinoma of the bladder. <i>Pathology Research and Practice</i> , 1996 , 192, 468-71; discussion 472-3	3.4	7
73	Carcinosarcoma of the parotid gland: immunohistochemical study of a case. <i>Histopathology</i> , 1994 , 25, 388-90	7.3	7
72	Lethal cytomegalovirus adrenalitis in a case of AIDS. <i>Scandinavian Journal of Urology and Nephrology</i> , 1994 , 28, 105-6		7
71	Pleomorphic adenoma of the breast. Case report. <i>Apmis</i> , 1991 , 99, 866-8	3.4	7
70	A multi-site cutting device implements efficiently the divide-and-conquer strategy in tumor sampling. <i>F1000Research</i> , 2016 , 5, 1587	3.6	7
69	Genetic manipulation of LKB1 elicits lethal metastatic prostate cancer. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	7
68	The Role of Epigenetics in the Progression of Clear Cell Renal Cell Carcinoma and the Basis for Future Epigenetic Treatments. <i>Cancers</i> , 2021 , 13,	6.6	7
67	A DNA Hypermethylation Profile Independently Predicts Biochemical Recurrence Following Radical Prostatectomy. <i>Urologia Internationalis</i> , 2016 , 97, 16-25	1.9	7
66	Changes in cell-surface peptidase activity in papillary renal cell carcinoma. <i>Anticancer Research</i> , 2010 , 30, 1137-41	2.3	7
65	Precise Immunodetection of PTEN Protein in Human Neoplasia. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019 , 9,	5.4	6
64	The normal and pathologic renal medulla: a comprehensive overview. <i>Pathology Research and Practice</i> , 2015 , 211, 271-80	3.4	6
63	Rhabdomyoma of the vagina. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1992 , 45, 147-8	2.4	6

62	Renal mucinous and tubular spindle cell carcinoma: a clinicopathological study of 4 cases. <i>Annals of Saudi Medicine</i> , 2006 , 26, 466-70	1.6	6
61	DUSP5 expression associates with poor prognosis in human neuroblastoma. <i>Experimental and Molecular Pathology</i> , 2018 , 105, 272-278	4.4	6
60	Grade heterogeneity in clear cell renal cell carcinoma		6
59	Time resolved amplified FRET identifies protein kinase B activation state as a marker for poor prognosis in clear cell renal cell carcinoma. <i>BBA Clinical</i> , 2017 , 8, 97-102		5
58	Dual-Specificity Phosphatases in Neuroblastoma Cell Growth and Differentiation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
57	Altered glutamyl-aminopeptidase activity and expression in renal neoplasms. <i>BMC Cancer</i> , 2014 , 14, 3864.8		5
56	Altered Activity and Expression of Cytosolic Peptidases in Colorectal Cancer. <i>International Journal of Medical Sciences</i> , 2015 , 12, 458-67	3.7	5
55	Growth pattern in superficial urothelial bladder carcinomas. Histological review and clinical relevance. <i>International Urology and Nephrology</i> , 2009 , 41, 847-54	2.3	5
54	Verrucous carcinoma of the esophagus. <i>Endoscopy</i> , 2001 , 33, 297	3.4	5
53	Breast carcinoma with endocrine features. Report of a case with cytologic and immunohistochemical studies. <i>Acta Cytologica</i> , 1998 , 42, 1017-21	3	5
52	Cavitation of Lung Metastases from Bladder Cancer. Report of two Cases. <i>Tumori</i> , 1993 , 79, 141-143	1.7	5
51	Altered Tissue and Plasma Levels of Fibroblast Activation Protein-1 (FAP) in Renal Tumours. <i>Cancers</i> , 2020 , 12,	6.6	5
50	Cancer/testis antigen SPATA19 is frequently expressed in benign prostatic hyperplasia and prostate cancer. <i>Apmis</i> , 2017 , 125, 1092-1101	3.4	4
49	Low-grade metastases in high-grade clear cell renal cell carcinomas: A clinicopathologic study of 4 cases with an insight into the role of mesenchymal-to-epithelial transition process. <i>Annals of Diagnostic Pathology</i> , 2016 , 20, 13-8	2.2	4
48	Sclerosing mucoepidermoid carcinoma of the thyroid gland: cytohistological findings of a case. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2008 , 1, 62-5	2.7	4
47	Undifferentiated carcinoma of parotid gland. <i>Journal of Clinical Pathology</i> , 1991 , 44, 432-3	3.9	4
46	Pigmented dermatofibrosarcoma protuberans (Bednar tumour). <i>Dermatology</i> , 1992 , 184, 281-2	4.4	4
45	Pharyngeal adenocarcinoma with intestinal features. <i>Journal of Laryngology and Otology</i> , 1990 , 104, 900-28		4

44	Case Report: Multifocal biphasic squamoid alveolar renal cell carcinoma. <i>F1000Research</i> , 2016 , 5, 607	3.6	4
43	Multi-site tumor sampling (MSTS) improves the performance of histological detection of intratumor heterogeneity in clear cell renal cell carcinoma (CCRCC). <i>F1000Research</i> , 2020	3.6	4
42	DNA Methylation and Urological Cancer, a Step Towards Personalized Medicine: Current and Future Prospects. <i>Molecular Diagnosis and Therapy</i> , 2016 , 20, 531-549	4.5	4
41	The nucleus does not significantly affect the migratory trajectories of amoeba in two-dimensional environments. <i>Scientific Reports</i> , 2019 , 9, 16369	4.9	4
40	Eosinophilic vacuolated tumor (EVT) of kidney demonstrates sporadic TSC/MTOR mutations: next-generation sequencing multi-institutional study of 19 cases. <i>Modern Pathology</i> , 2021 ,	9.8	4
39	Spatial patterns of tumour growth impact clonal diversification in a computational model and the TRACERx Renal study.. <i>Nature Ecology and Evolution</i> , 2021 ,	12.3	4
38	Transperineal biopsies of MRI-detected aggressive index lesions in low- and intermediate-risk prostate cancer patients: Implications for treatment decision. <i>Brachytherapy</i> , 2017 , 16, 201-206	2.4	3
37	EV11 as a Prognostic and Predictive Biomarker of Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	3
36	Common and uncommon features of nephrogenic adenoma revisited. <i>Pathology Research and Practice</i> , 2019 , 215, 152561	3.4	3
35	DNA repair genes and prognosis in sporadic forms of urothelial carcinoma of the upper urinary tract. <i>Actas Urológicas Españolas (English Edition)</i> , 2014 , 38, 600-607	0.1	3
34	El diagnóstico histológico de la patología tiroidea en biopsias guiadas por control ecográfico. <i>Revista Espanola De Patologia</i> , 2009 , 42, 97-106	1.2	3
33	Mucinous (colloid) adenocarcinoma of the prostate. <i>British Journal of Urology</i> , 1995 , 76, 805-6		3
32	Hemophagocytic syndrome causing complete bone marrow failure. Report of an extreme case of a reactive histiocytic disorder. <i>Acta Haematologica</i> , 1989 , 82, 197-200	2.7	3
31	Concurrent solitary fibrous tumor and low-grade fibrillary astrocytoma of the cerebellum 2010 , 29, 301-6		3
30	Unusual Faces of Bladder Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
29	Gleason and Fuhrman no longer make the grade. <i>Histopathology</i> , 2016 , 69, 340-1	7.3	3
28	Clinical Implications of (Pro)renin Receptor (PRR) Expression in Renal Tumours. <i>Diagnostics</i> , 2021 , 11,	3.8	3
27	Re: Rodolfo Montironi, Liang Cheng, Antonio Lopez-Beltran, et al. Stage pT0 in radical prostatectomy with no residual carcinoma and with a previous positive biopsy conveys a wrong message to clinicians and patients: why is cancer not present in the radical prostatectomy specimen? <i>Eur Urol</i> 2009 ;56:272-4. <i>European Urology</i> , 2010 , 57, e21; author reply e22-3	10.2	2

26	Expression of keratin 20 in malignant eccrine poromas. <i>Pathology Research and Practice</i> , 1994 , 190, 11-4	3.4	2
25	Congenital mesoblastic nephroma, nephrocalcinosis, and hypertrophic pyloric stenosis. <i>Journal of Surgical Oncology</i> , 1991 , 48, 142-4	2.8	2
24	Case Report: Multifocal biphasic squamoid alveolar renal cell carcinoma. <i>F1000Research</i> , 2016 , 5, 607	3.6	2
23	Mimickers of Urothelial Carcinoma and the Approach to Differential Diagnosis. <i>Clinics and Practice</i> , 2021 , 11, 110-123	2.4	2
22	A global analysis of the reconstitution of PTEN function by translational readthrough of PTEN pathogenic premature termination codons. <i>Human Mutation</i> , 2021 , 42, 551-566	4.7	2
21	Integrated mRNA and miRNA Transcriptomic Analyses Reveals Divergent Mechanisms of Sunitinib Resistance in Clear Cell Renal Cell Carcinoma (ccRCC). <i>Cancers</i> , 2021 , 13,	6.6	2
20	Prostate anatomy in motheaten viable (mev) mice with mutations in the protein tyrosine phosphatase SHP-1. <i>Actas Urológicas Españolas (English Edition)</i> , 2014 , 38, 438-444	0.1	1
19	Prostate anatomy in motheaten viable (me(v)) mice with mutations in the protein tyrosine phosphatase SHP-1. <i>Actas Urológicas Españolas</i> , 2014 , 38, 438-44	0.7	1
18	Neoplasias oncológicas renales. Revisión crítica de un problema diagnóstico no resuelto. <i>Revista Española De Patología</i> , 2008 , 41, 249-259	1.2	1
17	(Pro)renin Receptor Is a Novel Independent Prognostic Marker in Invasive Urothelial Carcinoma of the Bladder. <i>Cancers</i> , 2021 , 13,	6.6	1
16	Malakoplakia associated with colorectal adenocarcinoma. <i>Annals of Saudi Medicine</i> , 2005 , 25, 50-2	1.6	1
15	Immune checkpoint B7-H3 protein expression is associated with poor outcome and androgen receptor status in prostate cancer. <i>Prostate</i> , 2021 , 81, 838-848	4.2	1
14	Rheb/mTOR/p70s6k Cascade and TFE3 Expression in Conventional and Sclerosing PEComas of the Urinary Tract. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016 , 24, 514-20	1.9	1
13	Survival predictors in patients with prostate adenocarcinoma with hormonal blockade. <i>Pathology Research and Practice</i> , 2016 , 212, 899-903	3.4	1
12	Renal cell tumor with sex-cord/gonadoblastoma-like features: analysis of 6 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 1	5.1	0
11	SARS-CoV-2-Associated Obliterative Arteritis Causing Massive Testicular Infarction. <i>Clinics and Practice</i> , 2021 , 11, 246-249	2.4	0
10	Precision sampling fuels precision oncology: an evolutionary perspective. <i>Trends in Cancer</i> , 2021 , 7, 978-981	2.5	0
9	Protein Tyrosine Phosphatases in Neuroblastoma: Emerging Roles as Biomarkers and Therapeutic Targets.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 811297	5.7	0

8	Diagnostic usefulness of the cytological study of the transport buffer in transrectal prostate core biopsies. <i>Actas Urológicas Españolas (English Edition)</i> , 2014 , 38, 566-570	0.1
7	Diagnostic usefulness of the cytological study of the transport buffer in transrectal prostate core biopsies. <i>Actas Urológicas Españolas</i> , 2014 , 38, 566-70	0.7
6	Fraction of positive cores in prostate needle biopsy is significantly predictive of pathological stage in radical prostatectomy. <i>Histopathology</i> , 2009 , 54, 374-5	7.3
5	La médula renal normal y patológica. <i>Revista Espanola De Patologia</i> , 2009 , 42, 263-275	1.2
4	Expresión de pRb, p53 y bcl-2 en el carcinoma de células transicionales de bajo grado no infiltrante (pTa) de la vejiga urinaria. <i>Revista Espanola De Patologia</i> , 2006 , 39, 149-154	1.2
3	Absence of estrogen immunoreactivity in adenomatoid tumors of male reproductive system. <i>Pathology Research and Practice</i> , 1990 , 186, 395-6	3.4
2	Revealing the production process of Joaquín Albarrán. Les Tumeurs de la Vessie 125 years after its writing. <i>Actas Urológicas Españolas</i> , 2016 , 40, 463-9	0.7
1	The ejaculatory ducts and their implications in prostate adenocarcinoma. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013 , 35, 205-9	