Jawad Faiz

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7585516/jawad-faiz-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

3,285
citations

31
h-index

48
g-index

4,192
ext. papers

4,192
avg, IF

6.02
L-index

#	Paper	IF	Citations
190	Resonant Bridgeless Buck PFC Converter with Reduced Components and Dead Angle Elimination. <i>IEEE Transactions on Power Electronics</i> , 2022 , 1-1	7.2	2
189	A Self-Starting Technique for Two-Phase Switched Reluctance Motors. <i>IEEE Transactions on Energy Conversion</i> , 2021 , 1-1	5.4	0
188	Online Model-Based Fault Detection of Synchronous Generators Using Residual Analysis. <i>IEEE Access</i> , 2021 , 9, 163697-163706	3.5	3
187	Design and performance of linear Vernier generators The state of the art and case study. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12723	2.2	О
186	A Mesh Design Technique for Double Stator Linear PM Vernier Machine based on Equivalent Magnetic Network Modeling. <i>IEEE Transactions on Energy Conversion</i> , 2021 , 1-1	5.4	O
185	Improving the transformer thermal modeling by considering additional thermal points. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 128, 106748	5.1	6
184	A Simple and Efficient Current-Based Method for Interturn Fault Detection in BLDC Motors. <i>IEEE Transactions on Industrial Informatics</i> , 2021 , 17, 2707-2715	11.9	11
183	Various parameters influence on field distribution in eccentric disc-type permanent magnet machine based on analytical method. <i>Australian Journal of Electrical and Electronics Engineering</i> , 2021 , 18, 21-30	0.6	
182	An overview of various faults detection methods in synchronous generators. <i>IET Electric Power Applications</i> , 2021 , 15, 391-404	1.8	9
181	Diagnosis and detection of dynamic eccentricity fault for permanent magnet transverse flux generator. <i>IET Electric Power Applications</i> , 2021 , 15, 528-541	1.8	2
180	Prediction of transformer fault in cooling system using combining advanced thermal model and thermography. <i>IET Generation, Transmission and Distribution</i> , 2021 , 15, 1972	2.5	1
179	Nonlinear Modeling of a C-core Connected Two-Phase Switched Reluctance Motor. <i>IEEE Transactions on Energy Conversion</i> , 2021 , 1-1	5.4	4
178	Experimental Parameter Estimation of Induction Motor Based on Transient and Steady-state Responses in Synchronous and Rotor Reference Frames. <i>IEEE Transactions on Energy Conversion</i> , 2021 , 1-1	5.4	1
177	Single stator-single rotor permanent magnet Vernier machine topologies for direct-drive applications: Review and case study. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31,	2.2	
176	Electromagnetic and thermal behavior of a single-phase transformer during Ferroresonance considering hysteresis model of core. <i>International Journal of Electrical Power and Energy Systems</i> , 2020 , 121, 106078	5.1	8
175	Thermal analysis and derating of a power transformer with harmonic loads. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 1233-1241	2.5	5
174	. IEEE Transactions on Instrumentation and Measurement, 2020 , 69, 6995-7003	5.2	7

(2019-2020)

173	Model-based unified technique for identifying severities of stator inter-turn and rotor broken bar faults in SCIMs. <i>IET Electric Power Applications</i> , 2020 , 14, 204-211	1.8	7
172	Ferrite Permanent Magnets in Electrical Machines: Opportunities and Challenges of a Non-Rare-Earth Alternative. <i>IEEE Transactions on Magnetics</i> , 2020 , 56, 1-20	2	21
171	. IEEE Transactions on Energy Conversion, 2020 , 35, 1859-1867	5.4	10
170	Optimization of synchronous reluctance motor based on radial basis network. <i>Serbian Journal of Electrical Engineering</i> , 2020 , 17, 223-234	0.3	O
169	Design of dual rotor axial flux permanent magnet generators with ferrite and rare-earth magnets. <i>Facta Universitatis - Series Electronics and Energetics</i> , 2020 , 33, 553-569	0.4	1
168	SUB-DOMAIN ANALYSIS OF ASYMMETRICAL MAGNETIC FIELD IN ELECTRICAL MACHINES. <i>Progress in Electromagnetics Research C</i> , 2020 , 104, 215-228	0.9	O
167	Impacts of Number of Poles and Slots on Armature Reaction and Performance of Ironless Permanent Magnet Motors. <i>Electric Power Components and Systems</i> , 2020 , 48, 1979-1991	1	
166	Permanent magnet vernier generator under dynamic eccentricity fault: diagnosis and detection. <i>IET Electric Power Applications</i> , 2020 , 14, 2490-2498	1.8	1
165	Performance modifications and design aspects of rotating flux switching permanent magnet machines: a review. <i>IET Electric Power Applications</i> , 2020 , 14, 1-15	1.8	6
164	Dynamic air gap asymmetry fault detection in single-sided linear induction motors. <i>IET Electric Power Applications</i> , 2020 , 14, 605-613	1.8	1
163	Thermal analysis of power transformers under unbalanced supply voltage. <i>IET Electric Power Applications</i> , 2019 , 13, 503-512	1.8	10
162	Investigating the applicability of the finite integration technique for studying the frequency response of the transformer winding. <i>International Journal of Electrical Power and Energy Systems</i> , 2019 , 110, 411-418	5.1	10
161	A new hybrid analytical model based on winding function theory for analysis of surface mounted permanent magnet motors. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2019 , 38, 745-758	0.7	2
160	Comparison of rotor electrical fault indices owing to inter-turn short circuit and unbalanced resistance in doubly-fed induction generator. <i>IET Electric Power Applications</i> , 2019 , 13, 235-242	1.8	7
159	Diagnosis of interturn fault in stator winding of turbo-generator. <i>International Transactions on Electrical Energy Systems</i> , 2019 , 29, e12132	2.2	2
158	Robust Design of an Outer Rotor Permanent Magnet Motor Through Six-Sigma Methodology Using Response Surface Surrogate Model. <i>IEEE Transactions on Magnetics</i> , 2019 , 55, 1-10	2	15
157	Impacts of ferroresonance and inrush current forces on transformer windings. <i>IET Electric Power Applications</i> , 2019 , 13, 914-921	1.8	7
156	Eccentricity fault diagnosis indices for permanent magnet machines: state-of-the-art. <i>IET Electric Power Applications</i> , 2019 , 13, 1241-1254	1.8	12

155	Thermal Analysis of Power Transformer Using an Improved Dynamic Thermal Equivalent Circuit Model. <i>Electric Power Components and Systems</i> , 2019 , 47, 1598-1609	1	7
154	Torque ripple and switching frequency reduction of interior permanent magnet brushless direct current motors using a novel control technique. <i>IET Power Electronics</i> , 2019 , 12, 3852-3858	2.2	3
153	A Fast Phase Variable \$abc\$ Model of Brushless PM Motors Under Demagnetization Faults. <i>IEEE Transactions on Industrial Electronics</i> , 2019 , 66, 5070-5080	8.9	8
152	A new analytical technique for analysis and detection of air-gap eccentricity fault in surface-mounted permanent-magnet machines. <i>International Transactions on Electrical Energy Systems</i> , 2019 , 29, e2764	2.2	3
151	. IEEE Transactions on Energy Conversion, 2018 , 33, 617-626	5.4	17
150	Planetary Gear Fault Detection Based on Mechanical Torque and Stator Current Signatures of a Wound Rotor Induction Generator. <i>IEEE Transactions on Energy Conversion</i> , 2018 , 33, 1072-1085	5.4	18
149	. IEEE Transactions on Magnetics, 2018 , 54, 1-5	2	19
148	Interturn fault diagnosis in brushless direct current motors 🖪 review 2018,		2
147	A Novel Linear Stator-PM Vernier Machine With Spoke-Type Magnets. <i>IEEE Transactions on Magnetics</i> , 2018 , 54, 1-5	2	12
146	Analytical Technique for Analysis and Detection of Eccentricity Fault in Surface-Mounted Permanent Magnet Generators Using No-Load Voltage Signature. <i>Electric Power Components and Systems</i> , 2018 , 46, 957-973	1	
145	Assessment of computational intelligence and conventional dissolved gas analysis methods for transformer fault diagnosis. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 1798-180	6 ^{2.3}	46
144	Turn-to-turn fault monitoring methods in electrical power transformersBtate of the art. International Transactions on Electrical Energy Systems, 2018, 28, e2644	2.2	9
143	Dissolved gas analysis evaluation in electric power transformers using conventional methods a review. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 1239-1248	2.3	105
142	A new control method for improving the performance of Modular multilevel converter 2017 ,		2
141	Inductance-based Inter-Turn Fault Detection in Permanent Magnet Synchronous Machine Using Magnetic Equivalent Circuit Model. <i>Electric Power Components and Systems</i> , 2017 , 45, 1016-1030	1	8
140	Linear electrical generator topologies for direct-drive marine wave energy conversion- an overview. <i>IET Renewable Power Generation</i> , 2017 , 11, 1163-1176	2.9	40
139	Impacts of eccentricity fault on permanent magnet generators for distributed generation 2017,		2
138	Uniform demagnetization fault diagnosis in permanent magnet synchronous motors by means of cogging torque analysis 2017 ,		6

(2015-2017)

137	Detection of mixed eccentricity fault in doubly-fed induction generator based on reactive power spectrum. <i>IET Electric Power Applications</i> , 2017 , 11, 1076-1084	1.8	17	
136	Unbalanced Magnetic Force Analysis in Eccentric Surface Permanent-Magnet Motors Using an Improved Conformal Mapping Method. <i>IEEE Transactions on Energy Conversion</i> , 2017 , 32, 146-154	5.4	27	
135	Comprehensive review on inter-turn fault indexes in permanent magnet motors. <i>IET Electric Power Applications</i> , 2017 , 11, 142-156	1.8	35	
134	. IEEE Transactions on Industry Applications, 2017 , 53, 3137-3145	4.3	11	
133	. IEEE Transactions on Industry Applications, 2017 , 53, 2772-2785	4.3	67	
132	Analytic method for eccentricity fault diagnosis in salient-pole synchronous generators 2017,		6	
131	Fault Diagnosis of Induction Motors 2017 ,		11	
130	Magnetic equivalent circuit modelling of doubly-fed induction generator with assessment of rotor inter-turn short-circuit fault indices. <i>IET Renewable Power Generation</i> , 2016 , 10, 1431-1440	2.9	19	
129	Current-based inter-turn short circuit fault modeling in permanent magnet synchronous machine using magnetic equivalent circuit model 2016 ,		7	
128	Derating of distribution transformers under non-linear loads using a combined analytical-finite elements approach. <i>IET Electric Power Applications</i> , 2016 , 10, 779-787	1.8	13	
127	Planetary Gearbox Torsional Vibration Effects on Wound-Rotor Induction Generator Electrical Signatures. <i>IEEE Transactions on Industry Applications</i> , 2016 , 52, 4770-4780	4.3	27	
126	Simulation of permanent magnet synchronous motors under short circuit fault 2016,		4	
125	Design Optimization of Cast-Resin Transformer Using Nature-Inspired Algorithms. <i>Arabian Journal for Science and Engineering</i> , 2016 , 41, 3491-3500		8	
124	Eccentricity fault detection From induction machines to DFIGA review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 55, 169-179	16.2	41	
123	Demagnetization Fault Indexes in Permanent Magnet Synchronous Motors An Overview. <i>IEEE Transactions on Magnetics</i> , 2016 , 52, 1-11	2	48	
122	New technique for identifying bearing faults in three-phase induction motors 2016,		2	
121	Impacts of rotor inter-turn short circuit fault upon performance of wound rotor induction machines. <i>Electric Power Systems Research</i> , 2016 , 135, 48-58	3.5	8	
120	Modeling and Diagnosing Eccentricity Fault Using Three-dimensional Magnetic Equivalent Circuit Model of Three-phase Squirrel-cage Induction Motor. <i>Electric Power Components and Systems</i> , 2015 , 43, 1246-1256	1	11	

119	Modeling and damping controller design for static var compensator 2015 ,		3
118	Derating of transformers under non-linear load current and non-sinusoidal voltage han overview. <i>IET Electric Power Applications</i> , 2015 , 9, 486-495	1.8	26
117	A survey on time and frequency characteristics of induction motors with broken rotor bars in line-start and inverter-fed modes. <i>Mechanical Systems and Signal Processing</i> , 2015 , 54-55, 427-456	7.8	46
116	Frequency control of isolated WT/PV/SOFC/UC network with new control strategy for improving SOFC dynamic response. <i>International Transactions on Electrical Energy Systems</i> , 2015 , 25, 1748-1770	2.2	21
115	Estimation of induction machine inductances using three-dimensional magnetic equivalent circuit. <i>IET Electric Power Applications</i> , 2015 , 9, 117-127	1.8	15
114	A novel robust design for LPMSM with minimum motor current THD based on improved space vector modulation technique 2015 ,		1
113	Impact of rotor inter-turn short circuit fault upon performance of a wound rotor induction motor 2015 ,		3
112	Coordinated design of TCSC and PSS controllers using VURPSO and Genetic algorithms for multi-machine power system stability. <i>International Journal of Control, Automation and Systems</i> , 2015 , 13, 398-409	2.9	31
111	Analytical estimation of short circuit axial and radial forces on power transformers windings. <i>IET Generation, Transmission and Distribution</i> , 2014 , 8, 250-260	2.5	14
110	Conducted electromagnetic interference evaluation of forward converter with symmetric topology and passive filter. <i>IET Power Electronics</i> , 2014 , 7, 1113-1120	2.2	9
109	An Improved Magnetic Equivalent Circuit Method for Evaluation of Different Inductances of a Squirrel-Cage Induction Motor in Healthy and Faulty Conditions. <i>Electromagnetics</i> , 2014 , 34, 363-379	0.8	8
108	Diagnosing power transformers faults. Russian Electrical Engineering, 2014, 85, 785-793	0.5	6
107	A new multi-winding traction transformer equivalent circuit for short-circuit performance analysis. <i>International Transactions on Electrical Energy Systems</i> , 2014 , 24, 186-202	2.2	7
106	Diagnosis methods for stator winding faults in three-phase squirrel-cage induction motors. <i>International Transactions on Electrical Energy Systems</i> , 2014 , 24, 891-912	2.2	33
105	. IEEE Transactions on Industrial Electronics, 2014 , 61, 2041-2052	8.9	145
104	Losses Calculation in Line-Start and Inverter-Fed Induction Motors Under Broken Bar Fault. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2013 , 62, 140-152	5.2	9
103	Implementation of Full Adaptive Technique to Optimal Coordination of Overcurrent Relays. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 235-244	4.3	41
102	Demagnetization Fault Diagnosis in Surface Mounted Permanent Magnet Synchronous Motors. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 1185-1192	2	47

(2011-2013)

101	Losses Characterization in Voltage-Fed PWM Inverter Induction Motor Drives Under Rotor Broken Bars Fault. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 1516-1525	2	9
100	Over-current relay implementation assuring fast and secure operation in transient conditions. <i>Electric Power Systems Research</i> , 2012 , 91, 1-8	3.5	5
99	Novel indices for broken rotor bars fault diagnosis in induction motors using wavelet transform. <i>Mechanical Systems and Signal Processing</i> , 2012 , 30, 131-145	7.8	54
98	Configuration Impacts on Eccentricity Fault Detection in Permanent Magnet Synchronous Motors. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 903-906	2	35
97	Locating Broken Bars in Line-Start and Inverter-Fed Induction Motors Using Modified Winding Function Method. <i>Electromagnetics</i> , 2012 , 32, 173-192	0.8	10
96	A new criterion for rotor broken bar fault diagnosis in line-start and inverter-fed induction motors using Hilbert-Huang transform 2012 ,		5
95	A survey on condition monitoring and fault diagnosis in line-start and inverter-fed broken bar induction motors 2012 ,		7
94	Performance Analysis of Saturated Induction Motors by Virtual Tests. <i>IEEE Transactions on Education</i> , 2012 , 55, 370-377	2.1	4
93	Pattern recognition for broken bars fault diagnosis in induction motors under various supply conditions. <i>European Transactions on Electrical Power</i> , 2012 , 22, 1176-1190		7
92	Impact of closed-loop control on behavior of inverter-fed induction motors with rotor broken-bars fault 2012 ,		7
91	EMI Analysis and Evaluation of an Improved ZCT Flyback Converter. <i>IEEE Transactions on Power Electronics</i> , 2011 , 26, 2326-2334	7.2	29
90	Time-Stepping Finite Element Analysis of Distribution Transformers Performance under Unbalanced Voltage and Load. <i>Electromagnetics</i> , 2011 , 31, 63-75	0.8	2
89	Computation of static and dynamic axial and radial forces on power transformer windings due to inrush and short circuit currents 2011 ,		9
88	Induction motors performance study under various voltage sags using simulation 2011,		4
87	Diagnosis and Magnetic Field Analysis of Small Power Salient-Pole Synchronous Generator with Static Eccentricity Using Time-Stepping Finite-Element Method. <i>Electromagnetics</i> , 2011 , 31, 173-191	0.8	О
86	Comparison of the performance of two direct wave energy conversion systems: Archimedes wave swing and power buoy. <i>Journal of Marine Science and Application</i> , 2011 , 10, 419-428	1.2	5
85	A Detailed Analytical Model of a Salient-Pole Synchronous Generator Under Dynamic Eccentricity Fault. <i>IEEE Transactions on Magnetics</i> , 2011 , 47, 764-771	2	36
84	Dynamic eccentricity fault diagnosis in round rotor synchronous motors. <i>Energy Conversion and Management</i> , 2011 , 52, 2092-2097	10.6	16

83	Stator Inductance Fluctuation of Induction Motor as an Eccentricity Fault Index. <i>IEEE Transactions on Magnetics</i> , 2011 , 47, 1775-1785	2	27
82	Solid-state tap-changer of transformers: Design, control and implementation. <i>International Journal of Electrical Power and Energy Systems</i> , 2011 , 33, 210-218	5.1	7
81	Classification and Comparison of EMI Mitigation Techniques in Switching Power Converters - A Review. <i>Journal of Power Electronics</i> , 2011 , 11, 767-777	0.9	19
80	Analytical estimation of flux waveforms in 8/6 switched reluctance motors based on extension of flux tube method. <i>Facta Universitatis - Series Electronics and Energetics</i> , 2011 , 24, 243-256	0.4	1
79	Practical Implementation and Experimental Results. <i>Power Systems</i> , 2011 , 129-169	0.4	1
78	TIME-STEPPING FINITE-ELEMENT ANALYSIS OF DYNAMIC ECCENTRICITY FAULT IN A THREE-PHASE SALIENT POLE SYNCHRONOUS GENERATOR. <i>Progress in Electromagnetics Research B</i> , 2010 , 20, 263-284	! ^{0.7}	3
77	Experimental Investigation on the Effects of Direct Torque Control Strategy in Eccentricity-related Frequency Components of Line Current of Induction Motors. <i>Electric Power Components and Systems</i> , 2010 , 38, 1285-1298	1	0
76	A New Technique for Modeling Hysteresis Phenomenon in Soft Magnetic Materials. <i>Electromagnetics</i> , 2010 , 30, 376-401	0.8	7
75	Operation, modeling, control and applications of static synchronous compensator: A review 2010,		3
74	Feature Extraction for Short-Circuit Fault Detection in Permanent-Magnet Synchronous Motors Using Stator-Current Monitoring. <i>IEEE Transactions on Power Electronics</i> , 2010 , 25, 2673-2682	7.2	102
73	Detection of Symmetrical Faults by Distance Relays During Power Swings. <i>IEEE Transactions on Power Delivery</i> , 2010 , 25, 81-87	4.3	106
72	Analytical Prediction of Instantaneous Torque and Speed for Induction Motors with Mixed-Eccentricity Fault Using Magnetic-Field Equations. <i>Electromagnetics</i> , 2010 , 30, 525-540	0.8	4
71	Mixed Derating of Distribution Transformers Under Unbalanced Supply Voltage and Nonlinear Load Conditions Using TSFEM. <i>IEEE Transactions on Power Delivery</i> , 2010 , 25, 780-789	4.3	14
70	Analysis of dynamic behavior of switched reluctance motor-design parameters effects 2010 ,		4
69	Reduction of Cogging Force in Linear Permanent-Magnet Generators. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 135-140	2	28
68	Inrush Current Modeling in a Single-Phase Transformer. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 578-58	81	28
67	Mixed-fault diagnosis in induction motors considering varying load and broken bars location. <i>Energy Conversion and Management</i> , 2010 , 51, 1432-1441	10.6	23
66	MIXED ECCENTRICITY FAULT DIAGNOSIS IN SALIENT-POLE SYNCHRONOUS GENERATOR USING MODIFIED WINDING FUNCTION METHOD. <i>Progress in Electromagnetics Research B</i> , 2009 , 11, 155-172	0.7	16

65	Analysis and Simulation of Speed Control for Two-Mass Resonant System 2009,		2
64	Comprehensive Eccentricity Fault Diagnosis in Induction Motors Using Finite Element Method. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 1764-1767	2	75
63	Temperature Rise Analysis of Switched Reluctance Motors Due to Electromagnetic Losses. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 2927-2934	2	33
62	Effect of Magnetic Saturation on Static and Mixed Eccentricity Fault Diagnosis in Induction Motor. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 3137-3144	2	42
61	Locating rotor broken bars in induction motors using finite element method. <i>Energy Conversion and Management</i> , 2009 , 50, 125-131	10.6	32
60	Design optimization of switched reluctance machines for starter/generator of hybrid electric vehicle by genetic algorithm. <i>European Transactions on Electrical Power</i> , 2009 , 19, 302-312		6
59	Loss prediction in switched reluctance motors using finite element method. <i>European Transactions on Electrical Power</i> , 2009 , 19, 731-748		16
58	Different indexes for eccentricity faults diagnosis in three-phase squirrel-cage induction motors: A review. <i>Mechatronics</i> , 2009 , 19, 2-13	3	61
57	Reply to Discussion on Adaptive Fuzzy System for Discrimination of Fault from Non-fault Switching in Over-current Protection [Electric Power Components and Systems, 2009, 37, 695-696]	1	
56	Static-, Dynamic-, and Mixed-Eccentricity Fault Diagnoses in Permanent-Magnet Synchronous Motors. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 4727-4739	8.9	210
56 55		8.9	210
	Motors. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 4727-4739	8.9	
55	Motors. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 4727-4739 Cogging force alleviation in linear permanent magnet generators 2009 , Design and simulation of a 250 kW linear permanent magnet generator for wave energy to electric	8.9	3
55 54	Motors. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 4727-4739 Cogging force alleviation in linear permanent magnet generators 2009 , Design and simulation of a 250 kW linear permanent magnet generator for wave energy to electric energy conversion in caspian sea 2009 ,	0.8	3
55 54 53	Motors. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 4727-4739 Cogging force alleviation in linear permanent magnet generators 2009 , Design and simulation of a 250 kW linear permanent magnet generator for wave energy to electric energy conversion in caspian sea 2009 , Nonlinear Control Techniques in Uninterruptible Power Supply Inverter: A Review 2009 , Criterion Function for Broken-Bar Fault Diagnosis in Induction Motor under Load Variation Using		3 4 2
55 54 53 52	Cogging force alleviation in linear permanent magnet generators 2009, Design and simulation of a 250 kW linear permanent magnet generator for wave energy to electric energy conversion in caspian sea 2009, Nonlinear Control Techniques in Uninterruptible Power Supply Inverter: A Review 2009, Criterion Function for Broken-Bar Fault Diagnosis in Induction Motor under Load Variation Using Wavelet Transform. <i>Electromagnetics</i> , 2009, 29, 220-234 A New Pattern for Detecting Broken Rotor Bars in Induction Motors During Start-Up. <i>IEEE</i>	0.8	3 4 2
55 54 53 52 51	Cogging force alleviation in linear permanent magnet generators 2009, Design and simulation of a 250 kW linear permanent magnet generator for wave energy to electric energy conversion in caspian sea 2009, Nonlinear Control Techniques in Uninterruptible Power Supply Inverter: A Review 2009, Criterion Function for Broken-Bar Fault Diagnosis in Induction Motor under Load Variation Using Wavelet Transform. Electromagnetics, 2009, 29, 220-234 A New Pattern for Detecting Broken Rotor Bars in Induction Motors During Start-Up. IEEE Transactions on Magnetics, 2008, 44, 4673-4683 Three- and Two-Dimensional Finite-Element Computation of Inrush Current and Short-Circuit Electromagnetic Forces on Windings of a Three-Phase Core-Type Power Transformer. IEEE	0.8	3 4 2 10 43

47	Static Eccentricity Fault Diagnosis in Permanent Magnet Synchronous Motor Using Time Stepping Finite Element Method. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 4297-4300	2	46
46	Finite-Element Transient Analysis of Induction Motors Under Mixed Eccentricity Fault. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 66-74	2	105
45	Determination of Number of Broken Rotor Bars and Static Eccentricity Degree in Induction Motor under Mixed Fault. <i>Electromagnetics</i> , 2008 , 28, 433-449	0.8	5
44	STATIC ECCENTRICITY FAULT DIAGNOSIS IN AN ACCELERATING NO-LOAD THREE-PHASE SATURATED SQUIRREL-CAGE INDUCTION MOTOR. <i>Progress in Electromagnetics Research B</i> , 2008 , 10, 35-54	0.7	9
43	Stability analysis and simulation of a single-phase voltage source UPS inverter with two-stage cascade output filter. <i>European Transactions on Electrical Power</i> , 2008 , 18, 29-49		9
42	Two-dimensional finite element thermal modeling of an oil-immersed transformer. <i>European Transactions on Electrical Power</i> , 2008 , 18, 577-594		8
41	Signature Analysis of Electrical and Mechanical Signals for Diagnosis of Broken Rotor Bars in an Induction Motor. <i>Electromagnetics</i> , 2007 , 27, 507-526	0.8	10
40	. IEEE Transactions on Power Delivery, 2007 , 22, 1326-1334	4.3	23
39	New Controller for an Electronic Tap Changer P art II: Measurement Algorithm and Test Results. <i>IEEE Transactions on Power Delivery</i> , 2007 , 22, 230-237	4.3	8
38	TIME STEPPING FINITE ELEMENT ANALYSIS OF BROKEN BARS FAULT IN A THREE-PHASE SQUIRREL-CAGE INDUCTION MOTOR. <i>Progress in Electromagnetics Research</i> , 2007 , 68, 53-70	3.8	35
37	Lumped thermal model for switched reluctance motor applied to mechanical design optimization. <i>Mathematical and Computer Modelling</i> , 2007 , 45, 625-638		19
36	Precise derating of three phase induction motors with unbalanced voltages. <i>Energy Conversion and Management</i> , 2007 , 48, 2579-2586	10.6	20
35	Influence of Magnetic Saturation upon Performance of Induction Motor Using Time Stepping Finite Element Method. <i>Electric Power Components and Systems</i> , 2007 , 35, 505-524	1	6
34	Finite Element Transient Analysis of an On-Load Three-Phase Squirrel-Cage Induction Motor with Static Eccentricity. <i>Electromagnetics</i> , 2007 , 27, 207-227	0.8	12
33	Adaptive Fuzzy System for Discrimination of Fault from Non-fault Switching in Over-current Protection. <i>Electric Power Components and Systems</i> , 2007 , 35, 1367-1384	1	3
32	New Controller for an Electronic Tap Changer P art I: Design Procedure and Simulation Results. <i>IEEE Transactions on Power Delivery</i> , 2007 , 22, 223-229	4.3	8
31	Diagnosis of a Mixed Eccentricity Fault in a Squirrel-cage Three-phase Induction Motor using Time Stepping Finite Element Technique 2007 ,		2
30	. IEEE Transactions on Power Delivery, 2007 , 22, 843-850	4.3	17

29	A criterion function for broken bar fault diagnosis in induction motor under load variation using wavelet transform 2007 ,		2
28	Influence of unbalanced voltage supply on efficiency of three phase squirrel cage induction motor and economic analysis. <i>Energy Conversion and Management</i> , 2006 , 47, 289-302	10.6	32
27	Finite-element analysis of a switched reluctance motor under static eccentricity fault. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 2004-2008	2	15
26	Adaptive performance improvement of switched reluctance motor with two-phase excitation. <i>European Transactions on Electrical Power</i> , 2006 , 16, 1-13		2
25	Optimal design of an induction motor for an electric vehicle. <i>European Transactions on Electrical Power</i> , 2006 , 16, 15-33		5
24	Derating of a distribution transformer for non-linear loads. <i>European Transactions on Electrical Power</i> , 2006 , 16, 189-203		7
23	Optimal Excitation Angles of a High Speed Switched Reluctance Generator by Efficiency Maximization 2006 ,		5
22	Optimal Design of Internal Permanent Magnet Motor for Starter/Generator of Hybrid Electric Vehicle 2006 ,		5
21	Different Faults and Their Diagnosis Techniques in Three-Phase Squirrel-Cage Induction Motors Review. <i>Electromagnetics</i> , 2006 , 26, 543-569	0.8	51
20	MIXED FAULT DIAGNOSIS IN THREE-PHASE SQUIRREL-CAGE INDUCTION MOTOR USING ANALYSIS OF AIR-GAP MAGNETIC FIELD. <i>Progress in Electromagnetics Research</i> , 2006 , 64, 239-255	3.8	26
19	Design of switched reluctance machine for starter/generator of hybrid electric vehicle. <i>Electric Power Systems Research</i> , 2005 , 75, 153-160	3.5	30
18	Design and testing of an integrated electronically controlled capacitor for integral and fractional horse power single phase induction motor. <i>Energy Conversion and Management</i> , 2004 , 45, 2989-3001	10.6	9
17	A Precise Electromagnetic Modeling and Performance Analysis of a Three-Phase Squirrel-Cage Induction Motor under Mixed Eccentricity Condition. <i>Electromagnetics</i> , 2004 , 24, 471-489	0.8	22
16	PSPICE simulation of a capacitor start and triac start single phase induction motor during steady state and transient operations and its experimental verification. <i>Energy Conversion and Management</i> , 2003 , 44, 479-495	10.6	8
15	Torque Ripple Minimization in Switched Reluctance Motor by Optimal Commutation Strategy Using a Novel Reference Torque. <i>Electric Power Components and Systems</i> , 2002 , 30, 769-782	1	13
14	Comparison of different switching patterns in direct torque control technique of induction motors. <i>Electric Power Systems Research</i> , 2001 , 60, 63-75	3.5	10
13	Optimal design of three phase induction motors and their comparison with a typical industrial motor. <i>Computers and Electrical Engineering</i> , 2001 , 27, 133-144	4.3	13
12	OPTIMIZATION OF AN ELECTRONICALLY CONTROLLED CAPACITOR FOR A SINGLE-PHASE INDUCTION MOTOR. <i>Electric Power Components and Systems</i> , 1998 , 26, 1067-1079		6

11	THERMAL MODEL FOR A SWITCHED RELUCTANCE MOTOR OF TEFC DESIGN DURING STEADY AND TRANSIENT OPERATION. <i>Electric Power Components and Systems</i> , 1998 , 26, 77-91		17	
10	Aspects of design optimization for multiple tooth per stator pole switched reluctance motors. <i>Electric Power Systems Research</i> , 1997 , 42, 77-86	3.5	5	
9	Simulation and analysis of brushless DC motor drives using hysteresis, ramp comparison and predictive current control techniques. <i>Simulation Modelling Practice and Theory</i> , 1996 , 3, 347-363		14	
8	A novel switched reluctance motor with multiple teeth per stator pole and comparison of such motors. <i>Electric Power Systems Research</i> , 1995 , 34, 197-203	3.5	13	
7	Dynamic analysis of induction motors with saturable inductances. <i>Electric Power Systems Research</i> , 1995 , 34, 205-210	3.5	8	
6	Optimum design of a three phase squirrel-cage induction motor based on efficiency maximization. <i>Computers and Electrical Engineering</i> , 1995 , 21, 367-373	4.3	8	
5	Design computations and performance characteristics prediction for multiple tooth switched reluctance motor. <i>Computers and Electrical Engineering</i> , 1994 , 20, 243-258	4.3	2	
4	Teaching aids for electrical machines laboratory. <i>Computer Applications in Engineering Education</i> , 1993 , 1, 455-461	1.6	1	
3	An overview of thermal modelling techniques for permanent magnet machines. <i>IET Science</i> , <i>Measurement and Technology</i> ,	1.5	1	
2	Airgap and stray magnetic flux monitoring techniques for fault diagnosis of electrical machines: An overview. <i>IET Electric Power Applications</i> ,	1.8	3	
1	Analysis and detection of turn-to-turn short circuit fault in a permanent magnet Vernier generator based on modified winding function. <i>IET Electric Power Applications</i> ,	1.8	1	