

# Christopher J Garland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7587358/publications.pdf>

Version: 2024-02-01

50  
papers

2,732  
citations

279701

23  
h-index

315616

38  
g-index

50  
all docs

50  
docs citations

50  
times ranked

1594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phospholemman Phosphorylation Regulates Vascular Tone, Blood Pressure, and Hypertension in Mice and Humans. <i>Circulation</i> , 2021, 143, 1123-1138.	1.6	12
2	Endothelium-Dependent Hyperpolarization: The Evolution of Myoendothelial Microdomains. <i>Journal of Cardiovascular Pharmacology</i> , 2021, 78, S3-S12.	0.8	13
3	Endothelial Nitric Oxide Suppresses Action-Potential-Like Transient Spikes and Vasospasm in Small Resistance Arteries. <i>Hypertension</i> , 2020, 76, 785-794.	1.3	12
4	Intrinsic regulation of microvascular tone by myoendothelial feedback circuits. <i>Current Topics in Membranes</i> , 2020, 85, 327-355.	0.5	11
5	Nerve-Mediated Responses in Isolated Myogenic and Non-Myogenic Arteries. <i>FASEB Journal</i> , 2019, 33, 683.5.	0.2	0
6	Hyperglycaemia disrupts conducted vasodilation in the resistance vasculature of db/db mice. <i>Vascular Pharmacology</i> , 2018, 103-105, 29-35.	1.0	15
7	Smooth muscle gap-junctions allow propagation of intercellular Ca <sup>2+</sup> waves and vasoconstriction due to Ca <sup>2+</sup> based action potentials in rat mesenteric resistance arteries. <i>Cell Calcium</i> , 2018, 75, 21-29.	1.1	18
8	VEGF $\alpha$ inhibits agonist-mediated Ca <sup>2+</sup> responses and activation of IK <sub>Ca</sub> channels in mouse resistance artery endothelial cells. <i>Journal of Physiology</i> , 2018, 596, 3553-3566.	1.3	6
9	Enhancing endothelial cell signaling in resistance arteries to reverse vasospasm. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-3-57.	0.0	0
10	Hyperglycaemia disrupts conducted vasodilation in the resistance vasculature of db/db mice. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-3-23.	0.0	0
11	Voltage-dependent Ca <sup>2+</sup> entry into smooth muscle during contraction promotes endothelium-mediated feedback vasodilation in arterioles. <i>Science Signaling</i> , 2017, 10, .	1.6	58
12	Vasorelaxation to the Nitroxyl Donor Isopropylamine NONOate in Resistance Arteries Does Not Require Perivascular Calcitonin Gene-Related Peptide. <i>Hypertension</i> , 2017, 70, 587-593.	1.3	7
13	Ca <sup>2+</sup> Influx Through Vascular Smooth Muscle Cell Voltage-Gated Ca <sup>2+</sup> Channels Increases Endothelial Cell Ca <sup>2+</sup> to Evoke Vasodilation. <i>FASEB Journal</i> , 2015, 29, 795.4.	0.2	0
14	Endogenous Acetylcholine Detected by Changes in [Ca <sup>2+</sup> ] Within Isolated Endothelial Cell Tubes. <i>FASEB Journal</i> , 2015, 29, 793.3.	0.2	0
15	Alpha $\beta$ 1 Adrenergic Receptor Subtype Distribution in Small Resistance Arteries from Mouse and Rat. <i>FASEB Journal</i> , 2015, 29, 793.2.	0.2	1
16	Scaffolding Builds to Reduce Blood Pressure. <i>Science Signaling</i> , 2014, 7, pe16.	1.6	8
17	A novel role for spontaneous endothelial cell calcium activity in the vascular myogenic response. <i>FASEB Journal</i> , 2013, 27, 924.3.	0.2	0
18	The non-neuronal cholinergic system: sources of vascular ACh. <i>FASEB Journal</i> , 2013, 27, 878.4.	0.2	0

#	ARTICLE	IF	CITATIONS
19	A novel signalling role for NAADP in arterial smooth muscle. <i>FASEB Journal</i> , 2013, 27, 877.5.	0.2	0
20	Low intravascular pressure activates endothelial cell TRPV4 channels, local Ca <sup>2+</sup> events, and IK <sub>Ca</sub> channels, reducing arteriolar tone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18174-18179.	3.3	169
21	Statins and Selective Inhibition of Rho Kinase Protect Small Conductance Calcium-Activated Potassium Channel Function (KCa <sub>2.3</sub> ) in Cerebral Arteries. <i>PLoS ONE</i> , 2012, 7, e46735.	1.1	16
22	A novel approach for imaging calcium events simultaneously in arteriolar vascular smooth muscle and endothelial cells. <i>FASEB Journal</i> , 2012, 26, 676.6.	0.2	0
23	EDHF: spreading the influence of the endothelium. <i>British Journal of Pharmacology</i> , 2011, 164, 839-852.	2.7	158
24	A Novel Role for HNO in Local and Spreading Vasodilatation in Rat Mesenteric Resistance Arteries. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 1625-1635.	2.5	29
25	Compromised vascular endothelial cell SK <sub>Ca</sub> activity: a fundamental aspect of hypertension?. <i>British Journal of Pharmacology</i> , 2010, 160, 833-835.	2.7	20
26	Nitric Oxide Suppresses Cerebral Vasomotion by sGC-Independent Effects on Ryanodine Receptors and Voltage-Gated Calcium Channels. <i>Journal of Vascular Research</i> , 2010, 47, 93-107.	0.6	32
27	Enhanced spontaneous Ca <sup>2+</sup> events in endothelial cells reflect signalling through myoendothelial gap junctions in pressurized mesenteric arteries. <i>Cell Calcium</i> , 2008, 44, 135-146.	1.1	104
28	Modulation of Endothelial Cell K <sub>Ca</sub> 3.1 Channels During Endothelium-Derived Hyperpolarizing Factor Signaling in Mesenteric Resistance Arteries. <i>Circulation Research</i> , 2008, 102, 1247-1255.	2.0	198
29	Endothelial P2Y1 receptor desensitizes by protein kinase C-dependent mechanisms in rat small mesenteric arteries. <i>FASEB Journal</i> , 2008, 22, 636-636.	0.2	0
30	Nitric Oxide does not suppress myogenic tone by activating ryanodine sensitive stores in rat middle cerebral artery. <i>FASEB Journal</i> , 2007, 21, A1168.	0.2	0
31	Spatial separation of endothelial small- and intermediate-conductance calcium-activated potassium channels (KCa) and connexins: possible relationship to vasodilator function?. <i>Journal of Anatomy</i> , 2006, 209, 689-698.	0.9	209
32	Lack of synergism between flow and ATP in stimulating increases in vascular endothelial cell [Ca <sup>2+</sup> ] <sub>i</sub> . <i>FASEB Journal</i> , 2006, 20, A669.	0.2	0
33	Spatial association of K <sub>Ca</sub> and gap junction connexins in rat mesenteric artery. <i>FASEB Journal</i> , 2006, 20, A275.	0.2	4
34	Rapid Endothelial Cell-Selective Loading of Connexin 40 Antibody Blocks Endothelium-Derived Hyperpolarizing Factor Dilation in Rat Small Mesenteric Arteries. <i>Circulation Research</i> , 2005, 97, 399-407.	2.0	167
35	Possible Role for K <sup>+</sup> in Endothelium-Derived Hyperpolarizing Factor-Linked Dilatation in Rat Middle Cerebral Artery. <i>Stroke</i> , 2005, 36, 1526-1532.	1.0	51
36	KCa channel blockers reveal hyperpolarization and relaxation to K <sup>+</sup> in rat isolated mesenteric artery. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H606-H614.	1.5	27

#	ARTICLE	IF	CITATIONS
37	Properties of smooth muscle hyperpolarization and relaxation to $K^{+}$ in the rat isolated mesenteric artery. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H2424-H2429.	1.5	73
38	Involvement of cyclic GMP and potassium channels in relaxation evoked by the nitric oxide donor, diethylamine NONOate, in the rat small isolated mesenteric artery. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2001, 364, 220-225.	1.4	30
39	Relaxation to authentic nitric oxide and SIN-1 in rat isolated mesenteric arteries: variable role for smooth muscle hyperpolarization. <i>British Journal of Pharmacology</i> , 2001, 133, 665-672.	2.7	23
40	Evidence that different mechanisms underlie smooth muscle relaxation to nitric oxide and nitric oxide donors in the rabbit isolated carotid artery. <i>British Journal of Pharmacology</i> , 1998, 123, 1351-1358.	2.7	85
41	Interactions between endothelium-derived relaxing factors in the rat hepatic artery: focus on regulation of EDHF. <i>British Journal of Pharmacology</i> , 1998, 124, 992-1000.	2.7	49
42	Influence of contractile agonists on the mechanism of endothelium-dependent relaxation in rat isolated mesenteric artery. <i>British Journal of Pharmacology</i> , 1996, 119, 191-193.	2.7	53
43	Evidence that potassium channels make a major contribution to SIN-1-evoked relaxation of rat isolated mesenteric artery. <i>British Journal of Pharmacology</i> , 1996, 119, 1557-1562.	2.7	45
44	Characterization of muscarinic receptors mediating contractions of circular and longitudinal muscle of human isolated colon. <i>British Journal of Pharmacology</i> , 1995, 115, 1518-1524.	2.7	50
45	Multiple pathways underlying endothelium-dependent relaxation in the rabbit isolated femoral artery. <i>British Journal of Pharmacology</i> , 1995, 115, 31-38.	2.7	54
46	Endothelium-dependent hyperpolarization: a role in the control of vascular tone. <i>Trends in Pharmacological Sciences</i> , 1995, 16, 23-30.	4.0	432
47	Contribution of both nitric oxide and a change in membrane potential to acetylcholine-induced relaxation in the rat small mesenteric artery. <i>British Journal of Pharmacology</i> , 1994, 112, 831-836.	2.7	71
48	Importance of inositol (1,4,5)-trisphosphate, intracellular $Ca^{2+}$ release and myofilament $Ca^{2+}$ sensitization in 5-hydroxytryptamine-evoked contraction of rabbit mesenteric artery. <i>British Journal of Pharmacology</i> , 1994, 111, 525-532.	2.7	21
49	Differential effects of acetylcholine, nitric oxide and levcromakalim on smooth muscle membrane potential and tone in the rabbit basilar artery. <i>British Journal of Pharmacology</i> , 1993, 110, 651-656.	2.7	78
50	Evidence that nitric oxide does not mediate the hyperpolarization and relaxation to acetylcholine in the rat small mesenteric artery. <i>British Journal of Pharmacology</i> , 1992, 105, 429-435.	2.7	323