

# Sanjoy K Paul

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7587414/publications.pdf>

Version: 2024-02-01

92  
papers

13,816  
citations

156536

32  
h-index

49824

91  
g-index

95  
all docs

95  
docs citations

95  
times ranked

14476  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized Controlled Clinical Trial of Lifestyle Intervention and Pioglitazone for Normalization of Glucose Status in Chinese with Prediabetes. <i>Journal of Diabetes Research</i> , 2022, 2022, 1-10.	1.0	2
2	Trend in Blood Pressure Control Post Antihypertensive Drug Initiation in the U.S.. <i>American Journal of Preventive Medicine</i> , 2022, 62, 716-726.	1.6	0
3	Cardiorenal Complications in Young-Onset Type 2 Diabetes Compared Between White Americans and African Americans. <i>Diabetes Care</i> , 2022, 45, 1873-1881.	4.3	4
4	The Effect of Renal Replacement Therapy and Antibiotic Dose on Antibiotic Concentrations in Critically Ill Patients: Data From the Multinational Sampling Antibiotics in Renal Replacement Therapy Study. <i>Clinical Infectious Diseases</i> , 2021, 72, 1369-1378.	2.9	85
5	Association of Cardiometabolic Multimorbidity and Depression With Cardiovascular Events in Early-Onset Adult Type 2 Diabetes: A Multiethnic Study in the U.S.. <i>Diabetes Care</i> , 2021, 44, 231-239.	4.3	26
6	The association of amputations and peripheral artery disease in patients with type 2 diabetes mellitus receiving sodium-glucose cotransporter type-2 inhibitors: real-world study. <i>European Heart Journal</i> , 2021, 42, 1728-1738.	1.0	53
7	Temporal trends in comorbidities and cardiometabolic risk factors at the time of type 2 diabetes diagnosis in the UK. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1150-1161.	2.2	10
8	Therapeutic inertia in the management of dyslipidaemia and hypertension in incident type 2 diabetes and the resulting risk factor burden: Real-world evidence from primary care. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1518-1531.	2.2	10
9	A phase 3 double-blind study of the addition of tocilizumab vs placebo to cyclosporin/methotrexate GVHD prophylaxis. <i>Blood</i> , 2021, 137, 1970-1979.	0.6	32
10	Association of biological antirheumatic therapy with risk for type 2 diabetes: a retrospective cohort study in incident rheumatoid arthritis. <i>BMJ Open</i> , 2021, 11, e042246.	0.8	2
11	Simulation training in non-cancer palliative care for healthcare workers: a systematic review of controlled studies. <i>BMJ Simulation and Technology Enhanced Learning</i> , 2021, 7, bmjstel-2019-000570.	0.7	2
12	Temporal Trend in Young-Onset Type 2 Diabetes <sup>2</sup> Macrovascular and Mortality Risk: Study of U.K. Primary Care Electronic Medical Records. <i>Diabetes Care</i> , 2020, 43, 2208-2216.	4.3	24
13	Cardiometabolic risk factor control in black and white people in the United States initiating sodium-glucose cotransporter <sup>2</sup> inhibitors: A real-world study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2384-2397.	2.2	9
14	Third-Line Antidiabetic Therapy Intensification Patterns and Glycaemic Control in Patients with Type 2 Diabetes in the USA: A Real-World Study. <i>Drugs</i> , 2020, 80, 477-487.	4.9	5
15	Evaluating the Representativeness of US Centricity Electronic Medical Records With Reports From the Centers for Disease Control and Prevention: Comparative Study on Office Visits and Cardiometabolic Conditions. <i>JMIR Medical Informatics</i> , 2020, 8, e17174.	1.3	9
16	A Robust Statistical Approach to Analyse Population Pharmacokinetic Data in Critically Ill Patients Receiving Renal Replacement Therapy. <i>Clinical Pharmacokinetics</i> , 2019, 58, 263-270.	1.6	0
17	A screen-based simulation training program to improve palliative care of people with advanced dementia living in residential aged care facilities and reduce hospital transfers: study protocol for the IMPROVING Palliative care Education and Training Using Simulation in Dementia (IMPETUS-D) cluster randomised controlled trial. <i>BMC Palliative Care</i> , 2019, 18, 86.	0.8	12
18	Cardiovascular Risk Factor Burden in People With Incident Type 2 Diabetes in the U.S. Receiving Antidiabetic and Cardioprotective Therapies. <i>Diabetes Care</i> , 2019, 42, 644-650.	4.3	9

#	ARTICLE	IF	CITATIONS
19	Selectivity of beta-blockers, cardiovascular and all-cause mortality in people with hypoglycaemia: An observational study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 481-488.	1.1	3
20	Ethnicity-specific association of BMI levels at diagnosis of type 2 diabetes with cardiovascular disease and all-cause mortality risk. <i>Acta Diabetologica</i> , 2019, 56, 87-96.	1.2	8
21	Treatment with incretins does not increase the risk of pancreatic diseases compared to older anti-hyperglycaemic drugs, when added to metformin: real world evidence in people with Type 2 diabetes. <i>Diabetic Medicine</i> , 2019, 36, 491-498.	1.2	9
22	Long-term sustainability of glycaemic achievements with second-line antidiabetic therapies in patients with type 2 diabetes: a real-world study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1722-1731.	2.2	12
23	Long-term Trends in Antidiabetes Drug Usage in the U.S.: Real-world Evidence in Patients Newly Diagnosed With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 69-78.	4.3	195
24	Effectiveness of biologic and non-biologic antirheumatic drugs on anaemia markers in 153,788 patients with rheumatoid arthritis: New evidence from real-world data. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 478-484.	1.6	18
25	Weight loss and mortality risk in patients with different adiposity at diagnosis of type 2 diabetes: a longitudinal cohort study. <i>Nutrition and Diabetes</i> , 2018, 8, 37.	1.5	9
26	Prevalence and incidence of complications at diagnosis of T2DM and during follow-up by BMI and ethnicity: a matched case-control analysis. <i>Cardiovascular Diabetology</i> , 2018, 17, 70.	2.7	24
27	The Foot Orthoses versus Hip Exercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. <i>Journal of Foot and Ankle Research</i> , 2017, 10, 5.	0.7	12
28	Comparison of body mass index at diagnosis of diabetes in a multi-ethnic population: a case-control study with matched non-diabetic controls. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1014-1023.	2.2	45
29	Association between augmented renal clearance and clinical outcomes in patients receiving $\beta$ -lactam antibiotic therapy by continuous or intermittent infusion: a nested cohort study of the BLING-II randomised, placebo-controlled, clinical trial. <i>International Journal of Antimicrobial Agents</i> , 2017, 49, 624-630.	1.1	80
30	Comparative effectiveness and safety of different basal insulins in a real-world setting. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1116-1126.	2.2	11
31	Do glycoalbumin levels preferentially reflect changes in postprandial glucose excursions?. <i>Diabetic Medicine</i> , 2017, 34, 1284-1290.	1.2	2
32	The serum protein responses to treatment with XiaoKe Pill and Glibenclamide in type 2 diabetes patients. <i>Clinical Proteomics</i> , 2017, 14, 19.	1.1	8
33	Effects of acarbose on cardiovascular and diabetes outcomes in patients with coronary heart disease and impaired glucose tolerance (ACE): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 877-886.	5.5	245
34	Addition of or switch to insulin therapy in people treated with glucagon-like peptide-1 receptor agonists: A real-world study in 66 583 patients. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 108-117.	2.2	32
35	Rationale, Design, and Baseline Characteristics of Beijing Prediabetes Reversion Program: A Randomized Controlled Clinical Trial to Evaluate the Efficacy of Lifestyle Intervention and/or Pioglitazone in Reversion to Normal Glucose Tolerance in Prediabetes. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-11.	1.0	12
36	Data Mining Approach to Estimate the Duration of Drug Therapy from Longitudinal Electronic Medical Records. <i>Open Bioinformatics Journal</i> , 2017, 10, 1-15.	1.0	14

#	ARTICLE	IF	CITATIONS
37	Data Mining Approach to Identify Disease Cohorts from Primary Care Electronic Medical Records: A Case of Diabetes Mellitus. <i>Open Bioinformatics Journal</i> , 2017, 10, 16-27.	1.0	21
38	Comparison of trajectories of self-monitored glucose levels by hypoglycemia status over 52 weeks of treatment with insulin glargine or exenatide once weekly. <i>Journal of Diabetes</i> , 2016, 8, 148-157.	0.8	3
39	Clinical inertia with regard to intensifying therapy in people with type 2 diabetes treated with basal insulin. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 401-409.	2.2	207
40	Weight gain in insulin-treated patients by body mass index category at treatment initiation: new evidence from real-world data in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 1244-1252.	2.2	34
41	Genetic and Clinical Predictive Factors of Sulfonylurea Failure in Patients with Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 586-593.	2.4	8
42	Single institution retrospective review of perioperative chemotherapy in adult and adolescent patients with operable osteosarcoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, e222-e228.	0.7	8
43	Sampling Antibiotics in Renal Replacement Therapy (SMARRT): an observational pharmacokinetic study in critically ill patients. <i>BMC Infectious Diseases</i> , 2016, 16, 103.	1.3	14
44	Is prolonged infusion of piperacillin/tazobactam and meropenem in critically ill patients associated with improved pharmacokinetic/pharmacodynamic and patient outcomes? An observation from the Defining Antibiotic Levels in Intensive care unit patients (DALI) cohort. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 196-207.	1.3	129
45	Association of smoking and concomitant metformin use with cardiovascular events and mortality in people newly diagnosed with type 2 diabetes. <i>Journal of Diabetes</i> , 2016, 8, 354-362.	0.8	14
46	A Bayesian Modelling Approach with Balancing Informative Prior for Analysing Imbalanced Data. <i>PLoS ONE</i> , 2016, 11, e0152700.	1.1	4
47	Promoting Activity in Geriatric Rehabilitation: A Randomized Controlled Trial of Accelerometry. <i>PLoS ONE</i> , 2016, 11, e0160906.	1.1	35
48	Delay in treatment intensification increases the risks of cardiovascular events in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 100.	2.7	206
49	Dynamic risk factors associated with non-severe hypoglycemia in patients treated with insulin glargine or exenatide once weekly. <i>Journal of Diabetes</i> , 2016, 8, 354-362.	0.8	8
50	Orthosis-Shaped Sandals Are as Efficacious as In-Shoe Orthoses and Better than Flat Sandals for Plantar Heel Pain: A Randomized Control Trial. <i>PLoS ONE</i> , 2015, 10, e0142789.	1.1	9
51	Evaluation of Perioperative Predictors of Acute Kidney Injury Post Orthotopic Liver Transplantation. <i>Anaesthesia and Intensive Care</i> , 2015, 43, 757-763.	0.2	13
52	Citrullinated peptide dendritic cell immunotherapy in HLA risk genotype-positive rheumatoid arthritis patients. <i>Science Translational Medicine</i> , 2015, 7, 290ra87.	5.8	302
53	Validity Study of Video Teleconsultation for the Management of Diabetes: A Pilot Randomized Controlled Trial. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 717-725.	2.4	12
54	A Multicenter Randomized Trial of Continuous versus Intermittent $\beta$ -Lactam Infusion in Severe Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 192, 1298-1305.	2.5	206

#	ARTICLE	IF	CITATIONS
55	The association of the treatment with glucagon-like peptide-1 receptor agonist exenatide or insulin with cardiovascular outcomes in patients with type 2 diabetes: a retrospective observational study. <i>Cardiovascular Diabetology</i> , 2015, 14, 10.	2.7	51
56	Meropenem versus piperacillin-tazobactam for definitive treatment of bloodstream infections due to ceftriaxone non-susceptible <i>Escherichia coli</i> and <i>Klebsiella</i> spp (the MERINO trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 24.	0.7	57
57	Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study. <i>Diabetes Care</i> , 2015, 38, 316-322.	4.3	276
58	Predicting Upcoming Glucose Levels in Patients with Type 1 Diabetes Using a Generalized Autoregressive Conditional Heteroscedasticity Modelling Approach. <i>International Journal of Statistics in Medical Research</i> , 2015, 4, 188-198.	0.5	5
59	The Association between Body Mass Index and Mortality in Incident Dialysis Patients. <i>PLoS ONE</i> , 2014, 9, e114897.	1.1	37
60	Obesity paradox in people newly diagnosed with type 2 diabetes with and without prior cardiovascular disease. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 317-325.	2.2	47
61	DALI: Defining Antibiotic Levels in Intensive Care Unit Patients: Are Current $\beta$ -Lactam Antibiotic Doses Sufficient for Critically Ill Patients?. <i>Clinical Infectious Diseases</i> , 2014, 58, 1072-1083.	2.9	843
62	Reply to Rhodes et al. <i>Clinical Infectious Diseases</i> , 2014, 59, 907-908.	2.9	2
63	Cardiovascular disease is increased prior to onset of rheumatoid arthritis but not osteoarthritis: the population-based Nord-Trøndelag health study (HUNT). <i>Arthritis Research and Therapy</i> , 2014, 16, R85.	1.6	13
64	Rationale, design, and organization of a randomized, controlled Trial Evaluating Cardiovascular Outcomes with Sitagliptin (TECOS) in patients with type 2 diabetes and established cardiovascular disease. <i>American Heart Journal</i> , 2013, 166, 983-989.e7.	1.2	116
65	Severe hypoglycaemia requiring emergency medical assistance by ambulance services in the East Midlands: A retrospective study. <i>Primary Care Diabetes</i> , 2013, 7, 159-165.	0.9	39
66	Trajectory of intensive treat-to-target disease modifying drug regimen in an observational study of an early rheumatoid arthritis cohort. <i>BMJ Open</i> , 2013, 3, e003083.	0.8	10
67	All-cause mortality in relation to glycated haemoglobin in individuals with newly diagnosed type 2 diabetes: a retrospective cohort study. <i>British Journal of Diabetes and Vascular Disease</i> , 2013, 13, 22-30.	0.6	1
68	Interaction of serum ferritin and body mass index in patients with chronic hepatitis B: Improved prediction of cirrhosis. <i>Hepatology</i> , 2013, 57, 2094-2095.	3.6	1
69	Efficacy and Safety of Traditional Chinese Medicine for Diabetes: A Double-Blind, Randomised, Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e56703.	1.1	71
70	Screening for delirium within the interrai acute care assessment system. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 695-700.	1.5	20
71	Women develop type 2 diabetes at a higher body mass index than men. <i>Diabetologia</i> , 2012, 55, 1556-1557.	2.9	57
72	WT1 expression as a marker of minimal residual disease predicts outcome in acute myeloid leukemia when measured post-consolidation. <i>Leukemia Research</i> , 2012, 36, 453-458.	0.4	26

#	ARTICLE	IF	CITATIONS
73	A phase II study of risk-adapted intravenous melphalan in patients with AL amyloidosis. <i>British Journal of Haematology</i> , 2012, 157, 766-769.	1.2	9
74	Effects of HbA <sub>1c</sub> and weight reduction on blood pressure in patients with type 2 diabetes mellitus treated with exenatide*. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 826-834.	2.2	15
75	Incorporating teledermatology into emergency medicine. <i>EMA - Emergency Medicine Australasia</i> , 2011, 23, 562-568.	0.5	35
76	Interleukin-1 $\beta$ Produced in Response to Islet Autoantigen Presentation Differentiates T-Helper 17 Cells at the Expense of Regulatory T-Cells. <i>Diabetes</i> , 2011, 60, 248-257.	0.3	33
77	Impact of atorvastatin and omega-3 ethyl esters 90 on plasma plant sterol concentrations and cholesterol synthesis in type 2 diabetes: A randomised placebo controlled factorial trial. <i>Atherosclerosis</i> , 2010, 213, 512-517.	0.4	24
78	Effect of educational outreach on general practice prescribing of antibiotics and antidepressants: A two-year randomised controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 195-201.	0.6	16
79	Predicting 6-Year Mortality Risk in Patients With Type 2 Diabetes: Response to Wells et al.. <i>Diabetes Care</i> , 2009, 32, e60-e60.	4.3	1
80	Atorvastatin in Factorial with Omega-3 EE90 Risk Reduction in Diabetes (AFORRD): a randomised controlled trial. <i>Diabetologia</i> , 2009, 52, 50-59.	2.9	70
81	Intensive glucose control and macrovascular outcomes in type 2 diabetes. <i>Diabetologia</i> , 2009, 52, 2288-2298.	2.9	1,033
82	Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2009, 361, 1736-1747.	13.9	608
83	Impact of comorbid diabetes on quality of life and perception of angina pain in people with angina registered with general practitioners in the UK. <i>Quality of Life Research</i> , 2008, 17, 887-894.	1.5	7
84	Predictability of price of tea from sensory assessments and biochemical information using data-mining techniques. <i>Journal of the Science of Food and Agriculture</i> , 2008, 88, 1354-1362.	1.7	6
85	10-Year Follow-up of Intensive Glucose Control in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2008, 359, 1577-1589.	13.9	6,543
86	Cost-effectiveness of a disease management programme for secondary prevention of coronary heart disease and heart failure in primary care. <i>Heart</i> , 2008, 94, 1601-1606.	1.2	42
87	Long-Term Follow-up after Tight Control of Blood Pressure in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2008, 359, 1565-1576.	13.9	674
88	Analysis of bedside entertainment services™ effect on post cardiac surgery physical activity: a prospective, randomised clinical trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1022-1026.	0.6	16
89	Disease management programme for secondary prevention of coronary heart disease and heart failure in primary care: a cluster randomised controlled trial. <i>Heart</i> , 2007, 93, 1398-1405.	1.2	65
90	Factors predictive of voiding problems following insertion of tension-free vaginal tape. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 96, 122-126.	1.0	12

#	ARTICLE	IF	CITATIONS
91	Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes. New England Journal of Medicine, 2007, 357, 1716-1730.	13.9	651
92	Cardiac baroreceptor sensitivity: A prognostic marker in predialysis chronic kidney disease patients?. Kidney International, 2005, 67, 1019-1027.	2.6	16