

Fan Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/758873/publications.pdf>

Version: 2024-02-01

42
papers

648
citations

623188

14
h-index

642321

23
g-index

42
all docs

42
docs citations

42
times ranked

1107
citing authors

#	ARTICLE	IF	CITATIONS
1	Ratio of mBDNF to proBDNF for Differential Diagnosis of Major Depressive Disorder and Bipolar Depression. <i>Molecular Neurobiology</i> , 2017, 54, 5573-5582.	1.9	62
2	Plasma levels of Th17-related cytokines and complement C3 correlated with aggressive behavior in patients with schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 700-706.	1.7	59
3	FOXO1-regulated lncRNA LINC01197 inhibits pancreatic adenocarcinoma cell proliferation by restraining Wnt/ β 2-catenin signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 179.	3.5	50
4	Different levels of pro- and anti-inflammatory cytokines in patients with unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2018, 237, 65-72.	2.0	47
5	Tofacitinib in refractory adult-onset Still's disease: 14 cases from a single centre in China. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 842-844.	0.5	46
6	Identification of IL6 as a susceptibility gene for major depressive disorder. <i>Scientific Reports</i> , 2016, 6, 31264.	1.6	35
7	Higher Plasma S100B Concentrations in Schizophrenia Patients and Dependently Associated with Inflammatory Markers. <i>Scientific Reports</i> , 2016, 6, 27584.	1.6	32
8	Cytokine Storm in Coronavirus Disease 2019 and Adult-Onset Still's Disease: Similarities and Differences. <i>Frontiers in Immunology</i> , 2020, 11, 603389.	2.2	26
9	Effects of tumor necrosis factor- β polymorphism on the brain structural changes of the patients with major depressive disorder. <i>Translational Psychiatry</i> , 2018, 8, 217.	2.4	25
10	TGF β 2/Smad and JAK/STAT pathways are involved in the anti-fibrotic effects of propylene glycol alginate sodium sulphate on hepatic fibrosis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 5224-5237.	1.6	25
11	Increased ratio of high sensitivity C-reactive protein to interleukin-10 as a potential peripheral biomarker of schizophrenia and aggression. <i>International Journal of Psychophysiology</i> , 2017, 114, 9-15.	0.5	24
12	Single-cell analysis reveals the intra-tumor heterogeneity and identifies MLXIPL as a biomarker in the cellular trajectory of hepatocellular carcinoma. <i>Cell Death Discovery</i> , 2021, 7, 14.	2.0	23
13	Detection of IgM and IgG antibodies against SARS-CoV-2 in patients with autoimmune diseases. <i>Lancet Rheumatology</i> , The, 2020, 2, e384-e385.	2.2	20
14	Circulating Neutrophil Extracellular Traps Signature for Identifying Organ Involvement and Response to Glucocorticoid in Adult-Onset Still's Disease: A Machine Learning Study. <i>Frontiers in Immunology</i> , 2020, 11, 563335.	2.2	18
15	Urinary Proteomics Identifying Novel Biomarkers for the Diagnosis of Adult-Onset Still's Disease. <i>Frontiers in Immunology</i> , 2020, 11, 2112.	2.2	16
16	MicroRNA-9-5p downregulates Klf4 and influences the progression of hepatocellular carcinoma via the AKT signaling pathway. <i>International Journal of Molecular Medicine</i> , 2019, 43, 1417-1429.	1.8	13
17	Enhanced type I interferon signature induces neutrophil extracellular traps enriched in mitochondrial DNA in adult-onset Still's disease. <i>Journal of Autoimmunity</i> , 2022, 127, 102793.	3.0	13
18	Characteristics and risk factors of relapses in patients with adult-onset Still's disease: a long-term cohort study. <i>Rheumatology</i> , 2021, 60, 4520-4529.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Employing biochemical biomarkers for building decision tree models to predict bipolar disorder from major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 308, 190-198.	2.0	10
20	Cysteine-Rich Angiogenic Inducer 61 Serves as a Potential Serum Biomarker for the Remission of Adult-Onset Still's Disease. <i>Frontiers in Medicine</i> , 2019, 6, 266.	1.2	9
21	A Cohort Study of Liver Involvement in Patients With Adult-Onset Still's Disease: Prevalence, Characteristics and Impact on Prognosis. <i>Frontiers in Medicine</i> , 2020, 7, 621005.	1.2	9
22	Fucosylation of anti-dsDNA IgG1 correlates with disease activity of treatment-naïve systemic lupus erythematosus patients. <i>EBioMedicine</i> , 2022, 77, 103883.	2.7	9
23	Do 2019 European League against rheumatism/American College of Rheumatology classification criteria for systemic lupus erythematosus also indicate the disease activity?. <i>Annals of the Rheumatic Diseases</i> , 2020, , annrheumdis-2020-217017.	0.5	7
24	Down-regulation of PRKCB1 expression in Han Chinese patients with subsyndromal symptomatic depression. <i>Journal of Psychiatric Research</i> , 2015, 69, 1-6.	1.5	6
25	Anti-Tyro3 IgG Associates with Disease Activity and Reduces Efferocytosis of Macrophages in New-Onset Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2020, 2020, 1-10.	0.9	6
26	Rituximab in thrombotic primary antiphospholipid syndrome: a pilot study from a single centre in China. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 820-822.	0.5	5
27	Predictors and moderators of quality of life in patients with major depressive disorder: An AGTs-MDD study report. <i>Journal of Psychiatric Research</i> , 2021, 138, 96-102.	1.5	5
28	Serum VEGF-C as an evaluation marker of disease activity in adult-onset Still's disease. <i>Rheumatology International</i> , 2022, 42, 149-157.	1.5	5
29	DUB3/KLF4 combats tumor growth and chemoresistance in hepatocellular carcinoma. <i>Cell Death Discovery</i> , 2022, 8, 166.	2.0	5
30	Clinical significance of circulating tumour cells and tumour marker detection in the chemotherapeutic evaluation of advanced colorectal cancer. <i>Colorectal Disease</i> , 2021, , .	0.7	4
31	Clinical characteristics of infective endocarditis in patients with antineutrophil cytoplasmic antibody or antiphospholipid antibody: a retrospective study in Shanghai. <i>BMJ Open</i> , 2020, 10, e031512.	0.8	3
32	PAID study design on the role of PKC activation in immune/inflammation-related depression: a randomised placebo-controlled trial protocol. <i>Annals of General Psychiatry</i> , 2021, 34, e100440.	1.1	3
33	Urine Proteomics Differentiate Primary Thrombotic Antiphospholipid Syndrome From Obstetric Antiphospholipid Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 702425.	2.2	3
34	Difference in the regulation of biological rhythm symptoms of Major depressive disorder between escitalopram and mirtazapine. <i>Journal of Affective Disorders</i> , 2022, 296, 258-264.	2.0	3
35	Correspondence on EULAR recommendations for the management of antiphospholipid syndrome in adults. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, e248-e248.	0.5	2
36	Neural biomarker of functional disability in major depressive disorder: A structural neuroimaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110337.	2.5	2

#	ARTICLE	IF	CITATIONS
37	<p>Variants in the Upstream Region of the Insulin Receptor Substrate-1 Gene Is Associated with Major Depressive Disorder in the Han Chinese Population</p>. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 501-507.	1.0	1
38	Severe Hypopyon Uveitis in the Right Eye of Ankylosing Spondylitis. Journal of Rheumatology, 2021, 48, 147-148.	1.0	1
39	Correspondence on "Update on the diagnosis and management of systemic lupus erythematosus" by Fanouriakis et al. Annals of the Rheumatic Diseases, 2021, , annrheumdis-2021-220897.	0.5	1
40	Evaluating the efficacy and moderators of algorithm-guided antidepressant treatments of major depressive disorder. Journal of Affective Disorders, 2022, 297, 68-75.	2.0	1
41	Protective Role of Rheumatic Diseases Against Hepatitis B Virus Infection and Human Leukocyte Antigen B27 Highlighted. Frontiers in Medicine, 2022, 9, 814423.	1.2	1
42	Short- and Long-Term Influences of Benzodiazepine and Z-Drug Use in Patients with Bipolar Disorder Combined Sleep Disturbance during Affective Period: A Nine-Month Follow-Up Analysis. Disease Markers, 2022, 2022, 1-7.	0.6	1