

# Jianghua Lai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7588754/publications.pdf>

Version: 2024-02-01

14  
papers

157  
citations

1307594

7  
h-index

1199594

12  
g-index

16  
all docs

16  
docs citations

16  
times ranked

285  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethanol-Induced Neuronal and Cognitive/Emotional Impairments are Accompanied by Down-Regulated NT3-TrkC-ERK in Hippocampus. <i>Alcohol and Alcoholism</i> , 2021, 56, 220-229.	1.6	5
2	Weighted gene co-expression network analysis to explore the mechanism of heroin addiction in human nucleus accumbens. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 1870-1879.	2.6	12
3	Association studies of dopamine synthesis and metabolism genes with multiple phenotypes of heroin dependence. <i>BMC Medical Genetics</i> , 2020, 21, 157.	2.1	2
4	Morphology and Molecular Identification of Twelve Commercial Varieties of Kiwifruit. <i>Molecules</i> , 2019, 24, 888.	3.8	13
5	Accumulation of Anthocyanin and Its Associated Gene Expression in Purple Tumorous Stem Mustard ( <i>Brassica juncea</i> var. <i>tumida</i> Tsen et Lee) Sprouts When Exposed to Light, Dark, Sugar, and Methyl Jasmonate. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 856-866.	5.2	19
6	PI3K-AKT-GSK3 $\beta$ -CREB signaling pathway regulates anxiety-like behavior in rats following alcohol withdrawal. <i>Journal of Affective Disorders</i> , 2018, 235, 96-104.	4.1	29
7	Interactome Analysis Reveals a Novel Role for RAD6 in the Regulation of Proteasome Activity and Localization in Response to DNA Damage. <i>Molecular and Cellular Biology</i> , 2017, 37, .	2.3	7
8	5-Aza-2'-deoxycytidine in the medial prefrontal cortex regulates alcohol-related behavior and Ntf3-TrkC expression in rats. <i>PLoS ONE</i> , 2017, 12, e0179469.	2.5	13
9	Dopamine D1 and D3 Receptors Modulate Heroin-Induced Cognitive Impairment through Opponent Actions in Mice. <i>International Journal of Neuropsychopharmacology</i> , 2016, 20, pyw099.	2.1	8
10	AUTS2 in the nucleus accumbens is essential for heroin-induced behavioral sensitization. <i>Neuroscience</i> , 2016, 333, 35-43.	2.3	5
11	Polymorphisms in the 5-hydroxytryptamine receptor 3B gene are associated with heroin dependence in the Chinese Han population. <i>Neuroscience Letters</i> , 2016, 635, 123-129.	2.1	4
12	Differential phosphorylation of NMDAR1 and CaMKII $\alpha$ MAPKs in the rat nucleus accumbens following chronic ethanol exposure. <i>Neuroscience Letters</i> , 2015, 597, 60-65.	2.1	17
13	Differential Phosphorylation of GluN1-MAPKs in Rat Brain Reward Circuits following Long-Term Alcohol Exposure. <i>PLoS ONE</i> , 2013, 8, e54930.	2.5	17
14	Basolateral amygdala SIRT1/PGC-1 $\beta$ mitochondrial biogenesis pathway mediates morphine withdrawal-associated anxiety in mice. <i>International Journal of Neuropsychopharmacology</i> , 0, , .	2.1	2