

Kaori Endo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7590283/kaori-endo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

254
citations

10
h-index

14
g-index

45
ext. papers

380
ext. citations

4.4
avg, IF

3.05
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 38 | Migration and psychotic experiences in the Tokyo Teen Cohort.. <i>Journal of Migration and Health</i> , 2022 , 5, 100078 | 1.5 | |
| 37 | Adolescent Carers' Psychological Symptoms and Mental Well-being During the COVID-19 Pandemic: Longitudinal Study Using Data From the UK Millennium Cohort Study.. <i>Journal of Adolescent Health</i> , 2022 , | 5.8 | 1 |
| 36 | Self-Reported Maternal Parenting Stress From 9 m Is Longitudinally Associated With Child ADHD Symptoms at Age 12: Findings From a Population-Based Birth Cohort Study.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 806669 | 5 | |
| 35 | Birth order and prosociality in the early adolescent brain. <i>Scientific Reports</i> , 2021 , 11, 21806 | 4.9 | 0 |
| 34 | Psychotic experiences predict subsequent loneliness among adolescents: A population-based birth cohort study. <i>Schizophrenia Research</i> , 2021 , 239, 123-127 | 3.6 | 0 |
| 33 | Lower help-seeking intentions mediate subsequent depressive symptoms among adolescents with high autistic traits: a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1 | 5.5 | |
| 32 | The Association Between Locus of Control and Psychopathology: A Cross-Cohort Comparison Between a UK (Avon Longitudinal Study of Parents and Children) and a Japanese (Tokyo Teen Cohort) Cohort. <i>Frontiers in Psychology</i> , 2021 , 12, 600941 | 3.4 | 1 |
| 31 | e-Learning and Web-Based Tools for Psychosocial Interventions Addressing Neuropsychiatric Symptoms of Dementia During the COVID-19 Pandemic in Tokyo, Japan: Quasi-Experimental Study. <i>JMIR Medical Education</i> , 2021 , 7, e30652 | 5 | 0 |
| 30 | Intergenerational transmission of the patterns of functional and structural brain networks. <i>iScience</i> , 2021 , 24, 102708 | 6.1 | 1 |
| 29 | Psychosocial Burden of Undiagnosed Persistent ADHD Symptoms in 12-Year-Old Children: A Population-Based Birth Cohort Study. <i>Journal of Attention Disorders</i> , 2021 , 25, 636-645 | 3.7 | 11 |
| 28 | Fingertip advanced glycation end products and psychotic symptoms among adolescents. <i>NPJ Schizophrenia</i> , 2021 , 7, 37 | 5.5 | 0 |
| 27 | Neurometabolic underpinning of the intergenerational transmission of prosociality. <i>NeuroImage</i> , 2020 , 218, 116965 | 7.9 | 1 |
| 26 | Association between duration of breastfeeding based on maternal reports and dorsal and ventral striatum and medial orbital gyrus volumes in early adolescence. <i>NeuroImage</i> , 2020 , 220, 117083 | 7.9 | 0 |
| 25 | Assessing the hierarchy of personal values among adolescents: A comparison of rating scale and paired comparison methods. <i>Journal of Adolescence</i> , 2020 , 80, 53-59 | 3.4 | 1 |
| 24 | Dog and Cat Ownership Predicts Adolescents' Mental Well-Being: A Population-Based Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 9 |
| 23 | The Impact of Suicide Prevention Act (2006) on Suicides in Japan. <i>Crisis</i> , 2020 , 41, 24-31 | 2.8 | 3 |
| 22 | Smaller anterior subgenual cingulate volume mediates the effect of girls' early sexual maturation on negative psychobehavioral outcome. <i>NeuroImage</i> , 2020 , 209, 116478 | 7.9 | 1 |

| | | | |
|----|---|-----|----|
| 21 | Bi-Directional Relationships Between Psychological Symptoms and Environmental Factors in Early Adolescence. <i>Frontiers in Psychiatry</i> , 2020 , 11, 574182 | 5 | 1 |
| 20 | The association between role model presence and self-regulation in early adolescence: A cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0222752 | 3.7 | 4 |
| 19 | Neurometabolic and functional connectivity basis of prosocial behavior in early adolescence. <i>Scientific Reports</i> , 2019 , 9, 732 | 4.9 | 4 |
| 18 | Cohort Profile: The Tokyo Teen Cohort study (TTC). <i>International Journal of Epidemiology</i> , 2019 , 48, 1414-1419 | 7.1 | 97 |
| 17 | Maternal diabetes in early pregnancy, and psychotic experiences and depressive symptoms in 10-year-old offspring: A population-based birth cohort study. <i>Schizophrenia Research</i> , 2019 , 206, 52-57 | 3.6 | 12 |
| 16 | Population-neuroscience study of the Tokyo TEEN Cohort (pn-TTC): Cohort longitudinal study to explore the neurobiological substrates of adolescent psychological and behavioral development. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 231-242 | 6.2 | 17 |
| 15 | Response inhibition and anxiety in adolescents: Results from a population-based community sample. <i>Journal of Affective Disorders</i> , 2019 , 246, 89-95 | 6.6 | 1 |
| 14 | Implementation of gatekeeper training programs for suicide prevention in Japan: a systematic review. <i>International Journal of Mental Health Systems</i> , 2019 , 13, 2 | 3.6 | 7 |
| 13 | Dementia behaviour management programme at home: impact of a palliative care approach on care managers and professional caregivers of home care services. <i>Aging and Mental Health</i> , 2018 , 22, 1057-1062 | 3.5 | 14 |
| 12 | Psychosocial behaviour management programme for home-dwelling people with dementia: A cluster-randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 495-503 | 3.9 | 16 |
| 11 | Lithium levels in tap water and psychotic experiences in a general population of adolescents. <i>Schizophrenia Research</i> , 2018 , 201, 294-298 | 3.6 | 8 |
| 10 | Purpose in life and tobacco use among community-dwelling mothers of early adolescents. <i>BMJ Open</i> , 2018 , 8, e020586 | 3 | 14 |
| 9 | Abnormal asymmetries in subcortical brain volume in early adolescents with subclinical psychotic experiences. <i>Translational Psychiatry</i> , 2018 , 8, 254 | 8.6 | 10 |
| 8 | Preference for Solitude, Social Isolation, Suicidal Ideation, and Self-Harm in Adolescents. <i>Journal of Adolescent Health</i> , 2017 , 61, 187-191 | 5.8 | 24 |
| 7 | Sex differences in auditory verbal hallucinations in early, middle and late adolescence: results from a survey of 17 451 Japanese students aged 12-18 years. <i>BMJ Open</i> , 2017 , 7, e015239 | 3 | 7 |
| 6 | The Basic Act for Suicide Prevention: Effects on Longitudinal Trend in Deliberate Self-Harm with Reference to National Suicide Data for 1996-2014. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14, | 4.6 | 6 |
| 5 | National Suicide Prevention, Local Mental Health Resources, and Suicide Rates in Japan. <i>Crisis</i> , 2017 , 38, 384-392 | 2.8 | 3 |
| 4 | Regional Supply of Nursing Home and Hospital Beds Determine Discharge Destination of Nursing Home Residents in Japan. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 672.e1-5 | 5.9 | 6 |

- 3 The Recognition of Mental Illness, Schizophrenia Identification, and Help-Seeking from Friends in Late Adolescence. *PLoS ONE*, **2016**, 11, e0151298 3.7 3
- 2 Dissociation mediates the relationship between peer victimization and hallucinatory experiences among early adolescents. *Schizophrenia Research: Cognition*, **2016**, 4, 18-23 2.8 25
- 1 The influence of working memory capacity on experimental heat pain. *Journal of Pain*, **2013**, 14, 1088-965.2 8