

Paolo Brusini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7590769/publications.pdf>

Version: 2024-02-01

44
papers

1,515
citations

430874

18
h-index

302126

39
g-index

45
all docs

45
docs citations

45
times ranked

1400
citing authors

#	ARTICLE	IF	CITATIONS
1	Categorizing the Stage of Glaucoma From Prediagnosis to End-Stage Disease. <i>American Journal of Ophthalmology</i> , 2006, 141, 1169-1170.	3.3	258
2	Enhanced Glaucoma Staging System (GSS 2) for Classifying Functional Damage in Glaucoma. <i>Journal of Glaucoma</i> , 2006, 15, 40-46.	1.6	185
3	Comparison of ICare Tonometer with Goldmann Applanation Tonometer in Glaucoma Patients. <i>Journal of Glaucoma</i> , 2006, 15, 213-217.	1.6	163
4	Staging Functional Damage in Glaucoma: Review of Different Classification Methods. <i>Survey of Ophthalmology</i> , 2007, 52, 156-179.	4.0	133
5	Corneal Deformation Parameters Provided by the Corvis-ST Pachy-Tonometer in Healthy Subjects and Glaucoma Patients. <i>Journal of Glaucoma</i> , 2015, 24, 568-574.	1.6	81
6	Comparisons between Pascal dynamic contour tonometry, the TonoPen, and Goldmann applanation tonometry in patients with glaucoma. <i>Acta Ophthalmologica</i> , 2006, 85, 272-279.	0.3	64
7	Canaloplasty in Open-Angle Glaucoma Surgery: A Four-Year Follow-Up. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	2.1	63
8	Frequency Doubling Technology Perimetry With the Humphrey Matrix 30-2 Test. <i>Journal of Glaucoma</i> , 2006, 15, 77-83.	1.6	56
9	Comparison between GDx VCC scanning laser polarimetry and Stratus OCT optical coherence tomography in the diagnosis of chronic glaucoma. <i>Acta Ophthalmologica</i> , 2006, 84, 650-655.	0.3	53
10	A Comparison between the Compass Fundus Perimeter and the Humphrey Field Analyzer. <i>Ophthalmology</i> , 2019, 126, 242-251.	5.2	42
11	In vivo analysis of conjunctiva in canaloplasty for glaucoma. <i>British Journal of Ophthalmology</i> , 2012, 96, 634-639.	3.9	40
12	Human Adipose-Derived Stem Cells for the Treatment of Chemically Burned Rat Cornea: Preliminary Results. <i>Current Eye Research</i> , 2013, 38, 451-463.	1.5	39
13	Intracorneal Hematoma After Canaloplasty in Glaucoma. <i>Cornea</i> , 2011, 30, 718-719.	1.7	31
14	Canaloplasty in the Treatment of Open-Angle Glaucoma: A Review of Patient Selection and Outcomes. <i>Advances in Therapy</i> , 2019, 36, 31-43.	2.9	31
15	How to Measure Intraocular Pressure: An Updated Review of Various Tonometers. <i>Journal of Clinical Medicine</i> , 2021, 10, 3860.	2.4	31
16	Adipose Derived Stem Cells for Corneal Wound Healing after Laser Induced Corneal Lesions in Mice. <i>Journal of Clinical Medicine</i> , 2017, 6, 115.	2.4	28
17	Canaloplasty in Open-angle Glaucoma: Mid-term Results From a Multicenter Study. <i>Journal of Glaucoma</i> , 2016, 25, 403-407.	1.6	24
18	Canaloplasty After Failed Trabeculectomy. <i>Journal of Glaucoma</i> , 2014, 23, 33-34.	1.6	20

#	ARTICLE	IF	CITATIONS
19	SPONTANEOUS HYPHAEMA FROM PERSISTENT REMNANT OF THE PUPILLARY MEMBRANE. <i>Acta Ophthalmologica</i> , 1983, 61, 1099-1103.	1.1	18
20	Staging of Functional Damage in Glaucoma Using Frequency Doubling Technology. <i>Journal of Glaucoma</i> , 2003, 12, 417-426.	1.6	15
21	Monitoring glaucoma progression. <i>Progress in Brain Research</i> , 2008, 173, 59-73.	1.4	14
22	Higher Order Aberrations After Keratoplasty for Keratoconus. <i>Optometry and Vision Science</i> , 2013, 90, 293-301.	1.2	14
23	Frequency Doubling Technology Staging System 2. <i>Journal of Glaucoma</i> , 2006, 15, 315-320.	1.6	12
24	Repeatability and accuracy of applanation resonance tonometry in healthy subjects and patients with glaucoma. <i>Acta Ophthalmologica</i> , 2014, 92, e66-73.	1.1	12
25	360° Ab-Interno Schlemm's Canal Viscodilation with OMNI Viscosurgical Systems for Open-Angle Glaucoma—Midterm Results. <i>Journal of Clinical Medicine</i> , 2022, 11, 259.	2.4	12
26	Canaloplasty in Corticosteroid-Induced Glaucoma. Preliminary Results. <i>Journal of Clinical Medicine</i> , 2018, 7, 31.	2.4	9
27	A case of ocular ochronosis and chronic open-angle glaucoma: merely coincidental?. <i>Acta Ophthalmologica</i> , 2004, 82, 631-632.	0.3	8
28	Visual field testing with the new Humphrey Matrix: a comparison between the FDT N-30 and Matrix N-30-F tests. <i>Acta Ophthalmologica</i> , 2006, 84, 351-356.	0.3	7
29	Estimating glaucomatous anatomical damage by computerized automated perimetry. <i>Acta Ophthalmologica</i> , 1997, 75, 28-29.	0.3	7
30	GDx Staging System. <i>Journal of Glaucoma</i> , 2011, 20, 287-293.	1.6	7
31	Optic Disc Damage Staging System. <i>Journal of Glaucoma</i> , 2010, 19, 442-449.	1.6	6
32	Global Glaucoma Staging System (GGSS): A New Method to Simultaneously Assess the Severity of Both Functional and Structural Damage in Glaucoma. <i>Journal of Clinical Medicine</i> , 2021, 10, 4414.	2.4	6
33	Peripapillary Retinal Nerve Fiber Layer Thickness Analysis With Scanning Laser Polarimetry (GDx VCC) in Normal Children. <i>Journal of Glaucoma</i> , 2010, 19, 51-57.	1.6	4
34	Do Additional Testing Locations Improve the Detection of Macular Perimetric Defects in Glaucoma?. <i>Ophthalmology</i> , 2021, 128, 1722-1735.	5.2	4
35	Postkeratoplasty Anterior and Posterior Corneal Surface Wavefront Analysis: Descemet's Stripping Automated Endothelial Keratoplasty versus Penetrating Keratoplasty. <i>ISRN Ophthalmology</i> , 2013, 2013, 1-8.	1.7	2
36	Canaloplasty in Pigmentary Glaucoma: Long-Term Outcomes and Proposal of a New Hypothesis on Its Intraocular Pressure Lowering Mechanism. <i>Journal of Clinical Medicine</i> , 2020, 9, 4024.	2.4	2

#	ARTICLE	IF	CITATIONS
37	Canaloplasty in Pseudoexfoliation Glaucoma. Can It Still Be Considered a Good Choice?. Journal of Clinical Medicine, 2022, 11, 2532.	2.4	2
38	Delayed spontaneous hyphaema after eximer laser trabeculotomy (ELT). Acta Ophthalmologica, 2003, 81, 314-315.	0.3	1
39	Staging systems for visual field damage classification in glaucoma. Eye, 2021, 35, 2324-2324.	2.1	1
40	It Is All about Pressure. Journal of Clinical Medicine, 2022, 11, 3640.	2.4	1
41	Rebuttal Canaloplasty After Failed Trabeculectomy. Journal of Glaucoma, 2015, 24, 93.	1.6	0
42	Newer Intraocular Pressure Measurement Techniques. , 2016, , .		0
43	Visual Field Examination in Glaucoma: Detection and Progression of Disease. ESASO Course Series, 2016, , 9-24.	0.1	0
44	Use of an automatic refractometer as a screening tool for pigment dispersion syndrome detection.. Survey of Ophthalmology, 2022, , .	4.0	0