

# Michaele J Hardie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/759288/publications.pdf>

Version: 2024-02-01

150  
papers

5,876  
citations

66250

44  
h-index

104191

69  
g-index

165  
all docs

165  
docs citations

165  
times ranked

4496  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multipurpose made colorimetric materials for amines, pH change and metal ion detection. RSC Advances, 2022, 12, 2684-2692.	1.7	4
2	Managing research throughout COVID-19: Lived experiences of supramolecular chemists. Chem, 2022, 8, 299-311.	5.8	7
3	Coordination polymers with embedded recognition sites: lessons from cyclotrimeratrylene-type ligands. CrystEngComm, 2021, 23, 4087-4102.	1.3	4
4	An Area-specific, International Community-led Approach to Understanding and Addressing Equality, Diversity, and Inclusion Issues within Supramolecular Chemistry. Angewandte Chemie - International Edition, 2021, 60, 11572-11579.	7.2	13
5	An Area-specific, International Community-led Approach to Understanding and Addressing Equality, Diversity, and Inclusion Issues within Supramolecular Chemistry. Angewandte Chemie, 2021, 133, 11676-11683.	1.6	0
6	Self-Assembly and Host-Guest Interactions of Pd <sub>3</sub> L <sub>2</sub> Metallo-cryptophanes with Photoisomerizable Ligands. Inorganic Chemistry, 2021, 60, 12912-12923.	1.9	17
7	Fully Collapsed Imploded Cryptophanes in Solution and in the Solid State. Chemistry - A European Journal, 2019, 25, 3536-3540.	1.7	7
8	Cyclotrimeratrylene-tethered trinuclear palladium( <i>ii</i> )-NHC complexes; reversal of site selectivity in Suzuki-Miyaura reactions. Dalton Transactions, 2019, 48, 14687-14695.	1.6	7
9	Complex Phase Behaviour and Structural Transformations of Metal-Organic Frameworks with Mixed Rigid and Flexible Bridging Ligands. Chemistry - A European Journal, 2019, 25, 1353-1362.	1.7	2
10	How does chiral self-sorting take place in the formation of homochiral Pd <sub>6</sub> L <sub>8</sub> capsules consisting of cyclotrimeratrylene-based chiral tritopic ligands?. Chemical Science, 2018, 9, 4104-4108.	3.7	27
11	Metallo-cryptophane cages from <i>cis</i> -linked and <i>trans</i> -linked strategies. Supramolecular Chemistry, 2018, 30, 255-266.	1.5	12
12	Structure-switching M <sub>3</sub> L <sub>2</sub> Ir( <i>iii</i> ) coordination cages with photo-isomerising azo-aromatic linkers. Chemical Science, 2018, 9, 8150-8159.	3.7	69
13	2D networks of metallo-capsules and other coordination polymers from a hexapodal ligand. CrystEngComm, 2018, 20, 3960-3970.	1.3	10
14	Multimetallic and Mixed Environment Iridium(III) Complexes: A Modular Approach to Luminescence Tuning Using a Host Platform. Chemistry - A European Journal, 2017, 23, 8839-8849.	1.7	11
15	Homochiral Self-Sorted and Emissive Ir <sup>III</sup> Metallo-Cryptophanes. Chemistry - A European Journal, 2017, 23, 6290-6294.	1.7	39
16	<i>Tris</i> - <i>N</i> -alkylpyridinium-functionalised cyclotrimeratrylene hosts as axles in branched [4]pseudorotaxane formation. Supramolecular Chemistry, 2017, 29, 430-440.	1.5	2
17	Frontispiece: Multimetallic and Mixed Environment Iridium(III) Complexes: A Modular Approach to Luminescence Tuning Using a Host Platform. Chemistry - A European Journal, 2017, 23, .	1.7	0
18	Tris(rhenium <i>fac</i> -tricarbonyl) Polypyridine Functionalized Cyclotrimeratrylene Ligands with Rich and Varied Emission. Organometallics, 2016, 35, 1632-1642.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Self-assembled Cages and Capsules Using Cyclotrimeratrylene-type Scaffolds. <i>Chemistry Letters</i> , 2016, 45, 1336-1346.	0.7	41
20	M <sub>12</sub> L <sub>8</sub> metallo-supramolecular cube with cyclotrimeratrylene-type ligand: spontaneous resolution of cube and its constituent host ligand. <i>Chemical Communications</i> , 2016, 52, 8699-8702.	2.2	14
21	Controlling the assembly of cyclotrimeratrylene-derived coordination cages. <i>Chemical Communications</i> , 2015, 51, 11929-11943.	2.2	69
22	Copper coordination polymers from cavitand ligands: hierarchical spaces from cage and capsule motifs, and other topologies. <i>Chemical Science</i> , 2015, 6, 5779-5792.	3.7	28
23	An infinite chainmail of M <sub>6</sub> L <sub>6</sub> metallacycles featuring multiple Borromean links. <i>Nature Chemistry</i> , 2015, 7, 526-531.	6.6	67
24	Platinum(II) complexes of mixed-valent radicals derived from cyclotricatechylene, a macrocyclic tris-dioxolene. <i>Chemical Science</i> , 2015, 6, 6935-6948.	3.7	11
25	Lanthanide coordination polymers with pyridyl-N-oxide or carboxylate functionalised host ligands. <i>CrystEngComm</i> , 2014, 16, 3688-3693.	1.3	14
26	Solvent-Dependent Self-Assembly Behaviour and Speciation Control of Pd <sub>6</sub> L <sub>8</sub> Metallo-supramolecular Cages. <i>Chemistry - A European Journal</i> , 2014, 20, 4117-4125.	1.7	54
27	Stable Mixed-Valent Radicals from Platinum(II) Complexes of a Bis(dioxolene) Ligand. <i>Chemistry - A European Journal</i> , 2014, 20, 6272-6276.	1.7	19
28	Hexasulfanyl analogues of cyclotrimeratrylene. <i>Tetrahedron Letters</i> , 2014, 55, 2530-2533.	0.7	5
29	Three-Dimensional Silver-dabco Coordination Polymers with Zeolitic or Three-Connected Topology. <i>Crystal Growth and Design</i> , 2014, 14, 5361-5365.	1.4	13
30	Encapsulation of sodium alkyl sulfates by the cyclotrimeratrylene-based, [Pd <sub>6</sub> L <sub>8</sub> ] <sup>12+</sup> stella octangula cage. <i>Dalton Transactions</i> , 2014, 43, 5657-5661.	1.6	16
31	Tuning the coordination chemistry of cyclotrimeratrylene ligand pairs through alkyl chain aggregation. <i>CrystEngComm</i> , 2014, 16, 8138-8146.	1.3	11
32	International Year of Crystallography Celebration: Europe and South Africa. <i>CrystEngComm</i> , 2014, 16, 8093.	1.3	0
33	Metallo-Cryptophanes Decorated with Bis-N-Heterocyclic Carbene Ligands: Self-Assembly and Guest Uptake into a Nonporous Crystalline Lattice. <i>Journal of the American Chemical Society</i> , 2014, 136, 14393-14396.	6.6	72
34	Self-assembly of a heteroleptic one-dimensional chain comprising different dinuclear meso-helicates in the solid-state. <i>Chemical Communications</i> , 2013, 49, 11290.	2.2	2
35	A bis(disulfide)-linked offset cryptophane. <i>Chemical Communications</i> , 2013, 49, 1512.	2.2	8
36	Solid-Phase Methodology for Synthesis of <i>o</i> -Alkylated Aromatic Oligoamide Inhibitors of $\alpha$ -Helix-Mediated Protein-Protein Interactions. <i>Chemistry - A European Journal</i> , 2013, 19, 5546-5550.	1.7	37

#	ARTICLE	IF	CITATIONS
37	Silver-Dabco Coordination Networks with Distinct Carbaborane Anions: Investigating Ag <sup>+</sup> and Ag <sup>+</sup> Interactions. <i>Crystal Growth and Design</i> , 2013, 13, 3162-3170.	1.4	28
38	Six new crystalline clathrates of cyclotricatechylene (CTC) including two donor-acceptor complexes. <i>Supramolecular Chemistry</i> , 2012, 24, 2-13.	1.5	10
39	Metal Complexes of 2,2'-Bipyridine-4,4'-diamine as Metallo-Tectons for Hydrogen Bonded Networks. <i>Crystal Growth and Design</i> , 2012, 12, 1871-1881.	1.4	24
40	Coordination Polymers Utilizing N-Oxide Functionalized Host Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 10657-10674.	1.9	38
41	2-O-Alkylated para-benzamide $\beta$ -helix mimetics: the role of scaffold curvature. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 6469.	1.5	46
42	Exploring Ag <sup>+</sup> interactions in coordination polymers: silver-alkanedinitrile networks with cobalt carbaborane anions. <i>CrystEngComm</i> , 2012, 14, 3367.	1.3	13
43	One-pot pentaknot. <i>Nature Chemistry</i> , 2012, 4, 7-8.	6.6	10
44	A Chiral, Self-Catenating and Porous Metal-Organic Framework and its Post-Synthetic Metal Uptake. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5192-5195.	7.2	42
45	Allosteric Effects in a Ditopic Ligand Containing Bipyridine and Tetraaza-crown Donor Units. <i>Chemistry - A European Journal</i> , 2012, 18, 3464-3467.	1.7	6
46	Conformational properties of O-alkylated benzamides. <i>Tetrahedron</i> , 2012, 68, 4485-4491.	1.0	21
47	Construction of Metal-Organic Frameworks: Versatile Behaviour of a Ligand Containing Mono- and Bidentate Coordination Sites. <i>Chemistry - A European Journal</i> , 2012, 18, 267-276.	1.7	13
48	Synthesis and Methane-Binding Properties of Disulfide-Linked Cryptophane-0.0.0. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 764-766.	7.2	40
49	New coordination polymers with extended arm cyclotriguaiacyclene ligands: 1D chains, and interpenetrating or polycatenating 2D (4.62)(4.62) <sub>2</sub> networks. <i>Dalton Transactions</i> , 2011, 40, 12217.	1.6	17
50	M3L2 metallo-cryptophanes: [2]catenane and simple cages. <i>Chemical Communications</i> , 2011, 47, 6560.	2.2	68
51	Bow-tie metallo-cryptophanes from a carboxylate derived cavitand. <i>Chemical Communications</i> , 2011, 47, 176-178.	2.2	44
52	Self-Assembled Cages with Cyclotrimeratrylene-Type Host Molecules. <i>Israel Journal of Chemistry</i> , 2011, 51, 807-816.	1.0	13
53	Ag(I) Organometallic Coordination Polymers and Capsule with Tris-Allyl Cyclotrimeratrylene Derivatives. <i>Inorganic Chemistry</i> , 2010, 49, 9486-9496.	1.9	35
54	Tripodal 4-Pyridyl-Derived Host Ligands and Their Metallo-Supramolecular Chemistry: Stella Octangula and Bowl-Shaped Assemblies. <i>Inorganic Chemistry</i> , 2010, 49, 675-685.	1.9	38

#	ARTICLE	IF	CITATIONS
55	Recent advances in the chemistry of cyclotrimeratrylene. <i>Chemical Society Reviews</i> , 2010, 39, 516-527.	18.7	224
56	Host-guest influence on metallo-supramolecular assemblies with a cyclotrimeratrylene-type ligand. <i>Dalton Transactions</i> , 2010, 39, 355-357.	1.6	27
57	Stellated polyhedral assembly of a topologically complicated Pd <sub>4</sub> L <sub>4</sub> Solomon cube™. <i>Nature Chemistry</i> , 2009, 1, 212-216.	6.6	134
58	Supramolecular salts containing the anionic [Ge(C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ] <sup>2-</sup> complex and heteroaromatic amines. <i>Inorganica Chimica Acta</i> , 2009, 362, 263-270.	1.2	11
59	Further investigations into tetrahedral M <sub>4</sub> L <sub>6</sub> cage complexes containing guest anions: new structures and NMR spectroscopic studies. <i>New Journal of Chemistry</i> , 2009, 33, 366-375.	1.4	74
60	Metallo-gels and organo-gels with tripodal cyclotrimeratrylene-type and 1,3,5-substituted benzene-type ligands. <i>New Journal of Chemistry</i> , 2009, 33, 902.	1.4	57
61	Synthesis and Complexation of Multiarmed Cyclohexatrylene-Type Ligands: Observation of the Boat and Distorted Cup Conformations of a Cyclotetrameratrylene Derivative. <i>Chemistry - A European Journal</i> , 2008, 14, 4415-4425.	1.7	16
62	The Dimeric Hand-Shake Motif in Complexes and Metallo-Supramolecular Assemblies of Cyclotrimeratrylene-Based Ligands. <i>Chemistry - A European Journal</i> , 2008, 14, 10286-10296.	1.7	49
63	A novel germanium(IV) oxalate complex: [Ge(OH) <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>2</sub> ] <sup>2-</sup> . <i>Inorganic Chemistry Communication</i> , 2008, 11, 283-287.	1.8	9
64	New Network Structures from Cu(II) Complexes of Chelating Ligands with Appended Hydrogen Bonding Sites. <i>Crystal Growth and Design</i> , 2008, 8, 643-653.	1.4	50
65	Extended 36 and 63 arrays of capsule motifs using ligand tris{4-(3-pyridyl)phenylester}cyclotrimeratrylene. <i>CrystEngComm</i> , 2008, 10, 1731.	1.3	35
66	Flattened trigonal bipyramidal coordination assembly with trans geometry. <i>CrystEngComm</i> , 2008, 10, 276-278.	1.3	7
67	Self-Assembly of a 3-D Triply Interlocked Chiral [2]Catenane. <i>Journal of the American Chemical Society</i> , 2008, 130, 2950-2951.	6.6	164
68	Network structures with 2,2'-bipyridine-3,3'-diol: a discrete Co(III) complex that forms a porous 3-D hydrogen bonded network, and Cu(ii) coordination chains. <i>CrystEngComm</i> , 2007, 9, 496-502.	1.3	38
69	Macrocyclic scaffolds derived from p-aminobenzoic acid. <i>Chemical Communications</i> , 2007, , 2240.	2.2	40
70	One-Dimensional Coordination Polymers with Phenyl-carborane Anions: Ag(I)/4,4'-Bipyridine and 2,3-Bis-(2-pyridyl)pyrazine Complexes. <i>Crystal Growth and Design</i> , 2007, 7, 658-667.	1.4	61
71	Heterodimetallic Germanium(IV) Complex Structures with Transition Metals. <i>Inorganic Chemistry</i> , 2007, 46, 6502-6515.	1.9	15
72	Starburst Prisms with Cyclotrimeratrylene-Type Ligands: A [Pd <sub>6</sub> L <sub>8</sub> ] <sup>12+</sup> Stella Octangular Structure. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 9086-9088.	7.2	124

#	ARTICLE	IF	CITATIONS
73	2,3,7,8,12,13-Hexahydroxy-10,15-dihydro-5H-tribenzo[a,d,g]cyclononene acetone disolvate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o1537-o1539.	0.2	3
74	Crystal-packing motifs of [Ag <sub>4</sub> L <sub>4</sub> ] <sup>4+</sup> star-burst tetrahedra. New Journal of Chemistry, 2006, 30, 1390.	1.4	29
75	Coordination and hydrogen bonded network structures of Cu(ii) with mixed ligands: a hybrid hydrogen bonded material, an infinite sandwich arrangement, and a 3-D net. Dalton Transactions, 2006, , 3407.	1.6	42
76	Hydrogen-Bonded 3-D Network Structures of Lanthanide Aquo Ions and 4,4'-Bipyridine with Carborane Anions. Crystal Growth and Design, 2006, 6, 726-735.	1.4	33
77	Extended Structures of Transition Metal Complexes of 6,7-Dicyanodipyridoquinoxaline: $\pi$ -Stacking, Weak Hydrogen Bonding, and C-H $\cdots$ N Interactions. Crystal Growth and Design, 2006, 6, 423-432.	1.4	54
78	Incorporating Molecular Hosts into Network Structures. , 2006, , 135-155.		0
79	The use of carborane anions in coordination polymers and extended solids. Journal of Chemical Crystallography, 2006, 37, 69-80.	0.5	38
80	Network Structures of Cyclotrimeratrylene and Its Derivatives. ChemInform, 2006, 37, no.	0.1	0
81	Tris(pyridylmethylamino)cyclotrimeratrylene Cavitands: An Investigation of the Solution and Solid-State Behaviour of Metallo-Supramolecular Cages and Cavitand-Based Coordination Polymers. Chemistry - A European Journal, 2006, 12, 2945-2959.	1.7	80
82	Synthesis and Structural Studies of Cyclotrimeratrylene Derivatives. Supramolecular Chemistry, 2006, 18, 29-38.	1.5	25
83	Coordination Networks with Carborane Anions: Ag(I) and Nitrogen Bridging Ligands. Australian Journal of Chemistry, 2006, 59, 40.	0.5	48
84	A complex 3D wavy brick wall™ coordination polymer based on p-sulfonatocalix[8]arene. New Journal of Chemistry, 2005, 29, 649.	1.4	62
85	Capsules and Star-Burst Polyhedra: An [Ag <sub>2</sub> L <sub>2</sub> ] Capsule and a Tetrahedral [Ag <sub>4</sub> L <sub>4</sub> ] Metallo-supramolecular Prism with Cyclotrimeratrylene-Type Ligands. Angewandte Chemie - International Edition, 2005, 44, 6395-6399.	7.2	69
86	Network structures of cyclotrimeratrylene and its derivatives. New Journal of Chemistry, 2005, 29, 1231.	1.4	39
87	Disentangling Disorder in the Three-Dimensional Coordination Network of {Ag <sub>3</sub> [Tris(2-pyridylmethyl)cyclotrimeratrylene] <sub>2</sub> }(PF <sub>6</sub> ) <sub>3</sub> . Crystal Growth and Design, 2005, 5, 1321-1324.	1.4	34
88	Selective single crystal complexation of l- or d-leucine by p-sulfonatocalix[6]arene. Chemical Communications, 2005, , 337.	2.2	67
89	Simultaneous Binding of Cations and Neutral Molecules. , 2004, , 1295-1301.		0
90	{Tris[4-(1H-pyrazol-3-yl)-3-azabut-3-enyl]amine}iron(II) diperchlorate monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, m177-m179.	0.4	13

#	ARTICLE	IF	CITATIONS
91	Energetic materials: variable-temperature crystal structures of $\hat{\Gamma}^3$ - and $\hat{\alpha}^{\text{S}}$ -HNIW polymorphs. Journal of Applied Crystallography, 2004, 37, 808-814.	1.9	114
92	Hydrogen Bonded Network Structures Constructed from Molecular Hosts. ChemInform, 2004, 35, no.	0.1	0
93	Group 1 Coordination Chains and Hexagonal Networks of Host Cyclotrimeratrylene with Halogenated Monocarbaborane Anions. Chemistry - A European Journal, 2004, 10, 2190-2198.	1.7	41
94	Propeller-shaped chain and 2D grid coordination polymers with the host molecule cyclotrimeratrylene and (CB9H5Br5)??. New Journal of Chemistry, 2004, 28, 1315.	1.4	23
95	Conformation perturbation of p-sulfonatocalix[5]arene via complexation of 1,4-diazabicyclo[2.2.2]octane. Chemical Communications, 2004, , 2802.	2.2	24
96	Hydrogen-bonded arrays of a ytterbium(iii) p-sulfonatocalix[6]arene complex. New Journal of Chemistry, 2004, 28, 326.	1.4	38
97	Structural chemistry of halogenated monocarbaboranes: the extended structures of Cs[1-HCB9H4Br5], Cs[1-HCB11H5Cl6] and Cs[1-HCB11H5Br6]. New Journal of Chemistry, 2004, 28, 1499-1505.	1.4	39
98	Building blocks for cyclotrimeratrylene-based coordination networks. Organic and Biomolecular Chemistry, 2004, 2, 2958.	1.5	33
99	Bilayers, Corrugated Bilayers, and Coordination Polymers of p-Sulfonatocalix[6]arene. Inorganic Chemistry, 2004, 43, 6351-6356.	1.9	62
100	Interwoven 2-D Coordination Network Prepared from the Molecular Host Tris(isonicotinoyl)cyclotriguaiacylene and Silver(I) Cobalt(III) Bis(dicarbollide). Inorganic Chemistry, 2004, 43, 6872-6874.	1.9	55
101	Lanthanide crown ether complexes of p-sulfonatocalix[5]arene. Dalton Transactions, 2004, , 2413.	1.6	37
102	Coordination Polymers with Carborane Anions: Silver Dinitrile Complexes. Inorganic Chemistry, 2004, 43, 3663-3672.	1.9	64
103	pH-Dependent Formation of Molecular Capsules and Coordination Polymers. Crystal Growth and Design, 2004, 4, 227-234.	1.4	101
104	Toward Mimicking Viral Geometry with Metal-Organic Systems. Journal of the American Chemical Society, 2004, 126, 13170-13171.	6.6	149
105	Diastereoselective Pd/In Bimetallic Inter- and Intramolecular (Class 2) Cascade Reactions of Allenyl-Imines and Aryl Iodides. ChemInform, 2003, 34, no.	0.1	0
106	Controlling the Conformation and Interplay of p-Sulfonatocalix[6]arene as Lanthanide Crown Ether Complexes. Chemistry - A European Journal, 2003, 9, 2834-2839.	1.7	70
107	Diastereoselective Pd/In bimetallic inter- and intramolecular (class 2) cascade reactions of allenyl-imines and aryl iodides. Tetrahedron Letters, 2003, 44, 2283-2285.	0.7	31
108	Energetic materials: variable-temperature crystal structures of two biguanidinium dinitramides. Journal of Applied Crystallography, 2003, 36, 1334-1341.	1.9	12

#	ARTICLE	IF	CITATIONS
109	Hydrogen-Bonded Superstructures of a Small Host Molecule and Lanthanide Aquo Ions. <i>Inorganic Chemistry</i> , 2003, 42, 2182-2184.	1.9	30
110	Variable Ag(I) Coordination Modes in Silver Cobalt(III) Bis(dicarbollide) Supramolecular Assemblies with Cyclotrimeratrylene Host Molecules. <i>Crystal Growth and Design</i> , 2003, 3, 493-499.	1.4	36
111	Characterisation of a new $\pi$ (C60)(CHBr3) intercalation complex. <i>Chemical Communications</i> , 2003, , 1854-1855.	2.2	8
112	Solid State Confinement of Ferrocene by Calixarenes. <i>Supramolecular Chemistry</i> , 2002, 14, 7-10.	1.5	8
113	Unsymmetrical O-bridged calixarenes derived from tBu-calix[4]arene and p-benzylcalix[4]arene. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 354-359.	1.3	14
114	Mineralomimetic host-guest chemistry: the encapsulation of $[M+2.2.2]cryptate$ (M = Na, K) by saddle shaped Ni(ii) macrocycles. <i>Dalton Transactions RSC</i> , 2002, , 295.	2.3	14
115	Building cyclotrimeratrylene host molecules into network structures. <i>CrystEngComm</i> , 2002, 4, 227-231.	1.3	22
116	Inter-digitation approach to encapsulation of C60: $[C60 \cdot (p\text{-phenylcalix}[5]arene)_2]$ Dedicated to Professor Jerry L. Atwood on the occasion of his 60th birthday.. <i>Chemical Communications</i> , 2002, , 1446-1447.	2.2	43
117	Solid state supramolecular assemblies of charged supermolecules $(Na[2.2.2]cryptate)^+$ and anionic carboranes with host cyclotrimeratrylene. <i>Chemical Communications</i> , 2001, , 905-906.	2.2	61
118	Crystalline hydrogen bonded complexes of o-carborane. <i>CrystEngComm</i> , 2001, 3, 162.	1.3	18
119	Inclusion complexes of 18-crown-6 and $(Na+2.2.2]cryptand)$ in $[C\text{-methylcalix}[4]resorcinarene-Hn]$ , $n=0, 1$ . <i>CrystEngComm</i> , 2001, 3, 41-43.	1.3	7
120	Confinement of the ions $[M+2.2.2]cryptand]^+$ and $[cobalt(iii)bis(dicarbollide)]^{3+}$ in the divergent curved surfaces of a Ni(ii) macrocycle. <i>Chemical Communications</i> , 2001, , 865-866.	2.2	22
121	Hetero-bimetallic cage molecules: solvated $Na_2M_2(p\text{-sulfonatocalix}[4]arene)_2$ , $M=Ca, Eu$ . <i>CrystEngComm</i> , 2001, 3, 18-20.	1.3	13
122	A 3,12-connected vertice sharing adamantoid hydrogen bonded network featuring tetrameric clusters of cyclotrimeratrylene. <i>Chemical Communications</i> , 2001, , 1850-1851.	2.2	45
123	Alkali-Metal-Cyclotrimeratrylene Coordination Polymers: Inclusion of Neutral C2B10H12 or Anionic $[CB11H12]^-$ and DMF. <i>Crystal Growth and Design</i> , 2001, 1, 53-58.	1.4	37
124	Anisotropic thermal expansion of potassium dinitramide: a variable-temperature crystallographic study. <i>Acta Crystallographica Section B: Structural Science</i> , 2001, 57, 113-118.	1.8	12
125	Oligoethyl ether derivatives of ester functionalised nickel(II) macrocycles. <i>Tetrahedron Letters</i> , 2001, 42, 8075-8079.	0.7	14
126	Oxygen-center laden C2h symmetry resorcin[4]arenes. <i>Journal of Supramolecular Chemistry</i> , 2001, 1, 35-38.	0.4	5



#	ARTICLE	IF	CITATIONS
127	A Versatile Six-Component Molecular Capsule Based on Benign Synthons $\hat{\alpha}$ ' Selective Confinement of a Heterogeneous Molecular Aggregate. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 3227.	1.2	68
128	Scandium(III) Coordination Polymers Containing Capsules Based on Two p-Sulfonatocalix[4]arenes. <i>Chemistry - A European Journal</i> , 2001, 7, 3616.	1.7	75
129	Metal sulfonatocalix[4,5]arene complexes: bi-layers, capsules, spheres, tubular arrays and beyond. <i>Coordination Chemistry Reviews</i> , 2001, 222, 3-32.	9.5	358
130	Synthesis of an unusual, cage-functionalized molecular cleft. <i>Journal of Chemical Crystallography</i> , 2001, 31, 135-141.	0.5	2
131	Altering the Inclusion Properties of CTV through Crystal Engineering: CTV, Carborane, and DMF Supramolecular Assemblies. <i>Chemistry - A European Journal</i> , 2000, 6, 3293-3298.	1.7	47
132	Supramolecular Chemistry of Anionic Cobalt(III) Bis(dicarbollide) and Cyclotrimeratrylene in the Solid State and the Gas Phase. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 3835-3839.	7.2	58
133	Rhodium(III) Aqua Ion Salts of Ambivalent Self Assembled Superanion Capsules. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 2221-2229.	1.0	34
134	Discovery of a Novel C60 Receptor Based on Substituted Anthracene. <i>Supramolecular Chemistry</i> , 2000, 11, 275-278.	1.5	0
135	Cooperative hydrogen bonding and yttrium(iii) complexation in the assembly of molecular capsules. <i>Chemical Communications</i> , 2000, , 849-850.	2.2	35
136	Russian doll assembled superanion capsule $\hat{\alpha}$ metal ion complexes: combinatorial supramolecular chemistry in aqueous media. <i>Dalton Transactions RSC</i> , 2000, , 2483-2492.	2.3	99
137	Supramolecular assemblies of globular main group cage species. <i>Coordination Chemistry Reviews</i> , 1999, 189, 169-198.	9.5	53
138	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1999, 29, 185-191.	0.5	8
139	Convergent Synthesis of p-Benzylcalix[7]arene: $\hat{\alpha}$ Condensation and UHIG of p-Benzylcalix[6 or 8]arenes. <i>Organic Letters</i> , 1999, 1, 1523-1526.	2.4	27
140	Supramolecular Assemblies of 1,2-Dicarbododecaborane(12) with Bowl-Shaped Calix[5]arene. , 1999, 1999, 195-200.		55
141	Self-Assembly of Grid and Helical Hydrogen-Bonded Arrays Incorporating Bowl-Shaped Receptor Sites That Bind Globular Molecules. <i>Chemistry - A European Journal</i> , 1999, 5, 1828-1833.	1.7	89
142	Self-Assembled Superanions: Ionic Capsules Stabilized by Polynuclear Chromium(III) Aqua Cations. <i>Chemistry - A European Journal</i> , 1999, 5, 2295-2299.	1.7	87
143	Confinement of dimeric sulfuric acid in a self-assembled molecular capsule: [(H2SO4)2 $\hat{\alpha}$ (calix[5]arenesulfonic acid)2]. <i>Chemical Communications</i> , 1999, , 2409-2410.	2.2	32
144	Selective isolation of Keggin ions using self-assembled superanion capsules $\hat{\alpha}$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 3639-3642.	1.1	64

#	ARTICLE	IF	CITATIONS
145	Cyclam as a supramolecular synthon: infinite stacked arrays to encapsulation in superanions. <i>Chemical Communications</i> , 1999, , 1137-1138.	2.2	37
146	Lanthanum(III) capture of 18-crown-6 in the cavity of p-sulfonatocalix[4]arene. <i>Chemical Communications</i> , 1999, , 1135-1136.	2.2	54
147	Confinement and recognition of icosahedral main group cage molecules: fullerene C60 and o-, m-, p-dicarbododecaborane(12). <i>Chemical Communications</i> , 1999, , 1153-1163.	2.2	88
148	Studies on Lateral Stereocontrol Using the (η-Allyl)molybdenum System. <i>Organometallics</i> , 1997, 16, 4346-4354.	1.1	13
149	Infinite square-grid [Cd(CN)2] n sheets linked together by either pyrazine bridges or polymerisable 1,4-bis(4-pyridyl)butadiyne bridges arranged in an unusual criss-cross fashion. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 1049.	2.0	122
150	Hydrogen Bonded Network Structures Constructed from Molecular Hosts. <i>Structure and Bonding</i> , 0, , 139-174.	1.0	25