

Masao Imai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7593142/publications.pdf>

Version: 2024-02-01

15
papers

210
citations

1684188

5
h-index

1199594

12
g-index

15
all docs

15
docs citations

15
times ranked

372
citing authors

#	ARTICLE	IF	CITATIONS
1	Pathological findings of late total occlusion after Zilver PTX stent implantation in restenosis lesion of bare-metal nitinol stent for superficial femoral artery. <i>Cardiovascular Intervention and Therapeutics</i> , 2019, 34, 288-289.	2.3	2
2	A Case of Successful Reopening of Left Main Coronary Artery Occlusion After Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 409-411.	2.9	1
3	Utility of a 3-Dimensional Printed Model to Simulate Transcatheter Aortic Valve Implantation in a Patient With an Intramural Hematoma and a Penetrating Atherosclerotic Ulcer in the Distal Aortic Arch. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006925.	3.9	2
4	Successful Catheter Treatment Using Pre-Operative 3D Organ Model Simulation for Atrial Septal Defect With Dextrocardia and Interrupted Inferior Vena Cava to the Superior Vena Cava. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, e63-e64.	2.9	1
5	Nardilysin is a promising biomarker for the early diagnosis of acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017, 243, 1-8.	1.7	19
6	Transfemoral transcatheter aortic valve implantation in the presence of a mechanical mitral valve prosthesis using a dedicated TAVI guidewire: utility of a patient-specific three-dimensional heart model. <i>Cardiovascular Intervention and Therapeutics</i> , 2017, 32, 308-311.	2.3	18
7	Feasibility and diagnostic performance of fractional flow reserve measurement derived from coronary computed tomography angiography in real clinical practice. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 271-281.	1.5	25
8	Pathological analysis of a case with peri-stent contrast staining after BMS implantation. <i>Journal of Cardiology Cases</i> , 2016, 14, 161-163.	0.5	0
9	Noninvasive Detection of Functional Myocardial Ischemia: Multifunction Cardiogram Evaluation in Diagnosis of Functional Coronary Ischemia Study (MEDFIT). <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 446-453.	1.1	5
10	First clinical experience of the looped Inoue balloon technique for antegrade percutaneous balloon aortic valvuloplasty. <i>Heart and Vessels</i> , 2015, 30, 830-834.	1.2	2
11	Intravascular Ultrasound Observation of an Obstruction of the Left Main Coronary Artery Caused by Displaced Leaflet Calcification and Hematoma After Transcatheter Aortic Valve Implantation. <i>Circulation</i> , 2015, 131, e345-6.	1.6	4
12	Successful balloon aortic valvuloplasty as a bridge therapy to transcatheter aortic valve implantation during the proctoring period. <i>Journal of Cardiology Cases</i> , 2015, 12, 113-116.	0.5	0
13	Impact of angiographic peri-stent contrast staining (PSS) on late adverse events after sirolimus-eluting stent implantation: an observation from the multicenter j-Cypher registry PSS substudy. <i>Cardiovascular Intervention and Therapeutics</i> , 2014, 29, 226-236.	2.3	14
14	Pathological analyses of very long-term sirolimus-eluting stent implantation in human coronary artery. <i>Journal of Cardiology Cases</i> , 2013, 8, 145-147.	0.5	0
15	Incidence, Risk Factors, and Clinical Sequelae of Angiographic Peri-Stent Contrast Staining After Sirolimus-Eluting Stent Implantation. <i>Circulation</i> , 2011, 123, 2382-2391.	1.6	117