

Richard D Palmiter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/759407/richard-d-palmiter-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

21,817
citations

63
h-index

141
g-index

141
ext. papers

25,291
ext. citations

21.7
avg, IF

6.89
L-index

#	Paper	IF	Citations
114	Kappa opioid receptor and dynorphin signaling in the central amygdala regulates alcohol intake. <i>Molecular Psychiatry</i> , 2021 , 26, 2187-2199	15.1	20
113	Reciprocal control of obesity and anxiety-depressive disorder via a GABA and serotonin neural circuit. <i>Molecular Psychiatry</i> , 2021 , 26, 2837-2853	15.1	11
112	Intercalated amygdala clusters orchestrate a switch in fear state. <i>Nature</i> , 2021 , 594, 403-407	50.4	13
111	Organ-specific, multimodal, wireless optoelectronics for high-throughput phenotyping of peripheral neural pathways. <i>Nature Communications</i> , 2021 , 12, 157	17.4	12
110	GFRAL-expressing neurons suppress food intake via aversive pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	13
109	Satb2 neurons in the parabrachial nucleus mediate taste perception. <i>Nature Communications</i> , 2021 , 12, 224	17.4	5
108	Interleukin-6 Derived from the Central Nervous System May Influence the Pathogenesis of Experimental Autoimmune Encephalomyelitis in a Cell-Dependent Manner. <i>Cells</i> , 2020 , 9,	7.9	8
107	Cold-induced hyperphagia requires AgRP neuron activation in mice. <i>ELife</i> , 2020 , 9,	8.9	10
106	Dissociable control of unconditioned responses and associative fear learning by parabrachial CGRP neurons. <i>ELife</i> , 2020 , 9,	8.9	15
105	Synergy of Distinct Dopamine Projection Populations in Behavioral Reinforcement. <i>Neuron</i> , 2020 , 105, 909-920.e5	13.9	43
104	A new mouse model to study restoration of interleukin-6 (IL-6) expression in a Cre-dependent manner: microglial IL-6 regulation of experimental autoimmune encephalomyelitis. <i>Journal of Neuroinflammation</i> , 2020 , 17, 304	10.1	0
103	Chronic G signaling in AgRP neurons does not cause obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 20874-20880	11.5	7
102	An Excitatory Circuit in the Periocolomotor Midbrain for Non-REM Sleep Control. <i>Cell</i> , 2019 , 177, 1293-1307.e164	36.2	164
101	Kisspeptin Neurons in the Arcuate Nucleus of the Hypothalamus Orchestrate Circadian Rhythms and Metabolism. <i>Current Biology</i> , 2019 , 29, 592-604.e4	6.3	50
100	Detecting and Avoiding Problems When Using the Cre-lox System. <i>Trends in Genetics</i> , 2018 , 34, 333-340	8.5	96
99	The Parabrachial Nucleus: CGRP Neurons Function as a General Alarm. <i>Trends in Neurosciences</i> , 2018 , 41, 280-293	13.3	151
98	Encoding of danger by parabrachial CGRP neurons. <i>Nature</i> , 2018 , 555, 617-622	50.4	124

97	A Neural Circuit Underlying the Generation of Hot Flushes. <i>Cell Reports</i> , 2018 , 24, 271-277	10.6	49
96	Loss of glutamate signaling from the thalamus to dorsal striatum impairs motor function and slows the execution of learned behaviors. <i>Npj Parkinsons Disease</i> , 2018 , 4, 23	9.7	13
95	Estrogenic-dependent glutamatergic neurotransmission from kisspeptin neurons governs feeding circuits in females. <i>ELife</i> , 2018 , 7,	8.9	39
94	NKB signaling in the posterodorsal medial amygdala stimulates gonadotropin release in a kisspeptin-independent manner in female mice. <i>ELife</i> , 2018 , 7,	8.9	15
93	Parabrachial CGRP Neurons Establish and Sustain Aversive Taste Memories. <i>Neuron</i> , 2018 , 100, 891-899.	8.9	46
92	AgRP to Kiss1 neuron signaling links nutritional state and fertility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 2413-2418	11.5	122
91	HSD2 neurons in the hindbrain drive sodium appetite. <i>Nature Neuroscience</i> , 2017 , 20, 167-169	25.5	45
90	Conditional deletion of Ndufs4 in dopaminergic neurons promotes Parkinson's disease-like non-motor symptoms without loss of dopamine neurons. <i>Scientific Reports</i> , 2017 , 7, 44989	4.9	29
89	A Central Amygdala CRF Circuit Facilitates Learning about Weak Threats. <i>Neuron</i> , 2017 , 93, 164-178	13.9	98
88	Activation of α -AMPK Suppresses Ribosome Biogenesis and Protects Against Myocardial Ischemia/Reperfusion Injury. <i>Circulation Research</i> , 2017 , 121, 1182-1191	15.7	29
87	Neural Circuits That Suppress Appetite: Targets for Treating Obesity?. <i>Obesity</i> , 2017 , 25, 1299-1301	8	5
86	Striatal GPR88 Modulates Foraging Efficiency. <i>Journal of Neuroscience</i> , 2017 , 37, 7939-7947	6.6	11
85	Oxytocin-receptor-expressing neurons in the parabrachial nucleus regulate fluid intake. <i>Nature Neuroscience</i> , 2017 , 20, 1722-1733	25.5	52
84	A tale of two circuits: CCK neuron stimulation controls appetite and induces opposing motivational states by projections to distinct brain regions. <i>Neuroscience</i> , 2017 , 358, 316-324	3.9	32
83	Cancer-induced anorexia and malaise are mediated by CGRP neurons in the parabrachial nucleus. <i>Nature Neuroscience</i> , 2017 , 20, 934-942	25.5	59
82	Loss of Mitochondrial in Striatal Medium Spiny Neurons Mediates Progressive Motor Impairment in a Mouse Model of Leigh Syndrome. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 265	6.1	12
81	Succination is Increased on Select Proteins in the Brainstem of the NADH dehydrogenase (ubiquinone) Fe-S protein 4 (Ndufs4) Knockout Mouse, a Model of Leigh Syndrome. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 445-61	7.6	28
80	Fast-acting neurons that suppress appetite. <i>Nature Neuroscience</i> , 2016 , 20, 2-4	25.5	3

79	Genetically and functionally defined NTS to PBN brain circuits mediating anorexia. <i>Nature Communications</i> , 2016 , 7, 11905	17.4	124
78	Agouti-related peptide neural circuits mediate adaptive behaviors in the starved state. <i>Nature Neuroscience</i> , 2016 , 19, 734-741	25.5	146
77	New inducible genetic method reveals critical roles of GABA in the control of feeding and metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 3645-50	11.5	38
76	Ablation of Type III Adenylyl Cyclase in Mice Causes Reduced Neuronal Activity, Altered Sleep Pattern, and Depression-like Phenotypes. <i>Biological Psychiatry</i> , 2016 , 80, 836-848	7.9	34
75	High-frequency stimulation-induced peptide release synchronizes arcuate kisspeptin neurons and excites GnRH neurons. <i>ELife</i> , 2016 , 5,	8.9	107
74	Optogenetic Stimulation of Arcuate Nucleus Kiss1 Neurons Reveals a Steroid-Dependent Glutamatergic Input to POMC and AgRP Neurons in Male Mice. <i>Molecular Endocrinology</i> , 2016 , 30, 630-44		67
73	Parabrachial CGRP Neurons Control Meal Termination. <i>Cell Metabolism</i> , 2016 , 23, 811-20	24.6	132
72	Two Pairs of ON and OFF Retinal Ganglion Cells Are Defined by Intersectional Patterns of Transcription Factor Expression. <i>Cell Reports</i> , 2016 , 15, 1930-44	10.6	105
71	The paraventricular thalamus controls a central amygdala fear circuit. <i>Nature</i> , 2015 , 519, 455-9	50.4	286
70	Elucidating an Affective Pain Circuit that Creates a Threat Memory. <i>Cell</i> , 2015 , 162, 363-374	56.2	220
69	Genetic reduction of mitochondrial complex I function does not lead to loss of dopamine neurons in vivo. <i>Neurobiology of Aging</i> , 2015 , 36, 2617-27	5.6	22
68	Fertility-regulating Kiss1 neurons arise from hypothalamic POMC-expressing progenitors. <i>Journal of Neuroscience</i> , 2015 , 35, 5549-56	6.6	65
67	Parabrachial calcitonin gene-related peptide neurons mediate conditioned taste aversion. <i>Journal of Neuroscience</i> , 2015 , 35, 4582-6	6.6	97
66	Relative contributions of severe dopaminergic neuron ablation and dopamine depletion to cognitive impairment. <i>Experimental Neurology</i> , 2015 , 271, 205-14	5.7	11
65	Palatability Can Drive Feeding Independent of AgRP Neurons. <i>Cell Metabolism</i> , 2015 , 22, 646-57	24.6	98
64	Activity of Raphe Serotonergic Neurons Controls Emotional Behaviors. <i>Cell Reports</i> , 2015 , 13, 1965-76	10.6	110
63	Selective deletion of cochlear hair cells causes rapid age-dependent changes in spiral ganglion and cochlear nucleus neurons. <i>Journal of Neuroscience</i> , 2015 , 35, 7878-91	6.6	45
62	Hunger logic. <i>Nature Neuroscience</i> , 2015 , 18, 789-91	25.5	4

61	Genetic rescue of CB1 receptors on medium spiny neurons prevents loss of excitatory striatal synapses but not motor impairment in HD mice. <i>Neurobiology of Disease</i> , 2014 , 71, 140-50	7.5	38
60	Eosinophils and type 2 cytokine signaling in macrophages orchestrate development of functional beige fat. <i>Cell</i> , 2014 , 157, 1292-1308	56.2	587
59	Contributions of signaling by dopamine neurons in dorsal striatum to cognitive behaviors corresponding to those observed in Parkinson's disease. <i>Neurobiology of Disease</i> , 2014 , 65, 112-23	7.5	32
58	Dopamine receptor 1 neurons in the dorsal striatum regulate food anticipatory circadian activity rhythms in mice. <i>ELife</i> , 2014 , 3, e03781	8.9	72
57	Genetic identification of a neural circuit that suppresses appetite. <i>Nature</i> , 2013 , 503, 111-4	50.4	375
56	Lack of GPR88 enhances medium spiny neuron activity and alters motor- and cue-dependent behaviors. <i>Nature Neuroscience</i> , 2012 , 15, 1547-55	25.5	82
55	New game for hunger neurons. <i>Nature Neuroscience</i> , 2012 , 15, 1060-1	25.5	4
54	Hair cell replacement in adult mouse utricles after targeted ablation of hair cells with diphtheria toxin. <i>Journal of Neuroscience</i> , 2012 , 32, 15093-105	6.6	117
53	Ablation of neurons expressing agouti-related protein, but not melanin concentrating hormone, in leptin-deficient mice restores metabolic functions and fertility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3155-60	11.5	84
52	Fatal breathing dysfunction in a mouse model of Leigh syndrome. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2359-68	15.9	70
51	Molecular properties of Kiss1 neurons in the arcuate nucleus of the mouse. <i>Endocrinology</i> , 2011 , 152, 4298-309	4.8	102
50	Zinc transporter ZnT-3 regulates presynaptic Erk1/2 signaling and hippocampus-dependent memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 3366-70	11.5	128
49	A robust and high-throughput Cre reporting and characterization system for the whole mouse brain. <i>Nature Neuroscience</i> , 2010 , 13, 133-40	25.5	3764
48	Vesicular glutamate transport promotes dopamine storage and glutamate corelease in vivo. <i>Neuron</i> , 2010 , 65, 643-56	13.9	282
47	Loss of GABAergic signaling by AgRP neurons to the parabrachial nucleus leads to starvation. <i>Cell</i> , 2009 , 137, 1225-34	56.2	331
46	Reduced levels of neurotransmitter-degrading enzyme PRCP promote a lean phenotype. [corrected]. <i>Journal of Clinical Investigation</i> , 2009 , 119, 2130-3	15.9	4
45	Dopamine signaling in the dorsal striatum is essential for motivated behaviors: lessons from dopamine-deficient mice. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1129, 35-46	6.5	258
44	Viral restoration of dopamine signaling to the dorsal striatum restores instrumental conditioning to dopamine-deficient mice. <i>Psychopharmacology</i> , 2007 , 191, 567-78	4.7	55

43	Is dopamine a physiologically relevant mediator of feeding behavior?. <i>Trends in Neurosciences</i> , 2007 , 30, 375-81	13.3	345
42	NPY/AgRP neurons are essential for feeding in adult mice but can be ablated in neonates. <i>Science</i> , 2005 , 310, 683-5	33.3	824
41	Efflux and compartmentalization of zinc by members of the SLC30 family of solute carriers. <i>Pflugers Archiv European Journal of Physiology</i> , 2004 , 447, 744-51	4.6	307
40	Protection against zinc toxicity by metallothionein and zinc transporter 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 4918-23	11.5	148
39	Norepinephrine-Deficient Mice Exhibit Normal Sleep-Wake States but have Shorter Sleep Latency after Mild Stress and Low Doses of Amphetamine. <i>Sleep</i> , 2003 ,	1.1	2
38	Leptin-regulated endocannabinoids are involved in maintaining food intake. <i>Nature</i> , 2001 , 410, 822-5	50.4	1310
37	Dopamine is required for hyperphagia in Lep(ob/ob) mice. <i>Nature Genetics</i> , 2000 , 25, 102-4	36.3	124
36	Late endosomal membranes rich in lysobisphosphatidic acid regulate cholesterol transport. <i>Nature Cell Biology</i> , 1999 , 1, 113-8	23.4	520
35	Ethanol consumption and resistance are inversely related to neuropeptide Y levels. <i>Nature</i> , 1998 , 396, 366-9	50.4	413
34	Role of the Y5 neuropeptide Y receptor in feeding and obesity. <i>Nature Medicine</i> , 1998 , 4, 718-21	50.5	373
33	Oncogenesis and altered differentiation induced by activated Ras in neuroblasts of transgenic mice. <i>Oncogene</i> , 1997 , 15, 2783-94	9.2	26
32	Thermoregulatory and metabolic phenotypes of mice lacking noradrenaline and adrenaline. <i>Nature</i> , 1997 , 387, 94-7	50.4	223
31	Transgenic mouse blastocysts that overexpress metallothionein-I resist cadmium toxicity in vitro. <i>Molecular Reproduction and Development</i> , 1996 , 43, 158-66	2.6	16
30	A murine model of Menkes disease reveals a physiological function of metallothionein. <i>Nature Genetics</i> , 1996 , 13, 219-22	36.3	113
29	Sensitivity to leptin and susceptibility to seizures of mice lacking neuropeptide Y. <i>Nature</i> , 1996 , 381, 415-21	50.4	909
28	Targeted disruption of the tyrosine hydroxylase gene reveals that catecholamines are required for mouse fetal development. <i>Nature</i> , 1995 , 374, 640-3	50.4	373
27	Noradrenaline is essential for mouse fetal development. <i>Nature</i> , 1995 , 374, 643-6	50.4	446
26	Expression of an avian protamine in transgenic mice disrupts chromatin structure in spermatozoa. <i>Biology of Reproduction</i> , 1995 , 52, 20-32	3.9	27

25	Testis-specific and ubiquitous proteins bind to functionally important regions of the mouse protamine-1 promoter. <i>Biology of Reproduction</i> , 1994 , 50, 65-72	3.9	36
24	Peripheral tolerance to an islet cell-specific hemagglutinin transgene affects both CD4+ and CD8+ T cells. <i>European Journal of Immunology</i> , 1992 , 22, 1013-22	6.1	202
23	Expression of mouse IgA by transgenic mice, pigs and sheep. <i>European Journal of Immunology</i> , 1991 , 21, 1001-6	6.1	70
22	Pulmonary carcinogenesis in transgenic mice. <i>Experimental Lung Research</i> , 1991 , 17, 305-20	2.3	27
21	A Transgenic Mouse Model for Human Sickle Cell Disease. <i>Proceedings of the Japanese Association of Animal Models for Human Diseases</i> , 1990 , 6, 6-12		
20	Antigen presentation in MHC class II transgenic mice: stimulation versus tolerization. <i>Immunological Reviews</i> , 1990 , 117, 121-34	11.3	12
19	Abnormal sexual development in transgenic mice chronically expressing müllerian inhibiting substance. <i>Nature</i> , 1990 , 345, 167-70	50.4	361
18	Infertility in male transgenic mice: disruption of sperm development by HSV-tk expression in postmeiotic germ cells. <i>Biology of Reproduction</i> , 1990 , 43, 684-93	3.9	93
17	Histopathology associated with elevated levels of growth hormone and insulin-like growth factor I in transgenic mice. <i>Endocrinology</i> , 1989 , 124, 40-8	4.8	214
16	Production of transgenic sheep with growth-regulating genes. <i>Molecular Reproduction and Development</i> , 1989 , 1, 164-9	2.6	65
15	Genetically haploid spermatids are phenotypically diploid. <i>Nature</i> , 1989 , 337, 373-6	50.4	286
14	Transgenic mice overexpressing the mouse homoeobox-containing gene Hox-1.4 exhibit abnormal gut development. <i>Nature</i> , 1989 , 337, 464-7	50.4	191
13	Antigen presenting function of class II MHC expressing pancreatic beta cells. <i>Nature</i> , 1988 , 336, 476-9	50.4	229
12	Growth enhancement of transgenic mice expressing human insulin-like growth factor I. <i>Endocrinology</i> , 1988 , 123, 2827-33	4.8	396
11	Specific expression of an elastase-human growth hormone fusion gene in pancreatic acinar cells of transgenic mice. <i>Nature</i> , 1985 , 313, 600-2	50.4	240
10	Production of transgenic rabbits, sheep and pigs by microinjection. <i>Nature</i> , 1985 , 315, 680-3	50.4	836
9	SV40 enhancer and large-T antigen are instrumental in development of choroid plexus tumours in transgenic mice. <i>Nature</i> , 1985 , 316, 457-60	50.4	232
8	Peripheral neuropathies, hepatocellular carcinomas and islet cell adenomas in transgenic mice. <i>Nature</i> , 1985 , 316, 461-3	50.4	132

7	Identification of multiple metal regulatory elements in mouse metallothionein-I promoter by assaying synthetic sequences. <i>Nature</i> , 1985 , 317, 828-31	50.4	338
6	Expression of Growth Hormone Genes in Transgenic Mice 1985 , 20, 123-132		1
5	Dramatic growth of mice that develop from eggs microinjected with metallothionein-growth hormone fusion genes. <i>Nature</i> , 1982 , 300, 611-5	50.4	1107
4	Regulation of metallothionein--thymidine kinase fusion plasmids injected into mouse eggs. <i>Nature</i> , 1982 , 296, 39-42	50.4	271
3	Transcriptional regulation of mouse liver metallothionein-I gene by glucocorticoids. <i>Nature</i> , 1981 , 291, 340-2	50.4	274
2	Structure of mouse metallothionein-I gene and its mRNA. <i>Nature</i> , 1981 , 292, 267-9	50.4	289
1	Activation of Kiss1 neurons in the preoptic hypothalamus stimulates testosterone synthesis in adult male mice		1