

Daisuke Ban

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7597184/daisuke-ban-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102 papers	1,644 citations	24 h-index	37 g-index
109 ext. papers	2,137 ext. citations	3.7 avg, IF	4.27 L-index

#	Paper	IF	Citations
102	Artery-First Approach in Pancreaticoduodenectomy 2022 , 289-295		
101	Expert Consensus Guidelines: How to safely perform minimally invasive anatomic liver resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	5
100	International expert consensus on precision anatomy for minimally invasive pancreatoduodenectomy: PAM-HBP surgery project. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	2
99	Safe Dissemination of Laparoscopic Liver Resection in 27,146 Cases Between 2011 and 2017 From the National Clinical Database of Japan. <i>Annals of Surgery</i> , 2021 , 274, 1043-1050	7.8	19
98	Precision anatomy for safe approach to pancreatoduodenectomy for both open and minimally invasive procedure: A systematic review. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	4
97	A Pilot Study Analyzing the Clinical Utility of Comprehensive Genomic Profiling Using Plasma Cell-Free DNA for Solid Tumor Patients in Japan (PROFILE Study). <i>Annals of Surgical Oncology</i> , 2021 , 28, 8497-8505	3.1	3
96	Prediction of early recurrence of pancreatic ductal adenocarcinoma after resection. <i>PLoS ONE</i> , 2021 , 16, e0249885	3.7	0
95	Role of adjuvant and neoadjuvant therapy for resectable biliary tract cancer. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 537-545	4.2	1
94	A novel classification of portal venous tumor invasion to predict residual tumor status after surgery in patients with pancreatic neuroendocrine neoplasms. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	2
93	C646 inhibits G2/M cell cycle-related proteins and potentiates anti-tumor effects in pancreatic cancer. <i>Scientific Reports</i> , 2021 , 11, 10078	4.9	2
92	Cytoplasmic RRM1 activation as an acute response to gemcitabine treatment is involved in drug resistance of pancreatic cancer cells. <i>PLoS ONE</i> , 2021 , 16, e0252917	3.7	2
91	Precision vascular anatomy for minimally invasive distal pancreatectomy: A systematic review. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	1
90	Surgical approaches to the superior mesenteric artery during minimally invasive pancreatoduodenectomy: A systematic review. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	2
89	Surgical approaches for minimally invasive distal pancreatectomy: A systematic review. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	3
88	Inhibitor library screening identifies ispinesib as a new potential chemotherapeutic agent for pancreatic cancers. <i>Cancer Science</i> , 2021 , 112, 4641-4654	6.9	1
87	Extraordinary first jejunal arterial variation associated with annular pancreas undergoing pancreatoduodenectomy for pancreatic cancer: a case report. <i>Surgical and Radiologic Anatomy</i> , 2021 , 43, 805-810	1.4	
86	What comprises the plate-like structure between the pancreatic head and the celiac trunk and superior mesenteric artery? A proposal for the term "P-A ligament" based on anatomical findings. <i>Anatomical Science International</i> , 2021 , 96, 370-377	2	4

85	The Tokyo 2020 Terminology of Liver Anatomy and Resections: Updates of the Brisbane 2000 system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	7
84	Curative Surgery and Ki-67 Value Rather than Tumor Differentiation Predict the Survival of Patients with High-grade Neuroendocrine Neoplasms. <i>Annals of Surgery</i> , 2020 ,	7.8	5
83	Clinical impact of hemizygous deletion detection and panel-size in comprehensive genomic profiling.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e15671-e15671	2.2	
82	Successful conversion surgery of distal pancreatectomy with celiac axis resection (DP-CAR) with double arterial reconstruction using saphenous vein grafting for locally advanced pancreatic cancer: a case report. <i>Surgical Case Reports</i> , 2020 , 6, 302	0.8	0
81	Reticular pattern around superior mesenteric artery in computed tomography imaging predicting poor prognosis of pancreatic head cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 114-123	2.8	3
80	Loss of ARID1A induces a stemness gene ALDH1A1 expression with histone acetylation in the malignant subtype of cholangiocarcinoma. <i>Carcinogenesis</i> , 2020 , 41, 734-742	4.6	12
79	Combination of weekly streptozocin and oral S-1 treatment for patients of unresectable or metastatic pancreatic neuroendocrine neoplasms. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 793-799	4.9	3
78	Position of the Pancreas Division Line and Postoperative Outcomes After Distal Pancreatectomy. <i>World Journal of Surgery</i> , 2020 , 44, 1244-1251	3.3	1
77	Adjuvant and neoadjuvant therapy for biliary tract cancer: a review of clinical trials. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 1353-1363	2.8	8
76	Downregulated Pancreatic Beta Cell Genes Indicate Poor Prognosis in Patients With Pancreatic Neuroendocrine Neoplasms. <i>Annals of Surgery</i> , 2020 , 271, 732-739	7.8	8
75	Does sunitinib have a patient-specific dose without diminishing its antitumor effect on advanced pancreatic neuroendocrine neoplasms?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2097-2104	4.9	1
74	The Clinical Implications of Peripancreatic Fluid Collection After Distal Pancreatectomy. <i>World Journal of Surgery</i> , 2019 , 43, 2069-2076	3.3	7
73	A simple and practical index predicting the prognoses of the patients with well-differentiated pancreatic neuroendocrine neoplasms. <i>Journal of Gastroenterology</i> , 2019 , 54, 819-828	6.9	6
72	High-signal-intensity MR Image in the Hepatobiliary Phase Predicts Long-term Survival in Patients With Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2019 , 39, 4219-4225	2.3	6
71	Predictive model for survival after liver resection for noncolorectal liver metastases in the modern era: a Japanese multicenter analysis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 441-448	2.8	4
70	Loss of KDM6A characterizes a poor prognostic subtype of human pancreatic cancer and potentiates HDAC inhibitor lethality. <i>International Journal of Cancer</i> , 2019 , 145, 192-205	7.5	31
69	Comprehensive molecular and immunological characterization of hepatocellular carcinoma. <i>EBioMedicine</i> , 2019 , 40, 457-470	8.8	83
68	Orotate phosphoribosyltransferase as a predictor of benefit from S-1 adjuvant chemotherapy for cholangiocarcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1108-1115	4.5	5

67	Splenic artery as a simple landmark indicating difficulty during laparoscopic distal pancreatectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2019 , 12, 81-87	1.4	11
66	Current topics in the surgical treatments for hepatocellular carcinoma. <i>Annals of Gastroenterological Surgery</i> , 2018 , 2, 137-146	4.3	18
65	Fatty Acid Binding Protein 4 (FABP4) Overexpression in Intratumoral Hepatic Stellate Cells within Hepatocellular Carcinoma with Metabolic Risk Factors. <i>American Journal of Pathology</i> , 2018 , 188, 1213-1224	5.8	30
64	DEPDC5 deficiency contributes to resistance to leucine starvation via p62 accumulation in hepatocellular carcinoma. <i>Scientific Reports</i> , 2018 , 8, 106	4.9	10
63	Tumor suppressor functions of DAXX through histone H3.3/H3K9me3 pathway in pancreatic NETs. <i>Endocrine-Related Cancer</i> , 2018 , 25, 619-631	5.7	10
62	Sunitinib shrinks NET-G3 pancreatic neuroendocrine neoplasms. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1155-1163	4.9	23
61	Difficulty scoring system in laparoscopic distal pancreatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 489-497	2.8	25
60	Three-dimensional computed tomography analysis of the vascular anatomy of the splenic hilum for gastric cancer surgery. <i>Surgery Today</i> , 2018 , 48, 841-847	3	9
59	Learning curve and surgical factors influencing the surgical outcomes during the initial experience with laparoscopic pancreaticoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 498-507	2.8	50
58	Rapid growth speed of cysts can predict malignant intraductal mucinous papillary neoplasms. <i>Journal of Surgical Research</i> , 2018 , 231, 195-200	2.5	5
57	Minimally invasive preservation versus splenectomy during distal pancreatectomy: a systematic review and meta-analysis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 476-488	2.8	26
56	ARID2 modulates DNA damage response in human hepatocellular carcinoma cells. <i>Journal of Hepatology</i> , 2017 , 66, 942-951	13.4	40
55	Refractory Long-Term Cholangitis After Pancreaticoduodenectomy: A Retrospective Study. <i>World Journal of Surgery</i> , 2017 , 41, 1882-1889	3.3	8
54	Acquired Resistance with Epigenetic Alterations Under Long-Term Antiangiogenic Therapy for Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 1155-1165	6.1	18
53	A simple morphological classification to estimate the malignant potential of pancreatic neuroendocrine tumors. <i>Journal of Gastroenterology</i> , 2017 , 52, 1140-1146	6.9	4
52	Surgical pitfalls of jejunal vein anatomy in pancreaticoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 394-400	2.8	19
51	Emergency Cholecystectomy for Patients on Antiplatelet Therapy. <i>American Surgeon</i> , 2017 , 83, 486-490	0.8	2
50	Proteasome activity is required for the initiation of precancerous pancreatic lesions. <i>Scientific Reports</i> , 2016 , 6, 27044	4.9	5

49	Contactless Coagulation and Cauterization Method using Steam Jet. <i>Journal of Japan Society of Computer Aided Surgery</i> , 2016 , 18, 39-47	0.1	
48	Four cases with advanced hepatocellular carcinoma who achieved long survival, after surgical resection following to down-staging therapies. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 649-655	0.3	1
47	Clinical application of the biomarkers for the selection of adjuvant chemotherapy in pancreatic ductal adenocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016 , 23, 480-8	2.8	6
46	CD73 as a therapeutic target for pancreatic neuroendocrine tumor stem cells. <i>International Journal of Oncology</i> , 2016 , 48, 657-69	4.4	28
45	Expression of connective tissue growth factor in the livers of non-viral hepatocellular carcinoma patients with metabolic risk factors. <i>Journal of Gastroenterology</i> , 2016 , 51, 910-22	6.9	6
44	Macroscopic morphology for estimation of malignant potential in pancreatic neuroendocrine neoplasm. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1299-306	4.9	7
43	Dominant Expression of DCLK1 in Human Pancreatic Cancer Stem Cells Accelerates Tumor Invasion and Metastasis. <i>PLoS ONE</i> , 2016 , 11, e0146564	3.7	50
42	Hepatocellular Carcinoma Histological Grade Prediction: A Quantitative Comparison of Diffusion-Weighted, T2-Weighted, and Hepatobiliary-Phase Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2016 , 40, 463-70	2.2	7
41	Preoperative direct bilirubin to prothrombin time ratio index to prevent liver failure after minor hepatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016 , 23, 763-770	2.8	8
40	A novel therapeutic combination sequentially targeting aurora B and Bcl-xL in hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3079-86	3.1	7
39	The difficulty of laparoscopic liver resection. <i>Updates in Surgery</i> , 2015 , 67, 123-8	2.9	34
38	Novel Aurora/vascular endothelial growth factor receptor dual kinase inhibitor as treatment for hepatocellular carcinoma. <i>Cancer Science</i> , 2015 , 106, 1016-22	6.9	4
37	Distinct clinicopathological phenotype of hepatocellular carcinoma with ethoxybenzyl-magnetic resonance imaging hyperintensity: association with gene expression signature. <i>American Journal of Surgery</i> , 2015 , 210, 561-9	2.7	24
36	Prognostic role of Child-Pugh score 5 and 6 in hepatocellular carcinoma patients who underwent curative hepatic resection. <i>American Journal of Surgery</i> , 2015 , 209, 199-205	2.7	15
35	Advances in reduced port laparoscopic liver resection. <i>Asian Journal of Endoscopic Surgery</i> , 2015 , 8, 11-5	1.4	12
34	Surgical energy device using steam jet for robotic assisted surgery. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 6872-5	0.9	0
33	A Case of a Primary Hepatic Chronic Expanding Hematoma. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2015 , 76, 90-95	0	4
32	EpCAM-targeted therapy for human hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1314-22	3.1	35

31	Alcohol consumption and recurrence of non-B or non-C hepatocellular carcinoma after hepatectomy: a propensity score analysis. <i>Journal of Gastroenterology</i> , 2014 , 49, 1352-61	6.9	11
30	Anatomic resection reduces the recurrence of solitary hepatocellular carcinoma 5 cm without macrovascular invasion. <i>American Journal of Surgery</i> , 2014 , 207, 863-9	2.7	21
29	Mitochondrial metabolism in the noncancerous liver determine the occurrence of hepatocellular carcinoma: a prospective study. <i>Journal of Gastroenterology</i> , 2014 , 49, 502-10	6.9	12
28	Mixed adenoneuroendocrine carcinoma of the colon progressed rapidly after hepatic rupture: report of a case. <i>International Surgery</i> , 2014 , 99, 40-4	0.1	26
27	A novel difficulty scoring system for laparoscopic liver resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014 , 21, 745-53	2.8	259
26	Does the preoperative alpha-fetoprotein predict the recurrence and mortality after hepatectomy for hepatocellular carcinoma without macrovascular invasion in patients with normal liver function?. <i>Hepatology Research</i> , 2014 , 44, E437-46	5.1	16
25	Age-related clinicopathologic and molecular features of patients receiving curative hepatectomy for hepatocellular carcinoma. <i>American Journal of Surgery</i> , 2014 , 208, 450-6	2.7	14
24	Severe postoperative hemorrhage caused by antibody-mediated coagulation factor deficiencies: report of two cases. <i>Surgery Today</i> , 2014 , 44, 976-81	3	6
23	Combined resection of a tumor and the inferior vena cava: report of two cases. <i>Surgery Today</i> , 2014 , 44, 166-70	3	0
22	Liver Metabolism and Carcinogenesis. <i>The Japanese Journal of SURGICAL METABOLISM and NUTRITION</i> , 2014 , 48, 101-105	0	
21	Adrenal cortical adenoma arising from an adrenohepatic union. <i>Japanese Journal of Radiology</i> , 2013 , 31, 623-6	2.9	4
20	Contrast-enhanced intraoperative ultrasound for hepatocellular carcinoma: high sensitivity of diagnosis and therapeutic impact. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013 , 20, 234-42	2.8	16
19	Contrast-enhanced intraoperative ultrasonography for vascular imaging of hepatocellular carcinoma: clinical and biological significance. <i>Hepatology</i> , 2013 , 57, 1436-47	11.2	26
18	Visualization of stem cell features in human hepatocellular carcinoma reveals in vivo significance of tumor-host interaction and clinical course. <i>Hepatology</i> , 2013 , 58, 218-28	11.2	56
17	Decreased Mrp2 transport in severe macrovesicular fatty liver grafts. <i>Journal of Surgical Research</i> , 2012 , 178, 915-21	2.5	5
16	Identification of pancreatic cancer stem cells and selective toxicity of chemotherapeutic agents. <i>Gastroenterology</i> , 2012 , 143, 234-45.e7	13.3	96
15	Stapler and nonstapler closure of the pancreatic remnant after distal pancreatectomy: multicenter retrospective analysis of 388 patients. <i>World Journal of Surgery</i> , 2012 , 36, 1866-73	3.3	35
14	Prognoses of GEP-NETS with undetermined malignant potentials of their primary sites. <i>Hepato-Gastroenterology</i> , 2012 , 59, 1682-6		

13	The importance of clinical information in patients with gastroenteropancreatic neuroendocrine tumor. <i>Hepato-Gastroenterology</i> , 2012 , 59, 2450-3		1
12	Importin- β as a novel prognostic target for hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2093-103	3.1	44
11	Oxidative stress pathways in noncancerous human liver tissue to predict hepatocellular carcinoma recurrence: a prospective, multicenter study. <i>Hepatology</i> , 2011 , 54, 1273-81	11.2	25
10	Pancreatic ducts as an important route of tumor extension for acinar cell carcinoma of the pancreas. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1025-36	6.7	34
9	Erythropoietin production caused by metastatic colon cancer. <i>International Journal of Colorectal Disease</i> , 2010 , 25, 405	3	2
8	Reconstruction of the portal and hepatic veins using venous grafts customized from the bilateral gonadal veins. <i>Langenbeck's Archives of Surgery</i> , 2009 , 394, 1115-21	3.4	18
7	Efficacy of a hepatectomy and a tumor thrombectomy for hepatocellular carcinoma with tumor thrombus extending to the main portal vein. <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 1921-8	3.3	50
6	Decreased Mrp2-dependent bile flow in the post-warm ischemic rat liver. <i>Journal of Surgical Research</i> , 2009 , 153, 310-6	2.5	25
5	A case of huge colon carcinoma and right renal angiomyolipoma accompanied by proximal deep venous thrombosis, pulmonary embolism and tumor thrombus in the renal vein. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 710-4	2.8	9
4	A case of multiple hepatic metastases from pancreatic endocrine carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 455	2.8	
3	Resection of a cancer developing in the remnant pancreas after a pancreaticoduodenectomy for pancreas head cancer. <i>Journal of Gastrointestinal Surgery</i> , 2005 , 9, 263-9	3.3	25
2	A case report of septic metastatic meningitis from <i>Klebsiella pneumoniae</i> liver abscess after hepaticojejunostomy for bile duct cancer. <i>Acta Hepatologica Japonica</i> , 2005 , 46, 516-522	0.3	
1	A successful case of microwave coagulation therapy with thoracoscopic transdiaphragm approach to hepatocellular carcinoma in segment eight which resisted transcutaneous therapy.. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2002 , 63, 967-971	0	