

William E Whitehead

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/759742/william-e-whitehead-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

16,281
citations

60
h-index

127
g-index

142
ext. papers

18,759
ext. citations

5.2
avg, IF

6.41
L-index

#	Paper	IF	Citations
133	Health care utilization of individuals with Rome IV irritable bowel syndrome in the general population. <i>United European Gastroenterology Journal</i> , 2021 ,	5.3	6
132	ACG Clinical Guidelines: Management of Benign Anorectal Disorders. <i>American Journal of Gastroenterology</i> , 2021 , 116, 1987-2008	0.7	4
131	Phenotypic profile clustering pragmatically identifies diagnostically and mechanistically informative subgroups of chronic pain patients. <i>Pain</i> , 2021 , 162, 1528-1538	8	2
130	Greater Overlap of Rome IV Disorders of Gut-Brain Interactions Leads to Increased Disease Severity and Poorer Quality of Life. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	11
129	Functional Gastrointestinal Disorders and Associated Health Impairment in Individuals with Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1
128	Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. <i>Gastroenterology</i> , 2021 , 160, 99-114.e3	13.3	285
127	Rome IV Functional Gastrointestinal Disorders and Health Impairment in Subjects With Hypermobility Spectrum Disorders or Hypermobility Ehlers-Danlos Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 277-287.e3	6.9	10
126	A multicenter study of anorectal pressures and rectal sensation measured with portable manometry in healthy women and men. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14067	4	3
125	Chronic constipation in adults: Contemporary perspectives and clinical challenges. 2: Conservative, behavioural, medical and surgical treatment. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14070	4	2
124	Comparative effectiveness of biofeedback and injectable bulking agents for treatment of fecal incontinence: Design and methods. <i>Contemporary Clinical Trials</i> , 2021 , 107, 106464	2.3	1
123	Fecal Incontinence 2020 , 427-430		
122	Prevalence of Rome IV Functional Bowel Disorders Among Adults in the United States, Canada, and the United Kingdom. <i>Gastroenterology</i> , 2020 , 158, 1262-1273.e3	13.3	112
121	A genetic polymorphism that is associated with mitochondrial energy metabolism increases risk of fibromyalgia. <i>Pain</i> , 2020 , 161, 2860-2871	8	4
120	Functional gastrointestinal disorders are increased in joint hypermobility-related disorders with concomitant postural orthostatic tachycardia syndrome. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13975	4	7
119	Fecal Incontinence Diagnosed by the Rome IV Criteria in the United States, Canada, and the United Kingdom. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 385-391	6.9	13
118	The international anorectal physiology working group (IAPWG) recommendations: Standardized testing protocol and the London classification for disorders of anorectal function. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13679	4	70
117	Anorectal physiology in health: A randomized trial to determine the optimum catheter for the balloon expulsion test. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13582	4	

116	Controlling faecal incontinence in women by performing anal exercises with biofeedback or loperamide: a randomised clinical trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 698-710	18.8	28
115	Subgroups of IBS patients are characterized by specific, reproducible profiles of GI and non-GI symptoms and report differences in healthcare utilization: A population-based study. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13483	4	17
114	Epidemiology, clinical characteristics, and associations for symptom-based Rome IV functional dyspepsia in adults in the USA, Canada, and the UK: a cross-sectional population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 252-262	18.8	112
113	Increased Long-term Dietary Fiber Intake Is Associated With a Decreased Risk of Fecal Incontinence in Older Women. <i>Gastroenterology</i> , 2018 , 155, 661-667.e1	13.3	15
112	How the Change in IBS Criteria From Rome III to Rome IV Impacts on Clinical Characteristics and Key Pathophysiological Factors. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1017-1025	0.7	49
111	Relationship between symptoms and quality of life in fecal incontinence. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13241	4	11
110	The Prevalence and Impact of Overlapping Rome IV-Diagnosed Functional Gastrointestinal Disorders on Somatization, Quality of Life, and Healthcare Utilization: A Cross-Sectional General Population Study in Three Countries. <i>American Journal of Gastroenterology</i> , 2018 , 113, 86-96	0.7	80
109	Physical Activity, BMI, and Risk of Fecal Incontinence in the NursesQHealth Study. <i>Clinical and Translational Gastroenterology</i> , 2018 , 9, 200	4.2	6
108	If We DonQ Ask, They WonQ Tell: Screening for Urinary and Fecal Incontinence by Primary Care Providers. <i>Journal of the American Board of Family Medicine</i> , 2018 , 31, 774-782	1.6	12
107	Systemic cytokines are elevated in a subset of patients with irritable bowel syndrome but largely unrelated to symptom characteristics. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13378	4	10
106	The global prevalence of IBS in adults remains elusive due to the heterogeneity of studies: a Rome Foundation working team literature review. <i>Gut</i> , 2017 , 66, 1075-1082	19.2	242
105	Rome foundation Asian working team report: Real world treatment experience of Asian patients with functional bowel disorders. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1450-1456	14.56	14
104	Management of the multiple symptoms of irritable bowel syndrome. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 112-122	18.8	38
103	Menopausal Hormone Therapy Is Associated With Increased Risk of Fecal Incontinence in Women After Menopause. <i>Gastroenterology</i> , 2017 , 152, 1915-1921.e1	13.3	13
102	Brief telephone-delivered cognitive behavioral therapy targeted to parents of children with functional abdominal pain: a randomized controlled trial. <i>Pain</i> , 2017 , 158, 618-628	8	31
101	Update on Rome IV Criteria for Colorectal Disorders: Implications for Clinical Practice. <i>Current Gastroenterology Reports</i> , 2017 , 19, 15	5	116
100	Patient preferences for endpoints in fecal incontinence treatment studies. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13032	4	7
99	Randomised clinical trial: exploratory phase 2 study of ONO-2952 in diarrhoea-predominant irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 14-26	6.1	7

98	Improving biofeedback for the treatment of fecal incontinence in women: implementation of a standardized multi-site manometric biofeedback protocol. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12906	4	17
97	Fecal incontinence in irritable bowel syndrome: Prevalence and associated factors in Swedish and American patients. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12919	4	12
96	Biomarkers to distinguish functional constipation from irritable bowel syndrome with constipation. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 783-92	4	10
95	Treating Fecal Incontinence: An Unmet Need in Primary Care Medicine. <i>North Carolina Medical Journal</i> , 2016 , 77, 211-5	0.6	14
94	Design of Treatment Trials for Functional Gastrointestinal Disorders. <i>Gastroenterology</i> , 2016 , 150, 1469-1480.e62	13.3	242
93	Rome IV Diagnostic Questionnaires and Tables for Investigators and Clinicians. <i>Gastroenterology</i> , 2016 ,	13.3	242
92	Factors that affect consultation and screening for fecal incontinence. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 709-16	6.9	22
91	Controlling anal incontinence in women by performing anal exercises with biofeedback or loperamide (CAPABLE) trial: Design and methods. <i>Contemporary Clinical Trials</i> , 2015 , 44, 164-174	2.3	17
90	Treatment of fecal incontinence: state of the science summary for the National Institute of Diabetes and Digestive and Kidney Diseases workshop. <i>American Journal of Gastroenterology</i> , 2015 , 110, 138-46; quiz 147	0.7	63
89	Loperamide Versus Psyllium Fiber for Treatment of Fecal Incontinence: The Fecal Incontinence Prescription (Rx) Management (FIRM) Randomized Clinical Trial. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 983-93	3.1	55
88	Validity and Reliability of the Japanese Version of the Rome III Diagnostic Questionnaire for Irritable Bowel Syndrome and Functional Dyspepsia. <i>Journal of Neurogastroenterology and Motility</i> , 2015 , 21, 537-44	4.4	28
87	Factors associated with fecal incontinence in a nationally representative sample of diabetic women. <i>International Urogynecology Journal</i> , 2015 , 26, 1483-8	2	8
86	Epidemiology, pathophysiology, and classification of fecal incontinence: state of the science summary for the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) workshop. <i>American Journal of Gastroenterology</i> , 2015 , 110, 127-36	0.7	173
85	Episodic nature of symptoms in irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1450-60	0.7	29
84	ACG clinical guideline: management of benign anorectal disorders. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1141-57; (Quiz) 1058	0.7	201
83	Validation of the balloon evacuation test: reproducibility and agreement with findings from anorectal manometry and electromyography. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 2049-54	6.9	92
82	Impact of eating restriction on gastrointestinal motility in adolescents with IBS. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 58, 491-4	2.8	6
81	Behavioral Treatment of Fecal Incontinence 2014 , 787-806		

80	Is ginger effective for the treatment of irritable bowel syndrome? A double blind randomized controlled pilot trial. <i>Complementary Therapies in Medicine</i> , 2014 , 22, 17-20	3.5	24
79	Psychological treatments in functional gastrointestinal disorders: a primer for the gastroenterologist. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 208-16; quiz e22-3	6.9	81
78	Association of low dietary intake of fiber and liquids with constipation: evidence from the National Health and Nutrition Examination Survey. <i>American Journal of Gastroenterology</i> , 2013 , 108, 796-803	0.7	115
77	Obstetric sphincter injury interacts with diarrhea and urgency to increase the risk of fecal incontinence in women with irritable bowel syndrome. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 40-5	1.9	4
76	Risk factors for fecal incontinence in older women. <i>American Journal of Gastroenterology</i> , 2013 , 108, 113-9	0.7	61
75	Risk factors for urinary, fecal, or dual incontinence in the NursesQHealth Study. <i>Obstetrics and Gynecology</i> , 2013 , 122, 539-45	4.9	71
74	Validity and reliability of the Malay-language translation of the Rome III Diagnostic Questionnaire for irritable bowel syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 746-50	4	14
73	Development and validation of new disease-specific measures of somatization and comorbidity in IBS. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 351-5	4.1	14
72	Likelihood of nursing home referral for fecally incontinent elderly patients is influenced by physician views on nursing home care and outpatient management of fecal incontinence. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 350-4	5.9	6
71	IBS patients show frequent fluctuations between loose/watery and hard/lumpy stools: implications for treatment. <i>American Journal of Gastroenterology</i> , 2012 , 107, 286-95	0.7	54
70	Rome III survey of irritable bowel syndrome among ethnic Malays. <i>World Journal of Gastroenterology</i> , 2012 , 18, 6475-80; discussion p. 6479	5.6	29
69	Lubiprostone does not influence visceral pain thresholds in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 944-e400	4	35
68	Adopting new enrollment criteria for pharmaceutical trials in constipation: look before leaping. <i>Therapeutic Advances in Gastroenterology</i> , 2011 , 4, 165-8	4.7	2
67	Mindfulness training reduces the severity of irritable bowel syndrome in women: results of a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1678-88	0.7	179
66	Is fecal incontinence a risk factor for institutionalization in the elderly?. <i>American Journal of Gastroenterology</i> , 2011 , 106, 366-7; author reply 367	0.7	4
65	Diagnosis and treatment of pelvic floor disorders: what's new and what to do. <i>Gastroenterology</i> , 2010 , 138, 1231-5, 1235.e1-4	13.3	46
64	Validation of symptom-based diagnostic criteria for irritable bowel syndrome: a critical review. <i>American Journal of Gastroenterology</i> , 2010 , 105, 814-20; quiz 813, 821	0.7	72
63	Inability of the Rome III criteria to distinguish functional constipation from constipation-subtype irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2228-34	0.7	141

62	Fecal incontinence in primary care: prevalence, diagnosis, and health care utilization. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 493.e1-6	6.4	81
61	Survey of geriatricians on the effect of fecal incontinence on nursing home referral. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1058-62	5.6	36
60	Mindfulness for irritable bowel syndrome: protocol development for a controlled clinical trial. <i>BMC Complementary and Alternative Medicine</i> , 2009 , 9, 24	4.7	32
59	Conservative and behavioural management of constipation. <i>Neurogastroenterology and Motility</i> , 2009 , 21 Suppl 2, 55-61	4	19
58	Fecal incontinence in US adults: epidemiology and risk factors. <i>Gastroenterology</i> , 2009 , 137, 512-7, 517.e13-3	13.3	436
57	Psychometric evaluation of patient-reported outcomes in irritable bowel syndrome randomized controlled trials: a Rome Foundation report. <i>Gastroenterology</i> , 2009 , 137, 1944-53.e1-3	13.3	53
56	Irritable bowel syndrome subtypes defined by Rome II and Rome III criteria are similar. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 214-20	3	55
55	Randomized controlled trial shows biofeedback to be superior to pelvic floor exercises for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1730-7	3.1	178
54	Complementary and alternative medicine use and cost in functional bowel disorders: a six month prospective study in a large HMO. <i>BMC Complementary and Alternative Medicine</i> , 2008 , 8, 46	4.7	97
53	The role of biofeedback in the treatment of gastrointestinal disorders. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008 , 5, 371-82		39
52	Prevalence of symptomatic pelvic floor disorders in US women. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1311-6	27.4	1125
51	Contributions of pain sensitivity and colonic motility to IBS symptom severity and predominant bowel habits. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2550-61	0.7	121
50	Is biofeedback therapy an effective treatment for dyssynergic defecation?. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008 , 5, 74-5		
49	Translation and validation of a Japanese version of the irritable bowel syndrome-quality of life measure (IBS-QOL-J). <i>BioPsychoSocial Medicine</i> , 2007 , 1, 6	2.8	48
48	Costs of health care for irritable bowel syndrome, chronic constipation, functional diarrhoea and functional abdominal pain. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 237-48	6.1	153
47	The impact of fecal and urinary incontinence on quality of life 6 months after childbirth. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 636.e1-6	6.4	60
46	Randomized, controlled trial shows biofeedback to be superior to alternative treatments for patients with pelvic floor dyssynergia-type constipation. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 428-41	3.1	211
45	Increased colonic pain sensitivity in irritable bowel syndrome is the result of an increased tendency to report pain rather than increased neurosensory sensitivity. <i>Gut</i> , 2007 , 56, 1202-9	19.2	131

44	Constipation: will the bowel recipe do the trick?. <i>Obstetrics and Gynecology</i> , 2007 , 109, 985-9	4.9	
43	Comorbidity in irritable bowel syndrome. <i>American Journal of Gastroenterology</i> , 2007 , 102, 2767-76	0.7	150
42	Hypnosis for non-cardiac chest pain. <i>Gut</i> , 2006 , 55, 1381-4	19.2	9
41	Hypnosis home treatment for irritable bowel syndrome: a pilot study. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2006 , 54, 85-99	1.8	40
40	Reports of "satisfactory relief" by IBS patients receiving usual medical care are confounded by baseline symptom severity and do not accurately reflect symptom improvement. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1057-65	0.7	62
39	Biofeedback is superior to laxatives for normal transit constipation due to pelvic floor dyssynergia. <i>Gastroenterology</i> , 2006 , 130, 657-64	13.3	313
38	Design of treatment trials for functional gastrointestinal disorders. <i>Gastroenterology</i> , 2006 , 130, 1538-51	13.3	252
37	Hypnosis for irritable bowel syndrome: the empirical evidence of therapeutic effects. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2006 , 54, 7-20	1.8	33
36	Utility of red flag symptom exclusions in the diagnosis of irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 137-46	6.1	78
35	Biofeedback benefits only patients with outlet dysfunction, not patients with isolated slow transit constipation. <i>Gastroenterology</i> , 2005 , 129, 86-97	13.3	254
34	The usual medical care for irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 1305-15	6.1	67
33	Biofeedback treatment for functional anorectal disorders: a comprehensive efficacy review. <i>Applied Psychophysiology Biofeedback</i> , 2004 , 29, 153-74	3.4	72
32	Elevated vasoactive intestinal peptide concentrations in patients with irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2004 , 49, 1236-43	4	32
31	Control groups appropriate for behavioral interventions. <i>Gastroenterology</i> , 2004 , 126, S159-63	13.3	39
30	Priorities for treatment research from different professional perspectives. <i>Gastroenterology</i> , 2004 , 126, S180-5	13.3	14
29	Biofeedback treatment of constipation: a critical review. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, 1208-17	3.1	104
28	Cognitive-behavioral therapy versus education and desipramine versus placebo for moderate to severe functional bowel disorders. <i>Gastroenterology</i> , 2003 , 125, 19-31	13.3	477
27	Factor analysis of bowel symptoms in US and Italian populations. <i>Digestive and Liver Disease</i> , 2003 , 35, 774-83	3.3	26

26	Hypnosis treatment for severe irritable bowel syndrome: investigation of mechanism and effects on symptoms. <i>Digestive Diseases and Sciences</i> , 2002 , 47, 2605-14	4	130
25	Sensory retraining is key to biofeedback therapy for formed stool fecal incontinence. <i>American Journal of Gastroenterology</i> , 2002 , 97, 109-17	0.7	108
24	Systematic review of the comorbidity of irritable bowel syndrome with other disorders: what are the causes and implications?. <i>Gastroenterology</i> , 2002 , 122, 1140-56	13.3	804
23	AGA technical review on irritable bowel syndrome. <i>Gastroenterology</i> , 2002 , 123, 2108-31	13.3	1071
22	Anorectal functional testing: review of collective experience. <i>American Journal of Gastroenterology</i> , 2002 , 97, 232-40	0.7	168
21	Biofeedback treatment of fecal incontinence: a critical review. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 728-36	3.1	129
20	Treatment options for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 131-42; discussion 142-4	3.1	169
19	Biofeedback for fecal incontinence and constipation: The role of medical management and education. <i>Gastroenterology</i> , 2001 , 120, A397	13.3	5
18	Further validation of the IBS-QOL: a disease-specific quality-of-life questionnaire. <i>American Journal of Gastroenterology</i> , 2000 , 95, 999-1007	0.7	276
17	Definition of a responder in clinical trials for functional gastrointestinal disorders: report on a symposium. <i>Gut</i> , 1999 , 45 Suppl 2, II78-9	19.2	16
16	Functional disorders of the anus and rectum. <i>Gut</i> , 1999 , 45 Suppl 2, II55-9	19.2	94
15	AGA technical review on anorectal testing techniques. <i>Gastroenterology</i> , 1999 , 116, 735-60	13.3	366
14	Patient subgroups in irritable bowel syndrome that can be defined by symptom evaluation and physical examination. <i>American Journal of Medicine</i> , 1999 , 107, 33S-40S	2.4	21
13	Is functional dyspepsia just a subset of the irritable bowel syndrome?. <i>Baillieres Clinical Gastroenterology</i> , 1998 , 12, 443-61		32
12	Is rectal pain sensitivity a biological marker for irritable bowel syndrome: psychological influences on pain perception. <i>Gastroenterology</i> , 1998 , 115, 1263-71	13.3	256
11	Irritable bowel syndrome: a technical review for practice guideline development. <i>Gastroenterology</i> , 1997 , 112, 2120-37	13.3	459
10	Pain from rectal distension in women with irritable bowel syndrome: relationship to sexual abuse. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 796-804	4	81
9	Standardization of barostat procedures for testing smooth muscle tone and sensory thresholds in the gastrointestinal tract. The Working Team of Glaxo-Wellcome Research, UK. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 223-41	4	301

8	Irritable bowel syndrome defined by factor analysis. Gender and race comparisons. <i>Digestive Diseases and Sciences</i> , 1995 , 40, 2647-55	4	126
7	Mechanisms of constipation in older persons and effects of fiber compared with placebo. <i>Journal of the American Geriatrics Society</i> , 1995 , 43, 666-9	5.6	63
6	U.S. householder survey of functional gastrointestinal disorders. Prevalence, sociodemography, and health impact. <i>Digestive Diseases and Sciences</i> , 1993 , 38, 1569-80	4	1727
5	Existence of irritable bowel syndrome supported by factor analysis of symptoms in two community samples. <i>Gastroenterology</i> , 1990 , 98, 336-40	13.3	119
4	Tolerance for rectosigmoid distention in irritable bowel syndrome. <i>Gastroenterology</i> , 1990 , 98, 1187-92	13.3	531
3	Symptoms of psychologic distress associated with irritable bowel syndrome. Comparison of community and medical clinic samples. <i>Gastroenterology</i> , 1988 , 95, 709-14	13.3	423
2	Habit training as treatment of encopresis secondary to chronic constipation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1985 , 4, 397-401	2.8	47
1	Irritable bowel syndrome: physiological and psychological differences between diarrhea-predominant and constipation-predominant patients. <i>Digestive Diseases and Sciences</i> , 1980 , 25, 404-13	4	404