

Michelle E Kimple

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7597737/michelle-e-kimple-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 papers	1,796 citations	22 h-index	42 g-index
71 ext. papers	2,253 ext. citations	4.3 avg, IF	4.6 L-index

#	Paper	IF	Citations
66	Structural determinants for GoLoco-induced inhibition of nucleotide release by Galpha subunits. <i>Nature</i> , 2002 , 416, 878-81	50.4	218
65	Decreased Consumption of Branched-Chain Amino Acids Improves Metabolic Health. <i>Cell Reports</i> , 2016 , 16, 520-530	10.6	209
64	Restoration of metabolic health by decreased consumption of branched-chain amino acids. <i>Journal of Physiology</i> , 2018 , 596, 623-645	3.9	142
63	Overview of affinity tags for protein purification. <i>Current Protocols in Protein Science</i> , 2013 , 73, 9.9.1-9.9.33	3.3	141
62	Involvement of a mitochondrial phosphatase in the regulation of ATP production and insulin secretion in pancreatic beta cells. <i>Molecular Cell</i> , 2005 , 19, 197-207	17.6	120
61	Alternative rapamycin treatment regimens mitigate the impact of rapamycin on glucose homeostasis and the immune system. <i>Aging Cell</i> , 2016 , 15, 28-38	9.9	112
60	SAT-168 A Secreted Protein Complement 1q Like-3 Protein Inhibits Insulin Secretion by an Adhesion G-Protein Coupled Receptor, BAI3 in Pancreatic β Cells. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
59	Prostaglandin E2 receptor, EP3, is induced in diabetic islets and negatively regulates glucose- and hormone-stimulated insulin secretion. <i>Diabetes</i> , 2013 , 62, 1904-12	0.9	76
58	Phenotypic Characterization of MIP-CreERT1Lphi Mice With Transgene-Driven Islet Expression of Human Growth Hormone. <i>Diabetes</i> , 2015 , 64, 3798-807	0.9	62
57	Short-term methionine deprivation improves metabolic health via sexually dimorphic, mTORC1-independent mechanisms. <i>FASEB Journal</i> , 2018 , 32, 3471-3482	0.9	43
56	Pancreatic β Cells From Mice Offset Age-Associated Mitochondrial Deficiency With Reduced KATP Channel Activity. <i>Diabetes</i> , 2016 , 65, 2700-10	0.9	40
55	Glucagon-Like Peptide-1 Regulates Cholecystokinin Production in β Cells to Protect From Apoptosis. <i>Molecular Endocrinology</i> , 2015 , 29, 978-87		40
54	Inhibitory G proteins and their receptors: emerging therapeutic targets for obesity and diabetes. <i>Experimental and Molecular Medicine</i> , 2014 , 46, e102	12.8	37
53	A method for mouse pancreatic islet isolation and intracellular cAMP determination. <i>Journal of Visualized Experiments</i> , 2014 , e50374	1.6	37
52	Galphaz negatively regulates insulin secretion and glucose clearance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 4560-7	5.4	33
51	Opposing effects of prostaglandin E receptors EP3 and EP4 on mouse and human β cell survival and proliferation. <i>Molecular Metabolism</i> , 2017 , 6, 548-559	8.8	32
50	A role for G(z) in pancreatic islet beta-cell biology. <i>Journal of Biological Chemistry</i> , 2005 , 280, 31708-13	5.4	32

49	Deletion of G α protein protects against diet-induced glucose intolerance via expansion of β cell mass. <i>Journal of Biological Chemistry</i> , 2012 , 287, 20344-55	5.4	28
48	Tcf19 is a novel islet factor necessary for proliferation and survival in the INS-1 β cell line. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E600-10	6	27
47	Radiomanganese PET Detects Changes in Functional β Cell Mass in Mouse Models of Diabetes. <i>Diabetes</i> , 2017 , 66, 2163-2174	0.9	26
46	Rap1 promotes multiple pancreatic islet cell functions and signals through mammalian target of rapamycin complex 1 to enhance proliferation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 15777-85	5.4	26
45	Enriching Islet Phospholipids With Eicosapentaenoic Acid Reduces Prostaglandin E Signaling and Enhances Diabetic β Cell Function. <i>Diabetes</i> , 2017 , 66, 1572-1585	0.9	25
44	Spontaneous Tumor Lysis Syndrome: A Case Report and Critical Evaluation of Current Diagnostic Criteria and Optimal Treatment Regimens. <i>Journal of Investigative Medicine High Impact Case Reports</i> , 2015 , 3, 2324709615603199	1.2	20
43	A single-islet microplate assay to measure mouse and human islet insulin secretion. <i>Islets</i> , 2015 , 7, e1076607	1.6	20
42	Overview of affinity tags for protein purification. <i>Current Protocols in Protein Science</i> , 2004 , Chapter 9, Unit 9.9	3.1	20
41	Synergy Between G α Deficiency and GLP-1 Analog Treatment in Preserving Functional β Cell Mass in Experimental Diabetes. <i>Molecular Endocrinology</i> , 2016 , 30, 543-56		19
40	Complement 1q-like-3 protein inhibits insulin secretion from pancreatic β cells via the cell adhesion G protein-coupled receptor BAI3. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18086-18098	5.4	16
39	The Inhibitory G Protein β Subunit, G α , Promotes Type 1 Diabetes-Like Pathophysiology in NOD Mice. <i>Endocrinology</i> , 2017 , 158, 1645-1658	4.8	13
38	EPAC-RAP1 Axis-Mediated Switch in the Response of Primary and Metastatic Melanoma to Cyclic AMP. <i>Molecular Cancer Research</i> , 2017 , 15, 1792-1802	6.6	13
37	Age-Dependent Protection of Insulin Secretion in Diet Induced Obese Mice. <i>Scientific Reports</i> , 2018 , 8, 17814	4.9	11
36	Platelet Dysfunction in Type 1 Diabetes: Stressing the Thromboxanes. <i>Diabetes</i> , 2016 , 65, 349-51	0.9	9
35	The EP3 Receptor/G Signaling Axis as a Therapeutic Target for Diabetes and Cardiovascular Disease. <i>AAPS Journal</i> , 2017 , 19, 1276-1283	3.7	9
34	Targeting dysfunctional beta-cell signaling for the potential treatment of type 1 diabetes mellitus. <i>Experimental Biology and Medicine</i> , 2018 , 243, 586-591	3.7	8
33	Dietary polyunsaturated fatty acids and their metabolites: Implications for diabetes pathophysiology, prevention, and treatment. <i>Nutrition and Healthy Aging</i> , 2017 , 4, 127-140	1.3	7
32	The gastrin-releasing peptide analog bombesin preserves exocrine and endocrine pancreas morphology and function during parenteral nutrition. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, G431-42	5.1	6

31	Bombesin Preserves Goblet Cell Resistin-Like Molecule During Parenteral Nutrition but Not Other Goblet Cell Products. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016 , 40, 1042-9	4.2	5
30	Agonist-independent G α activity negatively regulates beta-cell compensation in a diet-induced obesity model of type 2 diabetes. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100056	5.4	5
29	Systemic Metabolic Alterations Correlate with Islet-Level Prostaglandin E Production and Signaling Mechanisms That Predict β Cell Dysfunction in a Mouse Model of Type 2 Diabetes. <i>Metabolites</i> , 2021 , 11,	5.6	5
28	The EP3 Receptor: Exploring a New Target for Type 2 Diabetes Therapeutics 2013 , 1,		4
27	Ultrahigh-Resolution Mass Spectrometry-Based Platform for Plasma Metabolomics Applied to Type 2 Diabetes Research. <i>Journal of Proteome Research</i> , 2021 , 20, 463-473	5.6	4
26	Differential Expression of Ormdl Genes in the Islets of Mice and Humans with Obesity. <i>IScience</i> , 2020 , 23, 101324	6.1	3
25	Signaling Through Gz 2010 , 1649-1653		3
24	Rat prostaglandin EP3 receptor is highly promiscuous and is the sole prostanoid receptor family member that regulates INS-1 (832/3) cell glucose-stimulated insulin secretion. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00736	3.1	3
23	Pharmacological blockade of the EP3 prostaglandin E receptor in the setting of type 2 diabetes enhances β cell proliferation and identity and relieves oxidative damage. <i>Molecular Metabolism</i> , 2021 , 54, 101347	8.8	2
22	Differential Effects of Prostaglandin E ₂ Production and Signaling through the Prostaglandin EP3 Receptor on Human Beta-cell Compensation		2
21	Human Islet Expression Levels of Prostaglandin E Synthetic Enzymes, But Not Prostaglandin EP3 Receptor, Are Positively Correlated with Markers of β Cell Function and Mass in Nondiabetic Obesity. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 1338-1348	5.9	2
20	Prostaglandin EP3 Receptor signaling is required to prevent insulin hypersecretion and metabolic dysfunction in a non-obese mouse model of insulin resistance		1
19	The effects of G α signaling on pancreatic β cell function and mass. <i>FASEB Journal</i> , 2012 , 26, 615.7	0.9	1
18	The influence of intermittent hypoxia, obesity, and diabetes on male genitourinary anatomy and voiding physiology. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F82-F92	4.3	1
17	Prostaglandin EP3 receptor signaling is required to prevent insulin hypersecretion and metabolic dysfunction in a non-obese mouse model of insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 321, E479-E489	6	0
16	A human pancreatic ECM hydrogel optimized for 3-D modeling of the islet microenvironment.. <i>Scientific Reports</i> , 2022 , 12, 7188	4.9	0
15	Beta-cell-specific loss of the inhibitory G protein, G α , prevents development of Type 1 Diabetes in NOD mice.. <i>FASEB Journal</i> , 2018 , 32, 661.5	0.9	
14	Coordinated Cross-talk between calcium and cAMP in regulating pulsatile insulin secretion: A novel role for the unique inhibitory G-protein, G α , in regulating β cell function. <i>FASEB Journal</i> , 2018 , 32, 666.9	0.9	

- | | | |
|----|--|-----|
| 13 | Loss of the unique inhibitory G-protein, G β , in the pancreatic β cell protects against diet-induced glucose intolerance by enhancing insulin secretion, but is not β cell autonomous. <i>FASEB Journal</i> , 2018 , 32, 661.9 | 0.9 |
| 12 | Role of the heterotrimeric inhibitory G-protein, G β , and its unique G-protein coupled receptor, EP3, in the progression and pathophysiology of Type 2 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 514.16 | 0.9 |
| 11 | Increasing the dietary ratio of omega 3:omega 6 polyunsaturated fatty acids positively impacts inflammation and islet outcomes in Type 1 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 680.9 | 0.9 |
| 10 | Beta-cell-specific loss of the inhibitory G protein, G β , alters development and pathophysiology of Type 1 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 680.14 | 0.9 |
| 9 | The inhibitory heterotrimeric G protein, G γ , regulates alpha-cell active glucagon-like peptide 1 (GLP-1) levels. <i>FASEB Journal</i> , 2019 , 33, 809.3 | 0.9 |
| 8 | Loss of β cell G β protects against high-fat diet induced glucose intolerance by preserving incretin responsiveness and enhancing insulin secretion. <i>FASEB Journal</i> , 2020 , 34, 1-1 | 0.9 |
| 7 | Beta-cell-specific Loss of the Inhibitory G protein, G β , has Sex-dependent Effects on Development and Pathophysiology of Type 1 Diabetes. <i>FASEB Journal</i> , 2020 , 34, 1-1 | 0.9 |
| 6 | Elucidating the role of inhibitory G-protein, G γ , in β cell preservation and regeneration (1062.3). <i>FASEB Journal</i> , 2014 , 28, 1062.3 | 0.9 |
| 5 | Altering beta-cell phospholipid composition affects diabetic beta-cell dysfunction (796.15). <i>FASEB Journal</i> , 2014 , 28, 796.15 | 0.9 |
| 4 | Mimicking the Diabetic State in the Non-Diabetic β cell to Elucidate Critical Pathways in β cell Dysfunction. <i>FASEB Journal</i> , 2015 , 29, 974.16 | 0.9 |
| 3 | The Inhibitory G-protein, G γ , Accelerates the Progression of Insulinitis and Hyperglycemia in a Type 1 Diabetes Mouse Model. <i>FASEB Journal</i> , 2015 , 29, 973.1 | 0.9 |
| 2 | Identification of key signaling molecules downstream of cAMP that regulate insulin secretion. <i>FASEB Journal</i> , 2013 , 27, 1031.24 | 0.9 |
| 1 | Affinity Tag for Protein Purification and Detection Based on the Disulfide-Linked Complex of InaD and NorpA. <i>BioTechniques</i> , 2002 , 33, 578-590 | 2.5 |