Michelle E Kimple

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7597737/michelle-e-kimple-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers1,796
citations22
h-index42
g-index71
ext. papers2,253
ext. citations4.3
avg, IF4.6
L-index

#	Paper	IF	Citations
66	A human pancreatic ECM hydrogel optimized for 3-D modeling of the islet microenvironment <i>Scientific Reports</i> , 2022 , 12, 7188	4.9	О
65	Pharmacological blockade of the EP3 prostaglandin E receptor in the setting of type 2 diabetes enhances Etell proliferation and identity and relieves oxidative damage. <i>Molecular Metabolism</i> , 2021 , 54, 101347	8.8	2
64	Rat prostaglandin EP3 receptor is highly promiscuous and is the sole prostanoid receptor family member that regulates INS-1 (832/3) cell glucose-stimulated insulin secretion. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00736	3.1	3
63	Human Islet Expression Levels of Prostaglandin E Synthetic Enzymes, But Not Prostaglandin EP3 Receptor, Are Positively Correlated with Markers of ECell Function and Mass in Nondiabetic Obesity. ACS Pharmacology and Translational Science, 2021, 4, 1338-1348	5.9	2
62	The influence of intermittent hypoxia, obesity, and diabetes on male genitourinary anatomy and voiding physiology. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F82-F92	4.3	1
61	Ultrahigh-Resolution Mass Spectrometry-Based Platform for Plasma Metabolomics Applied to Type 2 Diabetes Research. <i>Journal of Proteome Research</i> , 2021 , 20, 463-473	5.6	4
60	Agonist-independent Glactivity negatively regulates beta-cell compensation in a diet-induced obesity model of type 2 diabetes. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100056	5.4	5
59	Systemic Metabolic Alterations Correlate with Islet-Level Prostaglandin E Production and Signaling Mechanisms That Predict Ecell Dysfunction in a Mouse Model of Type 2 Diabetes. <i>Metabolites</i> , 2021 , 11,	5.6	5
58	Prostaglandin EP3 receptor signaling is required to prevent insulin hypersecretion and metabolic dysfunction in a non-obese mouse model of insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 321, E479-E489	6	O
57	Differential Expression of Ormdl Genes in the Islets of Mice and Humans with Obesity. <i>IScience</i> , 2020 , 23, 101324	6.1	3
56	Loss of Evell GI protects against high-fat diet induced glucose intolerance by preserving incretin responsiveness and enhancing insulin secretion. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
55	Beta-cell-specific Loss of the Inhibitory G protein, GD, has Sex-dependent Effects on Development and Pathophysiology of Type 1 Diabetes. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
54	Role of the heterotrimeric inhibitory G-protein, GD, and its unique G-protein coupled receptor, EP3, in the progression and pathophysiology of Type 2 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 514.16	0.9	
53	Increasing the dietary ratio of omega 3:omega 6 polyunsaturated fatty acids positively impacts inflammation and islet outcomes in Type 1 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 680.9	0.9	
52	Beta-cell-specific loss of the inhibitory G protein, GE, alters development and pathophysiology of Type 1 Diabetes. <i>FASEB Journal</i> , 2019 , 33, 680.14	0.9	
51	SAT-168 A Secreted Protein Complement 1q Like-3 Protein Inhibits Insulin Secretion by an Adhesion G-Protein Coupled Receptor, BAI3 in Pancreatic ECells. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
50	The inhibitory heterotrimeric G protein, Gz, regulates alpha-cell active glucagon-like peptide 1 (GLP-1) levels. <i>FASEB Journal</i> , 2019 , 33, 809.3	0.9	

(2016-2018)

49	Targeting dysfunctional beta-cell signaling for the potential treatment of type 1 diabetes mellitus. Experimental Biology and Medicine, 2018 , 243, 586-591	3.7	8
48	Restoration of metabolic health by decreased consumption of branched-chain amino acids. <i>Journal of Physiology</i> , 2018 , 596, 623-645	3.9	142
47	Short-term methionine deprivation improves metabolic health via sexually dimorphic, mTORC1-independent mechanisms. <i>FASEB Journal</i> , 2018 , 32, 3471-3482	0.9	43
46	Beta-cell-specific loss of the inhibitory G protein, GZ, prevents development of Type 1 Diabetes in NOD mice <i>FASEB Journal</i> , 2018 , 32, 661.5	0.9	
45	Coordinated Cross-talk between calcium and cAMP in regulating pulsatile insulin secretion: A novel role for the unique inhibitory G-protein, GD, in regulating Evell function. <i>FASEB Journal</i> , 2018 , 32, 666.9	0.9	
44	Loss of the unique inhibitory G-protein, GD, in the pancreatic Hell protects against diet-induced glucose intolerance by enhancing insulin secretion, but is not Hell autonomous. <i>FASEB Journal</i> , 2018 , 32, 661.9	0.9	
43	Age-Dependent Protection of Insulin Secretion in Diet Induced Obese Mice. <i>Scientific Reports</i> , 2018 , 8, 17814	4.9	11
42	Complement 1q-like-3 protein inhibits insulin secretion from pancreatic Eells via the cell adhesion G protein-coupled receptor BAI3. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18086-18098	5.4	16
41	Enriching Islet Phospholipids With Eicosapentaenoic Acid Reduces Prostaglandin E Signaling and Enhances Diabetic Ecell Function. <i>Diabetes</i> , 2017 , 66, 1572-1585	0.9	25
40	The Inhibitory G Protein Esubunit, GE, Promotes Type 1 Diabetes-Like Pathophysiology in NOD Mice. <i>Endocrinology</i> , 2017 , 158, 1645-1658	4.8	13
39	Radiomanganese PET Detects Changes in Functional ECell Mass in Mouse Models of Diabetes. <i>Diabetes</i> , 2017 , 66, 2163-2174	0.9	26
38	Opposing effects of prostaglandin E receptors EP3 and EP4 on mouse and human Etell survival and proliferation. <i>Molecular Metabolism</i> , 2017 , 6, 548-559	8.8	32
37	Dietary polyunsaturated fatty acids and their metabolites: Implications for diabetes pathophysiology, prevention, and treatment. <i>Nutrition and Healthy Aging</i> , 2017 , 4, 127-140	1.3	7
36	EPAC-RAP1 Axis-Mediated Switch in the Response of Primary and Metastatic Melanoma to Cyclic AMP. <i>Molecular Cancer Research</i> , 2017 , 15, 1792-1802	6.6	13
35	The EP3 Receptor/G Signaling Axis as a Therapeutic Target for Diabetes and Cardiovascular Disease. <i>AAPS Journal</i> , 2017 , 19, 1276-1283	3.7	9
34	Synergy Between GI Deficiency and GLP-1 Analog Treatment in Preserving Functional Ecell Mass in Experimental Diabetes. <i>Molecular Endocrinology</i> , 2016 , 30, 543-56		19
33	Pancreatic ECells From Mice Offset Age-Associated Mitochondrial Deficiency With Reduced KATP Channel Activity. <i>Diabetes</i> , 2016 , 65, 2700-10	0.9	40
32	Decreased Consumption of Branched-Chain Amino Acids Improves Metabolic Health. <i>Cell Reports</i> , 2016 , 16, 520-530	10.6	209

31	Bombesin Preserves Goblet Cell Resistin-Like Molecule During Parenteral Nutrition but Not Other Goblet Cell Products. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016 , 40, 1042-9	4.2	5
30	Platelet Dysfunction in Type 1 Diabetes: Stressing the Thromboxanes. <i>Diabetes</i> , 2016 , 65, 349-51	0.9	9
29	Alternative rapamycin treatment regimens mitigate the impact of rapamycin on glucose homeostasis and the immune system. <i>Aging Cell</i> , 2016 , 15, 28-38	9.9	112
28	Phenotypic Characterization of MIP-CreERT1Lphi Mice With Transgene-Driven Islet Expression of Human Growth Hormone. <i>Diabetes</i> , 2015 , 64, 3798-807	0.9	62
27	Glucagon-Like Peptide-1 Regulates Cholecystokinin Production in Ecells to Protect From Apoptosis. <i>Molecular Endocrinology</i> , 2015 , 29, 978-87		40
26	Spontaneous Tumor Lysis Syndrome: A Case Report and Critical Evaluation of Current Diagnostic Criteria and Optimal Treatment Regimens. <i>Journal of Investigative Medicine High Impact Case Reports</i> , 2015 , 3, 2324709615603199	1.2	20
25	A single-islet microplate assay to measure mouse and human islet insulin secretion. <i>Islets</i> , 2015 , 7, e107	66607	20
24	The gastrin-releasing peptide analog bombesin preserves exocrine and endocrine pancreas morphology and function during parenteral nutrition. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, G431-42	5.1	6
23	Mimicking the Diabetic State in the Non-Diabetic Etell to Elucidate Critical Pathways in Etell Dysfunction. <i>FASEB Journal</i> , 2015 , 29, 974.16	0.9	
22	The Inhibitory G-protein, Gz, Accelerates the Progression of Insulitis and Hyperglycemia in a Type 1 Diabetes Mouse Model. <i>FASEB Journal</i> , 2015 , 29, 973.1	0.9	
21	Inhibitory G proteins and their receptors: emerging therapeutic targets for obesity and diabetes. <i>Experimental and Molecular Medicine</i> , 2014 , 46, e102	12.8	37
20	A method for mouse pancreatic islet isolation and intracellular cAMP determination. <i>Journal of Visualized Experiments</i> , 2014 , e50374	1.6	37
19	Elucidating the role of inhibitory G-protein, Gz, in Etell preservation and regeneration (1062.3). <i>FASEB Journal</i> , 2014 , 28, 1062.3	0.9	
18	Altering beta-cell phospholipid composition affects diabetic beta-cell dysfunction (796.15). <i>FASEB Journal</i> , 2014 , 28, 796.15	0.9	
17	Overview of affinity tags for protein purification. <i>Current Protocols in Protein Science</i> , 2013 , 73, 9.9.1-9.9	9.33	141
16	Tcf19 is a novel islet factor necessary for proliferation and survival in the INS-1 Etell line. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E600-10	6	27
15	Prostaglandin E2 receptor, EP3, is induced in diabetic islets and negatively regulates glucose- and hormone-stimulated insulin secretion. <i>Diabetes</i> , 2013 , 62, 1904-12	0.9	76
14	The EP3 Receptor: Exploring a New Target for Type 2 Diabetes Therapeutics 2013 , 1,		4

LIST OF PUBLICATIONS

13	Identification of key signaling molecules downstream of cAMP that regulate insulin secretion. <i>FASEB Journal</i> , 2013 , 27, 1031.24	0.9	
12	Deletion of GI protein protects against diet-induced glucose intolerance via expansion of Etell mass. <i>Journal of Biological Chemistry</i> , 2012 , 287, 20344-55	5.4	28
11	The effects of G☑ signaling on pancreatic ⊞ell function and mass. FASEB Journal, 2012, 26, 615.7	0.9	1
10	Signaling Through Gz 2010 , 1649-1653		3
9	Rap1 promotes multiple pancreatic islet cell functions and signals through mammalian target of rapamycin complex 1 to enhance proliferation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 15777-85	5.4	26
8	Galphaz negatively regulates insulin secretion and glucose clearance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 4560-7	5.4	33
7	Involvement of a mitochondrial phosphatase in the regulation of ATP production and insulin secretion in pancreatic beta cells. <i>Molecular Cell</i> , 2005 , 19, 197-207	17.6	120
6	A role for G(z) in pancreatic islet beta-cell biology. <i>Journal of Biological Chemistry</i> , 2005 , 280, 31708-13	5.4	32
5	Overview of affinity tags for protein purification. <i>Current Protocols in Protein Science</i> , 2004 , Chapter 9, Unit 9.9	3.1	20
4	Structural determinants for GoLoco-induced inhibition of nucleotide release by Galpha subunits. <i>Nature</i> , 2002 , 416, 878-81	50.4	218
3	Affinity Tag for Protein Purification and Detection Based on the Disulfide-Linked Complex of InaD and NorpA. <i>BioTechniques</i> , 2002 , 33, 578-590	2.5	
2	Differential Effects of Prostaglandin E2Production and Signaling through the Prostaglandin EP3 Receptor on Human Beta-cell Compensation		2
1	Prostaglandin EP3 Receptor signaling is required to prevent insulin hypersecretion and metabolic dysfunction in a non-obese mouse model of insulin resistance		1