

# Masahiro Ohshima

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7597972/masahiro-ohshima-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115  
papers

3,276  
citations

35  
h-index

53  
g-index

118  
ext. papers

3,647  
ext. citations

3.3  
avg, IF

5.33  
L-index

#	Paper	IF	Citations
115	Promoted formation of stereocomplex in enantiomeric poly(lactic acid)s induced by cellulose nanofibers. <i>Carbohydrate Polymers</i> , <b>2022</b> , 276, 118800	10.3	3
114	High-performance thermal insulator based on polymer foam and silica xerogel. <i>Polymer Engineering and Science</i> , <b>2022</b> , 62, 637-647	2.3	0
113	Influence of different molecular weights of polyhexene-1 on the morphology and rheology of cyclic olefin copolymer blends. <i>Polymer Engineering and Science</i> , <b>2021</b> , 61, 1485-1501	2.3	0
112	Reinforcement of polypropylene by cellulose microfibrils modified with polydopamine and octadecylamine. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 49851	2.9	2
111	New evaluation method for the curing degree of rubber and its nanocomposites using ATR-FTIR spectroscopy. <i>Polymer Testing</i> , <b>2021</b> , 93, 106993	4.5	3
110	Effect of crosslinking points on bubble nucleation in the microcellular foaming of thermosets. <i>Polymer</i> , <b>2021</b> , 216, 123414	3.9	5
109	Microstructure, mechanical and electrical characterizations of bimodal and nanocellular polypropylene/graphene nanoplatelet composite foams. <i>Materials Today Communications</i> , <b>2020</b> , 25, 101447	2.5	2
108	Highly Ordered Nanocellular Polymeric Foams Generated by UV-Induced Chemical Foaming. <i>ACS Macro Letters</i> , <b>2020</b> , 9, 1433-1438	6.6	2
107	Preparation of Microcellular Injection-Molded Foams Using Different Types of Low-Pressure Gases via a New Foam Injection Molding Technology. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 17824-17832	3.9	14
106	Strong acid doping for the preparation of conductive polyaniline nanoflowers, nanotubes, and nanofibers. <i>Polymer</i> , <b>2019</b> , 182, 121848	3.9	12
105	Study oil/water separation property of PE foam and its improvement by in situ synthesis of zeolitic imidazolate framework (ZIF-8). <i>Polymer Engineering and Science</i> , <b>2019</b> , 59, 1354-1361	2.3	8
104	Development and Optimization of UV-Induced Chemical Foaming Process. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2019</b> , 32, 693-698	0.7	2
103	Unusual Fabrication of Lightweight Injection-Molded Polypropylene Foams by Using Air as the Novel Foaming Agent. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 3800-3804	3.9	16
102	Evolution of cellular morphologies and crystalline structures in high-expansion isotactic polypropylene/cellulose nanofiber nanocomposite foams. <i>RSC Advances</i> , <b>2018</b> , 8, 15405-15416	3.7	19
101	Preparation of open microcellular polylactic acid foams with a microfibrillar additive using coreback foam injection molding processes. <i>Journal of Cellular Plastics</i> , <b>2018</b> , 54, 765-784	1.5	11
100	Visualization of hydrolysis in polylactide using near-infrared hyperspectral imaging and chemometrics. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 45898	2.9	10
99	Novel preparation of self-assembled HCl-doped polyaniline nanotubes using compressed CO <sub>2</sub> -assisted polymerization. <i>Polymer</i> , <b>2018</b> , 156, 71-75	3.9	7

98	Synthesis of Photocleavable Block Copolymers for UV Induced Foaming. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2018</b> , 31, 647-650	0.7	1
97	Unprecedented Development of Ultrahigh Expansion Injection-Molded Polypropylene Foams by Introducing Hydrophobic-Modified Cellulose Nanofibers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 9250-9254	9.5	60
96	Effects of hydrophobic-modified cellulose nanofibers (CNFs) on cell morphology and mechanical properties of high void fraction polypropylene nanocomposite foams. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2017</b> , 98, 166-173	8.4	63
95	Development of a Simplified Foam Injection Molding Technique and Its Application to the Production of High Void Fraction Polypropylene Foams. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2017</b> , 56, 13734-13742	3.9	19
94	Near-Infrared Spectroscopic Evaluation of the Water Content of Molded Polylactide under the Effect of Crystallization. <i>Applied Spectroscopy</i> , <b>2017</b> , 71, 1300-1309	3.1	6
93	Adsorption Profiles of Acid Dye Using Synthesized Polyaniline Nanostructure with Different Morphologies. <i>Journal of Chemical Engineering of Japan</i> , <b>2017</b> , 50, 170-177	0.8	10
92	Development of a Photocatalytic Microreactor with Separated Oxidation/Reduction Channels. <i>Journal of Chemical Engineering of Japan</i> , <b>2017</b> , 50, 268-272	0.8	1
91	Fabrication of lightweight microcellular foams in injection-molded polypropylene using the synergy of long-chain branches and crystal nucleating agents. <i>Polymer</i> , <b>2017</b> , 128, 119-127	3.9	49
90	Oxygen concentration and conversion distributions in a layer-by-layer UV-cured film used as a simplified model of a 3D UV inkjet printing system. <i>Chemical Engineering Science</i> , <b>2017</b> , 158, 569-579	4.4	7
89	A new microcellular foam injection-molding technology using non-supercritical fluid physical blowing agents. <i>Polymer Engineering and Science</i> , <b>2017</b> , 57, 105-113	2.3	24
88	Fabrication of High Expansion Microcellular Injection-Molded Polypropylene Foams by Adding Long-Chain Branches. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2016</b> , 55, 11970-11982	3.9	44
87	Fabrication of porous carbon nanofibers by phosphate-assisted carbonization of electrospun poly(vinyl alcohol) nanofibers. <i>Materials Research Bulletin</i> , <b>2016</b> , 79, 8-13	5.1	15
86	Direct Self-Assembly for Non-Periodic Designs. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2016</b> , 29, 709-715	0.7	
85	Open-cell foams of polyethylene terephthalate/bisphenol a polycarbonate blend. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 375-385	2.3	6
84	Effects of physicochemical properties of particles and medium on acoustic pressure pulses from laser-irradiated suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2015</b> , 487, 42-48	5.1	12
83	A comparative study on thermomechanical and rheological characteristics of graphite/polypropylene nanocomposites: Highlighting the role of mixing. <i>Journal of Vinyl and Additive Technology</i> , <b>2015</b> , 21, 12-17	2	4
82	Supercritical carbon dioxide-assisted electroless nickel plating on polypropylene copolymer blend morphology on metal polymer adhesion. <i>Journal of Supercritical Fluids</i> , <b>2014</b> , 85, 123-134	4.2	16
81	Effect of Oxygen Inhibition on the Kinetic Constants of the UV-Radical Photopolymerization of Diurethane Dimethacrylate/Photoinitiator Systems. <i>Macromolecules</i> , <b>2014</b> , 47, 1906-1913	5.5	37

80	Silica nanofiber with hierarchical pore structure templated by a polymer blend nanofiber and surfactant micelle. <i>Materials Research Bulletin</i> , <b>2014</b> , 50, 108-112	5.1	11
79	Size-dependent effect of gold nanospheres on the acoustic pressure pulses from laser-irradiated suspensions. <i>Advanced Powder Technology</i> , <b>2014</b> , 25, 733-738	4.6	14
78	Environmentally benign electroless nickel plating using supercritical carbon-dioxide on hydrophilically modified acrylonitrile-butadiene-styrene. <i>Applied Surface Science</i> , <b>2014</b> , 311, 189-200	6.7	20
77	Fabrication of ICG Dye-containing Particles by Growth of Polymer/Salt Aggregates and Measurement of Photoacoustic Signals. <i>Chemistry Letters</i> , <b>2014</b> , 43, 495-497	1.7	2
76	Preparation of micro/nanocellular polypropylene foam with crystal nucleating agents. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 2075-2085	2.3	51
75	Influence of polyethylene disperse domain on cell morphology of polystyrene-based blend foams. <i>Journal of Cellular Plastics</i> , <b>2014</b> , 50, 241-261	1.5	6
74	Preparation of microcellular thermoplastic elastomer foams from polystyrene-b-ethylene-butylene-b-polystyrene (SEBS) and their blends with polystyrene. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 128, 2245-2254	2.9	35
73	Acoustic pressure pulses from laser-irradiated suspensions containing gold nanospheres in water: Experimental and theoretical study. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2013</b> , 430, 51-57	5.1	15
72	Mathematical models and numerical simulations of a thermally expandable microballoon for plastic foaming. <i>Chemical Engineering Science</i> , <b>2013</b> , 104, 220-227	4.4	13
71	Preparation of a unique, multihollow-core honeycomb structure via the unidirectional freezing of a binary solvent system. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 130, 526-534	2.9	5
70	Preparation of highly dispersed expanded graphite/polypropylene nanocomposites via low temperature processing. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 130, 1834-1839	2.9	17
69	Rapid Production of Ultralow Dielectric Constant Porous Polyimide Films via CO <sub>2</sub> -tert-Amine Zwitterion-Induced Phase Separation and Subsequent Photopolymerization. <i>Macromolecules</i> , <b>2013</b> , 46, 2275-2281	5.5	47
68	Electroless nickel plating on polypropylene via hydrophilic modification and supercritical carbon dioxide Pd-complex infusion. <i>Journal of Supercritical Fluids</i> , <b>2012</b> , 69, 117-123	4.2	22
67	Synthesis, release ability and bioactivity evaluation of chitin beads incorporated with curcumin for drug delivery applications. <i>Journal of Microencapsulation</i> , <b>2012</b> , 29, 549-58	3.4	13
66	The effect of interfacial miscibility on the cell morphology of polyethylene terephthalate/bisphenol A polycarbonate blend foams. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2012</b> , 50, 1173-1180	2.6	22
65	Preparation of highly porous chitin structure through nonsolvent/solvent exchange-induced phase separation and supercritical CO <sub>2</sub> drying. <i>Journal of Supercritical Fluids</i> , <b>2012</b> , 68, 31-38	4.2	16
64	In situ preparation of cross-linked polystyrene/poly(methyl methacrylate) blend foams with a bimodal cellular structure. <i>Polymers for Advanced Technologies</i> , <b>2012</b> , 23, 1350-1356	3.2	23
63	Visual observation and numerical studies of N <sub>2</sub> vs. CO <sub>2</sub> foaming behavior in core-back foam injection molding. <i>Polymer Engineering and Science</i> , <b>2012</b> , 52, 875-883	2.3	52

62	Chemical engineering in Japan. <i>AIChE Journal</i> , <b>2012</b> , 58, 1968-1978	3.6	
61	Preparation of porous honeycomb monolith from UV-curable monomer/dioxane solution via unidirectional freezing and UV irradiation. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, 2874-2881	2.9	19
60	Fabrication of TiO <sub>2</sub> hollow fibers with surface nanostructure. <i>Materials Research Bulletin</i> , <b>2011</b> , 46, 2328-2332	2.3	14
59	Fabrication of carbon-core/TiO <sub>2</sub> -sheath nanofibers by carbonization of poly(vinyl alcohol)/TiO <sub>2</sub> composite nanofibers prepared via electrospinning and an interfacial sol-gel reaction. <i>Materials Letters</i> , <b>2011</b> , 65, 3027-3029	3.3	18
58	Visual observation and numerical studies of polymer foaming behavior of polypropylene/carbon dioxide system in a core-back injection molding process. <i>Polymer Engineering and Science</i> , <b>2011</b> , 51, 1617-1625	2.3	49
57	Open Cell Microcellular Foams of Polylactic Acid (PLA)-based Blends with Semi-Interpenetrating Polymer Networks. <i>Macromolecular Materials and Engineering</i> , <b>2011</b> , 296, 770-777	3.9	54
56	CO <sub>2</sub> -Induced Mechanical Reinforcement of Polyolefin-Based Nanocellular Foams. <i>Macromolecular Materials and Engineering</i> , <b>2011</b> , 296, 1046-1054	3.9	35
55	Polypropylene-dispersed domain as potential nucleating agent in PS and PMMA solid-state foaming. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 119, 1042-1051	2.9	27
54	Effect of Growing Crystalline Phase on Bubble Nucleation in Poly(L-Lactide)/CO <sub>2</sub> Batch Foaming. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2011</b> , 50, 3247-3252	3.9	112
53	Lactide Bubble Nucleation Rate Model for Degassing in Polylactic Acid Synthesis. <i>Journal of Chemical Engineering of Japan</i> , <b>2010</b> , 43, 275-284	0.8	
52	Thermally expandable microcapsules for polymer foaming: Relationship between expandability and viscoelasticity. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 835-842	2.3	34
51	Nanocellular foams: Cell structure difference between immiscible and miscible PEEK/PEI polymer blends. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 2408-2416	2.3	42
50	Preparation of a polymeric membrane with a fine porous structure by dry casting. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 111, 2518-2526	2.9	14
49	Supercritical carbon dioxide assisted electroless plating on thermoplastic polymers. <i>Journal of Supercritical Fluids</i> , <b>2009</b> , 49, 265-270	4.2	26
48	Honeycomb Monolith-Structured Silica with Highly Ordered, Three-Dimensionally Interconnected Macroporous Walls. <i>Chemistry of Materials</i> , <b>2009</b> , 21, 3476-3478	9.6	35
47	Preparation of porous poly(L-lactic acid) honeycomb monolith structure by phase separation and unidirectional freezing. <i>Langmuir</i> , <b>2009</b> , 25, 5304-12	4	45
46	Fabrication of Hollow TiO <sub>2</sub> Fibers Templated by Electrospun Aqueous Poly(ethylene oxide) (PEO) Solution. <i>Chemistry Letters</i> , <b>2009</b> , 38, 258-259	1.7	9
45	Periodic porous stripe patterning in a polymer blend film induced by phase separation during spin-casting. <i>Langmuir</i> , <b>2008</b> , 24, 8898-903	4	22

44	Supercritical CO <sub>2</sub> -assisted embossing for studying cell behaviour on microtextured surfaces. <i>Biomaterials</i> , <b>2008</b> , 29, 4494-500	15.6	23
43	Numerical simulation of a polypropylene foam bead expansion process. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 107-115	2.3	21
42	Nanocellular Foams of PS/PMMA Polymer Blends. <i>Macromolecular Materials and Engineering</i> , <b>2008</b> , 293, 78-82	3.9	69
41	Preparation of Nanowells on a PS-b-PMMA Copolymer Thin Film by CO <sub>2</sub> Treatment. <i>Macromolecular Materials and Engineering</i> , <b>2008</b> , 293, 589-597	3.9	30
40	Control of Bubble Size and Location in Nano-/Microscale Cellular Poly(propylene)/Rubber Blend Foams. <i>Macromolecular Materials and Engineering</i> , <b>2008</b> , 293, 574-580	3.9	51
39	Nanoscale Cellular Foams from a Poly(propylene)-Rubber Blend. <i>Macromolecular Materials and Engineering</i> , <b>2008</b> , 293, 991-998	3.9	53
38	Preparation of a unique microporous structure via two step phase separation in the course of drying a ternary polymer solution. <i>Langmuir</i> , <b>2007</b> , 23, 12397-405	4	57
37	Density measurement of polymer/CO <sub>2</sub> single-phase solution at high temperature and pressure using a gravimetric method. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 105, 3060-3068	2.9	19
36	A new technique for foaming submicron size poly(methyl methacrylate) particles. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 106, 2825-2830	2.9	20
35	A Microcellular Foaming Simulation System with a High Pressure-Drop Rate. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2006</b> , 45, 6153-6161	3.9	84
34	Bubble coalescence in foaming process of polymers. <i>Polymer Engineering and Science</i> , <b>2006</b> , 46, 680-690	2.3	53
33	Phase behavior of crosslinked polyisoprene rubber and supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2005</b> , 35, 175-181	4.2	17
32	Crystallization kinetics of poly(L-lactide) in contact with pressurized CO <sub>2</sub> . <i>Polymer Engineering and Science</i> , <b>2004</b> , 44, 186-196	2.3	127
31	Measurement and prediction of diffusion coefficients of supercritical CO <sub>2</sub> in molten polymers. <i>Polymer Engineering and Science</i> , <b>2004</b> , 44, 1915-1924	2.3	106
30	Control and design problems in material processing flow can process systems engineers contribute to material processing?. <i>Journal of Process Control</i> , <b>2003</b> , 13, 599-605	3.9	4
29	Effect of CO <sub>2</sub> on crystallization kinetics of poly(ethylene terephthalate). <i>Polymer Engineering and Science</i> , <b>2003</b> , 43, 479-489	2.3	48
28	Visual Observations of Batch and Continuous Foaming Processes. <i>Journal of Cellular Plastics</i> , <b>2003</b> , 39, 155-169	1.5	73
27	Solubility of carbon dioxide in polyethylene/titanium dioxide composite under high pressure and temperature. <i>Journal of Applied Polymer Science</i> , <b>2002</b> , 86, 282-288	2.9	52

26	Foam processing and cellular structure of polypropylene/clay nanocomposites. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 1907-1918	2.3	216
25	Measurement and prediction of LDPE/CO <sub>2</sub> solution viscosity. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 2234-2245	2.3	60
24	Modeling and Control of a Nonlinear Process Based on the Extended Self-Organizing Map Network. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2002</b> , 41, 2941-2947	3.9	1
23	Measurement and Prediction of CO <sub>2</sub> -induced Viscosity Reduction of Polypropylene.. <i>Kagaku Kogaku Ronbunshu</i> , <b>2002</b> , 28, 739-745	0.4	2
22	Industrial application of a nonlinear model predictive control to polymerization reactors. <i>Control Engineering Practice</i> , <b>2001</b> , 9, 819-828	3.9	71
21	Effects of CO <sub>2</sub> on crystallization kinetics of polypropylene. <i>Polymer Engineering and Science</i> , <b>2001</b> , 41, 1938-1946	2.3	85
20	Biaxial Flow-Induced Alignment of Silicate Layers in Polypropylene/Clay Nanocomposite Foam. <i>Nano Letters</i> , <b>2001</b> , 1, 503-505	11.5	249
19	Polymeric Foaming Simulation for Extrusion Processes. <i>Journal of Cellular Plastics</i> , <b>2001</b> , 37, 517-536	1.5	38
18	Optimal grade transition control for polymerization reactors. <i>Computers and Chemical Engineering</i> , <b>2000</b> , 24, 1555-1561	4	37
17	In-line monitoring of polyethylene density using near infrared (NIR) spectroscopy. <i>Polymer Engineering and Science</i> , <b>2000</b> , 40, 1107-1113	2.3	22
16	On-line NIR sensing of CO <sub>2</sub> concentration for polymer extrusion foaming processes. <i>Polymer Engineering and Science</i> , <b>2000</b> , 40, 1843-1849	2.3	19
15	Quality control of polymer production processes. <i>Journal of Process Control</i> , <b>2000</b> , 10, 135-148	3.9	84
14	Quality inferential control of an industrial high density polyethylene process. <i>Journal of Process Control</i> , <b>1999</b> , 9, 51-59	3.9	24
13	Profile control of plastic sheet in an industrial polymer processing process. <i>Polymer Engineering and Science</i> , <b>1998</b> , 38, 1740-1750	2.3	2
12	A Practical Method for Removing Ill-Conditioning in Industrial Constrained Predictive Control.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1998</b> , 24, 24-29	0.4	
11	Optimal Blending Operation at Polymer Silos.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1997</b> , 23, 384-390	0.4	2
10	Process Systems Engineering. Application of On-Line Inference System Based on Physical and PLS models to Tube-Wall Temperature Estimation of an Olefin Pyrolysis Plant.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1996</b> , 22, 1130-1137	0.4	1
9	On-line inference of tube-wall temperature in an industrial olefin pyrolysis plant. <i>Journal of Process Control</i> , <b>1996</b> , 6, 309-315	3.9	5

8	Model predictive control with adaptive disturbance prediction and its application to fatty acid distillation column control. <i>Journal of Process Control</i> , <b>1995</b> , 5, 41-48	3.9	10
7	Multirate Multivariable Model Predictive Control Design.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1994</b> , 20, 240-247	0.4	
6	Model predictive control. Stability conditions of multi-input multi-output system.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1991</b> , 17, 371-379	0.4	
5	Model predictive control. Some new results on stability and a tuning guideline for SISO systems.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1990</b> , 16, 83-91	0.4	3
4	Robust stability of model predictive control.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1988</b> , 14, 517-524	0.4	3
3	A study of Model Predictive Control in terms of its structure and degree of freedom.. <i>Kagaku Kogaku Ronbunshu</i> , <b>1987</b> , 13, 71-77	0.4	2
2	Self-Assembly of Temperature Sensitive Additives in Polypropylene Melt and Its Influence on Viscoelasticity. <i>Industrial &amp; Engineering Chemistry Research</i> ,	3.9	1
1	Millefeuille-like cellular structures of biopolymer blend foams prepared by the foam injection molding technique. <i>Journal of Applied Polymer Science</i> , 51890	2.9	