

Maciej Kryza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7599449/publications.pdf>

Version: 2024-02-01

93
papers

1,135
citations

393982

19
h-index

476904

29
g-index

108
all docs

108
docs citations

108
times ranked

1412
citing authors

#	ARTICLE	IF	CITATIONS
1	Local regression models for spatial interpolation of urban heat island – an example from Wrocław, SW Poland. <i>Theoretical and Applied Climatology</i> , 2012, 108, 53-71.	1.3	76
2	The influence of long term trends in pollutant emissions on deposition of sulphur and nitrogen and exceedance of critical loads in the United Kingdom. <i>Environmental Science and Policy</i> , 2009, 12, 882-896.	2.4	64
3	GIS-based techniques for urban heat island spatialization. <i>Climate Research</i> , 2009, 38, 171-187.	0.4	48
4	Modelling future impacts of air pollution using the multi-scale UK Integrated Assessment Model (UKIAM). <i>Environment International</i> , 2013, 61, 17-35.	4.8	48
5	The influence of model grid resolution on estimation of national scale nitrogen deposition and exceedance of critical loads. <i>Biogeosciences</i> , 2012, 9, 1597-1609.	1.3	46
6	4DVAR assimilation of GNSS zenith path delays and precipitable water into a numerical weather prediction model WRF. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 345-361.	1.2	39
7	Application and evaluation of the WRF model for high-resolution forecasting of rainfall - a case study of SW Poland. <i>Meteorologische Zeitschrift</i> , 2013, 22, 595-601.	0.5	37
8	Application of geographically weighted regression for modelling the spatial structure of urban heat island in the city of Wrocław (SW Poland). <i>Procedia Environmental Sciences</i> , 2011, 3, 87-92.	1.3	36
9	Concomitant occurrence of anthropogenic air pollutants, mineral dust and fungal spores during long-distance transport of ragweed pollen. <i>Environmental Pollution</i> , 2019, 254, 112948.	3.7	36
10	High-Resolution Dynamical Downscaling of ERA-Interim Using the WRF Regional Climate Model for the Area of Poland. Part 1: Model Configuration and Statistical Evaluation for the 1981–2010 Period. <i>Pure and Applied Geophysics</i> , 2017, 174, 511-526.	0.8	31
11	Regression-based air temperature spatial prediction models: an example from Poland. <i>Meteorologische Zeitschrift</i> , 2013, 22, 577-585.	0.5	30
12	Influence of selected meteorological variables on the questing activity of <i>Ixodes ricinus</i> ticks in Lower Silesia, SW Poland. <i>Journal of Vector Ecology</i> , 2014, 39, 138-145.	0.5	30
13	Quantifying missing annual emission sources of heavy metals in the United Kingdom with an atmospheric transport model. <i>Science of the Total Environment</i> , 2014, 479-480, 171-180.	3.9	27
14	The role of annual circulation and precipitation on national scale deposition of atmospheric sulphur and nitrogen compounds. <i>Journal of Environmental Management</i> , 2012, 109, 70-79.	3.8	26
15	Modelling deposition and air concentration of reduced nitrogen in Poland and sensitivity to variability in annual meteorology. <i>Journal of Environmental Management</i> , 2011, 92, 1225-1236.	3.8	25
16	Spatial information on total solar radiation: Application and evaluation of the r.sun model for the Wedel Jarlsberg Land, Svalbard. <i>Polish Polar Research</i> , 2010, 31, 17-32.	0.9	23
17	Source regions of ragweed pollen arriving in south-western Poland and the influence of meteorological data on the HYSPLIT model results. <i>Aerobiologia</i> , 2017, 33, 315-326.	0.7	22
18	Assimilation of PM _{2.5} ground base observations to two chemical schemes in WRF-Chem – The results for the winter and summer period. <i>Atmospheric Environment</i> , 2019, 200, 178-189.	1.9	21

#	ARTICLE	IF	CITATIONS
19	The Effect of Emission from Coal Combustion in Nonindustrial Sources on Deposition of Sulfur and Oxidized Nitrogen in Poland. <i>Journal of the Air and Waste Management Association</i> , 2010, 60, 856-866.	0.9	20
20	High resolution application of the EMEP MSC-W model over Eastern Europe – Analysis of the EMEP4PL results. <i>Atmospheric Research</i> , 2018, 212, 6-22.	1.8	20
21	The role of precursor emissions on ground level ozone concentration during summer season in Poland. <i>Journal of Atmospheric Chemistry</i> , 2018, 75, 181-204.	1.4	19
22	Differences in the Spatial Distribution and Chemical Composition of PM ₁₀ Between the UK and Poland. <i>Environmental Modeling and Assessment</i> , 2014, 19, 179-192.	1.2	18
23	Footprint areas of pollen from alder (<i>Alnus</i>) and birch (<i>Betula</i>) in the UK (Worcester) and Poland (Wrocław) during 2005–2014. <i>Acta Agrobotanica</i> , 2015, 68, 315-323.	1.0	18
24	Observed changes in SAT and GDD and the climatological suitability of the Poland-Germany-Czech Republic transboundary region for wine grapes cultivation. <i>Theoretical and Applied Climatology</i> , 2015, 122, 207-218.	1.3	17
25	High-resolution simulation of an isolated tornadic supercell in Poland on 20 June 2016. <i>Atmospheric Research</i> , 2019, 218, 145-159.	1.8	17
26	Can Data Assimilation of Surface PM _{2.5} and Satellite AOD Improve WRF-Chem Forecasting? A Case Study for Two Scenarios of Particulate Air Pollution Episodes in Poland. <i>Remote Sensing</i> , 2019, 11, 2364.	1.8	16
27	Residuals of Tropospheric Delays from GNSS Data and Ray-Tracing as a Potential Indicator of Rain and Clouds. <i>Remote Sensing</i> , 2018, 10, 1917.	1.8	15
28	Application of WRF-Chem to forecasting PM ₁₀ concentration over Poland. <i>International Journal of Environment and Pollution</i> , 2015, 58, 280.	0.2	14
29	High-Resolution Dynamical Downscaling of ERA-Interim Using the WRF Regional Climate Model for the Area of Poland. Part 2: Model Performance with Respect to Automatically Derived Circulation Types. <i>Pure and Applied Geophysics</i> , 2017, 174, 527-550.	0.8	13
30	The influence of atmospheric circulation conditions on <i>Betula</i> and <i>Alnus</i> pollen concentrations in Wrocław, Poland. <i>Aerobiologia</i> , 2020, 36, 261-276.	0.7	13
31	Are estimates of wind characteristics based on measurements with Pitot tubes and GNSS receivers mounted on consumer-grade unmanned aerial vehicles applicable in meteorological studies?. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 431.	1.3	12
32	The variability of pollen concentrations at two stations in the city of Wrocław in Poland. <i>Aerobiologia</i> , 2019, 35, 421-439.	0.7	12
33	An assessment of the quality of near-real time GNSS observations as a potential data source for meteorology. <i>Meteorology Hydrology and Water Management</i> , 2017, 5, 3-13.	0.4	12
34	Modelling of marine base cation emissions, concentrations and deposition in the UK. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 1023-1037.	1.9	11
35	Modelling meteorological conditions for the episode (December 2009) of measured high PM ₁₀ air concentrations in SW Poland - application of the WRF model. <i>International Journal of Environment and Pollution</i> , 2012, 50, 41.	0.2	11
36	THE IMPACT OF PRECIPITATION ON WET DEPOSITION OF SULPHUR AND NITROGEN COMPOUNDS. <i>Ecological Chemistry and Engineering S</i> , 2013, 20, 733-745.	0.3	11

#	ARTICLE	IF	CITATIONS
37	Aerosol-Radiation Feedback and PM10 Air Concentrations Over Poland. Pure and Applied Geophysics, 2017, 174, 551-568.	0.8	11
38	Sensitivity Study of Cloud Cover and Ozone Modeling to Microphysics Parameterization. Pure and Applied Geophysics, 2017, 174, 491-510.	0.8	10
39	Spatio-temporal changes in atmospheric precipitation over south-western Poland between the periods 1891–1930 and 1981–2010. Theoretical and Applied Climatology, 2019, 135, 505-518.	1.3	10
40	The Effect of Emission Inventory on Modelling of Seasonal Exposure Metrics of Particulate Matter and Ozone with the WRF-Chem Model for Poland. Sustainability, 2020, 12, 5414.	1.6	10
41	TOMOREF Operator for Assimilation of GNSS Tomography Wet Refractivity Fields in WRF DA System. Journal of Geophysical Research D: Atmospheres, 2020, 125, e2020JD032451.	1.2	10
42	Quality of the Governing Temperature Variables in WRF in relation to Simulation of Primary Biological Aerosols. Advances in Meteorology, 2015, 2015, 1-15.	0.6	9
43	Understanding emissions of ammonia from buildings and the application of fertilizers: an example from Poland. Biogeosciences, 2015, 12, 3623-3638.	1.3	9
44	The Role of Auxiliary Variables in Deterministic and Deterministic-Stochastic Spatial Models of Air Temperature in Poland. Pure and Applied Geophysics, 2017, 174, 595-621.	0.8	9
45	Evaluation of the WRF meteorological model results during a high ozone episode in SW Poland - the role of model initial conditions. International Journal of Environment and Pollution, 2014, 54, 193.	0.2	8
46	HydroProg: a system for hydrologic forecasting in real time based on the multimodelling approach. Meteorology Hydrology and Water Management, 2014, 2, 65-72.	0.4	8
47	A Decade of Poland-AOD Aerosol Research Network Observations. Atmosphere, 2021, 12, 1583.	1.0	8
48	Comparison of the WRF and Sodar derived planetary boundary layer height. International Journal of Environment and Pollution, 2015, 58, 3.	0.2	6
49	Spatial Interpolation of Ewert's Index of Continentality in Poland. Pure and Applied Geophysics, 2017, 174, 623-642.	0.8	6
50	Temporal changes in wind conditions at Svalbard for the years 1986–2015. Geografiska Annaler, Series A: Physical Geography, 2019, 101, 136-156.	0.6	6
51	Extension of WRF-Chem for birch pollen modelling—a case study for Poland. International Journal of Biometeorology, 2021, 65, 513-526.	1.3	6
52	Application of remotely sensed data for spatial approximation of urban heat island in the city of Wrocław, Poland. , 2011, , .		5
53	Modelling emission, concentration and deposition of sodium for Poland. International Journal of Environment and Pollution, 2012, 50, 164.	0.2	5
54	Ammonia Concentrations Over Europe – Application of the WRF-Chem Model Supported with Dynamic Emission. Polish Journal of Environmental Studies, 2017, 26, 1323-1341.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Calculation of Sulphur and Nitrogen Deposition with the Frame Model and Assessment of the Exceedance of Critical Loads in Poland. <i>Ecological Chemistry and Engineering S</i> , 2013, 20, 279-290.	0.3	5
56	Application of a land - use regression model for calculation of the spatial pattern of annual NO _x air concentrations at national scale: A case study for Poland. <i>Procedia Environmental Sciences</i> , 2011, 7, 98-103.	1.3	4
57	Topographic Characteristics of Drainage Divides at the Mountain-Range Scale – A Review of DTM-Based Analytical Tools. <i>ISPRS International Journal of Geo-Information</i> , 2022, 11, 116.	1.4	4
58	Reconstruction of Violent Tornado Environments in Europe: High-Resolution Dynamical Downscaling of ERA5. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	4
59	Modelling the Deposition of Reduced Nitrogen at Different Scales in the United Kingdom. <i>NATO Security Through Science Series C: Environmental Security</i> , 2008, , 127-135.	0.1	3
60	A Sensitivity Analysis of the WRF Model to Shortwave Radiation Schemes for Air Quality Purposes and Evaluation with Observational Data. <i>Springer Proceedings in Complexity</i> , 2014, , 539-543.	0.2	3
61	Estimating Health Impacts Due to the Reduction of Particulate Air Pollution from the Household Sector Expected under Various Scenarios. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 272.	1.3	3
62	Comparison and evaluation of the 1 km and 5 km resolution FRAME modelled annual concentrations of nitrogen oxides. <i>International Journal of Environment and Pollution</i> , 2012, 50, 53.	0.2	2
63	The uncertainty in modelled air concentrations of NO _x due to choice of emission inventory. <i>International Journal of Environment and Pollution</i> , 2015, 57, 123.	0.2	2
64	Spatial and chemical patterns of PM _{2.5} - differences between a maritime and an inland country. <i>Ecological Chemistry and Engineering S</i> , 2016, 23, 61-69.	0.3	2
65	Application of degree-day factors for residential emission estimate and air quality forecasting. <i>International Journal of Environment and Pollution</i> , 2019, 65, 325.	0.2	2
66	Emission projections and limit values of air pollution concentration - a case study using the EMEP4PL model. <i>International Journal of Environment and Pollution</i> , 2019, 65, 164.	0.2	2
67	Application of a Lagrangian Model FRAME to Estimate Reduced Nitrogen Deposition and Ammonia Concentrations in Poland. , 2009, , 359-366.		2
68	Modelling the National and Regional Transport and Deposition of Ammonia. , 2009, , 409-421.		2
69	High-Resolution Dynamical Downscaling of ERA-Interim Using the WRF Regional Climate Model for the Area of Poland. Part 1: Model Configuration and Statistical Evaluation for the 1981–2010 Period. , 2018, , 53-68.		2
70	Application of the HYSPLIT model for birch pollen modelling in Poland. <i>Aerobiologia</i> , 2022, 38, 103-121.	0.7	2
71	Precipitable Water Content Climatology over Poland. <i>Atmosphere</i> , 2022, 13, 988.	1.0	2
72	Mean annual population exposure to atmospheric particulate matter in Poland. <i>International Journal of Environment and Pollution</i> , 2015, 58, 89.	0.2	1

#	ARTICLE	IF	CITATIONS
73	Modelling the Concentration and Deposition of Heavy Metals in the UK. Springer Proceedings in Complexity, 2014, , 223-227.	0.2	1
74	Changes in Sulphur and Nitrogen Deposition in Poland due to Domestic and European Emission Abatement. NATO Science for Peace and Security Series C: Environmental Security, 2011, , 279-283.	0.1	1
75	Modelling the Emission, Air Concentration and Deposition of Heavy Metals in Poland. NATO Science for Peace and Security Series C: Environmental Security, 2014, , 407-412.	0.1	1
76	The impact of data assimilation into the meteorological WRF model on birch pollen modelling. Science of the Total Environment, 2022, 807, 151028.	3.9	1
77	Calculation of Source-Receptor Matrices for Use in an Integrated Assessment Model and Assessment of Impacts on Natural Ecosystems. Springer Proceedings in Complexity, 2016, , 107-112.	0.2	1
78	Application of the WRF-Chem Model for Air Pollution Forecasting in Poland. Springer Proceedings in Complexity, 2016, , 351-356.	0.2	1
79	Poster 12 Modelling past and future trends in sulphur and nitrogen deposition in the United Kingdom. Developments in Environmental Science, 2007, 6, 764-767.	0.5	0
80	Comparison of spatial rainfall data calculated with a meteorological model and from interpolation of measurements - implications for FRAME modelled wet deposition. International Journal of Environment and Pollution, 2014, 55, 201.	0.2	0
81	Application of chemical dispersion model during a high ozone episode in South-West Poland. International Journal of Environment and Pollution, 2015, 58, 124.	0.2	0
82	Modelling the Atmospheric Concentration and Deposition of Pb and Cd in the UK. Springer Proceedings in Complexity, 2018, , 381-385.	0.2	0
83	The role of meteorological factors on year-to-year variability of nitrogen and sulphur deposition in the UK. , 2009, , .		0
84	Nitrogen Deposition in the UK: The Influence of Grid-Space and Time on the Exceedance of Critical Loads and Levels. NATO Science for Peace and Security Series C: Environmental Security, 2011, , 669-673.	0.1	0
85	Application of the 1 km Å— 1 km Resolution FRAME Model to Poland for the Assessment of Ammonia and Ammonium Concentrations and Exceedance of Critical Levels. NATO Science for Peace and Security Series C: Environmental Security, 2014, , 95-99.	0.1	0
86	Application and Evaluation of the High-Resolution Regional Scale FRAME Model for Calculation of Ammonia and Ammonium Air Concentrations for Poland for the Years 2002â€“2008. Springer Proceedings in Complexity, 2014, , 311-315.	0.2	0
87	The Impact of Transboundary Transport of Air Pollutants on Air Quality in the United Kingdom and Poland. Springer Proceedings in Complexity, 2014, , 323-327.	0.2	0
88	Using a Dynamical Approach for Implementing Ammonia Emissions into WRF-Chem Over Europe. Springer Proceedings in Complexity, 2016, , 345-350.	0.2	0
89	Recent and Future Changes in Nitrogen and Sulphur Emission, Deposition and the Exceedance of Critical Loads for the Region of South-West Poland and Eastern Saxony. Springer Proceedings in Complexity, 2016, , 167-171.	0.2	0
90	Spatial Interpolation of Ewertâ€™s Index of Continentality in Poland. , 2018, , 165-184.		0

#	ARTICLE	IF	CITATIONS
91	The Role of Auxiliary Variables in Deterministic and Deterministic-Stochastic Spatial Models of Air Temperature in Poland. , 2018, , 137-163.		0
92	Can Assimilation of Ground Particulate Matter Observations Improve Air Pollution Forecasts for Highly Polluted Area of Europe?. Springer Proceedings in Complexity, 2020, , 267-271.	0.2	0
93	Assimilation of Meteorological Data in Online Integrated Atmospheric Transport Model—Example of Air Quality Forecasts for Poland. Springer Proceedings in Complexity, 2020, , 273-278.	0.2	0