

Beverly Winikoff

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7600541/beverly-winikoff-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

3,913
citations

35
h-index

54
g-index

161
ext. papers

4,497
ext. citations

6.1
avg. IF

5.12
L-index

#	Paper	IF	Citations
147	Outcomes and Safety of History-Based Screening for Medication Abortion: A Retrospective Multicenter Cohort Study.. <i>JAMA Internal Medicine</i> , 2022 ,	11.5	2
146	Of course, women will adopt it! A qualitative study on the acceptability of medical menstrual regulation in Senegal.. <i>Sexual and Reproductive Healthcare</i> , 2022 , 32, 100714	2.4	0
145	Clinical and service delivery implications of omitting ultrasound before medication abortion provided via direct-to-patient telemedicine and mail in the U.S. <i>Contraception</i> , 2021 , 104, 659-665	2.5	4
144	Analytical Comparison of Pregnancy-Associated Plasma Protein-A (PAPP-A) Immunoassays for Biochemical Determination of Gestational Age. <i>Journal of applied laboratory medicine, The</i> , 2021 , 6, 1517-1532	2.532	1
143	The Safety and Feasibility of a Family First Aid Approach for the Management of Postpartum Hemorrhage in Home Births: A Pre-post Intervention Study in Rural Pakistan. <i>Maternal and Child Health Journal</i> , 2021 , 25, 118-126	2.4	1
142	Congo red test for identification of preeclampsia: Results of a prospective diagnostic case-control study in Bangladesh and Mexico. <i>EClinicalMedicine</i> , 2021 , 31, 100678	11.3	2
141	Postpartum infection, pain and experiences with care among women treated for postpartum hemorrhage in three African countries: A cohort study of women managed with and without condom-catheter uterine balloon tamponade. <i>PLoS ONE</i> , 2021 , 16, e0245988	3.7	2
140	Standardizing abortion research outcomes (STAR): Results from an international consensus development study. <i>Contraception</i> , 2021 , 104, 484-491	2.5	0
139	Expansion of a direct-to-patient telemedicine abortion service in the United States and experience during the COVID-19 pandemic. <i>Contraception</i> , 2021 , 104, 43-48	2.5	17
138	High fever after sublingual administration of misoprostol for treatment of post-partum haemorrhage: a hospital-based, prospective observational study in Argentina. <i>Tropical Medicine and International Health</i> , 2020 , 25, 714-722	2.3	2
137	Mifepristone pretreatment followed by misoprostol 200µmcg buccal for the medical management of intrauterine fetal death at 14-28 weeks: A randomized, placebo-controlled, double blind trial. <i>Contraception</i> , 2020 , 102, 7-12	2.5	1
136	Sensitivity and specificity of placental proteins for gestational age screening: An exploratory study. <i>Contraception</i> , 2020 , 101, 309-314	2.5	3
135	When patients change their minds after starting an abortion: Guidance from the National Abortion Federation's Clinical Policies Committee. <i>Contraception</i> , 2020 , 101, 283-285	2.5	3
134	A non-inferiority study of outpatient mifepristone-misoprostol medical abortion at 64-70 days and 71-77 days of gestation. <i>Contraception</i> , 2020 , 101, 302-308	2.5	14
133	A cross-sectional analysis of mifepristone, misoprostol, and combination mifepristone-misoprostol package inserts obtained in 20 countries. <i>Contraception</i> , 2020 , 101, 315-320	2.5	4
132	Postpartum hemorrhage care bundles to improve adherence to guidelines: A WHO technical consultation. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 148, 290-299	4	18
131	Multi-level pregnancy test use for medical abortion follow-up after 63 days of gestation: Evidence from prenatal hCG data. <i>Contraception</i> , 2020 , 102, 207-209	2.5	1

130	Exploring potential interest in missed period pills in two US states. <i>Contraception</i> , 2020 , 102, 414-420	2.5	6
129	Does route matter? Impact of route of oxytocin administration on postpartum bleeding: A double-blind, randomized controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0222981	3.7	4
128	Could second-trimester medical abortion be offered as a day service? Assessing the feasibility of a 1-day outpatient procedure using pooled data from six clinical studies. <i>Contraception</i> , 2019 , 99, 288-292	2.5	5
127	Foregoing Rh testing and anti-D immunoglobulin for women presenting for early abortion: a recommendation from the National Abortion Federation's Clinical Policies Committee. <i>Contraception</i> , 2019 , 99, 265-266	2.5	17
126	Early abortion with buccal versus sublingual misoprostol alone: a multicenter, randomized trial. <i>Contraception</i> , 2019 , 99, 272-277	2.5	4
125	How well do postpartum blood loss and common definitions of postpartum hemorrhage correlate with postpartum anemia and fall in hemoglobin?. <i>PLoS ONE</i> , 2019 , 14, e0221216	3.7	16
124	Oral antihypertensive regimens (nifedipine retard, labetalol, and methyldopa) for management of severe hypertension in pregnancy: an open-label, randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 1011-1021	4.0	51
123	TelAbortion: evaluation of a direct to patient telemedicine abortion service in the United States. <i>Contraception</i> , 2019 , 100, 173-177	2.5	55
122	Feasibility of a hospital outpatient day procedure for medication abortion at 13-18 weeks gestation: Findings from Nepal. <i>Contraception</i> , 2019 , 100, 451-456	2.5	3
121	Use of an at-home multilevel pregnancy test and an automated call-in system to follow-up the outcome of medical abortion. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 97-102	4	2
120	Using misoprostol to treat postpartum hemorrhage in home deliveries attended by traditional birth attendants. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 290-296	4	5
119	Simplified medical abortion screening: a demonstration project. <i>Contraception</i> , 2018 , 97, 292-296	2.5	21
118	Exploring the feasibility of obtaining mifepristone and misoprostol from the internet. <i>Contraception</i> , 2018 , 97, 287-291	2.5	31
117	Serial multilevel urine pregnancy testing to assess medical abortion outcome: a meta-analysis. <i>Contraception</i> , 2017 , 95, 442-448	2.5	23
116	Standardizing abortion research outcomes (STAR): a protocol for developing, disseminating and implementing a core outcome set for medical and surgical abortion. <i>Contraception</i> , 2017 , 95, 437-441	2.5	35
115	Foley catheterisation versus oral misoprostol for induction of labour in hypertensive women in India (INFORM): a multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 669-680	4.0	22
114	Profound Hyperthermia After Postpartum Rectal Misoprostol Administration. <i>Obstetrics and Gynecology</i> , 2016 , 128, 908	4.9	1
113	Prospective study of home use of mifepristone and misoprostol for medical abortion up to 10 weeks of pregnancy in Kazakhstan. <i>International Journal of Gynecology and Obstetrics</i> , 2016 , 134, 268-271	4.1	12

112	Effect of Immediate Compared With Delayed Insertion of Etonogestrel Implants on Medical Abortion Efficacy and Repeat Pregnancy: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2016 , 127, 306-12	4.9	36
111	Oxytocin via Uniject (a prefilled single-use injection) versus oral misoprostol for prevention of postpartum haemorrhage at the community level: a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2016 , 4, e37-44	13.6	22
110	Vaginal and Rectal <i>Clostridium sordellii</i> and <i>Clostridium perfringens</i> Presence Among Women in the United States. <i>Obstetrics and Gynecology</i> , 2016 , 127, 360-8	4.9	15
109	Effects of Depot Medroxyprogesterone Acetate Injection Timing on Medical Abortion Efficacy and Repeat Pregnancy: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2016 , 128, 739-45	4.9	21
108	Simultaneous Administration Compared With a 24-Hour Mifepristone-Misoprostol Interval in Second-Trimester Abortion: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2016 , 128, 1077-1083	4.9	22
107	Randomized trial assessing home use of two pregnancy tests for determining early medical abortion outcomes at 3, 7 and 14 days after mifepristone. <i>Contraception</i> , 2016 , 94, 115-21	2.5	15
106	Continuing pregnancy after mifepristone and "reversal" of first-trimester medical abortion: a systematic review. <i>Contraception</i> , 2015 , 92, 206-11	2.5	30
105	A prospective, non-randomized study of home use of mifepristone for medical abortion in the U.S. <i>Contraception</i> , 2015 , 92, 215-9	2.5	25
104	Misoprostol-induced fever and genetic polymorphisms in drug transporters SLCO1B1 and ABCC4 in women of Latin American and European ancestry. <i>Pharmacogenomics</i> , 2015 , 16, 919-28	2.6	10
103	Reaching women where they are: eliminating the initial in-person medical abortion visit. <i>Contraception</i> , 2015 , 92, 190-3	2.5	14
102	What happens when we routinely give doxycycline to medical abortion patients?. <i>Contraception</i> , 2015 , 91, 19-24	2.5	4
101	Cervical Preparation Before Dilation and Evacuation Using Adjunctive Misoprostol or Mifepristone Compared With Overnight Osmotic Dilators Alone: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2015 , 126, 599-609	4.9	21
100	A double-blind randomized controlled trial of mifepristone or placebo before buccal misoprostol for abortion at 14-21 weeks of pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 130, 40-4	4	29
99	Mifepristone label laws and trends in use: recent experiences in four US states. <i>Contraception</i> , 2015 , 92, 182-5	2.5	8
98	Acceptability and feasibility of phone follow-up with a semiquantitative urine pregnancy test after medical abortion in Moldova and Uzbekistan. <i>Contraception</i> , 2015 , 91, 178-83	2.5	18
97	A prospective open-label study of home use of mifepristone for medical abortion in Nepal. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 128, 220-3	4	14
96	Buccal misoprostol for treatment of fetal death at 14-28 weeks of pregnancy: a double-blind randomized controlled trial. <i>Contraception</i> , 2014 , 89, 187-92	2.5	7
95	Mortality of induced abortion, other outpatient surgical procedures and common activities in the United States. <i>Contraception</i> , 2014 , 90, 476-9	2.5	23

94	Claims of misoprostol use based on blood sampling should be viewed with skepticism. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 127, 125-6	4	1
93	RU OK? The acceptability and feasibility of remote technologies for follow-up after early medical abortion. <i>Contraception</i> , 2014 , 90, 29-35	2.5	36
92	A two-pill sublingual misoprostol outpatient regimen following mifepristone for medical abortion through 70 daysRLMP: a prospective comparative open-label trial. <i>Contraception</i> , 2014 , 89, 181-6	2.5	29
91	Decentralizing postabortion care in Senegal with misoprostol for incomplete abortion. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 126, 223-6	4	17
90	Efficacy and acceptability of a mifepristone-misoprostol combined regimen for early induced abortion among women in Mexico City. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 127, 82-5	4	15
89	Acceptability and feasibility of phone follow-up after early medical abortion in Vietnam: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2014 , 123, 88-95	4.9	38
88	Acceptability and feasibility of medical abortion with mifepristone and misoprostol in Nigeria. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 125, 49-52	4	9
87	Simplified medical abortion using a semi-quantitative pregnancy test for home-based follow-up. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 144-8	4	26
86	Acceptability of home use of mifepristone for medical abortion. <i>Contraception</i> , 2013 , 88, 122-7	2.5	32
85	First-trimester medical abortion with mifepristone 200 mg and misoprostol: a systematic review. <i>Contraception</i> , 2013 , 87, 26-37	2.5	112
84	117: Misoprostol for treatment of intrauterine fetal death at 14-28 weeks of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, S62-S63	6.4	2
83	Embracing post-fertilisation methods of family planning: a call to action. <i>Journal of Family Planning and Reproductive Health Care</i> , 2013 , 39, 244-6		8
82	A systematic review of the relationship between blood loss and clinical signs. <i>PLoS ONE</i> , 2013 , 8, e57594	3.7	122
81	Abortion: what is the problem?. <i>Lancet, The</i> , 2012 , 379, 594-6	4.0	9
80	Misoprostol for the management of postpartum bleeding: a new approach. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 119, 210-2	4	5
79	Misoprostol for postpartum hemorrhage: moving from evidence to practice. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 116, 1-3	4	19
78	Comparison of misoprostol-only and combined mifepristone-misoprostol regimens for home-based early medical abortion in Tunisia and Vietnam. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 118, 166-71	4	25
77	Clinic-level introduction of medical abortion in Vietnam. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 119, 39-43	4	6

76	Misoprostol as first-line treatment for incomplete abortion at a secondary-level health facility in Nigeria. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 119, 170-3	4	11
75	A randomized controlled trial of different buccal misoprostol doses in mifepristone medical abortion. <i>Contraception</i> , 2012 , 86, 251-6	2.5	26
74	Can at-home semi-quantitative pregnancy tests serve as a replacement for clinical follow-up of medical abortion? A US study. <i>Contraception</i> , 2012 , 86, 757-62	2.5	45
73	Misoprostol for the prevention and treatment of postpartum hemorrhage. <i>Expert Opinion on Investigational Drugs</i> , 2012 , 21, 235-50	5.9	19
72	Extending outpatient medical abortion services through 70 days of gestational age. <i>Obstetrics and Gynecology</i> , 2012 , 120, 1070-6	4.9	77
71	Introduction and provision of medical abortion: a tale of two countries in which technology is necessary but not sufficient. <i>Contraception</i> , 2011 , 83, 322-9	2.5	5
70	Comparing two early medical abortion regimens: mifepristone+misoprostol vs. misoprostol alone. <i>Contraception</i> , 2011 , 83, 410-7	2.5	30
69	Oral misoprostol as an alternative to surgical management for incomplete abortion in Ghana. <i>International Journal of Gynecology and Obstetrics</i> , 2011 , 112, 40-4	4	23
68	Oral misoprostol for the management of incomplete abortion in Ecuador. <i>International Journal of Gynecology and Obstetrics</i> , 2011 , 115, 135-9	4	11
67	Facility and personnel factors influencing magnesium sulfate use for eclampsia and pre-eclampsia in 3 Indian hospitals. <i>International Journal of Gynecology and Obstetrics</i> , 2011 , 115, 231-4	4	12
66	Mifepristone and misoprostol compared with misoprostol alone for second-trimester abortion: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2011 , 118, 601-608	4.9	53
65	Review of the literature on patient satisfaction with early medical abortion using mifepristone and misoprostol. <i>Expert Review of Obstetrics and Gynecology</i> , 2011 , 6, 451-468		13
64	A randomized controlled trial of 400- μ g sublingual misoprostol versus manual vacuum aspiration for the treatment of incomplete abortion in two Egyptian hospitals. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 111, 131-5	4	21
63	Re: Meta-analysis of 200 or 600 mg mifepristone in association with two prostaglandins for termination of early pregnancy. <i>Contraception</i> , 2010 , 81, 174-5	2.5	1
62	Comparison of 400 mcg buccal and 400 mcg sublingual misoprostol after mifepristone medical abortion through 63 daysRLMP: a randomized controlled trial. <i>Contraception</i> , 2010 , 82, 513-9	2.5	14
61	Treatment of post-partum haemorrhage with sublingual misoprostol versus oxytocin in women receiving prophylactic oxytocin: a double-blind, randomised, non-inferiority trial. <i>Lancet, The</i> , 2010 , 375, 217-23	40	92
60	Treatment of post-partum haemorrhage with sublingual misoprostol versus oxytocin in women not exposed to oxytocin during labour: a double-blind, randomised, non-inferiority trial. <i>Lancet, The</i> , 2010 , 375, 210-6	40	85
59	Misoprostol as an adjunct to standard uterotonics for treatment of post-partum haemorrhage: a multicentre, double-blind randomised trial. <i>Lancet, The</i> , 2010 , 375, 1808-13	40	61

58	Misoprostol use in the community to reduce maternal death. <i>Lancet, The</i> , 2010 , 376, 954-5; author reply 955-6	40	
57	Self-induction of abortion among women in the United States. <i>Reproductive Health Matters</i> , 2010 , 18, 136-46		61
56	Rates of serious infection after medical abortion. <i>New England Journal of Medicine</i> , 2009 , 361, 1511-2; author reply 1512	59.2	
55	Two-pill regimens of misoprostol after mifepristone medical abortion through 63 days gestational age: a randomized controlled trial of sublingual and oral misoprostol. <i>Contraception</i> , 2009 , 79, 84-90	2.5	20
54	Two routes of administration for misoprostol in the treatment of incomplete abortion: a randomized clinical trial. <i>Contraception</i> , 2009 , 79, 456-62	2.5	32
53	Acceptability and feasibility of medical abortion in Nepal. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 106, 39-42	4	27
52	Non-physician clinicians can safely provide first trimester medical abortion. <i>Reproductive Health Matters</i> , 2009 , 17, 61-9		50
51	Community-based kangaroo mother care to prevent neonatal and infant mortality: a randomized, controlled cluster trial. <i>Pediatrics</i> , 2008 , 121, e1047-59	7.4	69
50	Two distinct oral routes of misoprostol in mifepristone medical abortion: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 112, 1303-1310	4.9	74
49	Misoprostol for uterine evacuation in induced abortion and pregnancy failure. <i>Expert Review of Obstetrics and Gynecology</i> , 2007 , 2, 67-108		20
48	Mifepristone followed in 24 hours to 48 hours by misoprostol for late first-trimester abortion. <i>Obstetrics and Gynecology</i> , 2007 , 109, 895-901	4.9	18
47	Can mifepristone medical abortion be simplified? A review of the evidence and questions for future research. <i>Contraception</i> , 2007 , 75, 245-50	2.5	45
46	Abortion is for women. <i>Lancet, The</i> , 2007 , 369, 1904-6	40	
45	<i>Clostridium sordellii</i> infection in medical abortion. <i>Clinical Infectious Diseases</i> , 2006 , 43, 1447-8	11.6	12
44	A randomized trial of misoprostol compared with manual vacuum aspiration for incomplete abortion. <i>Obstetrics and Gynecology</i> , 2005 , 106, 540-7	4.9	61
43	Medical abortion: the possibilities for introduction in the public sector in South Africa. <i>Reproductive Health Matters</i> , 2005 , 13, 35-43		26
42	Misoprostol alone for early abortion: an evaluation of seven potential regimens. <i>Contraception</i> , 2005 , 72, 91-7	2.5	34
41	A randomized controlled study comparing 600 versus 1,200 microg oral misoprostol for medical management of incomplete abortion. <i>Contraception</i> , 2005 , 72, 438-42	2.5	39

40	Randomized trial of mifepristone and buccal or vaginal misoprostol for abortion through 56 days of last menstrual period. <i>Contraception</i> , 2005 , 72, 328-32	2.5	58
39	Multicenter trial of a simplified mifepristone medical abortion regimen. <i>Obstetrics and Gynecology</i> , 2005 , 105, 345-51	4.9	24
38	Effectiveness of lifesaving skills training and improving institutional emergency obstetric care readiness in Lam Dong, Vietnam. <i>Journal of Midwifery and Women's Health</i> , 2005 , 50, 315-23	2.2	8
37	Misoprostol in the management of the third stage of labour in the home delivery setting in rural Gambia: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1277-83	3.7	112
36	Pregnancy failure and misoprostol--time for a change. <i>New England Journal of Medicine</i> , 2005 , 353, 834-6	59.2	5
35	Is home-based administration of prostaglandin safe and feasible for medical abortion? Results from a multisite study in Vietnam. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004 , 111, 814-9	3.7	36
34	Accounting for time: insights from a life-table analysis of the efficacy of medical abortion. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1928-33	6.4	3
33	The medical abortion experiences of married and unmarried women in Tunis, Tunisia. <i>Contraception</i> , 2004 , 69, 63-9	2.5	29
32	Differences in efficacy, differences in providers: results from a hazard analysis of medical abortion. <i>Contraception</i> , 2004 , 69, 157-63	2.5	11
31	Comparative study between single dose 600 microg and repeated dose of oral misoprostol for treatment of incomplete abortion. <i>Contraception</i> , 2004 , 70, 307-11	2.5	24
30	Infection after medical abortion: a review of the literature. <i>Contraception</i> , 2004 , 70, 183-90	2.5	78
29	Results and lessons learned from a small medical abortion clinical study in Turkey. <i>Contraception</i> , 2004 , 70, 401-6	2.5	17
28	Acceptability of home-use of misoprostol in medical abortion. <i>Contraception</i> , 2004 , 70, 387-92	2.5	65
27	Expanding medical abortion in Tunisia: women's experiences from a multi-site expansion study. <i>Contraception</i> , 2004 , 70, 487-91	2.5	31
26	Two regimens of misoprostol for treatment of incomplete abortion. <i>Obstetrics and Gynecology</i> , 2004 , 103, 860-5	4.9	27
25	Ectopic pregnancy and medical abortion. <i>Obstetrics and Gynecology</i> , 2004 , 104, 161-7	4.9	18
24	Where is the "E" in MCH? The need for an evidence-based approach in safe motherhood. <i>Journal of Midwifery and Women's Health</i> , 2003 , 48, 10-8	2.2	56
23	Adaptation of kangaroo mother care for community-based application. <i>Journal of Perinatology</i> , 2003 , 23, 646-51	3.1	41

22	Bringing emergency contraception over the counter: experiences of nonprescription users in France, Norway, Sweden and Portugal. <i>Contraception</i> , 2003 , 68, 117-24	2.5	46
21	Could American women use mifepristone-misoprostol pills safely with less medical supervision?. <i>Contraception</i> , 2002 , 65, 133-42	2.5	32
20	Mifepristone-misoprostol abortion: a trial in rural and urban Maharashtra, India. <i>Contraception</i> , 2002 , 66, 33-40	2.5	33
19	Misoprostol for women's health: a review. <i>Obstetrics and Gynecology</i> , 2002 , 99, 316-32	4.9	58
18	An ecologic analysis of maternal mortality ratios. <i>Studies in Family Planning</i> , 2001 , 32, 352-5	3.4	9
17	Mifepristone abortion outside the urban research hospital setting in India. <i>Lancet, The</i> , 2001 , 357, 120-2	4.0	23
16	Can women in less-developed countries use a simplified medical abortion regimen?. <i>Lancet, The</i> , 2001 , 357, 1402-5	4.0	71
15	Screening and syndromic approaches to identify gonorrhea and chlamydial infection among women. <i>Studies in Family Planning</i> , 2000 , 31, 55-68	3.4	35
14	Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, S44-53	6.4	60
13	Predictors of analgesia use during supervised medical abortion. The Mifepristone Clinical Trials Group. <i>Contraception</i> , 2000 , 61, 225-9	2.5	29
12	Side effects of mifepristone-misoprostol abortion versus surgical abortion. Data from a trial in China, Cuba, and India. <i>Contraception</i> , 1999 , 59, 107-14	2.5	35
11	Misoprostol used alone for the termination of early pregnancy. A review of the evidence. <i>Contraception</i> , 1999 , 59, 209-17	2.5	40
10	Toward safe and effective medical abortion. <i>Science</i> , 1998 , 281, 520-1	33.3	7
9	Improving post-abortion care in a public hospital in Oaxaca, Mexico. <i>Reproductive Health Matters</i> , 1997 , 5, 20-28		9
8	Can women use medical abortion without medical supervision?. <i>Reproductive Health Matters</i> , 1997 , 5, 149-161		25
7	Safety, efficacy, and acceptability of medical abortion in China, Cuba, and India: a comparative trial of mifepristone-misoprostol versus surgical abortion. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 176, 431-7	6.4	142
6	Analysis of failure in medical abortion. <i>Contraception</i> , 1996 , 54, 323-7	2.5	54
5	"RU 486": a luncheon speech. <i>Annals of the New York Academy of Sciences</i> , 1994 , 736, 87-101	6.5	

- 4 Delivering women centered maternity care with limited resources: Grenada. *Reproductive Health Matters*, **1994**, 2, 11-19
- 3 The effects of birth spacing on child and maternal health. *International Journal of Gynecology and Obstetrics*, **1987**, 25, 219-238 4 5
- 2 The obstetrician's opportunity: translating "breast is best" from theory to practice. *American Journal of Obstetrics and Gynecology*, **1980**, 138, 105-17 6.4 123
- 1 Nutrition, population and health: theoretical and practical issues. *Social Science & Medicine Medical Economics*, **1980**, 14, 171-6