

Koichiro Fujisue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7600639/publications.pdf>

Version: 2024-02-01

72
papers

1,197
citations

430874

18
h-index

414414

32
g-index

72
all docs

72
docs citations

72
times ranked

1977
citing authors

#	ARTICLE	IF	CITATIONS
1	Dose-Dependent Inhibitory Effect of Rosuvastatin in Japanese Patients with Acute Myocardial Infarction on Serum Concentration of Matrix Metalloproteinases“INVITATION Trial”. Journal of Atherosclerosis and Thrombosis, 2022, 29, 229-241.	2.0	1
2	A Randomized, Double-Blind Comparison Study of Royal Jelly to Augment Vascular Endothelial Function in Healthy Volunteers. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1285-1294.	2.0	7
3	Temporal trends in coronary intervention strategies and the impact on one-year clinical events: data from a Japanese multi-center real-world cohort study. Cardiovascular Intervention and Therapeutics, 2022, 37, 66-77.	2.3	19
4	Increased soluble programmed cell death-ligand 1 is associated with acute coronary syndrome. International Journal of Cardiology, 2022, 349, 1-6.	1.7	5
5	Impact of cerebrovascular comorbidity on prognosis in Japanese patients undergoing PCI: 1-year data from Japanese multicenter registry (KICS). Heart and Vessels, 2022, , 1.	1.2	2
6	HFA-PEFF scores: prognostic value in heart failure with preserved left ventricular ejection fraction. Korean Journal of Internal Medicine, 2022, 37, 96-108.	1.7	10
7	Malnutrition-associated high bleeding risk with low thrombogenicity in patients undergoing percutaneous coronary intervention. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1227-1235.	2.6	4
8	Cardiac computed tomography-derived myocardial tissue characterization after anthracycline treatment. ESC Heart Failure, 2022, 9, 1792-1800.	3.1	3
9	Prognostic value of right ventricular global longitudinal strain in transthyretin amyloid cardiomyopathy. Journal of Cardiology, 2022, 80, 56-63.	1.9	3
10	Utility of left atrial and ventricular strain for diagnosis of transthyretin amyloid cardiomyopathy in aortic stenosis. ESC Heart Failure, 2022, 9, 1976-1986.	3.1	6
11	Increased thrombogenicity is associated with revascularization outcomes in patients with chronic limb-threatening ischemia. Journal of Vascular Surgery, 2022, 76, 513-522.e3.	1.1	1
12	A simple staging system using biomarkers for wild-type transthyretin amyloid cardiomyopathy in Japan. ESC Heart Failure, 2022, 9, 1731-1739.	3.1	5
13	Imaging-guided PCI for event suppression in Japanese acute coronary syndrome patients: community-based observational cohort registry. Cardiovascular Intervention and Therapeutics, 2021, 36, 81-90.	2.3	24
14	Development and assessment of total thrombus-formation analysis system-based bleeding risk model in patients undergoing percutaneous coronary intervention. International Journal of Cardiology, 2021, 325, 121-126.	1.7	9
15	Clinical significance of reactive oxidative metabolites in patients with heart failure with reduced left ventricular ejection fraction. Journal of Cardiac Failure, 2021, 27, 57-66.	1.7	9
16	Effects of Statin Plus Ezetimibe on Coronary Plaques in Acute Coronary Syndrome Patients with Diabetes Mellitus: Sub-Analysis of PRECISE-IVUS Trial. Journal of Atherosclerosis and Thrombosis, 2021, 28, 181-193.	2.0	6
17	Hemodialysis-related low thrombogenicity measured by total thrombus-formation analysis system in patients undergoing percutaneous coronary intervention.. Thrombosis Research, 2021, 200, 141-148.	1.7	6
18	Elevated C-reactive protein is significantly associated with left ventricular dysfunction in patients with aortic regurgitation and concomitant collagen disease. International Journal of Cardiology, 2021, 328, 152-157.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Cardiac computed tomography-derived extracellular volume fraction in late anthracycline-induced cardiotoxicity. <i>IJC Heart and Vasculature</i> , 2021, 34, 100797.	1.1	8
20	Prognostic significance of liver stiffness assessed by fibrosisâ€4 index in patients with heart failure. <i>ESC Heart Failure</i> , 2021, 8, 3809-3821.	3.1	9
21	A simple method of sarcopenia detection can predict adverse cardiovascular events in patients with abdominal obesity. <i>International Journal of Obesity</i> , 2021, 45, 2214-2220.	3.4	8
22	Improvement of Vascular Endothelial Function Reflects Nonrecurrence After Catheter Ablation for Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2021, 10, e021551.	3.7	7
23	Prognostic value of left atrial strain in patients with wildâ€type transthyretin amyloid cardiomyopathy. <i>ESC Heart Failure</i> , 2021, 8, 5316-5326.	3.1	9
24	Clinical Features of Patients With Acute Aortic Dissection After an Earthquake: Experience from the Kumamoto Earthquake 2016. <i>American Journal of Hypertension</i> , 2020, 33, 261-268.	2.0	6
25	Total Thrombus-Formation Analysis System can Predict 1-Year Bleeding Events in Patients with Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 215-225.	2.0	16
26	Elongation of the high right atrium to coronary sinus conduction time predicts the recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>International Journal of Cardiology</i> , 2020, 300, 147-153.	1.7	5
27	Analysis of the driving mechanism in paroxysmal atrial fibrillation: comparison of the activation sequence between the left atrial body and pulmonary vein. <i>Journal of Cardiology</i> , 2020, 75, 673-681.	1.9	1
28	Clinical characteristics and natural history of wildâ€type transthyretin amyloid cardiomyopathy in Japan. <i>ESC Heart Failure</i> , 2020, 7, 2829-2837.	3.1	32
29	The controlling nutritional status score predicts outcomes of cardiovascular events in patients with heart failure with preserved ejection fraction. <i>IJC Heart and Vasculature</i> , 2020, 29, 100563.	1.1	9
30	Clinical significance of diastolic late mitral annular velocity in heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2020, 316, 145-151.	1.7	5
31	Temporal Trends in Atherosclerotic Risk Factors in School Childrenâ€• Findings From 20-Year Surveillance â€. <i>Circulation Journal</i> , 2020, 84, 524-528.	1.6	2
32	H 2 FPEF score for predicting future heart failure in stable outpatients with cardiovascular risk factors. <i>ESC Heart Failure</i> , 2020, 7, 66-75.	3.1	16
33	Cardioprotective Effects of Rivaroxaban on Cardiac Remodeling After Experimental Myocardial Infarction in Mice. <i>Circulation Reports</i> , 2020, 2, 158-166.	1.0	10
34	Temporal Change in Longitudinal Strain After Domino Liver Transplantation With Liver Grafts Explanted From Patients With Hereditary Amyloidogenic Transthyretin Amyloidosis. <i>Circulation Reports</i> , 2020, 2, 730-738.	1.0	0
35	H2FPEF Score as a Prognostic Value in HFpEF Patients. <i>American Journal of Hypertension</i> , 2019, 32, 1082-1090.	2.0	50
36	A case of repetitive acute coronary syndrome in a patient with familial hypercholesterolemia. <i>Journal of Cardiology Cases</i> , 2019, 20, 200-204.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Reduction in thrombogenic activity and thrombocytopenia after transcatheter aortic valve implantation â€” The ATTRACTIVE-TTAS study. <i>IJC Heart and Vasculature</i> , 2019, 23, 1003-1016.	1.1	3
38	Clinical Significance of Brachial-Ankle Pulse Wave Velocity in Patients With Heart Failure With Reduced Left Ventricular Ejection Fraction. <i>American Journal of Hypertension</i> , 2019, 32, 657-667.	2.0	11
39	Risk Factors and Prevalence of Deep Vein Thrombosis After the 2016 Kumamoto Earthquakes. <i>Circulation Journal</i> , 2019, 83, 1342-1348.	1.6	27
40	Clinical Features of Disaster-Related Deaths After the Kumamoto Earthquake 2016â€”â€• Comparison With the Great East Japan Earthquake 2011 â€•. <i>Circulation Reports</i> , 2019, 1, 531-533.	1.0	9
41	Prognostic significance of polyvascular disease in heart failure with preserved left ventricular ejection fraction. <i>Medicine (United States)</i> , 2019, 98, e15959.	1.0	12
42	Coronary blood flow volume change is negatively associated with platelet aggregability in patients with non-obstructive ischemic heart disease who have no anti-platelet agents. <i>International Journal of Cardiology</i> , 2019, 277, 3-7.	1.7	1
43	Coronary arterial microfistulae with meandering dilated coronary arteries and noncompaction-like myocardium. <i>Cardiology Journal</i> , 2019, 26, 95-96.	1.2	1
44	Non-invasive testing for sarcopenia predicts future cardiovascular events in patients with chronic kidney disease. <i>International Journal of Cardiology</i> , 2018, 268, 216-221.	1.7	45
45	Outcome of current and history of cancer on the risk of cardiovascular events following percutaneous coronary intervention: a Kumamoto University Malignancy and Atherosclerosis (KUMA) study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 290-300.	4.0	53
46	Coronary Artery Plaque Regression by a PCSK9 Antibody and Rosuvastatin in Double-heterozygous Familial Hypercholesterolemia with an <i>LDL Receptor</i> Mutation and a <i>PCSK9</i> V4I Mutation. <i>Internal Medicine</i> , 2018, 57, 3551-3557.	0.7	7
47	Utility of Single-Photon Emission Computed Tomography/Computed Tomography Fusion Imaging With ^{99m} Tc-Pyrophosphate Scintigraphy in the Assessment of Cardiac Transthyretin Amyloidosis. <i>Circulation Journal</i> , 2018, 82, 1970-1971.	1.6	6
48	Impact of statin-ezetimibe combination on coronary atheroma plaque in patients with and without chronic kidney disease â€” Sub-analysis of PRECISE-IVUS trial. <i>International Journal of Cardiology</i> , 2018, 268, 23-26.	1.7	5
49	Serum Potassium and Cardiovascular Events in Heart Failure With Preserved Left Ventricular Ejection Fraction Patients. <i>American Journal of Hypertension</i> , 2018, 31, 1098-1105.	2.0	22
50	Dose-dependent INhibitory effect of rosuVastatin In Japanese patienTs with Acute myocardial infarcTION on serum concentration of matrix metalloproteinases â€” INVITATION trial. <i>Journal of Cardiology</i> , 2018, 72, 350-355.	1.9	3
51	Current status of lipid management in acute coronary syndrome. <i>Journal of Cardiology</i> , 2017, 70, 101-106.	1.9	16
52	Pre-procedural peripheral endothelial function is associated with increased serum creatinine following percutaneous coronary procedure in stable patients with a preserved estimated glomerular filtration rate. <i>Journal of Cardiology</i> , 2017, 70, 461-469.	1.9	3
53	Reduced trans-mitral A-wave velocity predicts the presence of wild-type transthyretin amyloidosis in elderly patients with left ventricular hypertrophy. <i>Heart and Vessels</i> , 2017, 32, 708-713.	1.2	3
54	Cardioprotective Effects of LCZ696 (Sacubitril/Valsartan) After Experimental Acute Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2017, 2, 655-668.	4.1	63

#	ARTICLE	IF	CITATIONS
55	Colchicine Improves Survival, Left Ventricular Remodeling, and Chronic Cardiac Function After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2017, 81, 1174-1182.	1.6	82
56	Clinical significance of pulse pressure in patients with heart failure with preserved left ventricular ejection fraction. <i>European Journal of Heart Failure</i> , 2016, 18, 1353-1361.	7.1	31
57	Prognostic significance of circulating leukocyte subtype counts in patients with coronary artery disease. <i>Atherosclerosis</i> , 2016, 255, 210-216.	0.8	28
58	Optical coherence tomography visualization of stent deformation with subsequent thrombus adhesion at very early phase after everolimus-eluting stent implantation: a case report. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 116.	1.7	2
59	Advanced peripheral microvascular endothelial dysfunction and polyvascular disease in patients with high cardiovascular risk. <i>Journal of Cardiology</i> , 2016, 67, 455-462.	1.9	14
60	Prognostic Significance of Peripheral Microvascular Endothelial Dysfunction in Heart Failure With Reduced Left Ventricular Ejection Fraction. <i>Circulation Journal</i> , 2015, 79, 2623-2631.	1.6	49
61	Olmesartan reverses not only vascular endothelial dysfunction but cardiac diastolic dysfunction in hypertensive patients with heart failure with preserved ejection fraction "ORION study. <i>IJC Heart and Vasculature</i> , 2015, 8, 128-130.	1.1	0
62	Telmisartan enhances mitochondrial activity and alters cellular functions in human coronary artery endothelial cells via AMP-activated protein kinase pathway. <i>Atherosclerosis</i> , 2015, 239, 375-385.	0.8	17
63	Clinical significance of pulse pressure in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2015, 190, 299-301.	1.7	11
64	Reactive Oxygen Metabolites are Closely Associated With the Diagnosis and Prognosis of Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2015, 4, .	3.7	32
65	Clinical significance of plasma galectin-3 in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2015, 201, 532-534.	1.7	19
66	Reactive oxidative metabolites are associated with the severity of heart failure and predict future cardiovascular events in heart failure with preserved left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2015, 179, 305-308.	1.7	15
67	Incremental Prognostic Significance of the Elevated Levels of Pentraxin 3 in Patients With Heart Failure With Normal Left Ventricular Ejection Fraction. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	24
68	Endothelial function and cardiovascular events in chronic kidney disease. <i>International Journal of Cardiology</i> , 2014, 173, 481-486.	1.7	51
69	Abstract 12178: Association of Inter-Arm Blood Pressure Differences (iad) With Future Cardiovascular Events (cv) in the Patients With Coronary Artery Disease (cad). <i>Circulation</i> , 2014, 130, .	1.6	0
70	Abstract 12010: The Pivotal Role of Pentraxin 3, a New Inflammatory Marker, in Hypertensive Failing Heart With Normal Ejection Fraction. <i>Circulation</i> , 2014, 130, .	1.6	0
71	Dipeptidyl Peptidase-4 Inhibitor, Sitagliptin, Improves Endothelial Dysfunction in Association With Its Anti-Inflammatory Effects in Patients With Coronary Artery Disease and Uncontrolled Diabetes. <i>Circulation Journal</i> , 2013, 77, 1337-1344.	1.6	181
72	Successful Diet and Exercise Therapy as Evaluated on Self-Assessment Score Significantly Improves Endothelial Function in Metabolic Syndrome Patients. <i>Circulation Journal</i> , 2013, 77, 2807-2815.	1.6	36