Linda J Carroll

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7600655/publications.pdf

Version: 2024-02-01

18482 12946 18,152 185 62 citations h-index papers

131 g-index 190 190 190 9890 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Incidence, risk factors and prevention of mild traumatic brain injury: results of the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 28-60. | 1.1 | 1,175 |
| 2 | Prognosis for mild traumatic brain injury: results of the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 84-105. | 1.1 | 1,032 |
| 3 | The Saskatchewan Health and Back Pain Survey. Spine, 1998, 23, 1689-1698. | 2.0 | 1,002 |
| 4 | Methodological issues and research recommendations for mild traumatic brain injury: the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 113-125. | 1.1 | 790 |
| 5 | Effect of Eliminating Compensation for Pain and Suffering on the Outcome of Insurance Claims for Whiplash Injury. New England Journal of Medicine, 2000, 342, 1179-1186. | 27.0 | 655 |
| 6 | The Burden and Determinants of Neck Pain in the General Population. Spine, 2008, 33, S39-S51. | 2.0 | 623 |
| 7 | The annual incidence and course of neck pain in the general population: a population-based cohort study. Pain, 2004, 112, 267-273. | 4.2 | 466 |
| 8 | The Saskatchewan Health and Back Pain Survey. Spine, 1998, 23, 1860-1866. | 2.0 | 419 |
| 9 | Course and Prognostic Factors for Neck Pain in Whiplash-Associated Disorders (WAD). Spine, 2008, 33, S83-S92. | 2.0 | 407 |
| 10 | The Burden and Determinants of Neck Pain in Workers. Spine, 2008, 33, S60-S74. | 2.0 | 394 |
| 11 | Treatment of Neck Pain: Noninvasive Interventions. Spine, 2008, 33, S123-S152. | 2.0 | 359 |
| 12 | Summary of the WHO collaborating centre for neurotrauma task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2005, 37, 137-141. | 1.1 | 357 |
| 13 | A Systematic Review of the Prognosis of Acute Whiplash and a New Conceptual Framework to Synthesize the Literature. Spine, 2001, 26, E445-E458. | 2.0 | 343 |
| 14 | Depression as a risk factor for onset of an episode of troublesome neck and low back pain. Pain, 2004, 107, 134-139. | 4.2 | 305 |
| 15 | Systematic Review of the Prognosis After Mild Traumatic Brain Injury in Adults: Cognitive, Psychiatric, and Mortality Outcomes: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S152-S173. | 0.9 | 297 |
| | | | |
| 16 | Course and Prognostic Factors for Neck Pain in the General Population. Spine, 2008, 33, S75-S82. | 2.0 | 276 |
| 16 | Course and Prognostic Factors for Neck Pain in the General Population. Spine, 2008, 33, S75-S82. A New Conceptual Model of Neck Pain. Spine, 2008, 33, S14-S23. | 2.0 | 268 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Factors Associated With Neck Pain and Its Related Disability in the Saskatchewan Population. Spine, 2000, 25, 1109-1117. | 2.0 | 267 |
| 20 | Incidence and Course of Low Back Pain Episodes in the General Population. Spine, 2005, 30, 2817-2823. | 2.0 | 263 |
| 21 | Diagnostic procedures in mild traumatic brain injury: results of the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 61-75. | 1.1 | 249 |
| 22 | The Treatment of Neck and Low Back Pain. Medical Care, 2001, 39, 956-967. | 2.4 | 220 |
| 23 | The Burden and Determinants of Neck Pain in Whiplash-Associated Disorders After Traffic Collisions. Spine, 2008, 33, S52-S59. | 2.0 | 215 |
| 24 | Methodological Issues and Research Recommendations for Prognosis After Mild Traumatic Brain Injury: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S265-S277. | 0.9 | 200 |
| 25 | The Burden and Determinants of Neck Pain in the General Population. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S46-S60. | 0.9 | 183 |
| 26 | The Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008, 33, S5-S7. | 2.0 | 182 |
| 27 | The Burden and Determinants of Neck Pain in Workers. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S70-S86. | 0.9 | 177 |
| 28 | Systematic Review of Return to Work After Mild Traumatic Brain Injury: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S201-S209. | 0.9 | 175 |
| 29 | Management of neck pain and associated disorders: A clinical practice guideline from the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. European Spine Journal, 2016, 25, 2000-2022. | 2.2 | 173 |
| 30 | Assessment of Neck Pain and Its Associated Disorders. Spine, 2008, 33, S101-S122. | 2.0 | 170 |
| 31 | Course and Prognostic Factors for Neck Pain in Workers. Spine, 2008, 33, S93-S100. | 2.0 | 167 |
| 32 | Clinical Practice Implications of the Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008, 33, S199-S213. | 2.0 | 145 |
| 33 | Findings From The Bone and Joint Decade 2000 to 2010 Task Force on Neck Pain and Its Associated Disorders. Journal of Occupational and Environmental Medicine, 2010, 52, 424-427. | 1.7 | 144 |
| 34 | Treatment of Neck Pain. Spine, 2008, 33, S153-S169. | 2.0 | 137 |
| 35 | Course and Prognostic Factors for Neck Pain in Whiplash-Associated Disorders (WAD). Journal of Manipulative and Physiological Therapeutics, 2009, 32, S97-S107. | 0.9 | 135 |
| 36 | Non-surgical intervention and cost for mild traumatic brain injury: results of the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 76-83. | 1.1 | 133 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Expectations for Recovery Important in the Prognosis of Whiplash Injuries. PLoS Medicine, 2008, 5, e105. | 8.4 | 132 |
| 38 | The role of pain coping strategies in prognosis after whiplash injury: Passive coping predicts slowed recovery. Pain, 2006, 124, 18-26. | 4.2 | 127 |
| 39 | Course and Prognostic Factors for Neck Pain in the General Population. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S87-S96. | 0.9 | 125 |
| 40 | The association between neck pain intensity, physical functioning, depressive symptomatology and time-to-claim-closure after whiplash. Journal of Clinical Epidemiology, 2001, 54, 275-286. | 5.0 | 124 |
| 41 | The Burden and Determinants of Neck Pain in the General Population. European Spine Journal, 2008, 17, 39-51. | 2.2 | 123 |
| 42 | Systematic Review of Prognosis and Return to Play After Sport Concussion: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S210-S229. | 0.9 | 109 |
| 43 | An Overview of Systematic Reviews on Prognostic Factors in Neck Pain: Results from the International Collaboration on Neck Pain (ICON) Project. The Open Orthopaedics Journal, 2013, 7, 494-505. | 0.2 | 107 |
| 44 | Recovery in Whiplash-Associated Disorders: Do You Get What You Expect?. Journal of Rheumatology, 2009, 36, 1063-1070. | 2.0 | 105 |
| 45 | The Burden and Determinants of Neck Pain in Workers. European Spine Journal, 2008, 17, 60-74. | 2.2 | 103 |
| 46 | Passive coping is a risk factor for disabling neck or low back pain. Pain, 2005, 117, 51-57. | 4.2 | 93 |
| 47 | Population-Based, Inception Cohort Study of the Incidence, Course, and Prognosis of Mild Traumatic Brain Injury After Motor Vehicle Collisions. Archives of Physical Medicine and Rehabilitation, 2014, 95, S278-S285. | 0.9 | 93 |
| 48 | Treatment of Neck Pain: Noninvasive Interventions. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S141-S175. | 0.9 | 90 |
| 49 | Systematic Review of Prognosis After Mild Traumatic Brain Injury in the Military: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S230-S237. | 0.9 | 86 |
| 50 | A New Conceptual Model of Neck Pain. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S17-S28. | 0.9 | 83 |
| 51 | Depression as a prognostic factor of lumbar spinal stenosis: a systematic review. Spine Journal, 2014, 14, 837-846. | 1.3 | 82 |
| 52 | Whiplash Injury is More Than Neck Pain: A Population-Based Study of Pain Localization After Traffic Injury. Journal of Occupational and Environmental Medicine, 2010, 52, 434-440. | 1.7 | 81 |
| 53 | Is exercise effective for the management of subacromial impingement syndrome and other soft tissue injuries of the shoulder? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Manual Therapy, 2015, 20, 646-656. | 1.6 | 81 |
| 54 | Systematic Review of the Clinical Course, Natural History, and Prognosis for Pediatric Mild Traumatic Brain Injury: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S174-S191. | 0.9 | 79 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Initial Patterns of Clinical Care and Recovery From Whiplash Injuries. Archives of Internal Medicine, 2005, 165, 2257. | 3.8 | 78 |
| 56 | Does Multidisciplinary Rehabilitation Benefit Whiplash Recovery?. Spine, 2007, 32, 126-131. | 2.0 | 77 |
| 57 | Are manual therapies, passive physical modalities, or acupuncture effective for the management of patients with whiplash-associated disorders or neck pain and associated disorders? An update of the Bone and Joint Decade Task Force on Neck Pain and Its Associated Disorders by the OPTIMa collaboration. Spine Journal. 2016. 16. 1598-1630. | 1.3 | 77 |
| 58 | The Sensitivity of Review Results to Methods Used to Appraise and Incorporate Trial Quality Into Data Synthesis. Spine, 2007, 32, 796-806. | 2.0 | 74 |
| 59 | The Saskatchewan Health and Back Pain Survey: The Prevalence and Factors Associated with Depressive Symptomatology in Saskatchewan Adults. Canadian Journal of Public Health, 2000, 91, 459-464. | 2.3 | 72 |
| 60 | Methods for the Best Evidence Synthesis on Neck Pain and Its Associated Disorders. Spine, 2008, 33, S33-S38. | 2.0 | 70 |
| 61 | Frequency, Timing, and Course of Depressive Symptomatology After Whiplash. Spine, 2006, 31, E551-E556. | 2.0 | 69 |
| 62 | Low Back Pain After Traffic Collisions. Spine, 2003, 28, 1002-1009. | 2.0 | 66 |
| 63 | Mild Traumatic Brain Injury After Motor Vehicle Collisions: What Are the Symptoms and Who Treats Them? A Population-Based 1-Year Inception Cohort Study. Archives of Physical Medicine and Rehabilitation, 2014, 95, S286-S294. | 0.9 | 65 |
| 64 | Early aggressive care and delayed recovery from whiplash: Isolated finding or reproducible result?. Arthritis and Rheumatism, 2007, 57, 861-868. | 6.7 | 64 |
| 65 | Does expecting mean achieving? The association between expecting to return to work and recovery in whiplash associated disorders: a population-based prospective cohort study. European Spine Journal, 2009, 18, 893-899. | 2.2 | 61 |
| 66 | Nonâ€pharmacological management of persistent headaches associated with neck pain: A clinical practice guideline from the Ontario protocol for traffic injury management (OPTIMa) collaboration. European Journal of Pain, 2019, 23, 1051-1070. | 2.8 | 61 |
| 67 | The Burden and Determinants of Neck Pain in Whiplash-Associated Disorders After Traffic Collisions. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S61-S69. | 0.9 | 59 |
| 68 | Assessment of Neck Pain and Its Associated Disorders. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S117-S140. | 0.9 | 58 |
| 69 | Widespread pain following whiplash-associated disorders: incidence, course, and risk factors. Journal of Rheumatology, 2007, 34, 193-200. | 2.0 | 58 |
| 70 | Systematic search and review procedures: results of the who collaborating centre task force on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 11-14. | 1.1 | 57 |
| 71 | A population-based study of factors associated with combinations of active and passive coping with neck and low back pain. Journal of Rehabilitation Medicine, 2002, 34, 67-72. | 1.1 | 55 |
| 72 | Critical evaluation of the existing guidelines on mild traumatic brain injury. Journal of Rehabilitation Medicine, 2004, 36, 106-112. | 1.1 | 55 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 73 | The association between prevalent neck pain and health-related quality of life: a cross-sectional analysis. European Spine Journal, 2009, 18, 371-381. | 2.2 | 55 |
| 74 | Is a lifetime history of neck injury in a traffic collision associated with prevalent neck pain, headache and depressive symptomatology?. Accident Analysis and Prevention, 2000, 32, 151-159. | 5.7 | 54 |
| 75 | Is exercise effective for the management of neck pain and associated disorders or whiplash-associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1503-1523. | 1.3 | 51 |
| 76 | Is multimodal care effective for the management of patients with whiplash-associated disorders or neck pain and associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1541-1565. | 1.3 | 50 |
| 77 | Course and Prognostic Factors for Neck Pain in Whiplash-Associated Disorders (WAD). European Spine Journal, 2008, 17, 83-92. | 2.2 | 49 |
| 78 | The Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. European Spine Journal, 2008, 17, 5-7. | 2.2 | 48 |
| 79 | Coping with neck and low back pain in the general population Health Psychology, 2000, 19, 333-338. | 1.6 | 47 |
| 80 | Factors associated with the onset of an episode of depressive symptoms in the general population. Journal of Clinical Epidemiology, 2003, 56, 651-658. | 5.0 | 47 |
| 81 | How well are you recovering? The association between a simple question about recovery and patient reports of pain intensity and pain disability in whiplash-associated disorders. Disability and Rehabilitation, 2012, 34, 45-52. | 1.8 | 46 |
| 82 | The Empowerment of People With Neck Pain: Introduction. Spine, 2008, 33, S8-S13. | 2.0 | 45 |
| 83 | Are non-invasive interventions effective for the management of headaches associated with neck pain? An update of the Bone and Joint Decade Task Force on Neck Pain and Its Associated Disorders by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. European Spine Journal, 2016, 25, 1971-1999. | 2.2 | 45 |
| 84 | Psychosocial Consequences of Mild Traumatic Brain Injury in Children: Results of a Systematic Review by the International Collaboration on Mild Traumatic Brain Injury Prognosis. Archives of Physical Medicine and Rehabilitation, 2014, 95, S192-S200. | 0.9 | 44 |
| 85 | Are non-steroidal anti-inflammatory drugs effective for the management of neck pain and associated disorders, or non-specific low back pain? A systematic review of systematic reviews by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. European Spine Journal, 2016, 25, 34-61. | 2.2 | 43 |
| 86 | Research Priorities and Methodological Implications. Spine, 2008, 33, S214-S220. | 2.0 | 42 |
| 87 | Protocol for a systematic review of prognosis after mild traumatic brain injury: an update of the WHO Collaborating Centre Task Force findings. Systematic Reviews, 2012, 1, 17. | 5. 3 | 42 |
| 88 | Is neck pain associated with worse health-related quality of life 6 months later? A population-based cohort study. Spine Journal, 2015, 15, 675-684. | 1.3 | 42 |
| 89 | Whiplash-associated disorders: who gets depressed? Who stays depressed?. European Spine Journal, 2010, 19, 945-956. | 2.2 | 38 |
| 90 | Prognosis After Whiplash Injury. Spine, 2011, 36, S330-S334. | 2.0 | 37 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------|
| 91 | Coping and Recovery in Whiplash-associated Disorders. Clinical Journal of Pain, 2014, 30, 1-8. | 1.9 | 37 |
| 92 | Is low back pain associated with worse health-related quality of life 6Âmonths later?. European Spine Journal, 2015, 24, 458-466. | 2.2 | 37 |
| 93 | Does structured patient education improve the recovery and clinical outcomes of patients with neck pain? A systematic review from the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1524-1540. | 1.3 | 37 |
| 94 | Beliefs and Expectations for Recovery, Coping, and Depression in Whiplash-Associated Disorders. Spine, 2011, 36, S250-S256. | 2.0 | 36 |
| 95 | Are psychological interventions effective for the management of neck pain and whiplash-associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1566-1581. | 1.3 | 36 |
| 96 | What Influences Positive Return to Work Expectation?. Spine, 2010, 35, E708-E713. | 2.0 | 35 |
| 97 | Treatment of Neck Pain: Noninvasive Interventions. European Spine Journal, 2008, 17, 123-152. | 2.2 | 34 |
| 98 | Clinical practice guidelines for the management of conditions related to traffic collisions: a systematic review by the OPTIMa Collaboration. Disability and Rehabilitation, 2015, 37, 471-489. | 1.8 | 34 |
| 99 | How Well Do You Expect to Recover, and What Does Recovery Mean, Anyway? Qualitative Study of Expectations After a Musculoskeletal Injury. Physical Therapy, 2016, 96, 797-807. | 2.4 | 34 |
| 100 | The Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S7-S9. | 0.9 | 33 |
| 101 | Effectiveness of Passive Physical Modalities for Shoulder Pain: Systematic Review by the Ontario Protocol for Traffic Injury Management Collaboration. Physical Therapy, 2015, 95, 306-318. | 2.4 | 32 |
| 102 | Reduced or painful jaw movement after collision-related injuries. Journal of the American Dental Association, 2007, 138, 86-93. | 1.5 | 31 |
| 103 | A populationâ€based survey of beliefs about neck pain from whiplash injury, workâ€related neck pain, and workâ€related upper extremity pain. European Journal of Pain, 2009, 13, 300-304. | 2.8 | 31 |
| 104 | Role of preoperative intravenous iron therapy to correct anemia before major surgery: a systematic review and meta-analysis. Systematic Reviews, 2021, 10, 36. | 5. 3 | 30 |
| 105 | Course and Prognostic Factors for Neck Pain in Workers. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S108-S116. | 0.9 | 29 |
| 106 | Clinical Practice Implications of the Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S227-S243. | 0.9 | 29 |
| 107 | Factors associated with recovery expectations following vehicle collision: A population-based study. Journal of Rehabilitation Medicine, 2010, 42, 66-73. | 1.1 | 28 |
| 108 | Predictive capacity of pain beliefs and catastrophizing in Whiplash Associated Disorder. Injury, 2013, 44, 1465-1471. | 1.7 | 27 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Levels of Reconstruction as Complementarity in Mixed Methods Research: A Social Theory-Based Conceptual Framework for Integrating Qualitative and Quantitative Research. International Journal of Environmental Research and Public Health, 2010, 7, 3478-3488. | 2.6 | 26 |
| 110 | The relation of social support and depression in patients with chronic low back pain. Disability and Rehabilitation, 2017, 39, 1482-1488. | 1.8 | 25 |
| 111 | Methods for the Best Evidence Synthesis on Neck Pain and Its Associated Disorders. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S39-S45. | 0.9 | 24 |
| 112 | Complexities in Understanding the Role of Compensation-Related Factors on Recovery From Whiplash-Associated Disorders. Spine, 2011, 36, S316-S321. | 2.0 | 24 |
| 113 | Prognosis of patients with whiplash-associated disorders consulting physiotherapy: development of a predictive model for recovery. BMC Musculoskeletal Disorders, 2012, 13, 264. | 1.9 | 24 |
| 114 | Course and Prognostic Factors for Neck Pain in Workers. European Spine Journal, 2008, 17, 93-100. | 2.2 | 23 |
| 115 | Treatment of Neck Pain. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S176-S193. | 0.9 | 23 |
| 116 | Mild traumatic brain injury after traffic collisions: a population-based inception cohort study. Journal of Rehabilitation Medicine, 2004, 36, 15-21. | 1.1 | 22 |
| 117 | A New Conceptual Model of Neck Pain. European Spine Journal, 2008, 17, 14-23. | 2.2 | 22 |
| 118 | Pain-Related Emotions in Early Stages of Recovery in Whiplash-Associated Disorders. Psychosomatic Medicine, 2011, 73, 708-715. | 2.0 | 22 |
| 119 | Are Work Disability Prevention Interventions Effective for the Management of Neck Pain or Upper Extremity Disorders? A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of Occupational Rehabilitation, 2014, 24, 692-708. | 2.2 | 22 |
| 120 | Title is missing!. Spine, 2003, 28, 1002-1009. | 2.0 | 21 |
| 121 | Factors Influencing Neck Pain Intensity in Whiplash-Associated Disorders. Spine, 2006, 31, E98-E104. | 2.0 | 20 |
| 122 | "Everybody I Know Is Always Hungry…But Nobody Asks Why― University Students, Food Insecurity and Mental Health. Sustainability, 2019, 11, 1571. | 3.2 | 20 |
| 123 | Factors Influencing Neck Pain Intensity in Whiplash-associated Disorders in Sweden. Clinical Journal of Pain, 2007, 23, 591-597. | 1.9 | 19 |
| 124 | Traumatic Injury and Multiple Sclerosis: A Systematic Review and Meta-Analysis. Canadian Journal of Neurological Sciences, 2013, 40, 168-176. | 0.5 | 19 |
| 125 | A Cluster Randomized Clinical Trial Comparing Functional Capacity Evaluation and Functional Interviewing as Components of Occupational Rehabilitation Programs. Journal of Occupational Rehabilitation, 2014, 24, 617-630. | 2.2 | 19 |
| 126 | The sex-specific interrelationship between spinal pain and psychological distress across time in the general population. Results from the Stockholm Public Health Study. Spine Journal, 2014, 14, 1928-1935. | 1.3 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Recommendations For Core Outcome Domain Set For Whiplash-Associated Disorders (CATWAD). Clinical Journal of Pain, 2019, 35, 727-736. | 1.9 | 19 |
| 128 | Course and Prognostic Factors for Neck Pain in the General Population. European Spine Journal, 2008, 17, 75-82. | 2.2 | 18 |
| 129 | The association between a lifetime history of a neck injury in a motor vehicle collision and future neck pain: a population-based cohort study. European Spine Journal, 2010, 19, 972-981. | 2.2 | 18 |
| 130 | The Burden and Determinants of Neck Pain in Whiplash-Associated Disorders After Traffic Collisions. European Spine Journal, 2008, 17, 52-59. | 2.2 | 17 |
| 131 | Clinical Practice Implications of the Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. European Spine Journal, 2008, 17, 199-213. | 2.2 | 17 |
| 132 | Are Performance-Based Functional Assessments Superior to Semistructured Interviews for Enhancing Return-to-Work Outcomes?. Archives of Physical Medicine and Rehabilitation, 2014, 95, 807-815.e1. | 0.9 | 17 |
| 133 | Role of preoperative intravenous iron therapy to correct anemia before major surgery: study protocol for systematic review and meta-analysis. Systematic Reviews, 2015, 4, 29. | 5.3 | 17 |
| 134 | Distance Management of Spinal Disorders During the COVID-19 Pandemic and Beyond: Evidence-Based Patient and Clinician Guides From the Global Spine Care Initiative. JMIR Public Health and Surveillance, 2021, 7, e25484. | 2.6 | 17 |
| 135 | The effectiveness of manual therapy for the management of musculoskeletal disorders of the upper and lower extremities: a systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Chiropractic & Manual Therapies, 2015, 23, 30. | 1.5 | 16 |
| 136 | The Effectiveness of Noninvasive Interventions for Musculoskeletal Thoracic Spine and Chest Wall Pain: A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of Manipulative and Physiological Therapeutics, 2015, 38, 521-531. | 0.9 | 16 |
| 137 | Assessment of Neck Pain and Its Associated Disorders. European Spine Journal, 2008, 17, 101-122. | 2.2 | 15 |
| 138 | Preliminary Validation of a Self-reported Screening Questionnaire for Inflammatory Back Pain. Journal of Rheumatology, 2012, 39, 822-829. | 2.0 | 15 |
| 139 | Are Passive Physical Modalities Effective for the Management of Common Soft Tissue Injuries of the Elbow?. Clinical Journal of Pain, 2017, 33, 71-86. | 1.9 | 15 |
| 140 | If they can put a man on the moon, they should be able to fix a neck injury: a mixed-method study characterizing and explaining pain beliefs about WAD. Disability and Rehabilitation, 2012, 34, 1617-1632. | 1.8 | 14 |
| 141 | The effectiveness of exercise on recovery and clinical outcomes of soft tissue injuries of the leg, ankle, and foot: A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Manual Therapy, 2015, 20, 633-645. | 1.6 | 14 |
| 142 | Factors influencing self-rated health in traffic-related mild traumatic brain injury. Journal of Rehabilitation Medicine, 2009, 41, 1062-1067. | 1.1 | 13 |
| 143 | Research Priorities and Methodological Implications. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S244-S251. | 0.9 | 13 |
| 144 | What does coping mean to the worker with pain-related disability? A qualitative study. Disability and Rehabilitation, 2013, 35, 1182-1190. | 1.8 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Patients' Experiences With Vehicle Collision to Inform the Development of Clinical Practice Guidelines: A Narrative Inquiry. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 218-228. | 0.9 | 13 |
| 146 | The course and factors associated with recovery of whiplash-associated disorders: an updated systematic review by the Ontario protocol for traffic injury management (OPTIMa) collaboration. European Journal of Physiotherapy, 2021, 23, 279-294. | 1.3 | 13 |
| 147 | The Association Between a Lifetime History of a Work-Related Neck Injury and Future Neck Pain: A Population Based Cohort Study. Journal of Manipulative and Physiological Therapeutics, 2011, 34, 348-355. | 0.9 | 12 |
| 148 | After-Hours Care in Suburban Canada. Journal of Primary Care and Community Health, 2011, 2, 250-254. | 2.1 | 12 |
| 149 | Pain coping in injured workers with chronic pain: what's unique about workers?. Disability and Rehabilitation, 2012, 34, 1774-1782. | 1.8 | 12 |
| 150 | Effect of Early Intensive Care on Recovery From Whiplash-Associated Disorders: Results of a Population-Based Cohort Study. Archives of Physical Medicine and Rehabilitation, 2016, 97, 739-746. | 0.9 | 12 |
| 151 | A core outcome set for clinical trials in whiplash-associated disorders (WAD): a study protocol. Trials, 2018, 19, 635. | 1.6 | 12 |
| 152 | Multimodal care for the management of musculoskeletal disorders of the elbow, forearm, wrist and hand: a systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Chiropractic & Manual Therapies, 2016, 24, 8. | 1.5 | 11 |
| 153 | Misinterpretation with norm-based scoring of health status in adults with type 1 diabetes. Health and Quality of Life Outcomes, 2006, 4, 15. | 2.4 | 10 |
| 154 | Association between Body Mass Index and Recovery from Whiplash Injuries: A Cohort Study. American Journal of Epidemiology, 2007, 165, 1063-1069. | 3.4 | 10 |
| 155 | Measuring participation in patients with chronic back painâ€"the 5-Item Pain Disability Index. Spine Journal, 2018, 18, 307-313. | 1.3 | 10 |
| 156 | The prevalence of anxiety, stress and depressive symptoms in undergraduate students at the Canadian Memorial Chiropractic College. Journal of American College Health, 2022, 70, 371-376. | 1.5 | 10 |
| 157 | Treatment of Neck Pain. European Spine Journal, 2008, 17, 153-169. | 2.2 | 9 |
| 158 | The Effectiveness of Passive Physical Modalities for the Management of Soft Tissue Injuries and Neuropathies of the Wrist and Hand: A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of Manipulative and Physiological Therapeutics, 2015, 38, 493-506. | 0.9 | 9 |
| 159 | Comparison of active versus passive surveillance adverse event reporting in a paediatric ambulatory chiropractic care setting: a cluster randomised controlled trial. BMJ Open Quality, 2020, 9, e000972. | 1.1 | 9 |
| 160 | Hazards Faced by Young Designated Drivers: In-Car Risks of Driving Drunken Passengers. International Journal of Environmental Research and Public Health, 2009, 6, 1760-1777. | 2.6 | 8 |
| 161 | Re: Spearing and Connelly. Is compensation bad for your health? A systematic meta-review. Injury 2011;42:15–24. Injury, 2011, 42, 428-429. | 1.7 | 8 |
| 162 | The Association Between Self-Reported Cardiovascular Disorders and Troublesome Neck Pain: A Population-Based Cohort Study. Journal of Manipulative and Physiological Therapeutics, 2012, 35, 176-183. | 0.9 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | The association between a lifetime history of low back injury in a motor vehicle collision and future low back pain: a population-based cohort study. European Spine Journal, 2018, 27, 136-144. | 2.2 | 8 |
| 164 | Attitudes and Opinions of Doctors of Chiropractic Specializing in Pediatric Care Toward Patient Safety: A Cross-sectional Survey. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 487-493. | 0.9 | 7 |
| 165 | Active versus passive adverse event reporting after pediatric chiropractic manual therapy: study protocol for a cluster randomized controlled trial. Trials, 2017, 18, 575. | 1.6 | 7 |
| 166 | The Empowerment of People With Neck Pain: Introduction. Journal of Manipulative and Physiological Therapeutics, 2009, 32, S10-S16. | 0.9 | 6 |
| 167 | The relationship between insurance claim closure and recovery after traffic injuries for individuals with whiplash associated disorders. Disability and Rehabilitation, 2017, 39, 889-896. | 1.8 | 6 |
| 168 | Noninvasive management of soft tissue disorders of the shoulder: A clinical practice guideline from the Ontario Protocol for Traffic Injury Management (OPTIMa) collaboration. European Journal of Pain, 2021, 25, 1644-1667. | 2.8 | 6 |
| 169 | Research Priorities and Methodological Implications. European Spine Journal, 2008, 17, 214-220. | 2.2 | 5 |
| 170 | Viewing Vehicular Violence through a Wide Angle Lens: Contributing Factors and a Proposed Framework. Canadian Journal of Criminology and Criminal Justice, 2014, 56, 149-166. | 0.5 | 5 |
| 171 | The Effectiveness of Exercise on Recovery and Clinical Outcomes in Patients With Soft Tissue Injuries of the Hip, Thigh, or Knee: A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 110-120.e1. | 0.9 | 5 |
| 172 | The association between a lifetime history of work-related low back injury and future low back pain: a population-based cohort study. European Spine Journal, 2016, 25, 1242-1250. | 2.2 | 5 |
| 173 | The Empowerment of People With Neck Pain: Introduction. European Spine Journal, 2008, 17, 8-13. | 2.2 | 4 |
| 174 | Barriers to Implementing a Reporting and Learning Patient Safety System. Journal of Evidence-Based Complementary & Alternative Medicine, 2016, 21, 105-109. | 1.5 | 4 |
| 175 | The Effectiveness of Multimodal Care for Soft Tissue Injuries of the Lower Extremity: A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 95-109.e2. | 0.9 | 4 |
| 176 | Greater Injury Leads to More Treatment for Whiplash: No Surprises Hereâ€"Reply. Archives of Internal Medicine, 2006, 166, 1239. | 3.8 | 1 |
| 177 | Methods for the Best Evidence Synthesis on Neck Pain and Its Associated Disorders. European Spine Journal, 2008, 17, 33-38. | 2.2 | 1 |
| 178 | Are Prevalent Self-reported Cardiovascular Disorders Associated With Delayed Recovery From Whiplash-associated Disorders. Clinical Journal of Pain, 2015, 31, 247-253. | 1.9 | 1 |
| 179 | Psychological features in musculoskeletal research and clinical practice: Finding a balance. Musculoskeletal Science and Practice, 2018, 36, iii-iv. | 1.3 | 1 |
| 180 | What Motivates Engagement in Work and Other Valued Social Roles Despite Persistent Back Pain?. Journal of Occupational Rehabilitation, 2020, 30, 466-474. | 2.2 | 1 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Prevalence., 2013,, 1530-1531. | | 1 |
| 182 | A Review of the Epidemiology of Neck Pain in Workers: Prevalence, Incidence, and Risk Factors. , 2007, , 25-40. | | 0 |
| 183 | The authors' reply to the letter to the editor by Paul Dreyfuss et al European Spine Journal, 2008, 17, 1273-1275. | 2.2 | O |
| 184 | Re: Chow, misleading negative conclusions on LLLT efficacy in an updated review of physical modalities in neck pain treatment. Spine Journal, 2016, 16, 1631-1633. | 1.3 | 0 |
| 185 | Evaluation of medical emergency team activations in patients with limitations-of-medical-therapy: A retrospective cohort study. Canadian Journal of Respiratory, Critical Care, and Sleep Medicine, 0, , 1-7. | 0.5 | 0 |