

Paolo Bucciarelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7601177/publications.pdf>

Version: 2024-02-01

87
papers

4,897
citations

101384

36
h-index

95083

68
g-index

87
all docs

87
docs citations

87
times ranked

5015
citing authors

#	ARTICLE	IF	CITATIONS
1	IgG subclasses as biomarkers for persistence of factor VIII inhibitors in previously untreated patients with severe haemophilia A. <i>British Journal of Haematology</i> , 2021, 192, 621-625.	1.2	1
2	Genome-Wide Association Study Identifies First Locus Associated with Susceptibility to Cerebral Venous Thrombosis. <i>Annals of Neurology</i> , 2021, 90, 777-788.	2.8	10
3	Evaluation of the Utility of von Willebrand Factor Propeptide in the Differential Diagnosis of von Willebrand Disease and Acquired von Willebrand Syndrome. <i>Seminars in Thrombosis and Hemostasis</i> , 2019, 45, 036-042.	1.5	15
4	Platelet to Lymphocyte Ratio and Neutrophil to Lymphocyte Ratio as Risk Factors for Venous Thrombosis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018, 24, 808-814.	0.7	43
5	Thrombophilic and cardiovascular risk factors for retinal vein occlusion. <i>European Journal of Internal Medicine</i> , 2017, 44, 44-48.	1.0	27
6	Red cell distribution width and the risk of cerebral vein thrombosis: A case-control study. <i>European Journal of Internal Medicine</i> , 2017, 38, 46-51.	1.0	15
7	Increased risk of venous thromboembolism in patients with bullous pemphigoid. <i>Thrombosis and Haemostasis</i> , 2016, 115, 193-199.	1.8	30
8	Baseline factor VIII plasma levels and age at first bleeding in patients with severe forms of von Willebrand disease. <i>Haemophilia</i> , 2016, 22, 564-569.	1.0	4
9	Towards the genetic basis of cerebral venous thrombosis—the BEAST Consortium: a study protocol: Table 1. <i>BMJ Open</i> , 2016, 6, e012351.	0.8	23
10	Duration of oral contraceptive use and the risk of venous thromboembolism. A case-control study. <i>Thrombosis Research</i> , 2016, 141, 153-157.	0.8	11
11	Pregnancy outcome after a first episode of cerebral vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 2386-2393.	1.9	15
12	Evaluation of an heterogeneous group of patients with von Willebrand disease using an assay alternative to ristocetin induced platelet agglutination. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1806-1814.	1.9	11
13	Venous Thrombosis Risk after Cast Immobilization of the Lower Extremity: Derivation and Validation of a Clinical Prediction Score, L-TRiP(cast), in Three Population-Based Case-Control Studies. <i>PLoS Medicine</i> , 2015, 12, e1001899.	3.9	35
14	Activation of Blood Coagulation in Two Prototypic Autoimmune Skin Diseases: A Possible Link with Thrombotic Risk. <i>PLoS ONE</i> , 2015, 10, e0129456.	1.1	28
15	Risk factors for idiopathic sudden sensorineural hearing loss and their association with clinical outcome. <i>Thrombosis Research</i> , 2015, 135, 508-512.	0.8	54
16	The "Pregnancy Health-care Program" for the prevention of venous thromboembolism in pregnancy. <i>Internal and Emergency Medicine</i> , 2015, 10, 129-134.	1.0	20
17	Association between red cell distribution width and risk of venous thromboembolism. <i>Thrombosis Research</i> , 2015, 136, 590-594.	0.8	34
18	Predictors of von Willebrand disease diagnosis in individuals with borderline von Willebrand factor plasma levels. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 228-236.	1.9	18

#	ARTICLE	IF	CITATIONS
19	Cerebral Thrombosis and Myeloproliferative Neoplasms. <i>Current Neurology and Neuroscience Reports</i> , 2014, 14, 496.	2.0	32
20	Hemostatic Abnormalities in Noonan Syndrome. <i>Pediatrics</i> , 2014, 133, e1299-e1304.	1.0	49
21	Thrombophilic states. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2014, 120, 1061-1071.	1.0	19
22	Pulmonary embolism in elderly patients: Prognostic impact of the Cumulative Illness Rating Scale (CIRS) on short-term mortality. <i>Thrombosis Research</i> , 2014, 134, 326-330.	0.8	19
23	The bleeding score predicts clinical outcomes and replacement therapy in adults with von Willebrand disease. <i>Blood</i> , 2014, 123, 4037-4044.	0.6	123
24	Normal reference ranges of antithrombin, protein C and protein S: Effect of sex, age and hormonal status. <i>Thrombosis Research</i> , 2013, 132, e152-e157.	0.8	29
25	Anticoagulant Treatment With Rivaroxaban in Severe Protein S Deficiency. <i>Pediatrics</i> , 2013, 132, e1435-e1439.	1.0	33
26	High Levels of Vascular Endothelial Growth Factor Protein Expression Are Associated With an Increased Risk of Transfusion Dependence in Myelodysplastic Syndromes. <i>American Journal of Clinical Pathology</i> , 2013, 139, 380-387.	0.4	10
27	Influence of proband's characteristics on the risk for venous thromboembolism in relatives with factor V Leiden or prothrombin G20210A polymorphisms. <i>Blood</i> , 2013, 122, 2555-2561.	0.6	9
28	Seasonal variation of venous thrombosis: a consecutive case series within studies from Leiden, Milan and Tromsø. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1704-1707.	1.9	18
29	Low borderline plasma levels of antithrombin, protein C and protein S are risk factors for venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1783-1791.	1.9	63
30	Circulating microparticles and risk of venous thromboembolism. <i>Thrombosis Research</i> , 2012, 129, 591-597.	0.8	92
31	Risk factors for postpartum hemorrhage in a cohort of 6011 Italian women. <i>Thrombosis Research</i> , 2012, 129, e1-e7.	0.8	64
32	The JAK2 V617F mutation in patients with cerebral venous thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 998-1003.	1.9	61
33	Elevated prepartum fibrinogen levels are not associated with a reduced risk of postpartum hemorrhage. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1451-1453.	1.9	24
34	Hematological evaluation of acquired von Willebrand syndrome before oral surgery: Management of an unusual case. <i>Asian Journal of Transfusion Science</i> , 2012, 6, 46.	0.1	0
35	Coagulation testing before epidural analgesia at delivery: Cost analysis. <i>Thrombosis Research</i> , 2011, 128, 18-20.	0.8	20
36	Circulating and progenitor endothelial cells are abnormal in patients with different types of von Willebrand disease and correlate with markers of angiogenesis. <i>American Journal of Hematology</i> , 2011, 86, 650-656.	2.0	20

#	ARTICLE	IF	CITATIONS
37	Management of Inherited von Willebrand Disease in Italy: Results from the Retrospective Study on 1234 Patients. <i>Seminars in Thrombosis and Hemostasis</i> , 2011, 37, 511-521.	1.5	48
38	Risk factors for venous and arterial thrombosis. <i>Blood Transfusion</i> , 2011, 9, 120-38.	0.3	294
39	Thrombotic risk factors: Basic pathophysiology. <i>Critical Care Medicine</i> , 2010, 38, S3-S9.	0.4	126
40	Effect of prothrombin 19911 A≫G polymorphism on the risk of cerebral sinus venous thrombosis. <i>European Journal of Neurology</i> , 2010, 17, 1482-1485.	1.7	4
41	Long-Term Evaluation of the Risk of Recurrence After Cerebral Sinus-Venous Thrombosis. <i>Circulation</i> , 2010, 121, 2740-2746.	1.6	120
42	The relationship between plasma homocysteine levels and bone mineral density in post-menopausal women. <i>European Journal of Internal Medicine</i> , 2010, 21, 301-305.	1.0	42
43	Influence of anticoagulant therapy with vitamin K antagonists on plasma levels of coagulation factor VIII. <i>Thrombosis Research</i> , 2010, 126, 243-245.	0.8	12
44	Circulating endothelial cells (CECs) and progenitors (CEPs) in severe haemophiliacs with different clinical phenotype. <i>British Journal of Haematology</i> , 2009, 144, 803-805.	1.2	15
45	High levels of factor VIII and risk of extra-hepatic portal vein obstruction. <i>Journal of Hepatology</i> , 2009, 50, 916-922.	1.8	69
46	The hemostatic system through aging and menopause. <i>Climacteric</i> , 2009, 12, 47-51.	1.1	30
47	Aging, menopause, cardiovascular disease and HRT. <i>Climacteric</i> , 2009, 12, 368-377.	1.1	35
48	Clinical and molecular predictors of thrombocytopenia and risk of bleeding in patients with von Willebrand disease type 2B: a cohort study of 67 patients. <i>Blood</i> , 2009, 113, 526-534.	0.6	239
49	High-d-dimer plasma levels predict poor outcome in esophageal variceal bleeding. <i>Digestive and Liver Disease</i> , 2008, 40, 874-881.	0.4	23
50	VEGF Expression Correlates With Microvessel Density in Philadelphia Chromosome Negative Chronic Myeloproliferative Disorders. <i>American Journal of Clinical Pathology</i> , 2007, 128, 966-973.	0.4	48
51	Endothelial protein C receptor plasma levels increase in chronic liver disease, while thrombomodulin plasma levels increase only in hepatocellular carcinoma. <i>Thrombosis Research</i> , 2007, 120, 289-293.	0.8	12
52	Reply:. <i>Hepatology</i> , 2007, 45, 832-833.	3.6	1
53	Usefulness of PFA [®] testing in the diagnostic screening of patients with suspected abnormalities of hemostasis: comparison with the bleeding time. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 2393-2398.	1.9	99
54	Incidence and Determinants of Bleeding in Different Types of von Willebrand Disease: Results of the First Prospective Multicenter Study on 814 Italian Patients.. <i>Blood</i> , 2007, 110, 713-713.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Factor V Leiden Mutation in Patients with Breast Cancer with a Central Venous Catheter: Risk of Deep Vein Thrombosis. <i>Supportive Cancer Therapy</i> , 2006, 3, 98-102.	0.3	15
56	Polymorphisms of the protein Z-dependent protease inhibitor (ZPI) gene and the risk of venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2006, 95, 909-910.	1.8	21
57	Marburg I polymorphism of factor VII-activating protease and risk of venous thromboembolism. <i>Blood</i> , 2006, 107, 1731-1731.	0.6	73
58	New approaches for measuring coagulation. <i>Haemophilia</i> , 2006, 12, 76-81.	1.0	52
59	Psychological impact of thrombosis in the young. <i>Internal and Emergency Medicine</i> , 2006, 1, 119-126.	1.0	8
60	Role of the JAK2 mutation in the diagnosis of chronic myeloproliferative disorders in splanchnic vein thrombosis. <i>Hepatology</i> , 2006, 44, 1528-1534.	3.6	249
61	Low levels of protein Z and the risk of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2817-2819.	1.9	32
62	Risk factors for thrombophilia in extrahepatic portal vein obstruction. <i>Hepatology</i> , 2005, 41, 603-608.	3.6	190
63	Molecular diversity and thrombotic risk in protein S deficiency: The PROSIT study. <i>Human Mutation</i> , 2005, 25, 259-269.	1.1	48
64	Factor V Leiden and G20210A prothrombin mutation and the risk of subclavian vein thrombosis in patients with breast cancer and a central venous catheter. <i>Annals of Oncology</i> , 2004, 15, 590-593.	0.6	52
65	Patients With Type 3 Severe von Willebrand Disease Are Not Protected Against Atherosclerosis. <i>Circulation</i> , 2004, 109, 740-744.	1.6	60
66	Risk Factors and Recurrence Rate of Primary Deep Vein Thrombosis of the Upper Extremities. <i>Circulation</i> , 2004, 110, 566-570.	1.6	172
67	Interleukin-10 and interleukin-6 gene polymorphisms as risk factors for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2004, 25, 1009-1015.	1.5	131
68	A shortened activated partial thromboplastin time is associated with the risk of venous thromboembolism. <i>Blood</i> , 2004, 104, 3631-3634.	0.6	179
69	Blood levels of homocysteine, folate, vitamin B6 and B12 in women using oral contraceptives compared to non-users. <i>Thrombosis Research</i> , 2003, 112, 37-41.	0.8	56
70	Reply to a Rebuttal: Counseling Pregnant Women Homozygous for Factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2002, 87, 361-361.	1.8	0
71	Low risk of thrombosis in family members of patients with hyperhomocysteinaemia. <i>British Journal of Haematology</i> , 2002, 117, 709-711.	1.2	6
72	Identification of Four Novel Polymorphisms in the α_2 and β Fibrinogen Genes and Analysis of Association with Plasma Levels of the Protein. <i>Thrombosis Research</i> , 2001, 103, 299-307.	0.8	11

#	ARTICLE	IF	CITATIONS
73	A 23bp Insertion in the Endothelial Protein C Receptor (EPCR) Gene Impairs EPCR Function. <i>Thrombosis and Haemostasis</i> , 2001, 86, 945-948.	1.8	56
74	Risk of Pregnancy-related Venous Thrombosis in Carriers of Severe Inherited Thrombophilia. <i>Thrombosis and Haemostasis</i> , 2001, 86, 800-803.	1.8	119
75	Probability Density Estimation Using Adaptive Activation Function Neurons. <i>Neural Processing Letters</i> , 2001, 13, 31-42.	2.0	19
76	Low Plasma Levels of Vitamin B ₆ Are Independently Associated With a Heightened Risk of Deep-Vein Thrombosis. <i>Circulation</i> , 2001, 104, 2442-2446.	1.6	67
77	Increased glucose-dependent insulinotropic polypeptide (GIP) secretion in acromegaly. <i>European Journal of Endocrinology</i> , 2001, 145, R1-R4.	1.9	14
78	Acquired von Willebrand Syndrome: Data from an International Registry. <i>Thrombosis and Haemostasis</i> , 2000, 84, 345-349.	1.8	327
79	The risk of venous thromboembolism in family members with mutations in the genes of factor V or prothrombin or both. <i>British Journal of Haematology</i> , 2000, 111, 1223-1229.	1.2	6
80	Alterations of haemostatic and fibrinolytic markers in adult patients with growth hormone deficiency and with acromegaly. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2000, 108, 486-492.	0.6	35
81	The risk of venous thromboembolism in family members with mutations in the genes of factor V or prothrombin or both. <i>British Journal of Haematology</i> , 2000, 111, 1223-1229.	1.2	89
82	Interaction Between the G20210A Mutation of the Prothrombin Gene and Oral Contraceptive Use in Deep Vein Thrombosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 700-703.	1.1	170
83	Risk of Venous Thromboembolism and Clinical Manifestations in Carriers of Antithrombin, Protein C, Protein S Deficiency, or Activated Protein C Resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1026-1033.	1.1	145
84	Fibrinogen Milano XIII (A \pm 19 Arg \rightarrow Gly). <i>Thrombosis Research</i> , 1999, 96, 399-405.	0.8	6
85	Budd-Chiari Syndrome in a Patient Heterozygous for the G20210A Mutation of the Prothrombin Gene. <i>Thrombosis and Haemostasis</i> , 1998, 79, 445-446.	1.8	26
86	Occult Cancer and Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , 1998, 80, 347-348.	1.8	0
87	A Common Mutation in the Methylene-tetrahydrofolate Reductase Gene (C677T) Increases the Risk for Deep-Vein Thrombosis in Patients With Mutant Factor V (Factor V:Q 506). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1662-1666.	1.1	161