

Jean-Jacques Mourad

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7601425/jean-jacques-mourad-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

4,527
citations

29
h-index

67
g-index

95
ext. papers

5,225
ext. citations

6
avg, IF

5.32
L-index

#	Paper	IF	Citations
85	Patients' Perspectives About the Treatment They Receive for Cardiovascular Diseases and Mental Disorders: Web-Based Survey Study.. <i>JMIR Formative Research</i> , 2022 , 6, e32725	2.5	
84	A typical babesiosis in an immunocompetent patient. <i>Annales De Biologie Clinique</i> , 2021 , 79, 456-459	0.4	0
83	Disseminated Herpes Zoster During COVID-19. <i>Infectious Diseases in Clinical Practice</i> , 2021 , 29, e109-e110.2	10.2	5
82	No significant difference between ceftriaxone and cefotaxime in the emergence of antibiotic resistance in the gut microbiota of hospitalized patients: A pilot study. <i>International Journal of Infectious Diseases</i> , 2021 , 104, 617-623	10.5	0
81	Evidence of a Blood Pressure Reduction During the COVID-19 Pandemic and Associated Lockdown Period: Insights from e-Health Data. <i>Telemedicine Journal and E-Health</i> , 2021 ,	5.9	7
80	Prevalence and characteristics of pulmonary embolism in 1042 COVID-19 patients with respiratory symptoms: A nested case-control study. <i>Thrombosis Research</i> , 2021 , 197, 94-99	8.2	20
79	Is Aspirin the True Protective Therapy in Coronavirus Disease 2019 Patients?. <i>Anesthesia and Analgesia</i> , 2021 , 133, e41	3.9	0
78	Intentionality in adherence to long-term therapies. Results from an online survey of 3,001 patients with cardio-metabolic pathologies in France. <i>Patient Preference and Adherence</i> , 2021 , 15, 1739-1753	2.4	1
77	Coronaviruses, cholesterol and statins: Involvement and application for Covid-19. <i>Biochimie</i> , 2021 , 189, 51-64	4.6	5
76	SPARTE Study: Normalization of Arterial Stiffness and Cardiovascular Events in Patients With Hypertension at Medium to Very High Risk. <i>Hypertension</i> , 2021 , 78, 983-995	8.5	13
75	Acute QT Interval Modifications During Hydroxychloroquine-Azithromycin Treatment in the Context of COVID-19 Infection. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 1696-1700	6.4	15
74	Anakinra for severe forms of COVID-19: a cohort study. <i>Lancet Rheumatology, The</i> , 2020 , 2, e393-e400	14.2	377
73	Interaction between RAAS inhibitors and ACE2 in the context of COVID-19. <i>Nature Reviews Cardiology</i> , 2020 , 17, 313	14.8	62
72	Protocol of the SPARTE Study: A Strategy for Preventing Cardiovascular and Renal Events based on ARTERial Stiffness. <i>Artery Research</i> , 2020 , 26, 250	2.2	6
71	Anakinra for severe forms of COVID-19 - Authors' Reply. <i>Lancet Rheumatology, The</i> , 2020 , 2, e587-e588	14.2	3
70	Tocilizumab for severe COVID-19 pneumonia. <i>Lancet Rheumatology, The</i> , 2020 , 2, e659	14.2	2
69	Thoracic aorta involvement in giant cell arteritis: a case-control analysis of morphological data at diagnosis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 140-143	2.2	

68	Nondipping Pattern and Cardiovascular and Renal Damage in a Population-Based Study (The STANISLAS Cohort Study). <i>American Journal of Hypertension</i> , 2019 , 32, 620-628	2.3	12
67	Interest of Combined Blood Pressure Measurements in Very Old Frail Subjects: The PARTAGE Study. <i>American Journal of Hypertension</i> , 2018 , 31, 950-956	2.3	
66	Twenty-Four-Hour Blood Pressure Monitoring to Predict and Assess Impact of Renal Denervation: The DENERHTN Study (Renal Denervation for Hypertension). <i>Hypertension</i> , 2017 , 69, 494-500	8.5	19
65	Hypertension control and cardiovascular disease - AuthorsReply. <i>Lancet, The</i> , 2017 , 389, 154-155	40	1
64	Blood pressure-lowering efficacy and safety of perindopril/indapamide/amlodipine single-pill combination in patients with uncontrolled essential hypertension: a multicenter, randomized, double-blind, controlled trial. <i>Journal of Hypertension</i> , 2017 , 35, 1481-1495	1.9	17
63	Abdominal Aortic Calcifications Influences the Systemic and Renal Hemodynamic Response to Renal Denervation in the DENERHTN (Renal Denervation for Hypertension) Trial. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
62	Triple Combination Therapy for Global Cardiovascular Risk: Atorvastatin, Perindopril, and Amlodipine. <i>American Journal of Cardiovascular Drugs</i> , 2016 , 16, 241-253	4	10
61	Evidence for a Prognostic Role of Orthostatic Hypertension on Survival in a Very Old Institutionalized Population. <i>Hypertension</i> , 2016 , 67, 191-6	8.5	37
60	From epidemiological transition to modern cardiovascular epidemiology: hypertension in the 21st century. <i>Lancet, The</i> , 2016 , 388, 530-2	40	49
59	Why in 2016 are patients with hypertension not 100% controlled? A call to action. <i>Journal of Hypertension</i> , 2016 , 34, 1480-8	1.9	31
58	Adherence to Antihypertensive Treatment and the Blood Pressure-Lowering Effects of Renal Denervation in the Renal Denervation for Hypertension (DENERHTN) Trial. <i>Circulation</i> , 2016 , 134, 847-57	16.7	98
57	The Different Effects of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers on Mortality. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 972	6.4	
56	Comparison of single-pill strategies first line in hypertension: perindopril/amlodipine versus valsartan/amlodipine. <i>Journal of Hypertension</i> , 2015 , 33, 401-11	1.9	29
55	Impact of renin-angiotensin system inhibitors on mortality and major cardiovascular endpoints in hypertension: A number-needed-to-treat analysis. <i>International Journal of Cardiology</i> , 2015 , 181, 425-9	3.2	37
54	Management of hypertension in adults: the 2013 French Society of Hypertension guidelines. <i>Fundamental and Clinical Pharmacology</i> , 2014 , 28, 1-9	3.1	47
53	Updated national and international hypertension guidelines: a review of current recommendations. <i>Drugs</i> , 2014 , 74, 2033-51	12.1	72
52	Effect of a fixed combination of Perindopril and Amlodipine on blood pressure control in 6256 patients with not-at-goal hypertension: the AVANTSAGE study. <i>Journal of the American Society of Hypertension</i> , 2013 , 7, 163-9		15
51	Refractory hypoglycemia controlled by sorafenib in solitary fibrous tumor. <i>Journal of Clinical Oncology</i> , 2013 , 31, e118-21	2.2	7

50	Impact of miscounting during home blood pressure measurement on the prevalence of masked hypertension. <i>American Journal of Hypertension</i> , 2013 , 26, 1205-9	2.3	14
49	Characteristics and future cardiovascular risk of patients with not-at-goal hypertension in general practice in France: the AVANTSAGE study. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 291-5	2.3	9
48	Angiotensin-converting enzyme inhibitors reduce mortality in hypertension: a meta-analysis of randomized clinical trials of renin-angiotensin-aldosterone system inhibitors involving 158,998 patients. <i>European Heart Journal</i> , 2012 , 33, 2088-97	9.5	278
47	Ephrin-B2-activated peripheral blood mononuclear cells from diabetic patients restore diabetes-induced impairment of postischemic neovascularization. <i>Diabetes</i> , 2012 , 61, 2621-32	0.9	21
46	Which patients benefit the most from the perindopril/amlodipine combination. <i>Journal of Hypertension</i> , 2011 , 29 Suppl 1, S23-8	1.9	4
45	Mechanisms of antiangiogenic-induced arterial hypertension. <i>Current Hypertension Reports</i> , 2011 , 13, 289-93	4.7	32
44	Combinations of inhibitors of the renin-angiotensin system with calcium channel blockers for the treatment of hypertension: focus on perindopril/amlodipine. <i>Current Medical Research and Opinion</i> , 2010 , 26, 2263-76	2.5	5
43	First evaluation using a validated scale of the risk of congestive heart failure among hypertensive patients treated by general practitioners (O-PREDICT survey). <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 176-83	2.7	
42	Interaction between the microcirculatory network and the systemic arterial pressure. <i>Artery Research</i> , 2010 , 4, 108	2.2	
41	Nighttime blood pressure: a target for therapy?. <i>Current Hypertension Reports</i> , 2010 , 12, 474-9	4.7	8
40	Screening of unrecognized peripheral arterial disease (PAD) using ankle-brachial index in high cardiovascular risk patients free from symptomatic PAD. <i>Journal of Vascular Surgery</i> , 2009 , 50, 572-80	3.5	39
39	Effective systolic blood pressure reduction with olmesartan medoxomil/amlodipine combination therapy: post hoc analysis of data from a randomized, double-blind, parallel-group, multicentre study. <i>Clinical Drug Investigation</i> , 2009 , 29, 419-25	3.2	12
38	Heart protection: a key target in the management of patients with diabetes. <i>Journal of Hypertension</i> , 2009 , 27, S9-13	1.9	
37	Urinary aldosterone-to-active-renin ratio: a useful tool for predicting resolution of hypertension after adrenalectomy in patients with aldosterone-producing adenomas. <i>American Journal of Hypertension</i> , 2008 , 21, 742-7	2.3	19
36	Impaired tissue perfusion: a pathology common to hypertension, obesity, and diabetes mellitus. <i>Circulation</i> , 2008 , 118, 968-76	16.7	328
35	Blood pressure normalization by fixed perindopril/indapamide combination in hypertensive patients with or without associate metabolic syndrome: results of the OPTIMAX 2 study. <i>Vascular Health and Risk Management</i> , 2008 , 4, 443-51	4.4	5
34	The evolution of systolic blood pressure as a strong predictor of cardiovascular risk and the effectiveness of fixed-dose ARB/CCB combinations in lowering levels of this preferential target. <i>Vascular Health and Risk Management</i> , 2008 , 4, 1315-25	4.4	19
33	Cardiovascular impact of exercise and drug therapy in older hypertensives with coronary heart disease: PREHACOR study. <i>Heart and Vessels</i> , 2008 , 23, 20-5	2.1	3

32	Application in the STRATHE trial of a score system to compare the efficacy and the tolerability of different therapeutic strategies in the management of hypertension. <i>Vascular Health and Risk Management</i> , 2008 , 4, 249-52	4.4	1
31	Blood pressure control, risk factors and cardiovascular prognosis in patients with diabetes: 30 years of progress. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 2008 , 26, S7-13		19
30	Central pulse pressure and atherosclerotic alterations of coronary arteries. <i>Advances in Cardiology</i> , 2007 , 44, 139-149		1
29	Blood pressure normalization in a large population of hypertensive patients treated with perindopril/indapamide combination: results of the OPTIMAX trial. <i>Vascular Health and Risk Management</i> , 2007 , 3, 173-80	4.4	5
28	Peripheral arterial disease versus other localizations of vascular disease: the ATTEST study. <i>Journal of Vascular Surgery</i> , 2006 , 44, 314-8	3.5	46
27	Targeting systolic blood pressure: the key to controlling combined systolic/diastolic hypertension. <i>American Journal of Hypertension</i> , 2006 , 19, 985-6	2.3	9
26	Comparative effect of aspirin and clopidogrel on arterial function in CHF. <i>International Journal of Cardiology</i> , 2006 , 106, 61-6	3.2	9
25	Is hypertension a tissue perfusion disorder? Implications for renal and myocardial perfusion. <i>Journal of Hypertension</i> , 2006 , 24, S10-6	1.9	14
24	Evidence for an increased rate of cardiovascular events in patients with primary aldosteronism. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1243-8	15.1	1131
23	Aortic pulse pressure is related to the presence and extent of coronary artery disease in men undergoing diagnostic coronary angiography: a multicenter study. <i>American Journal of Hypertension</i> , 2004 , 17, 129-33	2.3	60
22	Pulse pressure monitoring of open antihypertensive therapy. <i>American Journal of Hypertension</i> , 2004 , 17, 1088-94	2.3	6
21	Comparison of different therapeutic strategies in hypertension: a low-dose combination of perindopril/indapamide versus a sequential monotherapy or a stepped-care approach. <i>Journal of Hypertension</i> , 2004 , 22, 2379-86	1.9	83
20	Aspirin alters arterial function in patients with chronic heart failure treated with ACE inhibitors: a dose-mediated deleterious effect. <i>European Journal of Heart Failure</i> , 2003 , 5, 271-9	12.3	21
19	Improvement of impaired coronary vasodilator reserve in hypertensive patients by low-dose ACE inhibitor/diuretic therapy: a pilot PET study. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2003 , 4, 94-5	3	36
18	Interaction between cyclooxygenase and the renin-angiotensin-aldosterone system: rationale and clinical relevance. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2003 , 4, 149-54	3	20
17	Age-related increase of pulse pressure and gene polymorphisms in essential hypertension: a preliminary study. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2002 , 3, 109-15	3	18
16	Aortic pulse pressure and extent of coronary artery disease in percutaneous transluminal coronary angioplasty candidates. <i>American Journal of Hypertension</i> , 2002 , 15, 672-7	2.3	50
15	Creatinine clearance, pulse wave velocity, carotid compliance and essential hypertension. <i>Kidney International</i> , 2001 , 59, 1834-41	9.9	175

14	Conventional antihypertensive drug therapy does not prevent the increase of pulse pressure with age. <i>Hypertension</i> , 2001 , 38, 958-61	8.5	26
13	The R22X mutation of the SDHD gene in hereditary paraganglioma abolishes the enzymatic activity of complex II in the mitochondrial respiratory chain and activates the hypoxia pathway. <i>American Journal of Human Genetics</i> , 2001 , 69, 1186-97	11	308
12	What does STOP-2 tell us about management of hypertension?. <i>Lancet, The</i> , 2000 , 355, 651-2; author reply 653	40	1
11	Influence of age and end-stage renal disease on the stiffness of carotid wall material in hypertension. <i>Journal of Hypertension</i> , 1999 , 17, 237-44	1.9	65
10	Validation of two devices for self-measurement of blood pressure by elderly patients according to the revised British Hypertension Society protocol: the Omron HEM-722C and HEM-735C. <i>Blood Pressure Monitoring</i> , 1999 , 4, 21-5	1.3	57
9	Opposite effects of remodeling and hypertrophy on arterial compliance in hypertension. <i>Hypertension</i> , 1998 , 31, 529-33	8.5	19
8	Carotid-artery dissection after a prolonged telephone call. <i>New England Journal of Medicine</i> , 1997 , 336, 516	59.2	17
7	Non-invasive evaluation of arterial abnormalities in hypertensive patients. <i>Journal of Hypertension</i> , 1997 , 15, S99-107	1.9	43
6	The wall to lumen ratio of the radial artery in patients with Raynaud's phenomenon. <i>Journal of Vascular Research</i> , 1997 , 34, 298-305	1.9	11
5	Increased stiffness of radial artery wall material in end-stage renal disease. <i>Hypertension</i> , 1997 , 30, 1425-30	8.5	86
4	Remodeling of the radial artery in response to a chronic increase in shear stress. <i>Hypertension</i> , 1996 , 27, 799-803	8.5	134
3	Noninvasive detection of an increased vascular mass in untreated hypertensive patients. <i>American Journal of Hypertension</i> , 1994 , 7, 1076-84	2.3	82
2	Noninvasive measurement of medium-sized artery intima-media thickness in humans: in vitro validation. <i>Journal of Vascular Research</i> , 1994 , 31, 114-20	1.9	95
1	Incompressibility of the human arterial wall. <i>Journal of Hypertension</i> , 1992 , 10, S111-S114	1.9	13